MEDICAL LIBRARY
(MINISTRY OF HEALTH.)

MEDICAL LIBRARY

an: Report
Births.
ls of 1878)

Lent Reminder Rel-d

22500766882

No.....

MINISTRY OF HEALTH.

MEDICAL LIBRARY.

This book may be retained for 14 days. It should be returned to the Medical Library (Room 30/IV) on or before the latest date given below.

The volume may be re-borrowed for a further period upon written request provided it is not required by another officer.

22318 21935/490 5m(2) 3/27 J.P.D207 Gp.132
MED. LIBRARY 1.

TWENTY-FOURTH DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES IN SCOTLAND.

[ABSTRACTS OF 1878.]

Presented to both Houses of Parliament by Command of Her Majesty.

EDINBURGH:
PRINTED BY NEILL AND COMPANY,
FOR HER MAJESTY'S STATIONERY OFFICE.
1882.

[C.—3203.] *Price* 2*s.* 1*d.*

MEDICAL LIBRARY
MINISTRY OF HEALTH

WELLCOME INSTITUTE
LIBRARY
Coll. welMOmec
Call No. Scr WA

REPORT.

TO THE RIGHT HON.

SIR WILLIAM VERNON HARCOURT, Q.C., M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, *April* 1, 1882.

SIR,

On the 3rd April 1879, the Registrar-General for Scotland had the honour, in conformity with the requirements of the seventh section of the Scottish Registration Act, 17 & 18 Vict. cap. 60, to transmit to the Secretary of State for the Home Department General Abstracts of the Births, Deaths, and Marriages registered in Scotland during the year 1878, along with the usual explanation and commentary.

On the same date, his Fourteenth Annual Report on Vaccination was transmitted, in accordance with the nineteenth section of the Scottish Vaccination Act, 26 & 27 Vict. cap. 108.

I have now the honour to transmit the Detailed Annual Report, together with the relative Tables, regarding the Births,

Deaths, and Marriages registered in Scotland during the same year (1878).

I have the honour to be,

SIR,

Your most obedient Servant,

STAIR AGNEW,

Registrar-General.

CONTENTS.

	Page
Report of Registrar-General to the Secretary of State,	iii
Report by Dr Robertson to the Registrar-General,	ix
Table of Estimated Population, with the Number of Births, Deaths, and Marriages registered in Scotland during each of the years 1855–1878 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths,	ix
Population,	ix
Tables showing the Number and Proportion of Births, Deaths, and Marriages in the Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855–1878,	xi
Table showing the Number and Proportion of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1878,	xii
Occasional Table, showing the State of Illegitimacy in all Scotland, in the Five Groups of Districts, Principal Towns, and Two Counties in 1878,	xii
Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Divisions and Counties of Scotland during the year 1878,	xiii

BIRTHS.

Births in 1878, and their Proportion to the Population, with relative Tables,	x
Tables showing particulars relative to the Births during each of the years 1855 to 1878 inclusive,	xiv
Number and Proportion of Twins and Triplets,	xiv

MARRIAGES.

Proportion of Legitimate Children to the Marriages in Scotland and England,	xv
Influence of Density of Population on the Marriages,	xv
Number of Marriages in 1878, and their Proportion to the Population,	xvi
Number and Proportion of Marriages contracted according to the Rites of the several Religious Denominations in 1878, and 1855–1878, with relative Tables,	xvi
Number and Proportion of Persons marrying at different Ages, with relative Tables,	xviii
Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables,	xix
Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark,	xix & xxi

Page

DEATHS.

Number of Deaths in Scotland in 1878, and their Proportion to the Population, . . xx

Death-rates in Scotland, and in its Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855–1878, with relative Tables, ... xxii

Death-rates in each of the Eight Principal Towns of Scotland during each of the years 1868–1878, ... xxiii

Series of Tables of the Deaths at different Ages in Scotland, and its Five Great Groups of Districts, during the year 1878, ... xxiv

Mortality of Female lower than that of the Male, ... xxv

High Mortality in Towns at every period of life, as compared with mortality of Rural Districts, xxv

Causes of Death in 1878, with relative Tables, ... xxvii

Proportion of Deaths from the Zymotic Diseases at different Ages, with relative Tables, . xxxiv

Small-pox Deaths in Scotland for twenty-four years, ... xxxv

Vaccinations in Scotland, 1868–1878, ... xxxvi & xxxvii

Different forms of Fever prevalent in Scotland, and Monthly Fever Deaths, . . xxxiii & xxxviii

The Twenty most fatal Diseases in England and Scotland in 1878, ... xxxix

INFLUENCE OF EXTERNAL AGENCIES ON THE MORTALITY IN 1878.

Weather, Weekly and Monthly, and its Influence on the Mortality, ... xxxviii

Table showing the Meteorology of Scotland during each month of the year 1878, together with the Monthly and Daily Number of Births, Deaths, and Marriages, . . xli

Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Disease, in the Eight Principal Towns of Scotland during each Month of the year 1878, . . xlii

Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland, during each week of the year 1878, ... xliii

Influence of Season, etc., on the Mortality at different Ages, ... xliii

---

APPENDIX.

Vaccinations in the several Counties of Scotland during the year 1878, . . . xlvi

---

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Groups of Districts, Divisions, and Counties of Scotland in 1878, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1861 and 1871, the Excess of Births over Deaths, and the Area in Square Miles of each County, ... 1

Tables of the Population in 1861 and 1871, and of the Births, Deaths, and Marriages during the year 1878, also of the Illegitimate Births in every Registration District, . . 2–23

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1878; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, ... 24

PAGE

Table of the Civil Condition of the parties who married in 1878; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex 25

Table of the Ages of all Males who married in Scotland and its Counties in 1878, . . 26

Table of the Ages of all Females who married in Scotland and its Counties in 1878, . . 28

DEATHS.

Table of the Ages of all persons of both Sexes who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1878, together with the Populations in 1861 and 1871, ... 30

Table of the Ages of all Males who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1878, together with the Male Populations in 1861 and 1871, ... 32

Table of the Ages of all Females who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1878, together with the Female Populations in 1861 and 1871, ... 34

Deaths at different Ages in both Sexes in each of the Large Towns, and in the Small Town Districts of the Counties of Scotland in 1878, ... 36
Do. Males, ... 38
Do. Females, ... 40

Deaths at different Ages in both Sexes in the Mainland-Rural and in the Insular-Rural Districts of Scotland in 1878, ... 42
Do. Males, ... 44
Do. Females, ... 46

Summary Table of the Causes of Death in each of the Counties of Scotland in 1878—
Males, ... 48
Females, ... 49

Summary Table of the Causes of Death in each of the Principal Towns of Scotland in 1878—
Males, ... 64
Females, ... 65

Summary Table of the Causes of Death in each of the Large Towns of Scotland in 1878—
Males, ... 72
Females, ... 73

Summary Table of the Causes of Death in each of the Small Town Districts of the Counties of Scotland in 1878—
Males, ... 80
Females, ... 81

Summary Table of the Causes of Death in the Mainland-Rural Districts of Scotland in 1878—
Males, ... 96
Females, ... 97

Summary Table of the Causes of Death in the Insular-Rural Districts of Scotland in 1878—
Males and Females, ... 112

Table of the Causes of Death in all Scotland at different Periods of Life—
Males, ... 116
Females, ... 117

Table of the Causes of Death in the Principal Town Districts of Scotland at different Periods of Life—
Males, ... 132
Females, ... 133

Page

Table of the Causes of Death in the Large Town Districts of Scotland at different Periods of Life—
Males, ... 148
Females, ... 149

Table of the Causes of Death in the Small Town Districts of Scotland at different Periods of Life—
Males, ... 164
Females, ... 165

Table of the Causes of Death in the Mainland-Rural Districts of Scotland at different Periods of Life—
Males, ... 180
Females, ... 181

Table of the Causes of Death in the Insular-Rural Districts of Scotland at different Periods of Life—
Males, ... 196
Females, ... 197

Table of the Causes of Death in Glasgow at different Periods of Life—
Males, ... 212
Females, ... 213

Table of the Causes of Death in Edinburgh at different Periods of Life—
Males, ... 228
Females, ... 229

Table of the Causes of Death in Dundee at different Periods of Life—
Males, ... 244
Females, ... 245

Table of the Causes of Death in Aberdeen at different Periods of Life—
Males, ... 260
Females 261

Table of the Causes of Death in Greenock at different Periods of Life—
Males, ... 276
Females, ... 277

Table of the Causes of Death in Paisley at different Periods of Life—
Males, ... 292
Females, ... 293

Table of the Causes of Death in Leith at different Periods of Life—
Males, ... 308
Females, ... 309

Table of the Causes of Death in Perth at different Periods of Life—
Males, ... 324
Females, ... 325

Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1878, in each of the Groups of Districts, Divisions, and Counties of Scotland, ... 340

Constitution of the Compound Districts, ... 341

List of Registration Districts which include Burghs or Towns of 2000 Inhabitants and upwards, or parts thereof, bearing a different name from the Districts in which they are situated, ... 342

Index to Districts, ... 343

REPORT TO THE REGISTRAR-GENERAL,

BY WILLIAM ROBERTSON, M.D., F.R.S.E.

SIR,

The year 1878 was chiefly remarkable in Scotland for continued commercial depression, a short harvest, and other circumstances calculated to interfere with national prosperity. These unfavourable influences materially affected the marriage-rate throughout the country; but both the birth-rate and death-rate were little disturbed, and in neither case was there any very marked deviation from the average of the ten immediately preceding years.

POPULATION.

The estimates of population used in the present Report are still those derived from the Census enumerations of 1861 and 1871, and from the recorded increase of male and female population between these periods. At

TABLE I.—Population estimated to the middle of each year; with the Number of Births, Deaths, and Marriages registered in Scotland during each of the Years 1855 to 1878, and their Proportion to the Population; also the Excess of Births over Deaths, the Illegitimate Births, and their Proportion to the Total Births.

Years	Estimated Population.	Births.		Deaths.	Marriages.	Excess of Births over Deaths.	Percentage to Population.			Percent. of Illegit. to Total Births.
		Total.	Illegit.				Births.	Deaths.	Marriages.	
1855	2,978,065	93,349	7,357	62,004	19,680	31,345	3·1491	2·0820	0·6608	7·8
1856	2,995,771	101,821	8,695	58,529	20,740	43,292	3·3988	1·9537	0·6923	8·5
1857	3,012,310	103,415	8,869	61,906	21,369	41,509	3·4331	2·0551	0·7094	8·5
1858	3,027,665	104,018	9,354	63,539	19,655	40,479	3·4356	2·0986	0·6492	8·9
1859	3,041,812	106,543	9,715	61,714	21,201	44,829	3·5026	2·0288	0·6969	9·1
1860	3,054,738	105,629	9,736	68,170	21,225	37,359	3·5578	2·2316	0·6948	9·2
1861	3,069,404	107,009	9,929	62,341	20,896	44,668	3·4863	2·0310	0·6808	9·2
1862	3,097,009	107,069	10,376	67,195	20,597	39,874	3·4572	2·1697	0·6651	9·7
1863	3,126,879	109,341	10,948	71,481	22,234	37,860	3·4968	2·2860	0·7160	10·0
1864	3,156,021	112,333	11,197	74,416	22,725	37,917	3·5594	2·3579	0·7200	9·9
1865	3,185,437	113,070	11,262	70,891	23,611	42,179	3·5496	2·2255	0·7412	9·9
1866	3,215,129	113,667	11,673	71,348	23,688	42,319	3·5354	2·2191	0·7367	10·2
1867	3,245,098	114,044	11,148	69,067	22,618	44,976	3·5063	2·1284	0·6970	9·7
1868	3,275,350	115,514	11,354	69,416	21,855	46,098	3·5267	2·1193	0·6673	9·8
1869	3,305,885	113,354	11,066	75,875	22,144	37,479	3·4288	2·2951	0·6698	9·7
1870	3,336,707	115,390	11,108	74,165	23,854	41,225	3·4582	2·2227	0·7149	9·6
1871	3,367,922	116,128	11,077	74,712	24,019	41,416	3·4481	2·2183	0·7132	9·5
1872	3,399,225	118,765	10,927	75,794	25,641	42,971	3·4939	2·2298	0·7543	9·2
1873	3,430,923	119,700	10,925	76,946	26,748	42,754	3·4889	2·2427	0·7796	9·1
1874	3,462,916	123,711	10,991	80,720	26,390	42,991	3·5725	2·3310	0·7621	8·9
1875	3,495,214	123,578	10,786	81,767	25,974	41,811	3·5356	2·3394	0·7431	8·73
1876	3,527,811	126,534	11,029	74,129	26,579	52,405	3·5868	2·1013	0·7534	8·72
1877	3,560,715	126,822	10,568	73,937	25,817	52,885	3·5617	2·0765	0·7251	8·33
1878	3,593,929	126,773	10,641	76,793	24,358	49,980	3·5274	2·1367	0·6778	8·39

the date on which this Detailed Annual Report is being drawn up, the preliminary Census Report of 1881 has been published, and it is quite obvious that estimates derived from the two previous Census enumerations are not now so reliable as could be desired. Till such time, however, as the revised Census figures of 1881 are available, we deemed it better to adhere to the old estimates, than to contradict what has already been published in the ordinary Annual Report for 1878, and to substitute figures which (though approximately correct) have not received a final revision. In the Detailed Annual for 1879 it will probably be in our power to avail ourselves of estimates based upon the Census enumerations of 1871 and 1881.

BIRTHS.

The number of births registered in the whole of Scotland during 1878 was 126773, or very nearly 353 births for every ten thousand of estimated population. This birth-rate, although frequently exceeded since 1874, may be regarded as ample. It exceeds the average rate of the ten years terminating with 1877.

The registered births in the Large Towns were 16228, constituting a birth-rate of 4·458 per cent. In the Small Towns, there were 29499 births, being at the annual rate of 3·645 per cent. In the Eight Principal Towns, 44329 recorded births showed an annual rate of 3·569 per cent. There were, in the Mainland-Rural districts, 33422 births, being at the rate of 3·183 per cent. In the districts of the Insular-Rural group there were 3295 births, being at the rate of 2·561 per cent.

There were registered in all Scotland 10641 illegitimate births, which constituted 8·39 per cent. of all recorded births occurring in 1878. Tables V*a*. and V*b*. exhibit all the usual details pertaining to the amount of illegitimacy in each of the Eight Principal Towns of Scotland and in each of its five registration groups, as well as in its various geographical divisions and counties. In the Table V*b*. will be found the proportion of illegitimate births to the estimated numbers of unmarried and widowed females, living in each locality, at ages between 15 and 45.

The live births registered in Scotland in 1878 were 126773, of which 65200 were males and 61573 females. For every hundred female live births there were accordingly nearly 105·9 male births. Among the

TABLE II.—Population of Scotland, in its Five New Groups of Districts, by the Censuses of 1861 and 1871, and estimated to the middle of 1878.

Five New Groups of Districts.	Census 1861.			Census 1871.			Estimated to 30th June 1878.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Principal Towns	407,839	477,116	884,955	502,021	566,535	1,068,556	588,811	653,184	1,241,995
Large Towns	129,933	144,448	274,381	160,176	174,081	334,257	175,685	188,326	364,011
Small Towns	335,356	369,024	704,380	371,118	404,969	776,087	388,682	420,667	809,349
Mainland-Rural	513,554	548,239	1,061,793	508,787	540,327	1,049,114	511,159	538,760	1,049,919
Insular-Rural	63,166	73,619	136,785	61,041	70,963	132,004	59,557	69,098	128,655
SCOTLAND	1,449,848	1,612,446	3,062,294	1,603,143	1,756,875	3,360,018	1,723,894	1,870,035	3,593,929

legitimate births alone the proportion of males to females was as 105·8 to 100; while among the illegitimate alone, the proportion was 106·3 male to every hundred female births.

TABLE III.—Births, Deaths, and Marriages in the Five New Groups of Districts in Scotland, 1855–1878.

Years.	Principal Towns.			Large Towns.			Small Towns.			Mainland-Rural.			Insular-Rural.		
	Births.	Deaths	Mar-riages.	Births.	Deaths	Mar-riages.	Births	Deaths	Mar-riages.	Births	Deaths	Mar-riages.	Births	Deaths	Mar-riages.
1855	28113	22706	6937	8374	8954	1980	16042	10015	3371	37994	21656	6829	2826	1673	563
1856	31719	22254	7507	9221	5374	1975	17289	19542	3428	39649	19462	7106	3943	1897	724
1857	32674	23363	7476	9387	5860	2113	17848	10009	3442	39466	20706	7483	4040	1968	855
1858	32563	23445	6865	9282	6163	1824	17678	10076	3133	40307	21789	7044	4188	2066	789
1859	33027	22352	7554	9545	5775	1918	18533	10045	3643	41210	21090	7222	4228	2452	864
1860	32958	26066	7688	9223	6042	1983	18239	11070	3443	41043	22593	7408	4166	2399	703
1861	34351	23149	7753	9695	5831	1940	18453	10366	3365	40432	20820	7032	4078	2175	806
1862	34436	24960	7724	9618	6566	1837	18376	10933	3289	40621	22108	6998	4018	2628	749
1863	35888	27045	8544	9895	6780	2086	18707	11542	3521	40975	23509	7416	3876	2605	667
1864	37058	28845	8897	10263	7132	2234	19389	12294	3750	41704	23805	7178	3919	2341	666
1865	38109	28515	9347	10594	6896	2304	19283	11256	3775	40449	22080	7512	4635	2144	669
1866	38541	27466	9458	10453	6906	2279	19326	11809	3839	41485	22905	7430	3862	2262	682
1867	39012	26519	8870	10651	6776	2156	19178	11557	3607	41339	21986	7271	3864	2230	714
1868	39492	28037	8589	10733	6684	2101	19563	11392	3469	41840	21164	7090	3886	2139	606
1869	39517	31467	9156	10618	7486	2201	18895	11901	3398	40640	22616	6806	3684	2405	583
1870	40452	28508	9733	10999	7712	2369	18958	12097	3762	41378	23654	7383	3603	2194	607
1871	40442	31426	9819	12599	8071	2656	26507	16200	5081	32825	17180	5863	3755	1835	600
1872	41673	30199	10427	13318	8940	2967	28059	16478	5545	32157	18093	6063	3558	2084	639
1873	41500	30008	10594	14033	9306	3140	28841	17357	6130	31963	18098	6291	3363	2177	593
1874	42631	32124	10574	15189	10026	3051	29557	17560	5695	32877	18816	6443	3457	2194	627
1875	43621	30983	10670	14638	9802	2995	28926	18285	5594	33104	20303	6160	3289	2394	555
1876	44265	27977	10722	15439	9024	3116	29601	16826	5773	33802	18192	6351	3427	2110	617
1877	44575	28227	10706	15863	9057	2938	29510	16060	5434	33596	18475	6207	3278	2118	532
1878	44329	29425	9727	16228	10188	2942	29499	17005	5150	33422	18212	5938	3295	1963	601

Principal Towns above 25000 inhabitants. Large Towns above 10000 and under 25000 inhabitants. The Small Towns from 3000 to 10000 inhabitants from 1855 to 1871—but from 1871 and upwards the Small Towns have from 2000 to 10000 of population.

TABLE IV.—Percentage of Births, Deaths, and Marriages in the Five New Groups of Districts of Scotland, to the Population during each of the Years 1855–1878.

Years.	Principal Towns.			Large Towns.			Small Towns.			Mainland-Rural.			Insular-Rural.		
	Births.	Deaths	Mar-riages.	Births.	Deaths	Mar-riages.	Births.	Deaths	Mar-riages.	Births.	Deaths	Mar-riages.	Births.	Deaths	Mar-riages.
1855	3·397	2·747	0·838	3·525	2·506	0·833	3·324	2·075	0·698	2·955	1·684	0·531	2·192	1·298	0·437
1856	3·787	2·657	0·896	3·835	2·235	0·821	3·554	1·962	0·705	3·080	1·512	0·552	3·078	1·481	0·565
1857	3·855	2·757	0·882	3·858	2·409	0·868	3·641	2·042	0·702	3·062	1·606	0·580	3·173	1·546	0·672
1858	3·797	2·734	0·801	3·771	2·504	0·741	3·579	2·040	0·634	3·052	1·689	0·546	3·310	1·633	0·623
1859	3·807	2·577	0·871	3·833	2·319	0·770	3·724	2·018	0·732	3·190	1·632	0·559	3·362	1·950	0·688
1860	3·756	2·971	0·876	3·662	2·398	0·787	3·637	2·207	0·686	3·173	1·747	0·573	3·334	1·920	0·563
1861	3·863	2·603	0·872	3·797	2·284	0·760	3·663	2·058	0·668	3·121	1·607	0·543	3·282	2·115	0·603
1862	3·809	2·761	0·854	3·701	2·521	0·705	3·621	2·155	0·648	3·122	1·703	0·539	3·177	2·126	0·606
1863	3·887	2·929	0·925	3·724	2·552	0·767	3·631	2·240	0·683	3·150	1·807	0·569	3·153	2·119	0·543
1864	3·939	3·073	0·946	3·699	2·631	0·824	3·751	2·378	0·725	3·199	1·826	0·550	3·205	1·914	0·545
1865	3·975	2·906	0·975	3·831	2·493	0·833	3·718	2·170	0·728	3·096	1·690	0·562	3·810	1·762	0·550
1866	3·945	2·811	0·968	3·705	2·448	0·808	3·699	2·260	0·735	3·169	1·750	0·567	3·191	1·869	0·563
1867	3·958	2·691	0·900	3·701	2·354	0·749	3·645	2·196	0·685	3·151	1·675	0·554	3·210	1·852	0·593
1868	3·893	2·763	0·866	3·656	2·276	0·716	3·690	2·149	0·654	3·182	1·610	0·539	3·245	1·786	0·487
1869	3·822	3·044	0·886	3·545	2·499	0·735	3·539	2·229	0·636	3·085	1·717	0·517	3·092	2·019	0·478
1870	3·836	2·703	0·923	3·559	2·524	0·775	3·525	2·249	0·699	3·134	1·791	0·559	3·040	1·851	0·512
1871	3·767	2·927	0·915	3·751	2·403	0·791	3·408	2·083	0·653	3·130	1·638	0·559	2·847	1·391	0·455
1872	3·809	2·760	0·953	3·887	2·609	0·866	3·581	2·103	0·708	3·070	1·727	0·579	2·707	1·586	0·486
1873	3·722	2·692	0·950	4·039	2·679	0·904	3·657	2·193	0·775	3·056	1·730	0·601	2·568	1·662	0·453
1874	3·752	2·827	0·931	4·287	2·830	0·861	3·709	2·204	0·715	3·146	1·801	0·617	2·649	1·681	0·480
1875	3·724	2·645	0·911	4·260	2·852	0·872	3·631	2·295	0·702	3·142	1·927	0·585	2·529	1·841	0·427
1876	3·706	2·342	0·898	4·407	2·576	0·890	3·696	2·101	0·721	3·211	1·728	0·603	2·645	1·628	0·476
1877	3·660	2·318	0·879	4·442	2·536	0·823	3·665	1·995	0·675	3·195	1·757	0·590	2·539	1·640	0·412
1878	3·569	2·369	0·783	4·458	2·799	0·808	3·645	2·101	0·636	3·183	1·735	0·566	2·561	1·526	0·467

In England, during 1878, the ratio of male births to females was as 104·2 to 100; among those born in wedlock, 104·1 to 100; and among the illegitimate, 104·7 to 100.

In all Scotland, during 1878, there were registered 126773 live children. Of these, 2734 were twins and 36 triplets. Hence the number of mothers who during the year bore live children was 126773 − 1367 − 24 = 125382. Of these mothers, one in every 91·7 bore twins, and one in 10448·5 bore triplets.

Regarding still-births in Scotland no returns are made to the Registrar-General, and consequently no details can be given in this Report. It seems strange that in this country statistics on this important subject should not be available. In most of the countries of Europe an effective registration of still-births is enforced by law.

TABLE V*a*.—Number of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1878, and their Proportion to the Estimated Population; also the Illegitimate Births, and their Proportion to the Total Births.

Towns.	Estimated Population, 1878.	Births.		Illegitimate Births.		Deaths.		Marriages.	
		Births.	Per cent. to Pop.	Illegit. Births.	Per cent. to Total Births.	Deaths.	Per cent. to Pop.	Marriages.	Per cent. to Pop.
Glasgow .	566,940	20,622	3·637	1713	8·3	14,157	2·497	4396	0·775
Edinburgh .	222,371	7,426	3·339	600	8·1	4,910	2·208	2041	0·918
Dundee . .	146,884	4,923	3·352	518	10·5	3,159	2·151	940	0·640
Aberdeen .	99,892	3,569	3·573	381	10·7	2,204	2·206	760	0·761
Greenock .	74,630	2,628	3·521	138	5·3	1,549	2·076	457	0·612
Paisley . .	48,842	1,909	3·909	113	5·9	1,591	3·257	460	0·942
Leith . .	55,629	2,306	4·145	128	5·6	1,215	2·184	462	0·831
Perth . .	26,593	946	3·557	77	8·1	640	2·407	211	0·793

OCCASIONAL TABLE V*b*.—Showing the state of Illegitimacy in all Scotland, in the Five New Groups of Registration Districts, in each of the Principal Towns, and in two Counties during 1878.

Localities.	Estimated Number of Unmarried Women and of Widows living between the ages of 15 and 45 at middle of 1878.	Number of Illegitimate Children born during 1878.	Percentage of Illegitimate Children to the Unmarried and Widowed Women aged 15–45.	Percentage of Illegitimates in Total Births.
All Scotland . . .	482,454	10,641	2·21	8·39
Principal Towns . . .	179,557	3,668	2·04	8·3
Large Towns . . .	47,773	1,135	2·38	7·0
Small Towns . . .	101,556	2,299	2·26	7·8
Mainland-Rural . . .	134,494	3,340	2·48	10·0
Insular-Rural . . .	19,074	199	1·04	6·0
Glasgow . . .	76,443	1,713	2·24	8·3
Edinburgh . . .	37,751	600	1·59	8·1
Dundee . . .	25,449	518	2·04	10·5
Aberdeen . . .	14,698	381	2·59	10·7
Greenock . . .	7,995	138	1·73	5·3
Paisley	7,264	113	1·56	5·9
Leith	6,121	128	2·09	5·6
Perth	3,836	77	2·01	8·1
County Banff . . .	7,914	301	3·80	15·7
County Wigtown . . .	5,361	185	3·45	15·4

MARRIAGES.

It has been repeatedly pointed out that the marriage-rate in Scotland is not so high as that of England; and occasion has been taken to account for this fact, by referring to the comparative poverty of the former country

TABLE VI.—Number of Births, Deaths, and Marriages in 1878, and their Proportion to the Population, estimated to the middle of the year, in Scotland, its Groups of Districts, its Divisions and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

Divisions and Counties.		Population Estimated to middle of year 1878.	Total Births.		Illegit. Births.		Deaths.		Marriages.	
			No.	Per cent to Pop.	No.	Per cent to Births	No.	Per cent to Pop.	No.	Per cent to Pop.
SCOTLAND		3,593,929	126773	3·5274	10641	8·39	76793	2·1367	24358	0·6778
1. Principal Town Dists.		1,241,995	44329	3·569	3668	8·3	29425	2·369	9727	0·783
2. Large Town Districts		364,011	16228	4·458	1135	7·0	10188	2·799	2942	0·808
3. Small Town Districts		809,349	29499	3·645	2299	7·8	17005	2·101	5150	0·636
4. Mainland-Rural Dists.		1,049,919	33422	3·183	3340	10·0	18212	1·735	5938	0·566
5. Insular-Rural Dists.		128,655	3295	2·561	199	6·0	1963	1·526	601	0·467
	Divisions.									
I.	Northern	124,912	2996	2·398	240	8·0	1866	1·494	611	0·489
II.	North-Western.	165,707	4370	2·637	258	5·9	2606	1·573	813	0·491
III.	North-Eastern	411,753	13614	3·306	1894	13·9	7028	1·707	2604	0·632
IV.	East-Midland	585,940	18908	3·227	1692	8·9	11382	1·943	3569	0·609
V.	West-Midland	256,838	8799	3·426	572	6·5	5584	2·174	1575	0·613
VI.	South-Western	1,324,293	53573	4·045	3722	6·9	33,00	2·515	10066	0·760
VII.	South-Eastern	525,081	18122	3·451	1412	7·8	11011	2·097	3879	0·739
VIII.	Southern	199,405	6391	3·205	851	13·3	4016	2·014	1241	0·625
	Counties.									
1	Shetland	31,563	655	2·075	34	5·2	433	1·372	147	0·466
2	Orkney	30,486	784	2·572	62	7·9	490	1·607	192	0·630
3	Caithness	40,169	1027	2·557	105	10·2	596	1·484	181	0·451
4	Sutherland	22,694	530	2·335	39	7·4	347	1·529	91	0·401
5	Ross and Cromarty	81,851	2073	2·533	80	3·9	1235	1·509	377	0·461
6	Inverness	83,856	2297	2·739	178	7·7	1371	1·635	436	0·520
7	Nairn	8,390	246	2·932	24	9·8	173	2·062	42	0·501
8	Elgin	44,726	1314	2·938	219	16·7	766	1·713	257	0·575
9	Banff	60,718	1916	3·156	301	15·7	884	1·456	348	0·573
10	Aberdeen	262,597	9049	3·446	1207	13·3	4626	1·762	1743	0·663
11	Kincardine	35,322	1089	3·083	143	13·1	579	1·639	214	0·606
12	Forfar	265,756	8891	3·346	889	10·0	5316	2·000	1685	0·634
13	Perth	124,613	3515	2·821	322	9·2	2433	1·952	719	0·577
14	Fife	164,455	5445	3·311	390	7·2	2963	1·801	997	0·606
15	Kinross	7,338	205	2·794	23	11·2	176	2·398	42	0·572
16	Clackmannan	23,778	852	3·583	68	8·0	494	2·078	126	0·530
17	Stirling	96,794	3878	4·006	259	6·7	2193	2·266	686	0·709
18	Dumbarton	66,338	2477	3·734	127	5·1	1496	2·255	457	0·689
19	Argyll	76,341	1987	2·603	162	8·2	1519	1·990	331	0·434
20	Bute	17,365	457	2·632	24	5·3	376	2·165	101	0·582
21	Renfrew	215,878	7818	3·621	435	5·6	5143	2·382	1592	0·737
22	Ayr	201,208	7881	3·917	569	7·2	4371	2·172	1348	0·670
23	Lanark	907,207	37874	4·175	2718	7·2	23786	2·622	7126	0·785
24	Linlithgow	42,934	1583	3·687	134	8·5	854	1·989	218	0·508
25	Edinburgh	371,214	13026	3·509	975	7·5	8183	2·204	3038	0·818
26	Haddington	37,826	1229	3·249	100	8·1	704	1·861	207	0·547
27	Berwick	36,309	1023	2·817	113	11·0	597	1·644	171	0·471
28	Peebles	12,892	409	3·173	30	7·3	190	1·474	70	0·543
29	Selkirk	23,896	852	3·565	60	7·0	483	2·021	175	0·732
30	Roxburgh	47,313	1623	3·430	167	10·3	940	1·987	239	0·505
31	Dumfries	74,057	2291	3·094	317	13·8	1546	2·087	511	0·690
32	Kirkcudbright	41,659	1273	3·056	182	14·3	795	1·908	253	0·607
33	Wigtown	36,376	1204	3·310	185	15·4	735	2·021	238	0·654

and to the sparseness of its population. There is no reason to believe that clandestine marriages are more frequent in this division of the kingdom than elsewhere, or that any appreciable number of regular marriages escape registration. In the year 1878, such were the depressing influences that affected the industries of the country that the marriage-rate was only 0·6778 per cent. to the population. So low a rate had not been experienced since 1869.

From the Forty-first Annual Report of the Registrar-General for England, p. xi., it may be gathered that the marriage-rate had been falling in the sister kingdom year by year since 1873. In that year it amounted to ·88 per cent. of the population; but in 1878 it was only ·765 per cent.

Pursuing, as in our last Detailed Report, Dr. Farr's method of estimating the fertility of marriages, we find that in Scotland during 1878 the registered legitimate births amounted to 116132, that in 1872 there were 25641 marriages, and that the average fertility of marriages has accordingly been $\frac{116132}{25641}=4{\cdot}5$.

TABLE VII.—Births in Scotland, 1855–1878; with the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; also the Number of Twin and Triplet Births during each year; and the Proportion of Mothers who had Multiple Births.

Years.	Total Births.		Legitimate Births.		Illegit. Births.		Twin Births.	Triplet Births.	Proportion of Males to every 100 Females in the			Proportion of Mothers who had Multiple Births. One in every
	Males.	Fem.	Males.	Fem.	Males.	Fem.			Total Births.	Legit. Births.	Illeg. Births.	
1855	47804	45545	44044	41948	3760	3597	...	...	104·9	104·9	104·5	...
1856	52239	49582	47761	45365	4478	4217	1267	12	105·3	105·2	106·1	77
1857	53158	50257	48632	45924	4526	4333	1300	16	105·7	105·8	104·4	76
1858	53694	50324	48743	45921	4951	4403	1262	17	106·6	106·1	110·2	79
1859	54628	51915	49539	47289	5089	4626	1335	11	105·2	104·7	110·0	77
1860	54409	51220	49370	46523	5039	4697	1247	23	106·2	106·1	107·3	80
1861	54606	52403	49438	47642	5168	4761	1249	18	104·2	103·7	108·5	82
1862	55257	51812	49886	46807	5371	5005	1279	18	106·6	106·5	107·3	80
1863	56226	53115	50559	47834	5667	5281	1267	6	105·8	105·7	107·3	84
1864	57374	54959	51644	49492	5730	5467	1332	12	104·4	104·3	104·8	82
1865	58220	54850	52441	49367	5779	5483	1364	9	106·1	106·2	105·4	81
1866	58360	55307	52386	49608	5974	5699	1366	12	105·5	105·6	104·8	81
1867	58517	55527	52751	50145	5766	5382	1365	13	105·4	105·1	107·1	82
1868	59222	56292	53375	50785	5847	5507	1443	15	105·2	105·1	106·1	78
1869	58321	55033	52711	49577	5610	5456	1407	15	105·9	106·3	102·8	78
1870	58959	56431	53254	51028	5705	5403	1384	9	104·4	104·3	105·6	81
1871	60029	56099	54220	50831	5809	5268	1299	17	107·0	106·7	110·3	87
1872	61293	57472	55641	52197	5652	5275	1383	11	106·6	106·6	107·1	85
1873	61467	58233	55925	52850	5542	5383	1410	15	105·5	105·6	103·0	84
1874	63602	60109	57960	54760	5642	5349	1512	13	105·8	105·8	105·5	81
1875	63432	60146	57886	54906	5546	5240	1477	9	105·5	105·4	105·8	83
1876	64819	61715	59113	56392	5706	5323	1463	20	105·0	104·8	107·2	85
1877	65089	61733	59657	56597	5432	5136	1429	12	105·4	105·4	105·8	77
1878	65200	61573	59716	56416	5484	5157	1367	12	105·9	105·8	106·3	91

TABLE VIII.—Births, 1878. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Five Groups of Districts, distinguishing the Sexes. Also the number of Twin and Triplet Births.

Five Groups of Districts.	Total Births.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.		
Principal Towns	22697	21632	44329	20785	19876	40661	1912	1756	3668	485	8
Large Towns	8338	7890	16228	7760	7333	15093	578	557	1135	192	1
Small Towns	15271	14228	29499	14058	13142	27200	1213	1086	2299	273	...
Mainland-Rural	17168	16254	33422	15478	14604	30082	1690	1650	3340	374	2
Insular-Rural	1726	1569	3295	1635	1461	3096	91	108	199	43	1
SCOTLAND . .	65200	61573	126773	59716	56416	116132	5484	5157	10641	1367	12

In England the registered legitimate births in 1878 numbered 849806; the registered marriages of 1872 were 201267; and hence the average fertility of marriages was $\frac{849806}{201267}=4{\cdot}2$, being as usual somewhat lower than the number representing the fertility of marriages in Scotland.

The total number of marriages registered in all Scotland during 1878 was 24358, being 1459 fewer than in 1877; and showing a marriage-rate of only 0·6778 per hundred of population. The average rate of the ten years immediately preceding was 0·725 per cent.

The highest marriage-rate, 0·808 per cent., was recorded in the Large Towns; in the Principal Towns, where it is usually the highest, it was only 0·783 per cent.; in the Small Towns, 0·636; in the Mainland-Rural districts, 0·566; and 0·467 in the Insular-Rural group. In every group except the Insular-Rural, the marriage-rate of 1878 was lower than that experienced in the preceding years. In Tables X., XI., and XII. are presented all the usual details regarding the marriages that took place in Scotland and in each of its registration groups of districts during the year now under review.

Of the total registered marriages of 1878, 1·59 per cent. were irregular, or, in other words, were performed without proclamation of purpose, and without the intervention of any specified religious ceremony. This proportion of irregular marriages is not very considerable, but a glance at the last column of Table XII. suffices to show that since 1855 it has been year by year increasing. In England, during 1878, 11·6 per cent. of all registered marriages took place in the Superintendent-Registrars' Offices, and without record of any religious ceremony.

Of the total marriages in Scotland, 98·41 per cent. were regular. Ministers of the Established Church performed 46·51 per cent. of the whole; 22·30 per cent. were performed by clergymen of the Free Church; 12·37 per cent. by those of the United Presbyterian Church; 8·96 per cent. by priests of the Romish Church; 2·68 per cent. by ministers of the Episcopal Church; 5·54 per cent. according to the rites of various denominations unnecessary to enumerate; and 0·05 per cent. according to the customs of denominations not specified to the registrars.

By summing the second column of Table XII. and dividing by 24, it may be ascertained that of every hundred marriages celebrated in Scotland during the period commencing with 1855 and terminating with 1878, 45·26

TABLE IX.—Proportion of Births in 1878. Percentage of Births to Population, and of Illegitimate to the Total Births; also the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; with the Proportion of Mothers who bare Twins and Triplets in Scotland, and its Five Groups of Districts in 1878.

Five Groups of Districts.	Percentage of Births to Population.	Percentage of Illegit. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of Mothers who bare Twins. — One in every	Proportion of Mothers who bare Triplets. — One in every
			Total Births.	Legitimate Births.	Illegit. Births.		
Principal Towns	3·569	8·3	104·9	104·6	108·9	90·4	5479
Large Towns	4·458	7·0	105·7	105·8	103·8	83·5	16034
Small Towns	3·645	7·8	107·3	107·0	111·7	107·1	.....
Mainland-Rural	3·183	10·0	105·6	106·0	102·4	88·4	16522
Insular-Rural	2·561	6·0	110·0	111·9	84·3	75·6	3250
SCOTLAND . . .	3·5274	8·39	105·9	105·8	106·3	91·8	10449

on an average were performed by ministers of the Established Church of Scotland, and that the deviations from this average have been trifling from year to year.

Table XIII. shows that of 24358 men whose marriages were registered in Scotland in 1878, 1877, or 7·7 per cent., were under 21 years of age. The ages of nine men were not specified. Of the females married during the year, the ages of three were not communicated to the registrars; 5436, or fully 22·3 per cent., were aged under 21 years; 21 had attained the age of at least 60 years.

Between bachelors and spinsters 20809 marriages were registered,

---

TABLE X.—Marriages, 1878. Number of Marriages contracted in Scotland and its Five Groups of Districts according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages in each Group.

Religious Denominations.	Number of Marriages.						Proportion in every 100 Marriages.					
	Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.	Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.
Regular Marriages.												
Established Church .	11330	3738	1279	2508	3543	262	46·51	38·43	43·47	48·70	59·67	43·59
Free Church . .	5431	2017	586	1067	1536	225	22·30	20·74	19·92	20·72	25·87	37·44
United Presb. Church	3013	1285	401	731	540	56	12·37	13·21	13·63	14·19	9·09	9·32
Roman Catholic Ch. .	2181	1201	359	441	142	38	8·96	12·35	12·20	8·56	2·39	6·32
Episcopal Church .	653	398	97	94	64	–	2·68	4·09	3·30	1·83	1·07	0·00
Other Denominations	1350	714	208	297	111	20	5·54	7·34	7·07	5·77	1·87	3·33
Denomin. not stated	12	10	–	1	1	–	0·05	0·10	0·00	0·02	0·02	0·00
Irregular Marriages .	388	364	12	11	1	–	1·59	3·74	0·41	0·21	0·02	0·00
Total Marriages .	24358	9727	2942	5150	5938	601	100·00	100·00	100·00	100·00	100·00	100·00

TABLE XI.—Marriages, 1855–1878. Number of Marriages in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1878.

Years.	Total Marriges.		Regular Marriages according to Rites of the							Irregular Marriages.
	Number.	Percentage to Population.	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	19680	0·660	8879	4665	2952	1826	350	923	76	9
1856	20740	0·692	9863	4645	2875	1953	360	984	24	36
1857	21369	0·709	10194	4789	2926	1919	416	1017	101	7
1858	19655	0·649	9104	4650	2707	1697	379	1034	57	27
1859	21201	0·697	9769	4861	2936	1822	378	1175	243	17
1860	21225	0·695	9705	4870	2837	1857	414	1217	309	16
1861	20896	0·681	9332	4969	2925	1806	386	1290	163	25
1862	20597	0·666	9307	4930	2846	1778	371	990	348	27
1863	22234	0·711	9929	5242	3249	2119	487	1113	76	19
1864	22725	0·720	9907	5507	3198	2276	469	1231	115	22
1865	23611	0·743	10177	5636	3345	2399	476	1516	30	32
1866	23688	0·737	10392	5570	3385	2259	516	1483	41	42
1867	22618	0·697	10066	5347	3247	2039	488	1323	65	43
1868	22855	0·667	9736	5015	3244	1872	467	1403	58	60
1869	22144	0·669	9761	5095	3277	2043	450	1393	56	69
1870	23854	0·7149	10678	5465	3422	2121	538	1496	60	74
1871	24019	0·7102	10985	5404	3325	2087	551	1498	64	105
1872	25641	0·7543	11794	5661	3312	2461	579	1681	5	148
1873	26748	0·7796	12187	5806	3596	2451	648	1853	10	197
1874	26390	0·7621	11820	5922	3586	2267	643	1923	13	216
1875	25974	0·7431	11587	5889	3443	2254	658	1899	9	235
1876	26579	0·7534	11996	5944	3603	2279	719	1703	37	298
1877	25817	0·7251	11773	5833	3313	2368	651	1477	47	355
1878	24358	0·6778	11330	5431	3013	2181	653	1350	12	388

constituting 85·43 per cent. of all recorded matrimonial alliances, In 2083 instances, or in 8·55 per cent. of all marriages, widowers were united to spinsters; in 691 cases, or in 2·84 per cent. of all marriages, bachelors married widows; and in 752 instances, being 3·09 per cent. of all marriages, widowers espoused widows.

In accordance with old custom, Table XVIII. is again presented, because it furnishes some materials for estimating the progress of elementary education among those who marry in the various parts of Scotland. No very accurate conclusions can be arrived at from the examination of such a table; but it is satisfactory to find that it conveys, in general terms, the assurance that the accomplishments of reading and writing are rapidly becoming more generally diffused among the population of Scotland. It is true that there are counties (Ross and Cromarty and Inverness for instance) in which the spread of education seems comparatively slow; but it is well understood that the sparseness of the population in these counties, and the difficulty of intercommunication between the inhabitants of their remote districts, present serious obstacles to the establishment of an efficient compulsory education. Even in these counties, however, the Scottish Education Act is doing its work, and at no distant date will effect great improvement.

In all Scotland, of the men who were married during the year 1878, only 6·87 per cent. signed the register by the use of a "mark"; while, of the women who were married, 14·45 per cent. saw fit to adopt the same expedient. In 1867, the proportion of bridegrooms that used the "mark" was 10·59 per cent.; the proportion of brides, 20·73 per cent. These figures sufficiently illustrate the development of elementary education in Scotland

---

TABLE XII.—Proportion of Marriages, 1855–1878. Percentage of Marriages contracted in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1878.

Years.	Percentage of Regular Marriages according to the Rites of the							Irregular Marriages.
	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·07
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·14
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·65	1·85	6·18	0·76	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13
1866	43·87	23·52	14·29	9·54	2·18	6·26	0·17	0·17
1867	44·51	23·65	14·36	9·02	2·15	5·84	0·28	0·19
1868	44·55	22·95	14·85	8·57	2·13	6·42	0·26	0·27
1869	44·08	23·01	14·80	9·23	2·03	6·29	0·25	0·31
1870	44·76	22·91	14·35	8·89	2·26	6·26	0·26	0·31
1871	45·73	22·50	13·85	8·69	2·29	6·24	0·26	0·44
1872	46·00	22·08	12·92	9·60	2·26	6·55	0·02	0·57
1873	45·56	21·71	13·44	9·16	2·42	6·93	0·04	0·74
1874	44·79	22·44	13·59	8·59	2·44	7·29	0·05	0·81
1875	44·61	22·67	13·26	8·68	2·53	7·31	0·03	0·91
1876	45·13	22·36	13·56	8·57	2·71	6·41	0·14	1·12
1877	45·60	22·59	12·83	9·17	2·53	5·72	0·18	1·33
1878	46·51	22·30	12·37	8·96	2·68	5·54	0·05	1·59

during the eleven years terminating with 1878. Examination of Table XVIII. in each of the Detailed Reports for the years embraced within this period will show that the development has been uninterrupted.

The last two lines of Table XVIII. bear reference to the populations of Glasgow and of Edinburgh. They tend to show that the state of education was in 1878 more satisfactory among those who married in Edinburgh than among those who married in the western metropolis. It is probably

---

TABLE XIII.—Marriages, 1878. Ages of Men and Women at Marriage.

Ages.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15	–	–	–	–	–	–	–	–	–	–	–	–
15—16	–	4	–	1	–	–	–	2	–	1	–	–
16—17	–	58	–	27	–	6	–	16	–	8	–	1
17—18	26	332	16	143	3	45	3	61	4	80	–	3
18—19	143	1019	66	448	15	127	28	233	31	191	3	20
19—20	567	1772	272	759	53	201	115	397	121	390	6	25
20—21	1141	2251	499	865	134	314	221	507	280	531	7	34
21—25	8541	9119	3268	3603	1133	1104	1976	1958	2053	2269	111	185
25—30	7260	5578	2952	2133	843	645	1502	1115	1764	1506	199	179
30—35	2870	1977	1143	805	317	218	516	387	778	481	116	86
35—40	1549	1158	606	481	173	147	321	226	385	266	64	38
40—45	900	596	365	257	111	76	180	119	210	126	34	18
45—50	554	292	232	106	62	39	119	83	119	56	22	8
50—55	371	127	140	60	48	15	69	27	91	21	23	4
55—60	216	51	92	32	26	4	42	13	47	2	9	–
60—65	135	12	45	5	21	–	33	2	32	5	4	–
65—70	55	8	23	–	2	1	17	3	11	4	2	–
70—75	16	1	4	1	1	–	5	–	6	–	–	–
75—80	6	–	–	–	–	–	2	–	3	–	1	–
80—85	2	–	2	–	–	–	–	–	–	–	–	–
85—90	1	–	1	–	–	–	–	–	–	–	–	–
Not stated	5	3	1	1	–	–	1	1	3	1	–	–
TOTAL	24358	24358	9727	9727	2942	2942	5150	5150	5938	5938	601	601

TABLE XIV.—Marriages, 1878. Percentage of Men and Women at different Ages who contracted Marriage in Scotland in 1878.

Ages.	Men.						Women.					
	Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.	Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.
15—20 years	3·02	3·64	2·41	2·83	2·63	1·50	13·08	14·17	12·88	13·77	11·28	8·15
20—25	39·75	38·73	43·07	42·66	39·29	19·63	46·68	45·93	48·20	47·86	47·16	36·43
25—30	29·80	30·35	28·65	29·17	29·71	33·11	22·90	21·93	21·92	21·65	25·36	29·79
30—35	11·78	11·75	10·78	10·02	13·10	19·30	8·11	8·28	7·41	7·52	8·10	14·31
35—40	6·36	6·23	5·88	6·23	6·48	10·65	4·75	4·94	5·00	4·39	4·48	6·32
40—45	3·70	3·75	3·77	3·50	3·54	5·66	2·45	2·64	2·58	2·31	2·12	3·00
45—50	2·28	2·39	2·11	2·31	2·00	3·66	1·20	1·09	1·33	1·61	0·94	1·33
50 and above	3·29	3·15	3·33	3·26	3·20	6·49	0·82	1·01	0·68	0·87	0·54	0·67
Not stated	0·02	0·01	0·00	0·02	0·05	0·00	0·01	0·01	0·00	0·02	0·02	0·00
TOTAL	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

sufficient, in explanation of this circumstance, to remind the reader of the enormous amount of the poor Irish population that is annually poured into Glasgow. Such immigrants are mostly candidates for labour; have attained in many cases an age at which they are not subject to the compulsory powers conferred on the Scottish School Boards; and it is to be feared are not likely to be very solicitous about the deficiencies of their early education. Many of them must, it is believed, grow up to manhood in perfect ignorance of the accomplishment of writing.

TABLE XV.—Marriages, 1855–1878. Number and Proportion of Men and Women in Scotland at each Quinquennial Period of Age who contracted Marriage during the Years 1855–1878.

AGES.	MEN.		WOMEN.	
	Number who married at each Age.	Percentage at each age to Total Marriages.	Number who married at each Age.	Percentage at each age to Total Marriages.
15—20 years	16697	3·02	71387	12·91
20—25	213564	38·63	252267	45·63
25—30	163802	29·62	131715	23·83
30—35	68959	12·48	48042	8·69
35—40	36088	6·53	24946	4·51
40—45	21466	3·88	12994	2·35
45—50	13499	2·44	6392	1·16
50 and above	18114	3·28	3983	0·72
Not stated	648	0·12	1111	0·20
TOTAL	552837	100·00	552837	100·00

TABLE XVI.—Marriages in Scotland, 1855–1878. Numbers.

YEARS.	Number who Married						Number who Signed				Number of Marriages between			
	Under 21 years.		Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	7724	11118	11858	8390	17436	15174	2244	4506	15251	557	1863	619
1856	?	?	8433	12033	12307	8707	18485	15772	2455	4968	17035	536	1721	605
1857	1593	4568	8995	12513	12374	8856	18781	16064	2588	5305	17030	521	1648	601
1858	1448	4172	8096	11492	11511	8084	17328	14929	2327	4726	16196	492	1624	533
1859	1571	4565	8726	12425	12443	8704	18992	16494	2209	4707	17536	567	1864	603
1860	1561	4607	8666	12459	12525	8695	19036	16616	2189	4609	18157	508	1738	558
1861	1480	4403	8550	12235	12323	8601	18679	16439	2217	4457	17431	441	1768	517
1862	1569	4496	8663	12205	11912	8358	18535	16405	2062	4192	17392	464	1747	501
1863	1756	4897	8731	13304	12488	8896	19819	17319	2415	4915	19142	348	1856	584
1864	1695	4989	9662	13547	13033	9132	20120	17298	2605	5427	19383	497	1922	631
1865	1690	5010	9859	13864	13724	9696	20914	18364	2697	5247	20158	593	2055	642
1866	1706	4896	9923	13843	13752	9812	21032	18483	2656	5205	20080	601	2094	715
1867	1532	4611	9180	12991	13414	9595	20224	17931	2394	4687	19067	578	2075	689
1868	1459	4463	8668	12439	13169	9384	19712	17701	2143	4154	18609	484	1966	671
1869	1576	4622	8792	12699	13352	9445	19911	17723	2233	4421	18818	625	1949	651
1870	1744	5175	9657	13723	14176	10102	21403	19194	2451	4660	20262	653	2132	759
1871	1821	5321	9895	13945	14124	10074	21630	19315	2389	4704	20440	610	2099	778
1872	1978	5666	10714	14953	14927	10688	22965	20380	2676	5261	21637	798	2269	889
1873	2229	6129	11573	15938	15175	10810	24175	21754	2573	4994	22648	813	2368	851
1874	2176	6000	11425	15675	14965	10715	23989	21643	2401	4747	22291	840	2330	855
1875	2103	5829	11061	15252	14913	10722	23740	21581	2234	4393	21877	860	2353	837
1876	2173	6014	11472	15750	15107	10829	24586	22291	1993	4288	22438	794	2432	896
1877	2060	5767	11118	15349	14699	10468	23865	21839	1952	3978	21945	795	2285	778
1878	1877	5436	10418	14555	13940	9803	22684	20839	1674	3519	20809	691	2083	752

DEATHS.

There were 76793 Deaths registered in all Scotland during the year 1878, being at the rate of nearly 213·7 for every ten thousand of estimated population. During the ten years immediately preceding, the death-rate of all Scotland was 221·7 per ten thousand; consequently it appears that the mortality of the year under review has been well within the average, though not quite so low as the exceptionally favourable mortality recorded for 1877.

In England (according to the Registrar-General's Forty-first Annual Report, p. xxiii.) the rate of mortality in 1878 was 217 per ten thousand, or a trifle higher than that above recorded for Scotland.

The mortality of the five registration groups into which we regard Scotland as divided was as follows:—In the Eight Principal Towns, there were 29425 deaths, showing an annual death-rate of about 237 for every ten thousand inhabitants; in the Large Towns, 10188 deaths, being equivalent to a death-rate of about 280 per ten thousand; in the Small Towns, 17005 deaths corresponded to a death-rate of 210 per ten thousand; in the Mainland-Rural group, 18212 deaths showed a death-rate of 173 per ten thousand; while 1963 deaths in the Insular-Rural districts corresponded to a death-rate of nearly 153 per ten thousand.

Of the 76793 deaths that were registered in all Scotland, 38389 occurred among males and 38404 among females. Hence, according to the estimates of male and female population given in Table II., the deaths per thousand of the inhabitants of all Scotland were about 21·37; for every thousand males, 22·26; and for every thousand females, 20·54. Table XX. shows that, as usual, there was a preponderance of male mortality in every

TABLE XVII.—Marriages in Scotland, 1855–1878. Proportions.

Years.	Percentage who Married						Percentage who signed				Proportion in every 100 Marriages between			
	Under 21 years		Under 25 years		Above 25 years		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	39·44	57·99	60·56	42·01	88·60	77·10	11·40	22·90	83·48	3·04	10·20	3·38
1856	?	?	40·79	58·44	59·21	41·56	89·13	76·05	10·87	23·95	85·62	2·69	8·65	3·04
1857	7·47	21·43	42·19	58·84	57·81	41·16	87·89	75·34	12·11	24·66	86·01	3·63	8·32	3·04
1858	7·38	21·23	41·25	58·70	58·75	41·30	88·16	75·95	11·84	24·05	85·95	2·61	8·62	2·82
1859	7·42	21·60	41·22	58·80	58·78	41·20	89·58	77·80	10·42	22·10	85·25	2·76	9·06	2·93
1860	7·36	21·77	40·89	58·89	59·11	41·11	89·68	78·28	10·32	21·72	86·62	2·42	8·29	26·7
1861	7·09	21·13	40·96	58·72	59·04	41·28	89·39	78·67	10·61	21·33	86·48	2·19	8·77	2·56
1862	7·62	21·86	42·11	59·35	57·89	40·65	89·99	79·65	10·01	20·35	86·51	2·31	8·69	2·49
1863	7·91	22·05	43·79	59·93	56·21	40·07	89·14	77·89	10·86	22·11	87·29	1·59	8·46	2·66
1864	7·46	21·99	42·57	59·73	57·42	40·26	88·54	76·12	11·46	23·88	86·41	2·21	8·57	2·81
1865	7·16	21·26	41·38	58·84	58·62	41·16	88·58	77·78	11·42	22·22	85·97	2·53	8·77	2·73
1866	7·20	20·69	41·91	58·52	58·09	41·48	88·78	78·50	11·22	22·00	85·49	2·55	8·92	3·04
1867	6·77	20·41	40·63	57·47	59·37	42·53	89·41	79·27	10·59	20·73	85·09	2·58	9·26	3·07
1868	6·68	20·45	39·69	57·00	60·31	43·00	90·19	80·99	9·81	19·01	85·64	2·22	9·05	3·09
1869	7·08	20·87	39·70	57·34	60·30	42·66	89·92	80·04	10·08	19·96	85·38	2·83	8·84	2·95
1870	7·32	21·72	40·52	57·60	59·48	42·40	39·73	80·46	10·27	19·54	85·11	2·74	8·96	3·19
1871	7·58	22·15	41·20	58·06	58·80	41·94	90·05	80·42	9·95	19·58	85·10	2·54	8·74	3·24
1872	7·71	22·10	41·78	58·32	58·22	41·68	89·56	79·48	10·44	20·52	84·38	3·11	8·35	3·47
1873	8·33	22·91	43·26	59·58	56·74	40·42	90·38	81·33	9·62	18·67	84·89	3·05	8·88	3·18
1874	8·25	22·73	43·29	59·40	56·71	40·60	90·90	92·01	9·10	17·99	84·47	3·18	8·83	3·24
1875	8·10	22·44	42·58	58·72	57·42	41·28	91·40	83·09	8·60	16·91	84·23	3·31	9·06	3·22
1876	8·18	22·63	43·16	59·26	56·84	40·74	92·50	83·87	7·50	16·13	84·42	2·99	9·15	3·37
1877	7·98	22·34	43·06	59·46	56·94	40·54	92·44	84·59	7·56	15·41	85·00	3·08	8·89	3·01
1878	7·71	22·32	42·77	59·75	57·23	40·25	93·13	85·55	6·87	14·45	85·43	2·84	8·55	3·09

one of the registration groups, and that such preponderance was more marked in the Large Towns and Principal Towns than elsewhere.

TABLE XVIII.—Marriages, 1878. Percentage of Men and Women who signed by Writing or by Mark, of persons under 21 years of age, and of Marriages between persons in different conjugal conditions, in Scotland, its Groups of Districts, Divisions, and Counties; also the percentage of the same in Edinburgh and Glasgow.

1876.		Signed by Writing.		Signed by Mark.		Persons under 21 Years.		Percentage of Marriages between			
		Per cent. of Men.	Per cent. of Women.	Per cent. of Men.	Per cent. of Women.	Per cent. of Men.	Per cent. of Women.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
SCOTLAND.		93·13	85·55	6·87	14·45	7·71	22·32	85·43	2·84	8·55	3·09
	GROUPS.										
	PRINCIPAL TOWNS	92·48	82·37	7·52	17·63	8·77	23·06	82·54	4·03	9·22	4·17
	LARGE TOWNS	92·35	84·60	7·65	15·40	6·97	23·55	85·28	2·99	8·53	3·20
	SMALL TOWNS	92·91	85·86	7·09	14·14	7·13	23·61	86·29	2·25	8·29	3·07
	MAINLAND-RURAL	96·18	92·94	3·82	7·06	7·34	20·23	89·59	1·50	7·28	1·43
	INSULAR-RURAL	79·03	66·06	20·97	33·94	2·66	13·81	84·36	1·00	12·65	1·50
	DIVISIONS										
I.	NORTHERN	96·40	90·18	3·60	9·82	6·22	14·89	88·22	0·65	8·80	1·96
II.	NORTH-WESTERN	77·37	61·62	22·63	38·38	1·85	13·41	87·21	1·84	9·47	1·23
III.	NORTH-EASTERN	98·43	94·32	1·57	5·68	6·03	20·08	87·02	2·34	8·49	2·11
IV.	EAST-MIDLAND	96·44	90·53	3·56	9·47	8·04	17·65	85·26	2·47	9·25	2·91
V.	WEST-MIDLAND	92·95	86·48	7·05	13·52	5·65	23·37	86·29	2·41	8·00	2·73
VI.	SOUTH-WESTERN	98·94	79·03	1·06	20·97	9·30	26·85	84·40	3·41	8·19	3·99
VII.	SOUTH-EASTERN	96·29	92·78	3·71	7·22	6·73	20·40	85·69	3·20	8·38	2·66
VIII.	SOUTHERN	97·50	94·60	2·50	5·40	7·57	17·81	86·46	1·45	10·07	1·85
	COUNTIES.										
1	Shetland	94·56	84·35	5·44	15·65	1·36	11·56	82·31	0·68	15·65	1·36
2	Orkney	100·00	97·40	0·00	2·60	7·29	16·67	89·58	1·04	6·77	2·60
3	Caithness	94·48	90·06	5·52	9·94	12·15	18·78	91·16	–	6·63	2·21
4	Sutherland	95·60	84·62	4·40	15·38	0·00	8·79	89·01	1·10	7·69	1·10
5	Ross & Cromarty	74·80	58·09	25·20	41·91	2·39	13·26	89·65	1·33	8·22	0·80
6	Inverness	79·59	64·68	20·41	35·32	1·38	13·53	85·09	2·29	10·55	1·61
7	Nairn	90·48	80·95	9·52	19·05	4·76	9·52	88·10	4·76	7·14	0·00
8	Elgin	97·67	91·05	2·33	8·95	4·28	15·95	85·99	0·78	10·51	2·72
9	Banff	96·55	91·67	3·45	8·33	6·90	18·97	90·52	1·44	6·90	1·14
10	Aberdeen	99·13	95·70	0·87	4·30	6·25	21·46	86·00	2·93	8·66	2·35
11	Kincardine	98·13	93·93	1·87	6·07	6·07	17·75	90·65	0·47	7·48	1·40
12	Forfar	94·96	85·64	5·04	14·36	8·96	18·87	83·56	3·15	9·44	3·86
13	Perth	98·19	95·41	1·81	4·59	5·56	14·46	85·67	1·95	10·15	1·81
14	Fife	97·79	94·98	2·21	5·02	8·53	17·35	87·36	1·91	8·52	2·11
15	Kinross	100·00	100·00	0·00	0·00	9·52	21·43	90·48	0·00	4·76	4·76
16	Clackmannan	93·65	89·68	6·35	10·32	5·56	20·63	87·30	1·59	8·73	2·38
17	Stirling	94·39	88·19	5·61	11·81	7·58	27·41	85·86	2·92	7·58	3·21
18	Dumbarton	90·37	82·71	9·63	17·29	4·81	23·63	88·84	1·76	7·44	1·96
19	Argyll	91·54	83·99	8·46	16·01	3·02	14·80	85·50	2·42	8·16	2·42
20	Bute	100·00	100·00	0·00	0·00	4·95	22·77	80·20	1·98	12·87	3·96
21	Renfrew	88·82	78·83	11·18	21·17	9·48	27·76	85·05	3·08	7·66	4·21
22	Ayr	91·62	85·46	8·38	14·54	8·46	25·82	87·24	1·71	7·94	3·12
23	Lanark	89·87	77·86	10·13	22·14	9·42	26·85	83·72	3·80	8·35	4·11
24	Linlithgow	95·87	86·70	4·13	13·30	7·80	27·06	87·61	1·83	5·50	5·05
25	Edinburgh	96·21	92·82	3·79	7·18	6·42	19·98	84·36	3·72	8·92	2·90
26	Haddington	93·24	91·30	6·76	8·70	6·28	22·22	93·24	0·48	6·28	0·00
27	Berwick	98·83	98·83	1·17	1·17	6·43	16·96	92·98	1·17	5·26	0·59
28	Peebles	98·57	97·14	1·43	2·86	11·43	20·00	87·14	4·29	8·57	0·00
29	Selkirk	98·29	99·43	1·71	0·57	9·71	20·57	89·71	0·57	8·00	1·71
30	Roxburgh	99·58	98·74	0·42	1·26	6·28	17·57	87·03	1·26	10·04	1·67
31	Dumfries	98·24	95·50	1·76	4·50	5·68	15·66	84·54	1·57	10·96	2·54
32	Kirkcudbright	98·81	96·84	1·19	3·16	7·91	17·79	90·91	0·40	7·11	1·58
33	Wigtown	92·44	86·13	7·56	13·87	12·61	22·69	85·30	2·52	11·34	0·84
	EDINBURGH	97·06	93·78	2·94	6·22	5·79	18·82	83·54	4·21	9·50	2·69
	GLASGOW	89·67	75·14	10·33	24·86	11·91	25·78	81·81	4·12	9·30	4·73

In Table XXIV. will be found a statement of the percentage of deaths at each of seventeen periods of life, for males and for females, in all Scotland and in each of its registration groups. For males under one year of age the general mortality for every hundred of population was 15·871; while for females the corresponding rate was 12·956. The mortality at this early age was, as usual, most considerable in the Large Towns, where males perished at the rate of 22·004, and females at the rate of 16·891 per cent. In the other registration groups the mortality followed the law, often illustrated in these reports, which connects the amount of infant mortality with the density of the population. Thus, in the Insular-Rural districts, infants of the male sex and under one year old died at the rate of only 9·348 per cent., and female infants at that of 7·086 per cent. These rates do not amount to one half of those experienced in the Large Towns.

The frequency of deaths in the second year of life was likewise most remarkable in the Large Towns, and elsewhere manifestly obeyed the law connecting mortality with density of population. In the Principal Towns, and likewise in the Insular-Rural districts, the proportion of deaths of females in the second year of life exceeded slightly the corresponding death-rate of males. At this age the mortality experienced in the Large Towns was fully four times that recorded in the Insular-Rural districts.

In the third, fourth, and fifth years of life the mortality in the Large Towns was still somewhat higher than that in the Principal Towns. In the fourth year of life the mortality of females was decidedly higher than that of males in the Mainland-Rural districts; and in the fifth year of life the proportionate mortality of females was still more remarkable in the districts of the Insular-Rural group.

At ages between 5 and 10 years, the mortality in the Large Towns exceeded that observed in the Principal Towns, and this was more especially the case in regard to females.

TABLE XIX.—Deaths of Males and Females in Scotland, and its Five Groups of Districts, during each of the Years 1855–1878.

Years.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1855	30626	31378	11189	11517	2972	2982	4963	5052	10681	10975	821	852
1856	29418	29111	11155	11099	2703	2671	4785	4757	9855	9607	920	977
1857	30937	30969	11692	11671	2917	2943	4911	5098	10421	10285	996	972
1858	31652	31887	11770	11675	3034	3129	5046	5030	10792	10997	1010	1056
1859	30588	31126	11075	11277	2946	2829	4975	5070	10418	10672	1174	1278
1860	33610	34560	12814	13252	2972	3070	5480	5590	11169	11424	1175	1224
1861	30890	31451	11464	11685	2869	2962	5150	5216	10346	10474	1061	1114
1862	33179	34016	12270	12690	3286	3280	5368	5565	10967	11141	1288	1340
1863	35631	35850	13624	13421	3358	3422	5862	5680	11510	11999	1277	1328
1864	37010	37406	14504	14341	3544	3588	6132	6162	11722	12082	1108	1233
1865	35190	35701	14263	14252	3352	3544	5598	5658	10906	11174	1071	1073
1866	35355	35993	13742	13724	3378	3528	5777	6032	11334	11571	1124	1138
1867	34363	34705	13219	13300	3322	3454	5786	5771	10964	11022	1072	1158
1868	34662	34754	14154	13883	3359	3325	5640	5752	10522	10642	987	1152
1869	37868	38007	15744	15723	3647	3839	6022	5879	11274	11342	1181	1224
1870	36866	37299	14234	14274	3858	3854	5929	6168	11760	11894	1085	1109
1871	36827	37885	15478	15948	4003	4068	7913	8287	8527	8653	906	929
1872	37939	37355	15192	15007	4363	4240	8500	8315	8876	9217	1008	1076
1873	39037	37909	15227	14781	4766	4540	8869	8488	9155	8943	1020	1157
1874	40678	40042	16245	15879	5079	4947	8852	8708	9419	9397	1083	1111
1875	40323	41444	15272	15711	4984	4818	9026	9259	9925	10378	1116	1278
1876	37404	36725	14256	13721	4500	4524	8420	8406	9177	9015	1051	1059
1877	37173	36764	14190	14037	4521	4536	8052	8008	9383	9092	1027	1091
1878	38389	38404	14707	14718	5157	5031	8512	8493	9072	9140	941	1022

Between the ages of 10 and 15 the death-rates of males did not particularly differ in the Principal and in the Large Towns. Females, however, suffered in rather higher proportion in the last named group of districts.

The deaths between the ages of 15 and 20 were more numerous in the Large and Small Towns than in the eight Principal Towns; and it has to be noted that in the urban districts the usually higher female mortality at this period of life was not manifested in 1878.

At ages between 20 and 30 years the mortality of males exceeded that of females in all Scotland. Females, however, died in higher proportion in the Principal and Large Towns.

Among persons aged 30 years and upwards the death-rate of males considerably exceeded that of females in Scotland at large, and in all its groups of registration districts. This statement, however, appears to require some little qualification, for between the ages of 30 and 40, the female death-rate in the Large Towns was slightly in excess of the male death-rate, while

TABLE XX.—Percentage of Male and Female Deaths to the Population in Scotland, and its Five Groups of Districts, during each of the Years 1855–1878.

Years.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1855	2·162	2·003	2·929	2·584	2·644	2·382	2·163	1·995				
1856	2·065	1·850	2·887	2·460	2·378	2·107	2·070	1·863				
1857	2·161	1·958	2·991	2·556	2·539	2·292	2·109	1·981				
1858	2·202	2·005	2·976	2·527	2·612	2·407	2·152	1·939				
1859	2·120	1·940	2·769	2·412	2·509	2·179	2·107	1·938				
1860	2·321	2·150	3·168	2·801	2·336	2·304	2·304	2·125				
1861	2·125	1·946	2·796	2·438	2·386	2·193	2·157	1·924				
1862	2·260	2·087	2·931	2·603	2·675	2·384	2·231	2·085				
1863	2·402	2·181	3·188	2·706	2·676	2·441	2·363	2·114				
1864	2·470	2·256	3·324	2·842	2·764	2·512	2·510	2·277				
1865	2·325	2·135	3·202	2·777	2·559	2·435	2·274	2·076				
1866	2·313	2·134	3·021	2·628	2·524	2·379	2·329	2·198				
1867	2·226	2·040	2·853	2·504	2·430	2·286	2·315	2·088				
1868	2·222	2·025	2·985	2·569	2·405	2·159	2·240	2·067				
1869	2·404	2·196	3·252	2·860	2·556	2·448	2·374	2·098				
1870	2·317	2·137	2·880	2·552	2·647	2·412	2·319	2·185				
1871	2·291	2·152	3·069	2·802	2·486	2·326	2·127	2·042	1·676	1·602	1·486	1·310
1872	2·337	2·132	2·949	2·593	2·654	2·379	2·268	2·034	1·746	1·709	1·658	1·523
1873	2·381	2·117	2·895	2·510	2·855	2·511	2·343	2·056	1·803	1·661	1·684	1·654
1874	2·456	2·216	3·025	2·651	2·979	2·691	2·322	2·096	1·857	1·747	1·794	1·584
1875	2·410	2·275	2·753	2·548	3·011	2·705	2·369	2·228	1·940	1·915	1·855	1·829
1876	2·213	1·998	2·518	2·184	2·665	2·494	2·196	2·014	1·794	1·666	1·753	1·521
1877	2·178	1·983	2·458	2·181	2·625	2·454	2·086	1·911	1·835	1·683	1·718	1·573
1878	2·226	2·054	2·498	2·253	2·935	2·671	2·190	2·019	1·775	1·696	1·580	1·479

TABLE XXI.—Town Deaths, 1868–1878. Annual Number of Deaths in the Eight Principal Towns of Scotland.

Towns.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.
Glasgow	13832	15648	13955	15790	14053	14499	15845	15384	13763	13823	14157
Edinburgh . . .	4781	5406	4715	5447	5484	4578	5011	5044	4392	4644	4910
Dundee . . .	2917	3564	3185	3336	3491	3281	4170	3305	3075	3026	3159
Aberdeen . . .	2029	1787	1927	1997	2119	2120	2066	2011	2033	2060	2204
Greenock . . .	1658	1750	1674	1772	1697	2220	1690	2180	1613	1563	1549
Paisley	1221	1449	1352	1453	1430	1589	1388	1364	1287	1325	1591
Leith	973	1169	1059	1081	1338	1084	1254	1060	1174	1169	1215
Perth	626	694	641	550	587	637	700	635	640	617	640

in the Insular-Rural districts the female mortality preponderated in a still more marked degree. It must be, however, noted that the number of deaths in the Insular-Rural districts is quite insufficient to warrant statistical deduction from the experience of a single year.

In Table XXV. will be found the percentage of deaths at each age to the total deaths at all ages, of males and females in all Scotland and in each of its registration groups during 1878. Of the whole male mortality in Scotland, 40·4 per cent. occurred among children under 5 years of age; and of the female mortality, 34·97 per cent. took place at the same early age.

In the Large Towns the proportion of the mortality borne by children under 5 years of age was 47·18 per cent. among males, and 40·35 per cent. among females; in the Principal Towns the corresponding rates were 46·9 per cent. among males, and 41·35 per cent. among females; in the Small Towns, 38·79 per cent. of males, and 33·50 per cent. of females; in the Mainland-Rural districts, 29·39 per cent. of males and 25·03 per cent. of females perished at this early age; and in the Insular-Rural group of districts the total mortality of males included only 22·42 per cent. of males

TABLE XXII.—Proportion of Town Deaths, 1868–1878. Annual Percentage of Deaths to the Population in each of the Principal Towns in Scotland.

TOWNS.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	Mean Annual Mortality.	1878.
Glasgow .	3·04	3·37	2·96	3·29	2·87	2·91	3·12	2·88	2·52	2·49	2·94	2·50
Edinburgh	2·48	2·77	2·38	2·70	2·67	2·20	2·37	2·38	2·04	2·12	2·41	2·21
Dundee .	2·60	3·09	2·69	2·75	2·80	2·56	3·16	2·44	2·21	2·12	2·64	2·15
Aberdeen	2·41	2·09	2·21	2·26	2·35	2·31	2·22	2·12	2·11	2·10	2·22	2·21
Greenock	3·01	3·09	2·87	2·94	2·73	3·47	2·56	3·20	2·30	2·16	2·83	2·08
Paisley .	2·54	3·01	2·80	3·01	2·96	3·28	2·86	2·81	2·64	2·72	2·86	3·26
Leith . .	2·24	2·63	2·32	2·31	2·79	2·21	2·49	2·05	2·22	2·15	2·34	2·18
Perth . .	2·38	2·62	2·43	2·08	2·22	2·41	2·64	2·40	2·41	2·41	2·40	2·41

TABLE XXIII.—Ages of Males and Females who died in Scotland, and in each of its Groups of Districts, during the Year 1878.

AGE.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	8716	6883	3719	2978	1291	965	1905	1489	1662	1345	139	106
— 2	3568	3405	1718	1674	584	555	727	689	506	453	33	34
— 3	1558	1507	737	731	252	234	324	306	230	218	15	18
— 4	1004	976	442	415	181	165	203	219	158	162	20	15
— 5	664	660	282	288	125	111	143	142	110	110	4	9
0– 5	15510	13431	6898	6086	2433	2030	3302	2845	2666	2288	211	182
5–10	1746	1700	701	660	261	259	390	385	365	370	29	26
10–15	984	989	359	367	114	134	256	229	241	239	14	20
15–20	1288	1271	458	494	151	165	335	318	312	263	32	31
20–30	2410	2672	919	1065	281	347	579	603	562	603	69	54
30–40	2142	2361	993	995	244	292	417	497	446	501	42	76
40–50	2477	2278	1110	982	325	308	499	459	498	467	45	62
50–60	2885	2846	1091	1199	397	365	646	627	690	605	61	50
60–70	3497	3698	1166	1292	421	424	806	832	998	1038	106	112
70–80	3581	4206	803	1059	389	447	850	998	1384	1514	155	188
80–90	1615	2527	189	456	129	227	376	611	780	1049	141	184
90–100	240	398	19	59	11	31	54	84	122	189	34	35
100 and above	4	23	–	3	1	2	–	3	3	14	–	1
Not stated	10	4	1	1	–	–	2	2	5	–	2	1
ALL AGES	38389	38404	14707	14718	5157	5031	8512	8493	9072	9140	941	1022

and 17·81 per cent. of females who had not completed their fifth year of life.

In illustration of the amount of longevity experienced in Scotland, it may be here stated that during 1878, of every hundred females that died, 18·61 were aged 70 years and upwards. In the Insular-Rural districts 39·92 females out of every hundred that died had reached the threescore and ten; in the Mainland-Rural districts 30·26 per cent. of the female deaths were at this good old age; in the Small Towns the rate was 19·98

TABLE XXIV.—Percentage of Deaths to the Population at each Age in 1878.

Age.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	15·871	12·956	18·513	15·410	22·004	16·891	14·832	12·061	11·184	9·329	9·348	7·086
— 2	7·487	7·430	10·307	10·467	11·546	11·436	6·642	6·447	3·700	3·466	2·381	2·664
— 3	3·142	3·162	4·436	4·475	4·888	4·624	2·728	2·733	1·595	1·600	0·998	1·234
— 4	2·062	2·071	2·718	2·632	3·592	3·416	1·759	1·935	1·111	1·188	1·248	0·982
— 5	1·400	1·450	1·820	1·935	2·587	2·353	1·276	1·319	0·780	0·813	0·238	0·594
0– 5	6·247	5·614	8·103	7·394	9·375	8·064	5·653	5·052	3·740	3·351	2·756	2·502
5–10	0·793	0·798	1·007	0·966	1·156	1·189	0·746	0·763	0·543	0·572	0·375	0·361
10–15	0·482	0·510	0·566	0·594	0·550	0·681	0·529	0·498	0·381	0·408	0·183	0·278
15–20	0·716	0·709	0·755	0·753	0·826	0·889	0·817	0·802	0·579	0·533	0·526	0·486
20–30	0·881	0·857	0·817	0·850	0·965	1·077	1·022	0·911	0·794	0·753	0·955	0·537
30–40	1·078	0·987	1·285	1·092	1·179	1·187	0·975	0·953	0·843	0·787	0·661	0·868
40–50	1·564	1·218	2·011	1·464	1·981	1·661	1·408	1·111	1·076	0·879	0·858	0·860
50–60	2·474	2·037	3·024	2·598	3·462	2·764	2·486	2·013	1·828	1·418	1·302	0·816
60–70	4·503	3·708	5·709	4·336	6·076	4·706	4·651	3·704	3·529	3·145	2·868	2·387
70–80	9·623	8·119	11·059	8·219	13·290	10·180	10·009	8·475	9·085	7·973	6·442	6·305
80–90	18·377	18·082	15·594	17·273	22·357	21·456	21·135	20·961	18·718	17·759	18·926	16·667
90–100	37·974	30·591	21·111	26·222	32·353	31·633	42·519	26·207	42·361	31·500	48·571	32·110
100 and above	16·000	38·983	0·000	20·000	10·000	33·333	0·000	30·000	27·272	63·636	0·000	20·000
Not stated	–	–	–	–	–	–	–	–	–	–	–	–
Total . .	2·226	2·054	2·498	2·253	2·935	2·671	2·190	2·019	1·775	1·696	1·580	1·479

TABLE XXV.—Percentage of Deaths at each Age to the Total Deaths in 1878.

Age.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	22·70	17·92	25·29	20·24	25·03	19·18	22·38	17·53	18·32	14·72	14·77	10·37
— 2	9·29	8·87	11·68	11·37	11·32	11·03	8·54	8·11	5·58	4·95	3·51	3·33
— 3	4·06	3·92	5·01	4·97	4·89	4·65	3·81	3·60	2·54	2·39	1·59	1·76
— 4	2·62	2·54	3·00	2·82	3·51	3·28	2·38	2·58	1·74	1·77	2·13	1·47
— 5	1·73	1·72	1·92	1·95	2·43	2·21	1·68	1·68	1·21	1·20	0·42	0·88
0– 5	40·40	34·97	46·90	41·35	47·18	40·35	38·79	33·50	29·39	25·03	22·42	17·81
5–10	4·55	4·43	4·77	4·48	5·06	5·15	4·58	4·53	4·02	4·05	3·08	2·54
10–15	2·56	2·58	2·44	2·49	2·22	2·66	3·01	2·70	2·66	2·61	1·49	1·96
15–20	3·36	3·31	3·11	3·36	2·93	3·28	3·94	3·74	3·44	2·88	3·41	3·03
20–30	6·28	6·96	6·25	7·24	5·45	6·90	6·80	7·10	6·19	6·60	7·33	5·28
30–40	5·58	6·15	6·75	6·76	4·73	5·80	4·90	5·85	4·92	5·48	4·46	7·44
40–50	6·45	5·93	7·55	6·67	6·30	6·12	5·86	5·40	5·49	5·11	4·79	6·07
50–60	7·52	7·42	7·42	8·15	7·70	7·26	7·59	7·38	7·61	6·62	6·48	4·89
60–70	9·11	9·63	7·93	8·78	8·16	8·43	9·47	9·80	11·00	11·36	11·26	10·96
70–80	9·33	10·95	5·46	7·20	7·54	8·88	9·99	11·75	15·26	16·56	16·47	18·40
80–90	4·21	6·58	1·29	3·10	2·50	4·51	4·42	7·19	8·60	11·48	14·98	18·00
90–100	0·62	1·02	0·13	0·40	0·21	0·62	0·63	1·00	1·34	2·07	3·62	3·42
100 and above	0·01	0·06	0·00	0·02	0·02	0·04	0·00	0·04	0·03	0·15	0·00	0·10
Not stated	0·02	0·01	0·00	0·00	0·00	0·00	0·02	0·02	0·05	0·00	0·21	0·10
Total . .	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

per cent; in the Large Towns, 14·05 per cent.; and in the Principal Towns, 10·72 per cent. It is probable that the statements of age on which the above percentages of deaths are founded are in many instances not to be implicitly relied upon; but there is no reason to question the good faith in which they have been furnished to the registrars. The relative frequency of instances of longevity is obviously connected with the degree of proximity in which various populations exist; and in Scotland, at least, occasion has been taken repeatedly to show, that when the population is densely aggregated the percentage of deaths at ages of 70 years and upwards is, as a general rule, low.

TABLE XXVI.—Deaths at different Ages in each of the Eight Principal Towns of Scotland during the Year 1878.

AGE.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Under 1 Year	3285	1080	790	510	314	287	320	111
— 2	1854	535	331	199	182	127	131	33
— 3	820	219	137	69	67	81	55	20
— 4	455	122	95	62	40	51	19	13
— 5	283	86	62	37	36	43	15	8
0– 5	6697	2042	1415	877	639	589	540	185
5–10	717	184	115	81	74	121	43	26
10–15	363	88	83	57	54	47	26	8
15–20	490	121	95	70	60	62	33	21
20–30	973	346	187	142	98	127	73	38
30–40	932	367	236	133	112	80	82	46
40–50	996	360	232	132	118	104	94	56
50–60	1109	393	265	154	106	111	88	64
60–70	1008	449	287	213	151	160	111	79
70–80	658	381	172	233	102	140	94	79
80–90	190	157	64	99	31	44	27	33
90–100	22	21	6	13	4	3	4	5
100 and above	1	1	1	–	–	–	–	–
Not stated	1	–	1	–	–	–	–	–
ALL AGES . . .	14157	4910	3159	2204	1549	1591	1215	640

TABLE XXVII.—Percentage of Deaths to the Population at each Age in each of the Principal Towns of Scotland in 1878.

AGE.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Under 1 Year	17·39	16·94	17·76	16·05	12·14	19·66	17·02	16·59
— 2	12·19	10·05	8·90	7·27	8·27	10·21	8·14	5·14
— 3	5·44	4·00	3·37	2·64	3·13	6·35	3·25	3·13
— 4	3·14	2·34	2·41	2·26	1·87	4·01	1·18	2·01
— 5	2·06	1·70	1·63	1·47	1·77	3·50	1·04	1·35
0– 5	8·65	7·44	7·08	6·36	5·75	9·09	6·56	5·80
5–10	1·15	0·81	0·68	0·70	0·84	2·11	0·65	0·88
10–15	0·64	0·41	0·54	0·55	0·74	0·85	0·45	0·29
15–20	0·85	0·52	0·60	0·70	0·88	1·15	0·66	0·82
20–30	0·85	0·79	0·70	0·85	0·68	1·59	0·72	0·90
30–40	1·20	1·20	1·21	1·07	1·02	1·34	1·04	1·32
40–50	1·78	1·63	1·55	1·39	1·69	2·22	1·75	1·92
50–60	3·10	2·47	2·80	2·10	2·36	3·22	2·49	3·03
60–70	5·02	4·36	5·02	4·04	5·73	6·70	5·39	5·25
70–80	9·20	8·34	8·08	9·55	10·24	13·40	11·46	10·15
80–90	15·04	17·98	17·49	16·78	16·23	21·26	18·49	19·64
90–100	20·75	30·88	17·65	28·26	28·57	15·79	50·00	31·25
100 and above	11·11	25·00	50·00	0·00	0·00	0·00	0·00	0·00
Not stated	11·11	0·00	0·00	0·00	0·00	0·00	0·00	0·00

Causes of Death.

In the remarks which follow in regard to the various causes of death that have prevailed in Scotland and in its several divisions during the year 1878, the system of nomenclature long used under the direction of Dr. Farr in the Reports of the Registrar-General for England, and for the first time adopted in the Scottish Detailed Annual Report for 1877, will be adhered to.

There were registered in all Scotland, during the year 1878, 76793 deaths; but in 1390 cases the causes of death were either unknown to the informants, or so stated to the registrars as to be useless for statistical purposes. Thus about 1·8 per cent. of all registered deaths were not referred to any specified cause. There are no coroners' inquests in Scotland, and it is certain that the above percentage must include a certain proportion of cases which in England and other countries would be referred to suicide. A registrar might find it a rather serious matter to give effect to popular gossip by stating a death to have been suicidal, unless supported by positive medical testimony of the fact, or by the authoritative statement of a procurator-fiscal. Even among deaths which are registered as "violent," there is often some uncertainty felt as to whether "accident," "homicide," or "suicide," should be the appropriate entry in our statistics.

The deaths in all Scotland referred during 1878 to the Miasmatic order of the Zymotic class were 13514; being 383 for every hundred thousand of estimated population, and constituting 17·92 per cent. of all registered deaths. The incidence of such diseases was most marked in the Large Towns; in the Rural districts, both Mainland and Insular, it was not so conspicuous as in 1877 and former years.

The mortality from the most frequent Miasmatic diseases, and from all other causes, is so stated in Table XXXII. as to exhibit the proportion of deaths due to each class during five successive periods of life. Of every hundred deaths from Zymotic diseases, 64·2 occurred during the first five years of life; 74·7 during the first ten years; 3·2 at ages between 10 and 15; 14·8 between 15 and 60; and 7·3 at ages over 60.

Of all Zymotic diseases, Hooping-cough was the most destructive to children under 5 years old. The deaths from Hooping-cough at this early period of life numbered 2633, being 94·4 per cent. of the deaths at all ages ascribed to this cause. Measles was the registered cause of 1372 deaths; whereof 1256, or 91·5 per cent., took place at ages under 5 years. There were 1870 deaths attributed to Scarlatina, and of these 1122, or 60 per cent., occurred during the first period of life embraced in Table XXXII. Of 1033 fatal cases of Diphtheria, 690, or 66·8 per cent., took place before the completion of the fifth year of life. Of the deaths due to Croup, 87·9 per cent. occurred at the same early age. Of Diarrhœa, Dysentery, and Cholera, there were in all 2625 deaths, of which 1839, or 70 per cent., occurred among children under the age of 5 years. Out of 207 deaths ascribed to Syphilis, 170, or 82·1 per cent., were registered at ages under 5 years old.

The deaths due to Continued Fevers of all kinds were 1889, being at the moderate rate of 54 to every hundred thousand of estimated population. In every one of the five registration groups, Enteric, or Typhoid, Fever was far more frequent than the once far more familiar Typhus. While the deaths from the latter cause numbered in 1878 only 263, no less than 1477 deaths

from Enteric Fever occurred. Relapsing Fever had only two victims; and Simple Continued Fever only 147.

Of the deaths from fevers of all kinds, 14·7 per cent. took place at

TABLE XXVIII.—Proportion of Deaths from different Diseases to every

DISEASES AND ORDERS OF DISEASE.	Proportion of DEATHS in every 100,000 Persons Living.								
	SCOTLAND.			PRINCIPAL TOWNS.			LARGE TOWNS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . .	2137	2226	2054	2369	2498	2253	2799	2935	2671
1. Miasmatic Order .	383	384	382	440	447	433	620	633	608
2. Tubercular Order .	356	361	352	437	447	428	453	447	458
3. Nervous System .	216	237	197	230	259	204	284	318	253
4. Organs of Circulation	140	148	133	140	144	137	166	181	152
5. Respiratory Organs .	385	418	354	496	539	457	499	551	451
6. Organs of Digestion .	127	133	122	121	129	114	151	158	144
7. Urinary Organs . .	42	58	28	45	60	32	46	60	33
8. Generative Organs .	5	1	9	6	1	9	5	1	9
9. Locomotive Organs .	9	10	9	10	11	9	12	14	9
10. Skin, etc.	6	7	6	6	7	5	8	8	8
11. Developmental Diseases of Children .	79	93	66	105	123	88	104	123	87
12. Age	139	106	170	78	54	99	136	107	164
13. Atrophy	73	80	67	78	85	71	117	131	105
14. Violent Deaths . .	74	115	36	74	114	38	77	120	38
Small-pox	1	1	1	1	1	1	–	–	–
Measles	39	43	35	53	60	47	68	79	57
Scarlatina	53	57	50	40	44	37	131	138	125
Diphtheria	29	28	31	24	22	26	36	34	38
Croup	24	27	22	25	27	22	36	37	35
Hooping-cough . .	79	73	84	131	124	138	137	130	144
All FEVERS, viz. .	54	52	55	53	53	53	61	60	62
Typhus . .	7	7	7	12	13	11	12	11	13
Enteric . . .	42	40	43	38	38	38	45	44	46
Relapsing . .	1	1	1	–	–	–	–	–	–
Continued . .	4	4	4	3	2	4	5	4	6
Erysipelas	7	7	7	7	8	6	10	10	10
Metria	5	–	9	5	–	9	5	–	9
Influenza	3	2	3	2	1	3	2	2	2
Dysentery	5	5	5	3	3	3	8	8	8
DIARRHŒA . . .	64	69	60	79	87	71	101	110	92
Cholera	5	6	4	5	6	4	10	11	9
Rheumatism . . .	11	9	13	8	6	10	10	8	13
Dropsy	13	11	14	13	9	16	14	13	15
Cancer	52	36	66	48	32	63	60	37	81
Scrofula	22	26	18	28	33	23	19	19	19
Tabes Mesenterica .	36	39	33	48	53	43	48	54	41
PHTHISIS . . .	239	230	248	286	278	292	301	275	325
Hydrocephalus . .	59	66	53	76	82	70	85	98	73
Apoplexy	57	61	52	56	61	51	79	84	74
Paralysis	59	59	59	54	56	51	72	77	67
Epilepsy	7	8	6	6	8	4	9	10	8
Convulsions . . .	33	38	29	45	53	39	52	63	42
BRONCHITIS . .	246	253	240	333	345	321	309	326	294
Pneumonia	84	102	67	109	129	90	112	139	86
Enteritis	27	31	24	26	30	22	29	34	24
All Liver Diseases .	35	37	34	33	32	34	45	46	44
Teething	22	25	20	34	37	31	26	33	20
CHILDBIRTH . .	11	–	21	11	–	21	15	–	28
Fracture & Contusion	26	44	9	29	47	12	27	50	6
Burns and Scalds .	8	10	7	8	11	6	9	8	10
Drowning	17	30	5	13	23	4	16	28	5

ages under 5 years; 12·4 per cent. between the ages of 5 and 10; 12·7 per cent. between the ages of 10 and 15; 53·6 per cent. between 15 and 60; and 6·6 per cent. among those aged 60 and upwards.

Hundred Thousand Persons of the Population in 1878, allowing for Causes not Specified.

DISEASES AND ORDERS OF DISEASE.	Proportion of DEATHS in every 100,000 Persons Living.								
	SMALL TOWNS.			MAINLAND-RURAL.			INSULAR-RURAL.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . .	2101	2190	2019	1735	1775	1696	1526	1580	1479
1. Miasmatic Order .	372	374	370	264	255	272	186	181	190
2. Tubercular Order .	366	374	360	234	238	230	218	211	224
3. Nervous System .	217	236	200	188	198	178	115	137	97
4. Organs of Circulation	150	161	139	134	141	127	55	68	43
5. Respiratory Organs.	340	369	314	269	293	245	195	187	202
6. Organs of Digestion.	136	140	133	124	128	120	108	123	95
7. Urinary Organs . .	41	56	27	39	56	23	39	70	12
8. Generative Organs .	4	1	7	5	1	9	4	–	7
9. Locomotive Organs.	11	10	12	7	8	7	7	14	2
10. Skin, etc.	7	6	8	7	7	6	3	–	5
11. Developmental Diseases of Children .	73	86	61	49	59	40	27	31	22
12. Age	128	92	161	197	154	238	392	341	436
13. Atrophy	76	81	71	56	60	53	27	41	16
14. Violent Deaths . .	80	127	36	70	109	33	48	78	21
Small-pox	–	–	–	1	1	–	–	–	–
Measles	40	43	37	14	14	15	3	4	2
Scarlatina	56	63	49	43	44	43	9	8	10
Diphtheria. . . .	26	26	26	37	35	39	17	20	16
Croup	15	29	27	16	19	14	51	57	47
Hooping-cough . .	47	41	53	29	26	31	7	8	7
All FEVERS, viz. .	65	63	66	47	44	49	25	27	22
Typhus . .	5	4	6	3	4	2	3	2	3
Enteric. . .	53	52	53	40	36	43	19	21	17
Relapsing . .	1	1	1	–	–	–	–	–	–
Continued .	7	6	8	4	4	3	3	4	2
Erysipelas	8	7	8	6	4	7	6	8	3
Metria	6	–	12	3	–	7	4	–	7
Influenza	3	3	3	3	3	4	6	6	5
Dysentery	7	6	7	7	5	6	4	4	3
DIARRHŒA . . .	67	73	60	38	36	39	15	10	21
Cholera	6	6	6	3	5	2	2	2	2
Rheumatism . . .	11	8	14	12	11	13	32	27	36
Dropsy	14	15	13	11	10	13	21	20	22
Cancer	53	36	68	54	39	67	48	59	40
Scrofula	25	29	21	15	19	12	10	16	5
Tabes Mesenterica .	40	42	38	18	19	17	3	4	2
PHTHISIS . . .	240	233	247	168	164	172	193	174	210
Hydrocephalus . .	62	70	54	33	37	30	12	18	7
Apoplexy	59	66	54	52	54	50	19	25	14
Paralysis	62	58	65	61	60	61	53	49	57
Epilepsy	7	8	6	8	7	8	6	8	3
Convulsions . . .	25	28	23	21	23	19	13	18	9
BRONCHITIS . .	212	218	207	163	164	163	102	90	114
Pneumonia . . .	72	86	58	60	77	44	35	35	34
Enteritis	33	37	30	25	28	22	13	16	10
All Liver Diseases .	39	41	37	33	34	31	35	45	26
Teething	20	21	19	11	13	9	11	8	14
CHILDBIRTH . .	9	–	17	9	–	18	20	–	38
Fracture & Contusion	29	51	9	22	38	7	9	8	10
Burns and Scalds .	7	8	6	9	10	8	7	8	7
Drowning	22	38	8	19	32	6	22	47	–

Out of every hundred thousand of the estimated population of the Large Towns of Scotland, Miasmatic diseases cut off 620; in the Principal Towns the rate was 440; in the Small Towns, 372; in the Mainland-Rural

TABLE XXIX.—Proportion of Deaths from different

DISEASES AND ORDERS OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	SCOTLAND.			PRINCIPAL TOWNS.			LARGE TOWNS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1 Miasmatic Order	1792	1726	1859	1855	1790	1921	2216	2157	2276
2. Tubercular Order	1667	1620	1713	1844	1790	1899	1617	1522	1715
3. Nervous System	1011	1065	957	970	1035	905	1006	1084	947
4. Organs of Circulation	656	665	647	592	575	608	592	615	568
5. Respiratory Organs	1801	1877	1726	2094	2160	2027	1783	1877	1687
6. Organs of Digestion	596	599	594	510	515	505	539	537	540
7. Urinary Organs	198	261	134	191	242	140	164	203	124
8. Generative Organs	24	3	45	27	3	51	17	2	32
9. Locomotive Organs	44	47	41	42	53	38	42	49	34
10. Skin, etc.	31	30	31	26	28	24	29	27	30
11. Developmental Diseases of Children	369	417	320	442	494	389	373	418	326
12. Age	650	475	825	328	216	441	487	365	612
13. Atrophy	344	359	328	329	342	316	419	445	392
14. Violent Deaths	344	515	173	313	455	170	277	408	142
Small-pox	1	1	1	1	1	1	–	–	–
Measles	182	193	171	225	240	210	241	270	212
Scarlatina	248	254	242	170	175	166	470	471	468
Diphtheria	137	125	149	102	89	115	129	115	142
Croup	114	121	106	104	110	99	129	127	130
Hooping-cough	370	329	411	554	494	613	490	443	538
All FEVERS, viz.	251	236	265	223	212	234	217	203	232
Typhus	35	36	34	50	52	49	42	39	44
Enteric	196	182	210	162	151	172	159	150	168
Relapsing	1	1	1	–	–	–	–	–	–
Continued	19	18	21	11	9	14	17	14	20
Erysipelas	33	32	33	31	34	28	35	37	32
Metria	22	–	44	21	–	41	18	–	36
Influenza	13	10	15	7	5	10	9	6	12
Dysentery	24	20	27	11	11	12	29	27	30
DIARRHŒA	301	309	293	333	348	317	360	375	344
Cholera	23	26	21	20	23	18	37	37	36
Rheumatism	51	39	62	35	24	45	38	27	48
Dropsy	60	50	70	53	36	70	51	43	60
Cancer	243	163	322	204	129	278	214	127	302
Scrofula	103	116	90	117	133	102	68	66	70
Tabes Mesenterica	170	176	159	201	212	189	170	186	154
PHTHISIS	1120	1034	1206	1206	1114	1298	1075	936	1217
Hydrocephalus	277	295	258	320	330	311	304	334	274
Apoplexy	265	275	255	235	244	227	282	287	276
Paralysis	277	267	287	226	224	229	256	262	250
Epilepsy	33	36	30	27	32	21	32	33	30
Convulsions	157	172	141	192	212	172	186	215	156
BRONCHITIS	1152	1135	1170	1405	1383	1426	1105	1110	1099
Pneumonia	393	458	328	459	515	400	398	475	320
Enteritis	126	137	115	108	119	97	103	115	90
All Liver Diseases	165	165	165	137	130	144	160	156	164
Teething	105	111	98	142	148	136	93	111	74
CHILDBIRTH	50	–	101	48	–	95	52	–	106
Fracture & Contusion	122	199	44	121	189	53	97	170	22
Burns and Scalds	39	43	35	35	43	27	31	27	34
Drowning	81	135	26	53	91	15	57	94	20

districts, 264; and in the Insular-Rural group, 186. In the whole of Scotland the rate was 383 per hundred thousand.

The incidence of Hooping-cough, Scarlatina, Measles, and generally of

Diseases to the Total Deaths from Specified Causes in 1878.

DISEASES AND ORDERS OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	SMALL TOWNS.			MAINLAND-RURAL.			INSULAR-RURAL.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Miasmatic Order	1771	1709	1832	1520	1436	1604	1217	1148	1282
2. Tubercular Order	1743	1704	1782	1351	1343	1359	1427	1333	1515
3. Nervous System	1032	1076	988	1081	1113	1049	755	864	653
4. Organs of Circulation	713	737	690	773	795	751	360	432	291
5. Respiratory Organs	1620	1685	1555	1548	1652	1446	1277	1185	1364
6. Organs of Digestion	648	638	659	712	720	705	707	778	641
7. Urinary Organs	195	254	135	225	315	136	258	444	82
8. Generative Organs	17	2	32	31	6	55	24	–	47
9. Locomotive Organs	51	47	56	41	43	40	48	86	12
10. Skin, etc.	32	25	39	39	42	36	18	–	35
11. Developmental Diseases of Children	349	394	303	282	330	235	174	198	151
12. Age	610	422	798	1134	865	1400	2566	2160	2949
13. Atrophy	361	369	352	325	338	313	180	259	105
14. Violent Deaths	380	581	179	404	615	194	312	494	140
Small-pox	–	–	–	1	1	–	–	–	–
Measles	191	197	185	83	81	86	18	25	12
Scarlatina	266	287	245	250	249	252	60	49	70
Diphtheria	125	119	131	214	198	229	114	123	105
Croup	120	133	107	95	106	84	216	358	315
Hooping-cough	224	185	263	164	147	182	48	49	47
All FEVERS, viz.	308	289	327	269	250	288	162	173	151
Typhus	23	19	26	19	25	14	18	12	23
Enteric	251	239	263	228	202	254	126	136	117
Relapsing	1	1	1	–	–	–	–	–	–
Continued	33	30	37	22	23	20	18	25	12
Erysipelas	36	33	39	32	25	38	36	49	23
Metria	29	–	57	19	–	38	24	–	47
Influenza	16	13	18	19	17	21	36	37	35
Dysentery	33	25	41	32	28	36	24	25	23
DIARRHŒA	317	334	300	219	205	233	102	62	140
Cholera	26	27	25	20	26	14	12	12	12
Rheumatism	52	36	68	69	63	75	210	173	245
Dropsy	65	68	62	65	55	75	138	123	151
Cancer	251	164	338	309	221	396	318	370	268
Scrofula	118	130	93	88	105	71	66	99	35
Tabes Mesenterica	190	192	187	104	109	98	18	25	12
PHTHISIS	1142	1074	1222	969	923	1014	1265	1099	1422
Hydrocephalus	294	320	267	190	206	175	78	111	47
Apoplexy	283	300	266	300	306	294	126	160	93
Paralysis	291	263	320	351	340	363	348	309	385
Epilepsy	33	35	31	44	42	45	36	49	23
Convulsions	121	127	116	122	131	113	84	111	58
BRONCHITIS	1011	997	1025	942	922	961	671	568	769
Pneumonia	342	395	289	346	433	259	228	222	233
Enteritis	159	167	150	142	156	129	84	99	70
All Liver Diseases	186	189	183	188	193	183	228	284	175
Teething	94	96	93	62	72	53	72	49	93
CHILDBIRTH	43	–	86	53	–	106	132	–	256
Fracture & Contusion	138	233	44	127	215	40	60	49	70
Burns and Scalds	35	36	33	53	57	50	48	49	47
Drowning	105	172	38	110	183	37	144	296	–

the more familiar Miasmatic diseases, may be traced, with the aid of Table XXVIII., as having been most appreciable in the Large Towns, less remarkable in the Principal Towns, and far less so in the remaining groups of registration districts, especially in the Insular-Rural group.

To Gout the deaths of twelve males and of four females were ascribed. Two of these males died between the ages of 40 and 45; ten between 45 and 75. The four females died at ages above 60. It must not be inferred that the above brief catalogue includes all that died of gouty complaints, or of diseases that owed their origin to the gouty or lithic diathesis.

Dropsy, without explanation as to its seat or probable cause, was the registered cause of 453 deaths, of which 189 occurred among males and 264 among females.

Cancer proved fatal to 615 males and to 1214 females. Such at least are the registered numbers; but it is all but certain that very many cases of malignant disease of the Stomach, Liver, Intestines, Kidneys, &c., are not recognised during life, or are not returned to the registrars as cases of Cancer at all, but are merely included under such titles as "Disease of Stomach" and so forth.

TABLE XXX.—Percentage of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland during the Year 1878, allowing for the Causes not Specified.

DISEASES CAUSING DEATH.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
TOTAL DEATHS . .	2·492	2·242	2·151	2·206	2·074	3·257	2·182	2·399
I. Zymotic Diseases .	0·474	0·406	0·424	0·447	0·271	0·660	0·364	0·357
III. Tubercular Diseases .	0·483	0·359	0·355	0·326	0·426	0·548	0·391	0·300
IV. Brain, etc., Diseases .	0·217	0·224	0·227	0·223	0·241	0·332	0·250	0·304
V. Heart, etc., Diseases .	0·113	0·161	0·134	0·131	0·109	0·126	0·145	0·262
VI. Respiratory Organs .	0·596	0·429	0·443	0·461	0·337	0·565	0·385	0·383
VII. Digestive Organs .	0·173	0·162	0·122	0·144	0·164	0·262	0·150	0·121
VIII. Urinary Organs . .	0·036	0·053	0·034	0·066	0·023	0·066	0·025	0·076
XIII. Premature Debility .	0·129	0·120	0·117	0·107	0·140	0·188	0·150	0·133
XV. Old Age . . .	0·067	0·088	0·089	0·086	0·109	0·266	0·078	0·194
XVII. Violent Deaths . .	0·076	0·095	0·071	0·052	0·103	0·064	0·096	0·102
Small-pox . . .	0·0004	0·000	0·000	0·001	0·000	0·000	0·000	0·000
Measles . . .	0·050	0·095	0·076	0·001	0·008	0·008	0·069	0·042
SCARLATINA . .	0·034	0·019	0·046	0·065	0·004	0·223	0·020	0·049
Diphtheria . .	0·022	0·020	0·018	0·044	0·044	0·016	0·018	0·015
HOOPING-COUGH .	0·180	0·091	0·081	0·126	0·071	0·082	0·042	0·057
Croup . . .	0·025	0·030	0·017	0·028	0·038	0·035	0·029	0·023
DIARRHŒA . .	0·080	0·058	0·099	0·063	0·040	0·115	0·100	0·087
Dysentery . . .	0·002	0·002	0·002	0·005	0·000	0·004	0·002	0·004
Cholera . . .	0·003	0·001	0·000	0·001	0·003	0·016	0·000	0·000
All FEVERS . .	0·047	0·051	0·045	0·078	0·039	0·134	0·068	0·057
Viz. Typhus . .	0·009	0·011	0·015	0·038	0·018	0·037	0·004	0·015
Enteric . .	0·035	0·038	0·028	0·030	0·019	0·085	0·058	0 038
Relapsing . .	0·0003	0·000	0·000	0·000	0·000	0·002	0·000	0·000
Simple Cont. .	0·001	0·001	0·001	0·004	0·001	0·002	0·002	0·004
Infantile . .	0·002	0·001	0·001	0·006	0·001	0·008	0·004	0·000
Dropsy . . .	0·016	0·011	0·019	0·010	0·014	0·027	0·020	0·004
Cancer . . .	0·036	0·064	0·039	0·066	0·038	0·047	0·040	0·065
PHTHISIS . .	0·320	0·226	0·245	0·220	0·308	0·317	0·219	0·224
Apoplexy . . .	0·051	0·045	0·060	0·048	0·056	0·101	0·049	0·053
Paralysis . . .	0·042	0·055	0·060	0·054	0·048	0·113	0·089	0·099
Convulsions . .	0·049	0·035	0·051	0·039	0·038	0·043	0·054	0·023
BRONCHITIS . .	0·411	0·242	0·308	0·325	0·216	0·419	0·273	0·232
Pneumonia . .	0·156	0·103	0·115	0·096	0·099	0·128	0·090	0·118
Teething . . .	0·044	0·029	0·023	0·030	0·056	0·089	0·034	0·015
Liver Diseases . .	0·033	0·028	0·023	0·022	0·025	0·068	0·033	0·049

A single fatal case of Hydrophobia, in a man aged between 35 and 40, was reported from Roxburghshire.

Of Alcoholism, including Delirium Tremens and Intemperance, there died 151 males and 98 females.

Tubercular Diseases caused 12567 deaths, being a mortality of 356 for every hundred thousand of estimated population, and affecting males in somewhat higher proportion than females. Deaths from these diseases were most numerous in the Large Towns; somewhat less frequent in the Principal Towns; and, in the other registration groups, obviously following the law connecting mortality with density of population. The deaths from Consumption alone, in all Scotland, amounted to 3897 males and 4548 females. In all the five registration groups, females were cut off by this disease in higher ratio than males; the Large Towns furnishing the highest proportion of deaths, and the Mainland-Rural the lowest.

As for the relative frequency of Consumption in the several Principal Towns, we may refer the reader to Tables XXX. and XXXI.; but it seems inexpedient to hazard any commentary on these Tables in the present Detailed Report, seeing that considerable errors are known to exist in the estimates of the population here attributed to Glasgow, Paisley, and other

TABLE XXXI.—Percentage of Deaths from different Diseases to the Total Deaths in each of the Eight Principal Towns of Scotland, during the Year 1878, allowing for the Causes of Death not specified.

DISEASES CAUSING DEATH.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
I. Zymotic Diseases	19·03	18·12	19·72	20·25	13·06	20·25	16·67	14·87
III. Tubercular Diseases	19·37	16·03	16·51	14·76	20·51	16·84	17·91	12·50
IV. Brain Diseases	8·69	9·98	10·57	10·10	11·61	10·19	11·44	12·66
V. Heart, etc., Diseases	4·52	7·20	6·22	5·94	5·28	3·86	6·63	10·92
VI. Respiratory Organs	23·90	19·14	20·61	20·89	16·23	17·34	17·66	15·98
VII. Digestive Organs	6·95	7·24	5·68	6·54	7·92	8·04	6·88	5·06
VIII. Urinary Organs	1·44	2·37	1·59	2·97	1·12	2·03	1·16	3·16
XIII. Premature Debility	5·18	5·34	5·43	4·84	6·73	5·76	6·88	5·54
XV. Old Age	2·70	3·91	4·16	3·88	5·28	8·16	3·57	8·07
XVII. Violent Deaths	3·04	4·23	3·30	2·38	4·95	1·96	4·39	4·27
Small-pox	0·01	0·00	0·00	0·05	0·00	0·00	0·00	0·00
Measles	2·03	4·23	3·56	0·05	0·40	0·25	3·15	1·74
SCARLATINA	1·37	0·86	2·16	2·93	0·20	6·84	0·91	2·06
Diphtheria	0·90	0·88	0·86	2·01	2·11	0·51	0·83	0·63
HOOPING-COUGH	7·21	4·05	3·78	5·71	3·43	2·53	1·99	2·37
Croup	1·02	1·33	0·83	1·28	1·85	1·08	1·33	0·95
DIARRHŒA	3·22	2·60	4·60	2·83	1·91	3·54	4·56	3·64
Dysentery	0·10	0·10	0·10	0·23	0·00	0·13	0·08	0·16
Cholera	0·15	0·06	0·00	0·05	0·13	0·51	0·00	0·00
All FEVERS	1·89	2·29	2·09	3·34	1·92	4·10	3·07	2·37
Viz. Typhus	0·36	0·49	0·70	1·74	0·86	1·14	0·17	0·63
Enteric	1·41	1·68	1·30	1·37	0·92	2·59	2·65	1·58
Relapsing	0·01	0·00	0·00	0·00	0·00	0·06	0·00	0·00
Simple Cont.	0·05	0·06	0·06	0·05	0·07	0·06	0·08	0·16
Infantile	0·06	0·06	0·03	0·18	0·07	0·25	0·17	0·00
Dropsy	0·66	0·51	0·89	0·46	0·65	0·82	0·91	0·16
Cancer	1·43	2·86	1·81	2·97	1·85	1·46	1·82	2·69
PHTHISIS	12·85	10·08	11·37	9·96	14·84	9·75	10·03	9·34
Apoplexy	2·05	2·02	2·79	2·19	2·70	3·10	2·24	2·22
Paralysis	1·70	2·47	2·79	2·47	2·31	3·48	4·06	4·11
Convulsions	1·96	1·57	2·35	1·78	2·18	1·33	2·49	0·95
BRONCHITIS	16·49	12·82	14·32	14·72	10·42	12·85	12·52	9·65
Pneumonia	6·28	4·60	5·34	4·34	4·75	3·92	4·15	4·91
Teething	1·78	1·31	1·05	1·37	2·70	2·72	1·58	0·63
Liver Diseases	1·32	1·23	1·08	1·01	1·19	2·09	1·49	2·06

towns, and that it is desired to avoid any invidious comparison as to the salubrity of our Principal Towns, unless when the clearest evidence invites it. The deaths from Scrofula were 775; from Mesenterica Tabes, 1262; and from Hydrocephalus, 2085. All these numbers somewhat exceed those recorded for 1877.

Of Diseases of the Nervous System there died 7625 persons, of whom 4017 were males and 3608 females. The mortality from such diseases was 216 per hundred thousand of the estimated population of all Scotland, and constituted 10·11 per cent. of all deaths experienced in it, during 1878, from specified causes. As usual, deaths from diseases of the nervous system were far more frequent among males than among females, and prevailed especially in the dense urban populations.

Of Diseases of the Circulatory System there died 4947 persons, of whom 2506 were males and 2441 females. Out of every hundred thousand inhabitants, Scotland lost by these diseases 140. Deaths from these causes were more frequent in the towns, and especially among the males in the group of Large Towns, than elsewhere. Their comparative rarity in the Rural, and especially in the Insular-Rural districts, is probably more apparent than real, and may be accounted for by the difficulty of procuring medical attendance and medical certificates of death in the most sparsely peopled districts of the country. Ordinary informants cannot be expected to possess much acquaintance with the methods by which medical men arrive at a diagnosis in cases of Heart Disease; and such informants are prone to refer deaths to some prominent symptoms such as "Dropsy," without too curiously speculating upon the actual cause of death.

Diseases of the Organs of Respiration caused the deaths of 13582 persons, of whom 7076 were males and 6506 females. This mortality was

---

TABLE XXXII.—Number and Proportion of Deaths at different Ages from the Zymotic and Ordinary Diseases in Scotland in 1878.

Diseases.	Number of Deaths at each Age.						Percentage at each Age.					
	0–5 years.	5–10.	10–15.	15–60.	Above 60.	Total.	0–5.	5–10	10–15	15–60	Above 60.	Total.
Small-pox . . .	1	1	–	2	–	4	25·0	25·0	0·0	50·0	0·0	100
Measles	1256	93	10	13	–	1372	91·5	6·8	0·7	1·0	0·0	100
Scarlatina	1122	571	103	72	2	1870	60·0	30·5	5·5	3·9	0·1	100
Diphtheria . . .	690	238	37	61	7	1033	66·8	23·0	3·6	5·9	0·7	100
Hooping-cough . .	2633	152	2	–	1	2788	94·4	5·5	0·1	0·0	0·0	100
Croup	755	93	8	1	2	859	87·9	10·8	0·9	0·1	0·3	100
Diarrhœa	1654	30	9	168	409	2270	72·9	1·3	0·4	7·4	18·0	100
Dysentery . . .	62	3	2	27	84	178	34·8	1·6	1·1	15·4	47·1	100
Cholera	123	7	1	29	17	177	69·5	3·9	0·6	16·4	9·6	100
All Fevers, viz. . .	278	234	240	1012	125	1889	14·7	12·4	12·7	53·6	6·6	100
Typhus	5	16	34	189	19	263	1·9	6·1	12·9	71·9	7·2	100
Enteric	231	196	190	767	93	1477	15·6	13·3	12·9	51·9	6·3	100
Relapsing . . .	–	–	–	1	1	2	0·0	0·0	0·0	50·0	50·0	100
Simple Continued	42	22	16	55	12	147	28·6	15·0	10·9	37·4	8·1	100
Syphilis	170	2	1	30	4	207	82·1	1·0	0·5	14·5	1·9	100
Erysipelas . . .	92	3	1	66	86	248	37·1	1·2	0·4	26·6	34·7	100
All Zymotics . . .	9115	1486	455	2098	1043	14197	64·2	10·5	3·2	14·8	7·3	100
All other Diseases, exclud'g Zymotics	19826	1960	1518	20532	18760	62596	31·7	3·1	2·4	32·8	30·0	100
Total Deaths . . .	28941	3446	1973	22630	19803	76793	37·7	4·5	2·6	29·4	25·8	100

decidedly lower than that registered in 1877. In all Scotland there perished by Diseases of ths Organs of Respiration 385 per hundred thousand of estimated population. The rates were 499 and 496 respectively in the Large and in the Principal Towns. In the other districts, and especially in the Insular-Rural groups, they were far more moderate. Bronchitis alone caused 8689 deaths, being 11·52 per cent. of all deaths referred to specified causes. The deaths from Pneumonia were 2964; from Pleurisy, 283; from Laryngitis, 190; from Asthma, 341; and from Lung Disease of Unspecified Nature, 1115. This last number is even larger than that which we had occasion to record and comment upon in the Detailed Annual for 1877. It includes a large number of cases returned to the registrars as examples of "Congestion of the Lungs" and the like, and no doubt embraces many fatal cases of "Consumption" likewise.

Diseases of the Organs of Digestion caused 4497 deaths, being 133 per hundred thousand males, and 122 per hundred thousand females of the estimated population. From Gastritis and Enteritis there were 1214 deaths; from Peritonitis, 471; from Ulceration of the Intestines, 224; from Ileus, Intussusception, and Stricture of the Bowels, 381; from Diseases

---

TABLE XXXIII.—Number and Percentage of Deaths from the Zymotic and Ordinary Diseases at each Age.

Age.	Number of Deaths.			Percentage of Deaths at each Age from	
	Total Deaths.	Zymotic Deaths.	All other Diseases.	Zymotic Deaths.	All other Diseases.
0—5	28,941	9,115	19,826	31·50	68·50
5—10	3,446	1,486	1,960	43·12	56·88
10—15	1,973	455	1,518	23·06	76·94
15—60	22,630	2,098	20,532	9·27	90·73
Above 60	19,803	1,043	18,760	5·27	94·73
0—15	34,360	11,056	23,304	32·18	67·82
15 and upwards	42,433	3,141	39,292	7·40	92·60

TABLE XXXIV.— Small-pox Deaths in Scotland.

Year.	Small-pox Deaths.	Year.	Small-pox Deaths.
1855	1,309	1867	100
1856	1,306	1868	15
1857	845	1869	64
1858	332	1870	114
1859	682	1871	1,442
1860	1,495	1872	2,448
1861	766	1873	1,126
1862	426	1874	1,246
1863	1,648	1875	76
1864	1,741	1876	39
1865	383	1877	38
1866	200	1878	4

of the Liver and Biliary System, 1244; from Diseases of the Spleen, 44; from Unspecified Diseases of the Alimentary Canal, 680. There were 130 deaths ascribed to Hernia,—67 among males and 63 among females. Of these deaths, 14 took place during the first year of life, and 116 at ages exceeding 50 years.

Diseases of the Urinary Organs accounted for 1490 deaths, being 42 per hundred thousand of estimated population. Such deaths, as usual, were twice as frequent among males as among females. Nephritis caused 168 deaths; Ischuria, 52; Calculus, 48; Cystitis, 127; Bright's Disease, 502; Kidney Disease of Unspecified Nature, 490; Diabetes, 103.

The deaths from Disease of the Ovaries were 72; and from Diseases of the Organs of Generation, 110; from Paramenia, 21. There were 164 deaths from Metria, and 380 from Childbirth. There were thus 544 deaths registered as due to puerperal causes. The number of children born alive in Scotland during the year 1878 has already been stated as 126773. Correcting for twin and triplet births, we estimate the number of mothers who gave birth to live children as 125382. Of these, 0·434 per cent., or about one in every 230, died of some cause directly connected with the act of childbearing.

To Diseases of the Organs of Locomotion, 332 deaths were referred; and 231 to Diseases of the Integumentary System.

Premature Birth accounted for 1655 deaths; Teething for 789; Cyanosis, Spina Bifida, &c., for 335.

Of Old Age, 4903 persons—1791 males and 3112 females—appear to have died. Of these deaths, 4369, or 89·1 per cent. occurred among those who were aged 70 and upwards. The enormous proportion of such deaths attributed to the inhabitants of the Insular-Rural districts may be seen, as

TABLE XXXV.—Vaccinations in Scotland, 1868–78, and Proportion to the Births each Year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination— From Constitutional Insusceptibility.	From having had Small-pox	From previous Vaccination.	Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL BIRTHS.
1868	Numbers .	102140	914	277	7	230	9440	2506	115514
1869	Numbers .	99265	966	177	17	174	10069	2773	113441
1870	Numbers .	101875	843	215	28	229	9724	2532	115446
1871	Numbers .	101923	841	241	142	175	10280	2582	116184
1872	Numbers .	104902	811	184	64	322	10325	2351	118959
1873	Numbers .	105177	1113	162	39	163	10527	2629	119810
1874	Numbers .	108022	1229	206	33	205	11288	2878	123861
1875	Numbers .	108096	1211	190	1	252	11326	2575	123651
1876	Numbers .	111815	1034	177	5	348	10760	2567	126706
1877	Numbers .	112229	1304	180	4	480	10374	2329	126900
10 Years.	Average .	105544	1027	201	34	258	10411	2572	120047
1878	Numbers .	111694	1196	190	3	406	10905	2460	126854
1868	Percentage	88·423	0·791	0·240	0·005	0·199	8·172	2·170	100·000
1869	Percentage	87·504	0·852	0·156	0·015	0·153	8·876	2·444	100·000
1870	Percentage	88·246	0·730	0·186	0·024	0·198	8·423	2·193	100·000
1871	Percentage	87·726	0·724	0·208	0·122	0·150	8·848	2·222	100·000
1872	Percentage	88·183	0·682	0·155	0·054	0·271	8·679	1·976	100·000
1873	Percentage	87·786	0·930	0·135	0·033	0·136	8·786	2·194	100·000
1874	Percentage	87·213	0·992	0·166	0·027	0·165	9·114	2·323	100·000
1875	Percentage	87·420	0·979	0·154	0·001	0·204	9·160	2·082	100·000
1876	Percentage	88·248	0·816	0·140	0·003	0·275	8·492	2·025	100·000
1877	Percentage	88·438	1·028	0·141	0·003	0·378	8·175	1·835	100·000
10 Years.	Percentage	87·919	0·855	0·167	0·029	0·215	8·672	2·143	100·000
1878	Percentage	88·049	0·943	0·150	0·003	0·320	8·596	1·939	100·000

usual, in Table XXVIII., and no doubt rests upon information communicated in good faith to the registrars. It seems, however, permissible to doubt its accuracy.

Of the four males who were reported to have died at the age of 100 years or more, one, aged 107, was said to have been a hawker; a pauper, aged 103, had formerly been a labourer, and two were described as crofters.

Of 23 females who died at 100 years of age or upwards, one, formerly a farm servant, was 106 years old; another, aged 106, was the widow of a weaver. Of the remaining 21, fourteen were described as widows of shepherds, farmers, and the like, one was the widow of a lieutenant, one was an annuitant, one was a farmer's daughter, two had been domestic servants, and the condition of two was not specified.

There were 2595 Violent Deaths, and the rate was 115 for every hundred thousand of male population, and 36 for a like number of females. Of the deaths attributed to Accident or Negligence, Fractures and Contusions caused 918; Drowning, 566; Burns and Scalds, 294; and Suffocation, 323. 299 Accidental Deaths resulted from Cuts, Gunshot Wounds, Poison, &c.

There were 13 deaths attributed to Homicide, and two males were executed by Hanging.

123 males and 57 females are reported to have committed suicide in Scotland in 1878. By Hanging, 50 males and 20 females destroyed themselves; by Drowning, 22 males and 19 females; by Cut-throat, 28 males and 11 females; by Gunshot, 6 males; by Poison (kind not specified), 3 males and two females; by Laudanum, 3 males and one female; by Opium,

---

TABLE XXXVI.—Vaccinations in Scotland, 1868–1878, deducting from the Births those who died before they could be Vaccinated, and giving the Proportion of the Vaccinated to the surviving Births of each Year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL LIVING.
				From Constitutional Insusceptibility.	From having had Small-pox.	From previous Vaccination.		
1868	Numbers .	102140	914	277	7	230	2506	106074
1869	Numbers .	99265	966	177	17	174	2773	103372
1870	Numbers .	101875	843	215	28	229	2532	105722
1871	Numbers .	101923	841	241	142	175	2582	105904
1872	Numbers .	104902	811	184	64	322	2351	108634
1873	Numbers .	105177	1113	162	39	163	2629	109283
1874	Numbers .	108022	1229	206	33	205	2878	112573
1875	Numbers .	108096	1211	190	1	252	2575	112325
1876	Numbers .	111815	1034	177	5	348	2567	115946
1877	Numbers .	112229	1304	180	4	480	2329	116526
10 Years.	Average .	105544	1027	201	34	258	2572	109636
1878	Numbers .	111694	1196	190	3	406	2460	115949
1868	Percentage	96·292	0·861	0·261	0·007	0·216	2·363	100·000
1869	Percentage	96·027	0·935	0·171	0·016	0·168	2·683	100·000
1870	Percentage	96·362	0·797	0·203	0·026	0·217	2·395	100·000
1871	Percentage	96·241	0·794	0·228	0·134	0·165	2·438	100·000
1872	Percentage	96·565	0·747	0·169	0·059	0·296	2·164	100·000
1873	Percentage	96·243	1·018	0·148	0·036	0·149	2·406	100·000
1874	Percentage	95·958	1·092	0·183	0·029	0·182	2·556	100·000
1875	Percentage	96·235	1·078	0·169	0·001	0·224	2·293	100·000
1876	Percentage	96·437	0·892	0·153	0·004	0·300	2·214	100·000
1877	Percentage	96·312	1·119	0·154	0·003	0·411	1·999	100·000
10 Years.	Percentage	96·268	0·937	0·183	0·031	0·235	2·346	100·000
1878	Percentage	96·330	1·031	0·164	0·003	0·350	2·122	100·000

2 males; by Chlorodyne, 1 male; by Fusel Oil, 1 female; by Potassium, 1 male; by Carbolic Acid, 1 female. Two males and 1 female effected self-destruction by precipitation; and 2 males and 1 female by placing themselves before railway trains. One man stabbed himself, and 2 terminated their lives in ways not stated.

90 deaths were registered as sudden, and 1300 from causes not specified or ill-defined.

WEATHER AND ITS INFLUENCE ON THE MORTALITY.

While perusing the following brief account of the weather that was experienced in Scotland during the successive months of 1878, the reader will do well to bear in mind that the December of 1877 had been characterised by no very striking meteorological peculiarities, but that it may be regarded as an average specimen of a Scotch December. The temperature, the amount of humidity, depth of rainfall, and number of rainy days, were all very slightly above the ten years' average. The winds were strong, and their most general direction westerly. The daily deaths in the Principal Towns were 210, a mortality by no means unusual in December.

January of 1878 was, in point of mean temperature, nearly an average month. In point of humidity and strength of wind nothing unusual was observed. The daily number of deaths, as recorded in Table XLI., was 232.

February was unusually fine, with a high and steady barometric

TABLE XXXVII.—Deaths from Fever in 1878.

Fevers.	Rural Districts.		Town Districts.	
	Deaths from each Fever.	Percentage to Total Fever Deaths.	Deaths from each Fever.	Percentage to Total Fever Deaths.
Typhus . . .	37	7·37	226	16·29
Enteric . . .	424	84·46	1053	75·92
Relapsing . . .	0	0·0	2	0·15
Simple Continued . .	41	8·17	106	7·64
All Fevers . .	502	100·0	1387	100·00

TABLE XXXVIII.—Monthly Deaths from Fever in the Eight Principal Towns of Scotland during the Ten Years 1869–1878; specifying those from Typhus and Enteric Fever.

Months.	Total Fever Deaths.	Typhus.	Enteric.	Months.	Total Fever Deaths.	Typhus.	Enteric.
January .	970	503	329	July . .	716	351	282
February .	844	389	321	August .	693	310	311
March .	964	478	353	September .	688	270	356
April . .	894	472	334	October .	842	320	418
May . .	803	419	295	November .	918	406	380
June . .	786	386	322	December .	986	403	431

pressure, extremely high mean temperature, few rainy days, little depth of rain, little wind, that chiefly from the west-south-west. The deaths were at the rate of 231 per diem.

March was, on the whole, remarkably fine, the barometer being generally high, and the mean temperature rather greater than usual. There was less rain and less wind than in the corresponding month of previous years. The daily deaths in the Principal Towns were only 215.

April had a mean temperature exceeding the average by 0°·6. The barometric pressure was slightly below the average. The rainfall was of less than the average depth by 0·41 inch. The force of the wind was less than the average, and its direction chiefly from the east, though oftener from south-east than from north-east in the proportion of 3 to 1. There were registered 240 deaths per diem.

May had a mean temperature of 51°, greater than the average by 1°·3. The mean barometer reading was 0·239 inch under average. The depth of rainfall exceeded the average by 0·88 inch. The pressure of the wind was very much below the average. The death-rate sank to 204 per diem.

June had a mean temperature and barometric pressure very slightly below the average. There was a considerable shortcoming in point of rainfall. The pressure of the wind was below the average, and its direction chiefly from east and north-east The registered deaths were at the rate of 199 per diem.

In *July* the mean temperature exceeded the average by 1°·9; the barometric pressure was likewise high. The amount of rainfall was remarkably scanty. The daily number of registered deaths was 198.

In *August* the mean temperature was 1°·7 above average. The barometer stood 0·151 inch above average. There was a preponderance of east wind. The season was wet on the east but dry on the west coast. There were registered 189 deaths per diem.

TABLE XXXIX.—The Twenty most fatal Diseases in Scotland and England in 1878, arranged in the order of their fatality.

SCOTLAND.		ENGLAND.	
DISEASES.	Proportion of Deaths to 100,000 living.	DISEASES.	Proportion of Deaths to 100,000 living.
Bronchitis	246	Bronchitis	245
Phthisis	239	Phthisis	213
Heart,	140	Heart,	143
Age	139	Age	111
Pneumonia	84	Atrophy	108
Developmental Dis. of Children	79	Pneumonia	100
Hooping-cough	79	Convulsions	100
Atrophy	73	Diarrhœa	99
Diarrhœa	64	Scarlet Fever	76
Hydrocephalus	59	Hooping-cough	72
Paralysis	59	Apoplexy	56
Apoplexy	57	Cancer	51
All Fevers	54	Paralysis	49
Scarlatina	53	Premature Birth	48
Cancer	52	Tabes Mesenterica	35
Measles	39	Hydrocephalus	34
Tabes Mesenterica	36	Measles	31
All Liver Diseases	35	Enteric Fever	31
Convulsions	33	Cephalitis	30
Diphtheria	29	Liver Disease	30

September had a mean temperature of 2° above the average. The barometer stood a trifle below the average. The rainfall was moderate, and the winds too were moderate, westerly air currents predominating. The deaths registered during September were at the rate of 178 per diem.

October had a high mean temperature, exceeding by 2°·5 the average of previous years. The barometric pressure was 0·187 inch below the mean. It appears that this month was nearly normal in most of its meteorological particulars, and especially favourable in mean temperature. The average direction of the wind was from south-west. The registered deaths numbered on an average 174 per diem.

In *November* the mean temperature was 2°·2 below the average. The mean barometric pressure was likewise rather low. On the whole, the month was characterised by low temperature, little rain, and preponderance of northerly wind. The rainfall was on the east coast far heavier than on the west. The average daily number of registered deaths was 206.

December was by far the most inclement month of the year. Its mean temperature, 31°·4, was no less than 8° below the average. The barometric pressure, 29·664 inches, was 0·134 inch below the average of previous Decembers. The main characteristic of December 1878 was the extremely low mean temperature, which converted most of the so-called rainfall into snow. There was comparatively little wind; such as there was had an unusual amount of north-west in its direction. The maximum of rain or snow fell at Aberdeen, being 4·69 inches, and the minimum was recorded at Perth, being 1·47 inch. There were 258 deaths registered, on an average, on each day of the month.

In Tables XL. and XLI. will be found much information relative to the meteorological peculiarities of the successive months of 1878, and as to the average numbers deduced from the ten years' observations, 1855–1864. These last observations we are accustomed to regard as a sort of standard, any great deviation from which is deserving of note, and, if possible, of explanation. On the most cursory examination of the two temperature columns of Table XL., it becomes at once apparent that the only months of 1878 which seem to have been exceptional as regards

TABLE XL.—Monthly Mortality and Mean Temperature in Scotland during 1878, compared with the Mean of the Ten Years 1855–1864.

	Year 1878.				1855–1864.	
Months.	Mean Temperature.	Actual Deaths.	Deaths when Months are equalized to 31 Days.	Proportion to 12,000 per Annum, or 1000 per Month.	Monthly Proportion of Deaths.	Mean Temperature.
January . . .	38°·0	7187	7187	1101	1134	37°·2
February . . .	41·5	6465	7158	1097	1193	37·4
March	40·3	6668	6668	1022	1145	39·8
April	45·5	7204	7444	1141	1083	44·1
May	50·3	6325	6325	969	1010	49·5
June	55·5	5985	6185	948	956	55·6
July	59·5	6125	6125	939	895	57·6
August . . .	58·6	5874	5874	900	856	57·3
September . .	54·3	5345	5523	847	843	52·8
October . . .	48·9	5406	5406	829	858	47·2
November . .	38·0	6186	6392	980	954	40·2
December . . .	30·7	8005	8005	1227	1073	38·6
Year . .	46·8	76,755	78,292	12,000	12,000	46·7

temperature were November, which was about two degrees colder than average Novembers, and especially December, which was fully *eight degrees colder* than during previous years. That the deaths in such circumstances should considerably increase in frequency towards the end of the year was only naturally to be expected, and such an increased mortality our Tables very plainly illustrate.

On referring to Table XLII. it will be seen that at the commencement of the year under review the mortality of the Eight Principal Towns was slightly below the average, that it continued to fall during the next two months, but that during April it exceeded the average, apparently in consequence of a rather unusual frequency of deaths from diseases of the brain and nervous system, for the prevalence of which at this season it seems at present impossible to account. From May to November the mortality was under average, and continually decreased, attaining its annual minimum in October. In November, as we have already pointed out, the approach of winter appeared to induce a tendency to increased mortality, and in December the deaths were far over average. It is necessary here briefly to review the chief causes of death mentioned in Table XLI., in order to point out the share which each had in producing the mortality of the Eight Principal Towns during the year.

The deaths from Small-pox were only four in all Scotland—a most satisfactory circumstance, for which we have no doubt, in a great measure, to thank our excellent Vaccination Act, and the common-sense of our people, which does not dispose them to receive without qualification the statements of the anti-vaccinators.

TABLE XLI.—Meteorology of Scotland for 1878, deduced from Observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General; also, the Number of Births, Deaths, and Marriages registered during each Month of the Year 1878, as stated in the Quarterly Reports.

1877.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Highest Temp. in shade	60°·0	60°·3	63°·5	69°·4	74°·9	88°·0	87°·8	82°·0	76°·0	69°·0	55°·0	50°·5	88°·0
Lowest Temp. in do.	11°·0	19°·0	5°·0	20°·0	26°·0	29°·0	37°·0	34°·0	31°·0	26°·0	15°·0	8°·0	5°·0
Mean Day Temp.	42°·9	46°·3	46°·5	52°·5	57°·5	63°·8	67°·5	65°·8	61°·0	54°·4	43°·0	36°·1	53°·1
Mean Night Temp.	33°·2	36°·6	34°·1	38°·6	43°·1	47°·2	51°·5	51°·3	47°·7	43°·5	32°·9	25°·2	40°·4
Daily Range	9°·7	9°·6	12°·4	13°·9	14°·5	16°·5	16°·0	14°·4	13°·3	10°·9	10°·1	10°·9	12 7
Mean Temperature	38°·0	41°·5	40°·3	45°·5	50°·3	55°·5	59°·5	58°·6	54°·3	48°·9	38°·0	30°·7	46°·8
Highest Temperature in sun	89°·0	108°·0	115°·2	108°·8	132°·0	141°·0	147°·5	135°·9	126°·0	116°·7	91°·0	84°·3	147°·5
Lowest on grass at night	7°·0	12°·0	1°·7	15°·0	18°·5	19°·5	26°·5	30°·5	20°·5	17°·5	14°·0	3°·0	1°·7
Wet-bulb Temperature	36°·2	39°·7	37°·5	42°·9	47°·6	52°·6	55°·9	56°·0	51°·6	46°·8	36°·1	29°·9	44°·4
Dew-point Temperature	34°·6	38°·0	35°·0	40°·6	45°·0	49°·7	53°·2	53°·9	49°·5	44°·9	34°·2	27°·6	42°·2
Humidity of Air	90	90	84	86	83	80	82	86	86	88	88	88	86
Elastic force of Vapour (inches)	0·201	0·230	0·204	0·254	0·300	0·358	0·407	0·418	0·355	0·299	0·198	0·152	0·281
Number of Rainy Days	16	12	13	10	17	10	9	16	17	17	16	14	167
Amount of Rain (inch.)	4·01	1·92	2·09	1·71	3·39	2·78	1·12	3·96	4·62	4·46	3·21	3·01	36·28
Amount of Cloud	6·2	6·7	5·6	6·2	6·5	5·5	6·3	6·5	6·1	6·5	6·0	4·9	6·1
Hours of Sunshine	74	77	137	168	198	242	237	174	153	108	84	71	1723
Mean Barometer (in.)	29·994	30·099	29·977	29·861	29·712	29·911	30·008	29·758	29·818	29·615	29·812	29·674	29·853
Easterly Winds (number of days)	5	4	4	16	12	13	7	15	5	8	9	8	106
Westerly Winds (do.)	19	19	19	8	12	9	17	10	19	14	10	13	169
Births	10861	9660	10705	11199	11740	10690	11073	10404	9759	10679	9848	10089	126707
Deaths	7187	6465	6668	7204	6325	5985	6125	5874	5345	5406	6186	8005	76775
Marriages	3226	1403	1439	1591	988	3516	2510	1479	1519	1572	2281	2809	24333
Daily Births	350	345	345	373	379	356	357	336	325	344	328	325	347
Daily Deaths	232	231	215	240	204	199	198	189	178	174	206	258	210

Measles had its maximum number of victims in March, its minimum in September. It again prevailed rather more extensively in December, as it had likewise done during the months of January and February, before attaining its maximum intensity. Hooping-cough was rather frequent when the year commenced, steadily increased in frequency till June, declined during the next four months, and again became more prevaleut during the cold weather which closed the year. Deaths from Scarlatina, Diphtheria, and Croup rather fluctuated in frequency, but on the whole were most numerous during December, least numerous in May.

Fevers numbered but few victims. The deaths from these causes were most frequent in October, March, and December, least frequent in July and in August.

Diarrhœa is a very common cause of death among the children in the Eight Principal Towns of Scotland, and as multiplied experience proves, it is during hot seasons that it is most apt to prevail. In June, an average month, the deaths from Diarrhœa had been only 40; but in July, nearly two degrees above average, they rose to 194; and in August and September, both months of unusually high temperature, they were 246 and 139 respectively. By November, under the influence of approaching winter, the deaths from this disease had again fallen to 45.

Deaths from Consumption were most frequent in April, rather less so in June, May, and March, still less frequent in September, and especially few in October. The influence of weather upon the fatality of this chronic disease it would be waste of time to attempt, by means of our Table, to trace.

It is well understood that diseases of the Respiratory Organs, such as Bronchitis, Pneumonia, Pleurisy, and Laryngitis, are, more than any other class of diseases, influenced by cold ungenial weather. In ordinary years it is during the winter months that diseases of the lungs chiefly

TABLE XLII.—Showing the connection between certain Atmospheric Phenomena, especially Temperature, and the Deaths from certain Diseases and Classes of Disease, in the Eight Principal Towns of Scotland, during each Month of the Year 1878.

1878.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature	38°·4	42°·0	41°·3	45°·9	51°·0	56°·1	60°·5	59°·4	55°·6	50°·1	38°·8	31°·4
Highest Temperature	60°·0	56°·1	59°·3	65°·0	70°·3	83°·0	85°·3	78°·0	76°·0	67°·2	54°·0	50°·0
Lowest Temperature	17°·5	19°·0	22°·5	27°·0	33°·0	36°·0	43°·0	43°·0	38°·0	30°·0	20°·0	5°·0
Rainfall in inches	3·44	1·53	1·45	1·93	3·03	2·42	0·63	3·55	3·37	3·56	2·36	2·66
Easterly Winds (days)	4	5	3	18	13	14	10	17	6	9	6	4
Westerly Winds (days)	22	19	22	8	13	10	16	9	19	15	16	22
Total Deaths	2758	2473	2597	2837	2400	2348	2384	2088	1965	2009	2412	3134
Daily Deaths	89	88	84	95	77	78	77	67	65	65	80	101
Zymotic Diseases	412	434	478	450	407	432	560	546	421	405	429	466
Small-pox	–	1	–	–	–	–	1	–	–	1	–	–
Measles	61	94	100	95	65	53	49	31	12	22	27	55
Scarlatina	47	38	32	19	18	26	40	21	41	63	85	72
Diphtheria	32	27	29	29	10	15	20	14	22	29	35	32
Hooping-cough	102	115	151	164	177	200	161	128	94	86	93	116
Croup	29	38	30	29	16	26	16	23	22	20	39	41
All Fevers	62	53	68	56	51	48	37	40	54	71	58	65
Diarrhœa	45	36	28	37	45	40	194	246	137	67	45	30
Dysentery	–	4	1	1	2	2	5	6	2	4	4	–
Cholera	2	–	–	–	–	3	11	12	5	2	–	–
Consumption	335	250	325	352	327	328	272	242	237	204	245	319
Diseases Respiratory Organs	683	641	560	590	497	388	315	251	247	393	640	1033
Heart, etc., Diseases	173	136	146	155	129	106	129	102	104	89	156	179
Brain, etc., Diseases	250	242	234	324	217	259	225	214	195	200	199	260
Debility and Premat. Birth	135	124	136	153	140	139	145	120	107	119	123	136
Age	107	90	90	113	75	96	106	63	74	56	93	127

prevail, and during an exceptionally inclement winter, especially if it has set in suddenly and unexpectedly, deaths from such causes are apt to be unusually numerous. In 1878, after the fine warm summer, the deaths from diseases of this class had been only 393 in October. In November the deaths, no doubt in consequence of the cold weather which characterised the latter half of the month, had risen to 640; and under the malign influence of the intensely cold December the maximum of 1033 was attained.

In concluding our Annual Report it is customary to make a few remarks upon the mortality experienced at each of four periods of life in the Principal Towns. These remarks are based upon the statements made in Tables XLIV. and XLV. It is to the latter Table only that it will be expedient to direct attention at present; and to fix the ideas of the reader, this Table is adjusted by equalising the months to a uniform length of thirty-one days, and showing the proportionate number of deaths in each month and at each period of life.

Children under five years of age died in highest proportion in April (when Convulsions were unusually frequent), and likewise in February, July, and December. The excessive mortality in July was probably due to the prevalence of Diarrhœa. The minimum mortality of children was, as usual, in September.

Adolescents, or those aged between 5 and 20, died in greatest proportion in December, in April, and in June. It has already been pointed out that deaths from Consumption were most frequent in April —a circumstance which may assist in explaining the unusual mortality of adolescents during this month. September, October, and November appear to have been the most sulubrious months for those living at this period of life.

Adults, including all persons aged between 20 and 60 years, and of course

---

TABLE XLIII.—Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland during each Week of the Year 1878.

No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches	No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches
			Mean.	Highest	Lowest					Mean.	Highest	Lowest	
			°	°	°					°	°	°	
1	January 5	674	41·5	52·2	31·0	0·32	27	July 6	501	58·3	73·7	43·0	0·33
2	12	612	35·9	48·0	20·0	0·17	28	13	473	59·1	72·0	45·0	0·10
3	19	645	43·1	60·0	27·0	0·49	29	20	578	63·5	85·0	45·0	0·01
4	26	582	36·6	53·0	17·5	1·67	30	27	506	61·7	80·0	49·5	0·32
5	February 2	609	34·9	45·0	19·0	0·69	31	August 3	537	57·9	77·0	44·0	0·11
6	9	662	40·4	53·0	25·0	0·02	32	10	478	62·2	78·0	45·5	0·70
7	16	624	39·3	53·0	28·0	0·57	33	17	488	57·2	74·0	43·5	1·32
8	23	588	46·2	56·1	32·0	0·28	34	24	439	57·5	72·0	43·5	0·22
9	March 2	579	45·1	54·7	31·9	0·80	35	31	472	59·8	72·6	46·0	1·41
10	9	605	44·4	57·0	26·0	0·86	36	September 7	435	60·6	76·0	48·0	0·16
11	16	575	40·1	53·0	26·0	0·05	37	14	432	58·3	71·0	45·0	0·50
12	23	644	44·0	59·0	27·0	0·11	38	21	455	52·9	72·0	41·0	0·99
13	30	621	35·0	52·0	22·5	0·25	39	28	492	51·2	63·0	39·0	1·11
14	April 6	646	39·1	53·0	26·0	0·28	40	October 5	482	50·6	66·0	30·0	1·17
15	13	635	44·6	59·5	28·0	0·41	41	12	444	55·7	66·0	42·0	1·18
16	20	666	50·4	65·0	40·2	0·85	42	19	434	52·4	62·0	39·0	0·06
17	27	583	46·1	62·5	31·0	0·25	43	26	467	46·1	61·0	34·0	1·34
18	May 4	627	49·9	67·0	38·0	0·16	44	November 2	468	41·1	52·0	30·0	0·70
19	11	548	49·8	71·5	33·5	0·65	45	9	551	39·2	48·0	29·0	0·69
20	18	530	54·1	66·3	43·0	1·07	46	16	534	39·4	47·5	28·0	0·40
21	25	515	48·2	64·0	34·0	0·74	47	23	635	39·5	48·8	22·0	0·41
22	June 1	548	51·5	65·0	36·0	0·22	48	30	551	35·6	43·9	20·0	1·09
23	8	558	51·9	67·1	36·4	1·43	49	December 7	580	35·0	46·0	21·0	0·17
24	15	579	53·7	69·0	39·0	0·82	50	14	624	28·2	39·0	5·0	0·66
25	22	561	56·2	71·8	41·0	0·30	51	21	808	28·6	39·0	8·0	0·37
26	29	589	64·0	87·0	45·0	0·15	52	28	761	29·8	39·5	17·0	0·52

comprising the great majority of the labouring population of the country, died, as might have been expected, in greatest proportion during the very inclement weather in December. They likewise died in unusual proportion in April and in January. The minimum mortality of adults was in October.

Aged persons, or those who had reached the age of 60 years, died in highest numbers in December, January, and March. The influence of cold weather upon those whose respiratory and circulatory systems offer weak points sufficiently explains the mortality of the first two mentioned months. That of April is probably connected with the unusual number of deaths attributed to head diseases, such as Apoplexy and Paralysis, during the year—a circumstance which we confess ourselves at present unable to explain. August and October appear to have been the most healthy months for persons of 60 years and upwards.

TABLE XLIV.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during the Year 1878, and Proportion at each Age in every Hundred Deaths per Month.

Months.	Actual Number of Deaths in 1878.					Proportion at each Age in every Hundred Deaths per Month.				
	0–5 years.	5–20.	20–60.	60 and above.	Total Deaths.	0–5 years.	5–20.	20–60.	60 and above.	Total.
January	1115	257	855	531	2758	40·4	9·3	31·0	19·3	100
February	1111	243	709	410	2473	44·9	9·8	28·8	16·5	100
March	1180	272	740	405	2597	45·4	10·5	28·5	15·6	100
April	1222	286	830	499	2837	43·1	10·1	29·3	17·5	100
May	1091	277	657	375	2400	45·5	11·5	27·4	15·6	100
June	1079	273	626	370	2348	46·0	11·6	26·7	15·7	100
July	1121	263	605	395	2384	47·0	11·0	25·4	16·6	100
August	1029	221	538	300	2088	49·3	10·6	25·8	14·3	100
September	887	228	540	310	1965	45·2	11·6	27·4	15·8	100
October	939	231	527	312	2009	46·7	11·6	26·2	15·5	100
November	990	221	718	483	2412	41·0	9·2	29·8	20·0	100
December	1213	277	998	646	3134	38·7	8·8	31·8	20·7	100
Year	12,977	3,049	8,343	5,036	29,405	44·1	10·4	28·4	17·1	100

TABLE XLV.—Months equalized to 31 Days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age in the Eight Principal Towns during each Month of the Year 1878.

Months.	Relative Number of Deaths in 1878.					Monthly Deaths, proportioned to 1000 per Month, or 12,000 per annum.
	0–5 years.	5–20.	20–60.	60 and above.	Total.	
January	1115	257	855	531	2758	1104
February	1230	269	785	454	2738	1096
March	1180	272	740	405	2597	1039
April	1263	295	858	515	2931	1173
May	1091	277	657	375	2400	960
June	1115	282	647	382	2426	970
July	1121	263	605	395	2384	954
August	1029	221	538	300	2088	836
September	917	235	558	320	2030	812
October	939	231	527	312	2009	804
November	1023	228	742	499	2492	998
December	1213	277	998	646	3134	1254
Year	13,236	3,107	8,510	5,134	29,987	12,000

Among the whole inhabitants of the Eight Principal Towns of Scotland the deaths during each month ranked as follows in order of frequency:—December, April, January, February, March, November, June, May, July, August, September, and October.

In conclusion we must call attention to the circumstance, that in all that relates to the weather and to its presumed influence on the causes of death, we borrow freely from the Annual Report for 1878, being assured by the multiplied experience of many former years, that the proportions collected from the Eight Principal Towns are applicable almost without alteration to the whole of Scotland.

I have the honour to be,

SIR,

Your most obedient Servant,

WILLIAM ROBERTSON, M.D.

GENERAL REGISTRY OFFICE OF BIRTHS, &c.,
EDINBURGH, 23*rd March* 1882.

VACCINATIONS IN SCOTLAND—1878.

	Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease: On the ground of Constitutional Insusceptibility.	Insusceptible of Vaccine Disease: In respect of the Children having already had Small-pox.	Insusceptible of Vaccine Disease: On the ground of previous Successful Vaccination.	Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1878.
SCOTLAND, - - -	111694	1196	190	3	406	10905	2460	126854
GROUPS OF DISTRICTS.								
PRINCIPAL TOWNS, - -	38218	210	42	0	279	4517	1044	44310
LARGE TOWNS, - - -	14154	95	44	0	25	1503	407	16228
SMALL TOWNS, - - -	26256	315	44	0	62	2427	416	29520
MAINLAND-RURAL, - -	30441	420	43	0	23	2212	352	33491
INSULAR-RURAL, - -	2625	156	17	3	17	246	241	3305
DIVISIONS.								
NORTHERN, - - -	2593	142	7	0	3	183	76	3004
NORTH-WESTERN, - -	3578	193	20	3	21	323	241	4879
NORTH-EASTERN, - -	12428	96	17	0	2	1022	54	13619
EAST-MIDLAND, - - -	16917	170	24	0	52	1617	162	18942
WEST-MIDLAND, - - -	7825	127	12	0	16	657	174	8811
SOUTH-WESTERN, - -	46644	234	72	0	298	4947	1375	53570
SOUTH-EASTERN, - - -	16007	155	32	0	5	1623	300	18122
SOUTHERN, - - - -	5702	79	6	0	9	533	78	6407
COUNTIES.								
I. NORTHERN.								
Shetland, - - - - - -	534	39	1	0	0	40	41	655
Orkney, - - - - - -	709	25	4	0	0	42	9	789
Caithness, - - - - -	889	63	1	0	3	62	11	1029
Sutherland, - - - - -	461	15	1	0	0	39	15	531
II. NORTH-WESTERN.								
Ross and Cromarty, - -	1807	86	12	0	4	137	34	2080
Inverness, - - - -	1771	107	8	3	17	186	207	2299
III. NORTH-EASTERN.								
Nairn, - - - - - -	217	0	0	0	0	29	0	246
Elgin (or Moray), - - -	1194	18	2	0	0	85	15	1314
Banff, - - - - - -	1768	16	6	0	1	119	5	1915
Aberdeen, - - - - -	8237	54	5	0	1	724	31	9052
Kincardine, - - - - -	1012	8	4	0	0	65	3	1092
IV. EAST-MIDLAND.								
Forfar, - - - - - -	7903	48	16	0	50	831	58	8906
Perth, - - - - - -	3151	48	5	0	0	279	86	3519
Fife, - - - - - -	4941	58	3	0	0	402	55	5459
Kinross, - - - - - -	183	4	0	0	0	18	0	205
Clackmannan, - - - -	739	12	0	0	2	87	13	853
V. WEST-MIDLAND.								
Stirling, - - - - - -	3498	14	6	0	11	300	51	3880
Dumbarton, - - - - -	2202	39	0	0	1	200	39	2481
Argyll, - - - - - -	1739	68	4	0	4	132	46	1993
Bute, - - - - - -	386	6	2	0	0	25	38	457
VI. SOUTH-WESTERN								
Renfrew, - - - - -	6735	69	10	0	62	700	239	7815
Ayr, - - - - - -	7103	44	2	0	2	643	92	7886
Lanark, - - - - - -	32806	121	60	0	234	3604	1044	37869
VII. SOUTH-EASTERN.								
Linlithgow, - - - - -	1426	19	0	0	0	120	20	1585
Edinburgh, - - - - -	11414	110	15	0	3	1226	245	13013
Haddington, - - - - -	1100	13	11	0	1	92	19	1236
Berwick, - - - - - -	930	6	1	0	0	77	11	1025
Peebles, - - - - - -	375	1	2	0	1	30	1	410
Selkirk, - - - - - -	762	6	3	0	0	78	4	853
VIII. SOUTHERN.								
Roxburgh, - - - - -	1461	23	1	0	1	131	8	1625
Dumfries, - - - - -	2014	25	3	0	5	207	46	2300
Kirkcudbright, - - - -	1127	15	0	0	2	117	13	1274
Wigtown, - - - - - -	1100	16	2	0	1	78	11	1208

Births, Deaths, and Marriages registered in Scotland during the Year 1878.

	1878.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Area in Square Miles.*
		1861.	1871.	Male.	Fem.	Total.	Mal.	Fem	Total.	Male.	Fem.	Total.			
	SCOTLAND, - -	3,062,294	3,360,018	65200	61573	126773	5484	5157	10641	38389	38404	76793	24358	49980	30532·0
	GROUPS OF DISTRICTS.														
1	PRINCIPAL TOWNS .	884,955	1,068,556	22697	21632	44329	1912	1756	3668	14707	14718	29425	9727	14904	
2	LARGE TOWNS† . .	272,540	332,180	8338	7890	16228	578	557	1135	5157	5031	10188	2942	6040	
3	SMALL TOWNS . .	700,474	772,229	15271	14228	29499	1213	1086	2299	8512	8493	17005	5150	12494	
4	MAINLAND-RURAL .	1,067,560	1,055,049	17168	16254	33422	1690	1650	3340	9072	9140	18212	5938	15210	
5	INSULAR-RURAL . .	136,765	132,004	1726	1569	3295	91	108	199	941	1022	1963	601	1332	
	DIVISIONS.														
1	NORTHERN . . .	130,422	127,191	1513	1483	2996	114	126	240	885	981	1866	611	1130	3730·1
2	NORTH-WESTERN . .	167,242	166,351	2304	2066	4370	134	124	258	1273	1333	2606	813	1764	7406·1
3	NORTH-EASTERN . .	366,870	393,199	7071	6543	13614	984	910	1894	3419	3609	7028	2604	6586	3694·3
4	EAST-MIDLAND . .	523,822	559,676	9704	9204	18908	884	808	1692	5521	5861	11382	3569	7526	4101·0
5	WEST-MIDLAND . .	242,487	251,088	4539	4260	8799	288	284	572	2916	2668	5584	1575	3215	4216·2
6	SOUTH-WESTERN . .	1,008,273	1,183,218	27574	25999	53573	1908	1814	3722	16925	16375	33300	10066	20278	2291·5
7	SOUTH-EASTERN . .	413,116	475,523	9266	8856	18122	765	647	1412	5436	5575	11011	3879	7111	1854·2
8	SOUTHERN . . .	210,062	203,772	3229	3162	6391	407	444	851	2014	2002	4016	1241	2375	3238·6
	COUNTIES.														
	I. NORTHERN.														
1	Shetland . . .	31,670	31,608	299	356	655	14	20	34	188	245	433	147	222	935·5
2	Orkney	32,395	31,274	408	376	784	28	34	62	234	256	490	192	294	
3	Caithness	42,200	41,011	529	498	1027	51	54	105	299	297	596	181	431	701·4
4	Sutherland	24,157	23,298	277	253	530	21	18	39	164	183	347	91	163	2093·2
	II. NORTH-WESTERN.														
5	Ross and Cromarty . .	82,427	82,093	1100	973	2073	39	41	80	598	637	1235	377	838	3150·6
6	Inverness	84,815	84,258	1204	1093	2297	95	83	178	675	696	1371	486	926	4255·5
	III. NORTH-EASTERN.														
7	Nairn	8,347	8,372	121	125	246	10	14	24	80	93	173	42	73	199·9
8	Elgin (or Moray) . .	44,305	44,549	712	602	1314	114	105	219	380	386	766	257	548	488·0
9	Banff	56,020	58,883	992	924	1916	149	152	301	416	468	884	248	1032	646·5
10	Aberdeen	223,417	246,298	4658	4391	9049	629	578	1207	2246	2380	4626	1743	4423	1972·0
11	Kincardine	34,781	35,097	588	501	1089	82	61	143	297	282	579	214	510	387·9
	IV. EAST-MIDLAND.														
12	Forfar	206,750	240,049	4503	4388	8891	446	443	889	2544	2772	5316	1685	3575	890·4
13	Perth	133,198	128,550	1773	1742	3515	176	146	322	1148	1285	2433	719	1082	2569·8
14	Fife	155,021	160,924	2878	2567	5445	218	172	390	1481	1482	2963	997	2482	513·2
15	Kinross	8,731	7,918	103	102	205	10	13	23	84	92	176	42	29	77·8
16	Clackmannan . . .	20,122	22,235	447	405	852	34	34	68	264	230	494	126	358	49·8
	V. WEST-MIDLAND.														
17	Stirling	88,138	93,345	2043	1835	3878	136	123	259	1184	1009	2193	686	1685	466·5
18	Dumbarton . . .	54,179	61,116	1257	1220	2477	64	63	127	797	699	1496	457	981	269·8
19	Argyll	83,859	79,661	995	992	1987	73	89	162	749	770	1519	331	468	3254·9
20	Bute	16,311	16,966	244	213	457	15	9	24	186	190	376	101	81	225·0
	VI. SOUTH-WESTERN.														
21	Renfrew	168,746	195,305	4010	3808	7818	222	213	435	2568	2575	5143	1592	2675	253·8
22	Ayr	199,083	200,908	4113	3768	7881	283	286	569	2236	2135	4371	1348	3510	1148·8
23	Lanark	640,444	787,005	19451	18423	37874	1403	1315	2718	12121	11665	23786	7126	14088	888·9
	VII. SOUTH-EASTERN.														
24	Linlithgow	39,045	41,379	792	791	1583	72	62	134	423	431	854	218	729	126·7
25	Edinburgh	273,792	328,138	6700	6326	13026	547	428	975	4090	4093	8183	3038	4843	367·1
26	Haddington . . .	37,626	37,755	650	579	1229	54	46	100	328	376	704	207	525	279·9
27	Berwick	36,488	36,382	507	516	1023	48	65	113	277	320	597	171	426	464·3
28	Peebles	11,264	12,218	193	216	409	17	13	30	76	114	190	70	219	356·0
29	Selkirk	14,901	19,651	424	428	852	27	33	60	242	241	483	175	369	260·2
	VIII. SOUTHERN.														
30	Roxburgh . . .	49,568	48,241	824	799	1623	83	84	167	467	473	940	239	683	669·5
31	Dumfries . .	75,904	74,842	1155	1136	2291	155	162	317	768	778	1546	511	745	1103·0
32	Kirkcudbright .	42,680	42,087	634	639	1273	85	97	182	411	384	795	253	478	
33	Wigtown . .	41,910	38,602	616	588	1204	84	101	185	368	367	735	238	469	953·7
															512·4

* The acreage of all Scotland, so far as can be ascertained from the present state of the Ordnance Survey, is 19,540,416 acres.
† The Distribution of the Population in the Five Groups of Districts does not tally with that given in Table II., but is unavoidably ffected here by changes in the Districts, made by authority, since the publication of Census 1871

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	NORTHERN.												
	1. Shetland.												
1	Bressay, etc. (1) Bressay,	915	902	9	11	20	–	–	–	3	4	7	4
	(2) Burra and Quarff	890	952	8	18	26	–	1	1	5	7	12	3
2	Delting, ...	1975	1862	21	19	40	–	1	1	12	14	26	7
3	Dunrossness, etc.—												
	(1) Dunrossness, . .	2113	1970	15	18	33	–	–	–	16	12	28	1
	(2) Sandwick and Cunningsburgh, . .	2337	2326	24	30	54	1	–	1	14	24	38	10
	(3) Fair Isle, . .	380	226	5	1	6	–	–	–	1	1	2	1
4	Fetlar, etc.—												
	(1) Fetlar, . . .	548	517	6	3	9	–	–	–	2	6	8	1
	(2) North Yell, . .	932	893	12	10	22	–	1	1	7	4	11	3
5	Lerwick, . . .	3631	4180	41	51	92	4	4	8	30	47	77	54
6	Mid and South Yell, .	1784	1843	17	23	40	1	2	3	10	11	21	6
7	Nesting, etc.—												
	(1) Nesting, . .	855	868	8	6	14	–	–	–	2	8	10	–
	(2) Lunnasting, . .	880	822	7	10	17	–	2	2	4	3	7	2
	(3) Whalsay Skerries, .	848	989	12	14	26	1	–	1	5	14	19	4
8	Northmavine, . .	2585	2602	24	31	55	2	1	3	10	18	28	5
9	Sandsting and Aithsting,	2670	2806	27	27	54	–	3	3	16	23	39	11
10	Tingwall, etc.— . .												
	(1) Tingwall, . .	1554	1442	15	18	33	1	1	2	13	6	19	5
	(2) Whiteness & Weisdale	1143	1049	8	11	19	1	1	2	8	8	16	8
11	Unst, . . .	3060	2780	18	28	46	1	1	2	14	19	33	8
12	Walls, etc.—(1) Walls, .	1365	1325	9	15	24	1	2	3	9	8	17	13
	(2) Sandness, .	606	646	6	3	9	1	–	1	3	1	4	1
	(3) Papa-Stour, .	366	351	4	6	10	–	–	–	4	4	8	–
	(4) Foula, . .	233	257	3	3	6	–	–	–	–	3	3	–
	Total,	31670	31608	299	356	655	14	20	34	188	245	433	147
	2. Orkney.												
†13	Birsay (part of Harray & Birsay)	1774	1597	7	18	25	1	1	2	10	15	25	6
*14	Deerness, . . .	813	863	10	9	19	1	1	2	4	3	7	7
*15	Eday and Pharay, . .	979	905	13	5	18	1	–	1	6	3	9	6
16	Evie and Rendall, . .	1408	1340	20	18	38	1	1	2	9	9	18	1
17	Firth and Stennes, .	1493	1434	16	8	24	1	1	2	12	5	17	7
†18	Harray (part of Harray & Birsay)	819	727	11	10	21	–	1	1	6	7	13	3
19	Holm and Paplay, . .	834	935	13	10	23	–	–	–	6	12	18	4
20	Hoy and Græmsay, .	556	581	15	7	22	–	–	–	1	4	5	1
21	KIRKWALL and St Ola,	4422	4261	62	68	130	5	6	11	43	53	96	37
*22	North Ronaldshay, .	532	539	6	8	14	–	–	–	2	2	4	4
23	Orphir, ...	1133	1040	13	12	25	–	–	–	7	2	9	9
24	Rousay and Egilshay, .	1152	1101	12	11	23	–	1	1	10	7	17	8
†25	St Andrews, . . .	868	870	7	7	14	1	–	1	3	7	10	6
26	Sanday, ...	2145	2053	32	28	60	4	1	5	9	14	23	10
27	Sandwick, . . .	1225	1153	16	11	27	1	2	3	11	5	16	14
28	Shapinshay, . . .	973	949	12	9	21	–	1	1	7	8	15	11
29	South Ronaldshay and Burray, . . .	3282	3228	43	50	93	6	10	16	23	32	55	17
30	Stromness, . . .	2540	2403	30	34	64	2	5	7	18	30	48	9
†31	Stronsay, . . .	1228	1305	12	9	21	2	1	3	12	11	23	5
32	Walls, etc.—(1) Walls, .	1254	1107	21	14	35	–	2	2	9	6	15	9
	(2) Flotta, .	420	423	9	3	12	1	–	1	6	3	9	–
33	Westray, etc.—(1) Westray	2153	2090	23	26	49	–	–	–	16	15	31	14
	(2) Papa-Westray,	392	370	5	1	6	1	–	1	4	3	7	4
	Total,	32395	31274	408	376	784	28	34	62	234	256	490	192

Districts containing Parliamentary and Royal Burghs are printed in capitals, thus:—EDINBURGH. Districts containing Towns of 2000 Inhabitants and upwards are printed in small capitals, thus:—Carluke.

N.B.—An asterisk "*" is prefixed to those Districts which comprise one or more Parishes or parts of Parishes, and the component parts of these Districts will be found at page 247.

A dagger "†" is prefixed to those Districts which consist of only a part of the Parish of the same name

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	3. Caithness.												
34	Bower,	1746	1700	14	22	36	–	4	4	12	10	22	11
35	Canisbay,	2730	2729	35	33	68	3	6	9	12	15	27	7
36	Dunnet,	1861	1661	21	18	39	1	4	5	14	11	25	10
37	Halkirk,	2864	2664	33	34	67	2	3	5	18	19	37	18
38	Latheron,	8571	7400	79	79	158	11	9	20	55	61	116	23
39	Olrig,	2059	2028	22	18	40	3	3	6	11	11	22	10
40	Reay,	2476	2331	30	18	48	2	–	2	11	18	29	3
41	Thurso,	5561	5754	94	97	191	9	9	18	55	46	101	34
42	Watten,	1491	1453	25	22	47	–	5	5	13	13	26	6
43	WICK,	12841	13291	176	157	333	20	11	31	98	93	191	59
	Total,	42200	41011	529	498	1027	51	54	105	299	297	596	181
	4. Sutherland.												
44	Assynt—(1) Kirkton,	553	487	7	3	10	–	–	–	–	11	11	1
	(2) Stoer,	2625	2519	29	18	47	1	1	2	23	12	35	16
45	Clyne,	1886	1733	22	26	48	4	2	6	16	21	37	13
46	Creich—(1) Bonar,	1982	1854	18	15	33	1	3	4	14	14	28	4
	(2) Rosehall,	539	670	8	5	13	–	–	–	4	8	12	2
47	DORNOCH,	2885	2764	25	32	57	1	4	5	22	14	36	9
48	Durness,	1109	1049	9	9	18	1	1	2	7	7	14	2
49	Eddrachillis—(1) Scourie,	727	648	9	4	13	–	–	–	3	3	6	3
	(2) Kinlochbervie,	914	882	16	12	28	1	1	2	4	7	11	5
50	Farr—(1) Kirkton,	1251	1190	11	16	27	–	1	1	10	12	22	4
	(2) Strathy,	852	829	7	10	17	1	–	1	9	7	16	1
51	Golspie,	1615	1804	29	21	50	2	–	2	6	6	12	9
52	Kildonan,	2132	1916	24	24	48	2	2	4	17	18	35	5
53	Lairg,	961	978	19	23	42	1	–	1	5	6	11	5
54	Loth,	610	583	7	3	10	–	–	–	7	6	13	3
55	Rogart,	1439	1341	10	13	23	2	2	4	12	16	28	4
56	Tongue,	2077	2051	27	19	46	4	1	5	5	15	20	5
	Total,	24157	23298	277	253	530	21	18	39	164	183	347	91
	II. NORTH-WESTERN.												
	5. Ross and Cromarty.												
	Mainland.												
57	Alness,	1178	1053	12	12	24	1	2	3	7	7	14	3
58	Applecross—												
	(1) Applecross,	1064	1129	3	9	12	–	–	–	10	9	19	3
	(2) Shieldaig,	c.1615	c.1467	18	10	28	1	1	2	15	14	29	2
59*a*	Avoch,	1788	1828	28	28	56	–	1	1	26	29	55	6
*59*b*	Carnoch,	c.325	325	2	3	5	–	–	–	–	4	4	1
†60	Contin,	c.697	729	9	7	16	–	–	–	3	6	9	4
61	CROMARTY,	2300	2180	22	35	57	1	2	3	23	17	40	12
62	DINGWALL,	2412	2443	30	24	54	1	2	3	11	21	32	22
63	Edderton,	836	860	7	8	15	–	2	2	6	4	10	4
64	Fearn,	2083	2135	24	21	45	–	–	–	15	20	35	7
†65	Fodderty,	c.2060	1943	20	25	45	3	–	3	19	18	37	13
66	Gairloch—(1) Northern,	1927	1669	18	15	33	–	–	–	15	6	21	7
	(2) Southern,	c.3387	c.3253	31	38	69	1	1	2	24	15	39	12
67	Glenshiel,	485	463	10	4	14	–	1	1	4	2	6	2
68	Killearnan,	1494	1272	13	7	20	–	–	–	8	14	22	6
69	Kilmuir-Easter,	1295	1281	16	12	28	–	1	1	8	11	19	2
70	Kiltearn,	1634	1496	16	17	33	1	1	2	5	12	17	4
71*a*	Kincardine—												
	(1) Kincardine,	1746	1273	7	14	21	1	1	2	5	10	15	3
	(2) Strathoykel,		412	5	2	7	–	1	1	4	4	8	–
*71*b*	Kinlochluichart,	c. 704	704	7	7	14	–	–	–	7	5	12	2
72	Kintail,	890	753	10	4	14	–	–	–	7	12	19	–

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
73	Knockbain, . . .	2485	2155	25	22	47	–	1	1	15	16	31	15
74	Lochalsh, . . .	2413	2319	20	22	42	1	4	5	11	18	29	8
75	Lochbroom—												
	(1) Lochbroom, .	3577	3167	47	42	89	5	–	5	32	18	50	18
	(2) Coigach, . .	1285	1239	24	14	38	–	1	1	5	7	12	3
76	Lochcarron, . . ,	1592	1629	13	16	29	1	–	1	10	19	29	9
77	Logie-Easter, . .	932	912	5	12	17	–	2	2	8	5	13	3
78	Nigg, ...	1253	1201	13	11	24	–	–	–	6	11	17	3
79	Resolis, ...	1568	1527	17	19	36	2	–	2	6	11	17	3
80	ROSEMARKIE, . .	1545	1441	15	10	25	–	–	–	7	18	25	4
81	Rosskeen, . . .	3766	3808	43	51	94	1	3	4	34	23	57	12
82	TAIN, ...	3294	3221	37	38	75	3	2	5	34	31	65	10
83	Tarbat, ...	2269	2182	26	19	45	2	–	2	17	10	27	11
84	Urquhart & Logie-Wester	3147	2863	25	20	45	3	1	4	15	18	33	12
†85	Urray, ...	*c.*2325	2278	29	27	56	1	2	3	13	19	32	15
	Insular. .												
86*a*	Barvas, ...	4609	4950	81	73	154	2	1	3	21	28	49	28
*86*b*	Carloway, . . .	2204	2702	65	30	95	–	1	1	21	14	35	22
*87	Lochs, ...	3568	4162	96	71	167	2	–	2	44	33	77	18
88	STORNOWAY, . . .	8668	9510	180	151	331	6	6	12	66	85	151	54
†89	Uig, ...	2007	2159	31	23	54	–	1	1	11	13	24	14
	Total,	82427	82093	1100	973	2073	39	41	80	598	637	1235	377
	6. INVERNESS.												
	Mainland.												
90*a*	Abernethy & Kincardine,	1928	1752	16	12	28	1	3	4	16	18	34	8
90*b*	Alvie, ...	833	882	11	10	21	2	1	3	5	2	7	3
91	Ardersier, . . .	1239	1284	24	21	45	–	–	–	13	13	26	9
92	Boleskine, etc.—												
	(1) Boleskine, . .	813	681	3	6	9	–	–	–	7	7	14	2
	(2 Fort-Augustus or Abertarff, .	930	897	4	11	15	–	3	3	9	12	21	2
93	Cromdale and Inverallan. (Now 128*b* *infra.*)												
94	Croy and Dalcross, .	1873	1841	15	26	41	2	2	4	17	15	32	9
95	Daviot and Dunlichty, .	1741	1598	18	14	32	1	1	2	8	10	18	5
96*a*	Dores, ...	1506	1401	6	8	14	1	1	2	9	12	21	3
96*b*	Duthil, etc.—(1) Duthil,	1609	1530	14	15	29	2	3	5	10	12	22	4
	(2) Rothiemurchus, .	319	342	4	4	8	1	1	2	–	6	6	–
97	Glenelg—(1) Glenelg, .	800	714	7	5	12	–	–	–	3	5	8	1
	(2) Knoydart, .	574	499	10	3	13	1	–	1	4	3	7	1
	(3)North Morar,	469	440	5	8	13	–	1	1	8	–	8	3
98	INVERNESS, . .	16162	18552	333	285	618	29	22	51	197	181	378	149
99	Kilmonivaig—												
	(1) Glengarry, . .	625	550	10	9	19	1	1	2	3	6	9	1
	(2) Lochaber, . .	1651	1417	18	15	33	–	1	1	11	5	16	9
100	Kilmorack, . . .	2852	2728	41	22	63	3	1	4	19	29	48	12
101	Kiltarlity, . . .	2839	2537	21	28	49	3	7	10	13	20	33	10
102	Kingussie and Insh, .	2033	2101	34	25	59	7	6	13	17	10	27	8
103	Kirkhill, . . .	1757	1582	15	22	37	–	–	–	5	12	17	7
104	Laggan, . . .	986	950	10	14	24	2	–	2	9	9	18	1
105	Moy and Dalarossie, .	1026	1005	10	7	17	2	–	2	8	6	14	11
106	Petty, ...	1671	1549	26	18	44	2	3	5	8	16	24	6
107	Urquhart, etc.—												
	(1) Urquhart, .	2294	2215	27	25	52	2	1	3	12	20	32	12
	(2) Glenmoriston,	617	565	6	2	8	–	–	–	5	5	10	–
	Insular.												
108	Barra, ...	1853	1997	30	27	57	2	–	2	22	21	43	19
109	Bracadale, . . .	1335	1113	12	9	21	–	1	1	8	8	16	3

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
110	Duirinish,	4775	4422	77	60	137	5	3	8	31	34	65	18
111	Harris—(1) North Harris,	3769	c.2201	45	49	94	2	4	6	24	28	52	14
	(2) South Harris,		c.1467	21	18	39	–	2	2	10	8	18	11
	(3) Bernera,	336	381	8	13	21	–	–	–	1	2	3	–
	(4) St Kilda,	78	71	2	1	3	–	–	–	1	1	2	–
*112	Kilmuir—(1) Kilmuir,	1561	1362	21	19	40	2	2	4	17	16	33	7
	(2) Stenscholl,	1311	1228	21	16	37	1	–	1	10	5	15	4
113	North Uist,	3959	4107	52	65	117	6	2	8	22	35	57	15
114	Portree—(1) Portree,	2579	2328	32	31	63	3	4	7	20	18	38	18
	(2) Raasay,	580	600	8	11	19	–	–	–	9	6	15	5
115	Sleat,	2330	2233	28	31	59	2	–	2	11	21	32	6
116	Small Isles,	567	522	6	6	12	–	–	–	3	2	5	3
†117	Snizort—(1) North,	961	803	8	10	18	1	–	1	4	3	7	–
	(2) South,	1652	1500	17	15	32	2	–	2	10	15	25	4
118	South Uist—												
	(1) Benbecula,	1544	1651	30	28	58	2	2	4	10	6	16	8
	(2) Howmore,	1763	1818	29	20	49	2	1	3	11	12	23	5
	(3) Boisdale,	2051	2280	31	23	54	1	2	3	15	11	26	11
119	Strath,	2664	2562	38	26	64	2	2	4	20	10	30	9
	—— Total,	84815	84258	1204	1093	2297	95	83	178	675	696	1371	436
	III. NORTH-EASTERN.												
	7. Nairn.												
120	Ardclach,	1330	1197	26	13	39	–	1	1	7	13	20	5
121	Auldearn,	1328	1279	16	13	29	2	2	4	8	8	16	5
122	Cawdor,	1203	1027	8	13	21	–	2	2	9	9	18	3
123	NAIRN,	4486	4869	71	86	157	8	9	17	56	63	119	29
	Total,	8347	8372	121	125	246	10	14	24	80	93	173	42
	8. Elgin (or Moray).												
124	Abernethy and Kincardine. (Now 90*a supra*).												
125	Alves,	1010	1018	13	15	28	–	2	2	4	9	13	5
†126	Bellie,	1967	2013	26	27	53	2	6	8	14	20	34	16
127	Birnie,	411	375	7	3	10	–	–	–	5	3	8	2
128*a*	Boharm,	1412	1337	17	22	39	1	3	4	5	7	12	9
128*b*	Cromdale, etc.,—												
	(1) Cromdale & Advie,	1308	1295	13	10	23	2	3	5	8	10	18	9
	(2) Inverallan,	2635	2522	36	34	70	5	10	15	33	36	69	10
129	Dallas,	1102	1060	13	15	28	6	6	12	8	8	16	7
130	Drainie,	3028	3293	78	53	131	3	9	12	36	23	59	28
131	Duffus,	3308	3716	76	53	129	5	5	10	24	26	50	21
132	Duthil, etc.–(Now 96*b sup.*)												
133	Dyke,	1247	1238	21	10	31	1	1	2	9	3	12	3
134	Edinkillie,	1303	1286	21	15	36	2	1	3	4	14	18	7
*135	ELGIN,	9866	9703	141	118	259	32	12	44	93	77	170	54
†136	New Spynie,	518	573	9	7	16	3	2	5	10	10	20	4
137	FORRES,	4112	4562	76	57	133	20	13	33	60	58	118	26
138	Kinloss,	1315	1112	17	22	39	2	5	7	6	11	17	2
139	Knockando,	1736	1909	23	28	51	7	6	13	11	14	25	9
140	Rafford,	1055	1101	20	11	31	2	1	3	1	6	7	6
141	Rothes,	2407	2148	40	39	79	12	13	25	22	23	45	13
†142	St Andrews-Lhanbryde,	1344	1286	25	9	34	1	1	2	9	7	16	9
143	Speymouth,	689	634	12	12	24	1	2	3	2	2	4	4
144	Urquhart,	2532	2368	28	42	70	7	4	11	16	19	35	13
	Total,	44305	44549	712	602	1314	114	105	219	380	386	766	257
	9. Banff.												
†145	Aberlour,	1520	1632	18	19	37	2	4	6	8	11	19	7
146	Alvah,	1467	1436	22	25	47	6	5	11	7	4	11	9

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
*147	BANFF,	7740	8425	176	137	313	19	22	41	79	86	165	41
148	Botriphnie,	867	785	14	8	22	2	1	3	8	1	9	3
149	Boyndie,	1711	1854	34	38	72	3	7	10	14	15	29	8
†150	CULLEN,	1821	2056	39	40	79	6	5	11	11	21	32	17
151	Deskford,	1031	972	13	11	24	1	3	4	3	4	7	8
*152	Enzie,	2072	2251	43	34	77	5	3	8	20	24	44	13
153	FORDYCE—												
	(1) FORDYCE,	4145	c.2050	40	21	61	7	2	9	13	18	31	17
	(2) Portsoy,		c.2100	38	33	71	2	5	7	12	24	36	10
154	Forglen,	783	845	8	12	20	2	4	6	5	4	9	7
†155*a*	Gamrie,	3019	3151	41	60	101	10	10	20	20	24	44	24
*155*b*	Glenrinnes,	439	466	5	3	8	1	2	3	1	2	3	1
156	Grange,	1909	1876	25	25	50	5	6	11	13	8	21	13
157	Inveravon—(1) Inveravon,	868	890	14	10	24	1	1	2	5	8	13	3
	(2) Glenlivat,	1771	1718	22	19	41	1	1	2	11	7	18	8
158	Inverkeithny,	880	1000	18	22	40	5	5	10	7	8	15	6
159	KEITH,	5943	5891	106	101	207	23	20	43	33	47	80	37
160	Kirkmichael, etc.—												
	(1) Kirkmichael,	551	477	3	4	7	1	1	2	3	2	5	1
	(2) Tomintoul,	960	799	4	12	16	1	–	1	7	9	16	4
161	Marnoch,	3289	3294	57	64	121	9	15	24	30	21	51	12
†162	Mortlach,	2801	2737	48	38	86	9	9	18	21	23	44	14
163	Ordiquhill,	764	761	13	6	19	5	1	6	6	5	11	6
†164	RATHVEN,	4922	6659	119	109	228	12	8	20	50	62	112	46
165	Rothiemay,	1414	1370	23	18	41	4	4	8	3	12	15	13
166	St Fergus,	1608	1633	20	28	48	5	6	11	14	12	26	9
*167	SEAFIELD,	1725	1755	29	27	56	2	2	4	12	6	18	11
	Total,	56020	58883	992	924	1916	149	152	301	416	468	884	348
	10. ABERDEEN,												
168	ABERDEEN—												
	(1) St Nicholas,	41962	47077	980	918	1898	117	107	224	615	629	1244	448
	(2) Old Machar,	31938	41104	888	783	1671	85	72	157	451	509	960	312
	Do. (Landward),	1298	1373	20	15	35	5	–	5	9	9	18	8
†169	Aberdour,	1837	1945	39	32	71	5	5	10	17	14	31	9
170	Aboyne,	1160	1351	12	21	33	1	4	5	4	15	19	9
171	Alford,	1264	1396	30	24	54	4	2	6	16	4	20	9
172	Auchindoir,	1593	1545	20	29	49	5	7	12	12	12	24	8
†173	Auchterless,	1782	1971	28	33	61	2	3	5	7	9	16	9
174	Belhelvie,	1807	1833	36	26	62	3	3	6	9	9	18	10
175	Birse,	1284	1198	18	12	30	3	3	6	6	8	14	7
176	Bourtie,	547	499	7	14	21	1	2	3	4	8	12	1
177	Cabrach,	794	775	13	9	22	4	3	7	9	5	14	5
178	Cairney,	1490	1525	17	21	38	5	2	7	6	6	12	8
179	Chapel of Garioch,	2023	1928	39	36	75	3	6	9	18	14	32	11
180	Clatt,	511	483	4	7	11	1	1	2	1	3	4	4
181	Cluny,	1254	1366	17	23	40	4	4	8	5	15	20	4
182	Coull,	792	824	11	13	24	5	1	6	5	3	8	5
183	Crathie and Braemar,	1574	1566	21	23	44	5	3	8	16	9	25	4
184	Crimond,	892	887	14	17	31	3	7	10	4	9	13	4
185	Cruden,	2743	3124	53	65	118	8	7	15	19	23	42	19
186	Culsamond,	1165	896	16	12	28	5	1	6	12	8	20	5
187	Daviot,	614	597	4	9	13	1	3	4	1	5	6	4
188	Drumblade,	926	931	14	12	26	5	2	7	6	6	12	7
189	Drumoak,	996	1032	8	10	18	1	–	1	4	5	9	6
190	Dyce,	585	945	22	16	38	4	1	5	10	9	19	4
191	Echt,	1287	1259	16	19	35	3	1	4	7	9	16	9
†192	Ellon,	3239	3036	62	49	111	12	4	16	12	21	33	19
193	Fintray,	1003	1108	20	10	30	2	3	5	4	7	11	5

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
†194	Forgue,	1397	1332	21	18	39	3	–	3	13	15	28	5
195	Foveran,	1891	1859	46	44	90	11	7	18	16	10	26	16
196	Fraserburgh,	4511	5301	157	153	310	15	14	29	65	82	147	44
†197	Fyvie,	3264	3306	52	49	101	13	5	18	15	22	37	24
198	Gartly,	1029	972	13	14	27	2	1	3	9	5	14	4
199	Glass,	1049	1061	15	14	29	4	2	6	9	7	16	6
200	Glenbucket,	552	570	2	5	7	–	2	2	1	3	4	–
†201	Glenmuick, Tullich, and Glengairn,	c.1503	c1995	20	31	51	1	7	8	16	15	31	6
202	Huntly,	4329	4374	64	66	130	16	11	27	35	37	72	21
203	Insch,	1565	1596	23	21	44	6	4	10	14	11	25	9
204	INVERURIE,	2668	2970	52	68	120	8	16	24	17	38	55	19
205	Keig,	811	886	11	16	27	1	1	2	4	6	10	5
206	Keithhall,	933	874	14	5	19	1	–	1	8	3	11	2
207	Kemnay,	832	1300	24	35	59	5	5	10	20	7	27	8
208	Kildrummy,	590	660	11	10	21	1	3	4	4	4	8	4
209	Kincardine O'Neil,	2186	2000	30	25	55	9	5	14	17	14	31	17
210	King-Edward—												
	(1) King-Edward,	1050	1058	26	16	42	3	1	4	5	7	12	1
	(2) New Byth,	1793	2053	42	26	68	11	3	14	24	10	34	12
211	KINNELLAR,	691	601	9	9	18	2	–	2	3	1	4	2
212	Kinnethmont,	1187	1062	20	15	35	3	3	6	6	3	9	4
213	KINTORE,	1895	2158	36	38	74	4	3	7	14	15	29	6
214	Leochel-Cushnie,	1173	1232	20	17	37	2	3	5	4	8	12	9
215	Leslie,	577	532	12	6	18	3	–	3	7	5	12	1
216	Logie-Buchan,	762	808	15	10	25	2	1	3	2	5	7	3
*217	Logie Coldstone & Cromar,	c.1097	c1065	12	12	24	1	2	3	5	5	10	3
218	Longside,	3008	3321	59	59	118	9	11	20	18	22	40	15
219	Lonmay,	2142	2245	52	32	84	6	3	9	25	24	49	13
220	Lumphanan,	1251	1239	20	16	36	5	6	11	9	8	17	9
221	Methlic,	2157	2084	36	41	77	5	9	14	12	12	24	6
222*a*	Midmar,	1091	1127	10	15	25	3	3	6	3	7	10	5
*222*b*	Millbrex,	1357	1484	25	25	50	6	3	9	9	11	20	9
†223	Monquhitter,	2303	2670	47	42	89	13	11	24	20	16	36	20
224	Monymusk,	988	996	18	20	38	3	5	8	6	11	17	4
225	New Deer,	3736	4147	77	52	129	15	6	21	37	31	68	26
226	Newhills,	3463	4210	95	78	173	7	6	13	38	35	73	25
*227*a*	New Machar,	1556	1520	21	31	52	4	5	9	5	11	16	12
*227*b*	New Pitsligo,	2609	3090	54	55	109	15	15	30	19	18	37	26
†228	Old Deer,	4392	4434	76	72	148	12	14	26	30	29	59	33
229	Old Meldrum,	2343	2330	46	33	79	6	4	10	21	16	37	14
230	Oyne,	1127	1050	17	19	36	4	6	10	14	7	21	5
231	Peterculter,	1483	1668	21	29	50	3	3	6	5	12	17	10
232	PETERHEAD,	9796	c10106	261	268	529	18	22	40	121	126	247	104
	Boddam,		c1400	32	34	66	2	1	3	13	7	20	14
233	Pitsligo,	1890	2218	46	54	100	7	5	12	14	24	38	15
234	Premnay,	916	997	21	12	33	7	3	10	10	17	27	6
235	Rathen,—(1) Rathen,	2554	c1257	23	23	46	1	7	8	6	13	19	11
	(2) Inverallochy,		c1593	26	23	49	–	–	–	17	17	34	12
236	Rayne,	1514	1409	21	19	40	5	3	8	7	16	23	13
237*a*	Rhynie,	1061	1195	25	23	48	4	4	8	18	11	29	9
*237*b*	Savoch,	2061	1961	29	36	65	4	10	14	12	8	20	12
238	Skene,	1831	1842	22	20	42	2	5	7	16	11	27	8
239	Slains,	1266	1355	19	17	36	2	5	7	8	8	16	9
*240	Strathdon,	1735	1761	26	20	46	1	2	3	12	18	30	7
†241	Strichen,	2409	2254	34	29	63	6	7	13	14	13	27	15
†242	Tarland,	970	983	13	8	21	1	1	2	8	9	17	6
†243	Tarves,	2377	2288	29	37	66	2	6	8	13	17	30	14
244	Tough,	874	760	11	7	18	1	1	2	4	5	9	1
245	Towie,	839	798	14	11	25	–	4	4	4	4	8	6
246	Tullynessle and Forbes,	957	970	22	18	40	5	3	8	8	5	13	8

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
247	Turriff,	3693	4348	75	69	144	13	13	26	34	35	69	28
†248	Tyrie,	833	869	15	12	27	2	–	2	2	6	8	6
†249*a*	Udny,	1623	1626	26	34	60	6	5	11	5	14	19	9
*249*b*	Ythan Wells,	1517	1494	18	17	35	5	5	10	7	5	12	14
	Total,	223417	246298	4658	4391	9049	629	578	1207	2246	2380	4626	1743
	11. Kincardine.												
250	Arbuthnott,	932	924	11	12	23	1	2	3	2	3	5	9
251	Banchory-Devenick—												
	(1) Banchory-Devenick,	1159	1263	20	21	41	7	4	11	13	10	23	4
	(2) Portlethen,	1687	1789	24	23	47	5	4	9	11	18	29	14
252	Banchory-Ternan,	2947	2875	48	45	93	6	9	15	31	19	50	10
253	BENHOLM,	1574	1569	29	24	53	4	–	4	13	8	21	14
254	BERVIE,	1561	1843	36	34	70	4	1	5	14	19	33	17
255	Dunnottar,	1828	2102	45	28	73	6	5	11	29	25	54	10
256	Durris,	1109	1021	20	17	37	2	1	3	6	6	12	9
257	Fettercairn,	1700	1539	18	13	31	1	–	1	10	11	21	5
258	Fetteresso—												
	(1) Fetteresso,	3575	3585	58	47	105	8	5	13	35	53	88	20
	(2) Cookney,	1952	2080	31	31	62	6	3	9	23	17	40	14
259	Fordoun,	2297	2113	32	27	59	–	1	1	11	13	24	8
260	Garvock,	458	476	6	5	11	2	1	3	1	–	1	3
261	Glenbervie,	1219	1073	19	12	31	2	1	3	8	9	17	10
262	Kinneff and Catterline,	1054	1062	18	9	27	4	–	4	9	7	16	5
263	Laurencekirk,	2110	2174	37	28	65	9	4	13	15	11	26	20
264	Maryculter,	1055	1110	17	14	31	3	2	5	9	4	13	5
265	Marykirk,	2068	1771	27	24	51	2	5	7	6	9	15	9
266	Nigg,	2074	2348	54	55	109	7	6	13	35	26	61	14
267	St Cyrus,	1552	1585	31	23	54	2	4	6	11	10	21	10
268	Strachan,	870	795	7	9	16	1	3	4	5	4	9	4
	Total,	34781	35097	588	501	1089	82	61	143	297	282	579	214
	IV. EAST-MIDLAND.												
	12. Forfar.												
269	Aberlemno,	1054	1007	17	18	35	–	–	–	7	3	10	6
270	Airlie,	845	778	11	16	27	–	–	–	5	5	10	2
271	Arbirlot,	960	919	19	13	32	1	1	2	4	3	7	2
*272	ARBROATH,	17831	20169	366	337	703	38	26	64	209	252	461	145
273	Auchterhouse,	706	721	10	14	24	–	2	2	3	3	6	8
274	Barry,	2465	3008	43	45	88	1	1	2	39	38	77	22
275	BRECHIN,	8810	9514	165	142	307	27	27	54	106	101	207	73
276	Carmylie,	1286	1309	21	14	35	1	–	1	11	16	27	13
277	Careston,	225	209	3	3	6	–	1	1	1	3	4	2
278	Cortachy and Clova,	653	554	4	4	8	–	–	–	1	2	3	3
†279	Coupar-Angus,	2642	2797	36	50	86	4	11	15	26	28	54	17
280	CRAIG,	2177	2402	41	39	80	3	1	4	17	7	24	30
†281	Dun,	552	565	8	8	16	1	1	2	3	4	7	–
*282	DUNDEE,												
	(1) St Peter,		22,894	527	497	1024	49	43	92	270	261	531	165
	(2) St Mary,		23,582	443	433	876	67	70	137	332	347	679	205
	(3) St Clement,	91664	25,090	433	459	892	39	53	92	261	297	558	181
	(4) St Andrew,		38,082	937	816	1753	77	75	152	550	604	1,154	309
	(5) Lochee,		11,076	190	188	378	23	22	45	103	134	237	80
283	Dunnichen,	1932	1536	29	22	51	3	2	5	10	11	21	10
284	Eassie and Nevay,	748	586	14	9	23	2	–	2	–	5	5	4
285	Edzell,	1025	976	14	11	25	2	–	2	5	2	7	1

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
286	Farnell,	703	580	3	11	14	–	1	1	5	2	7	7
287	Fearn,	439	348	5	5	10	3	1	4	1	3	4	–
288	FORFAR,	10,838	12,585	234	239	473	27	28	55	112	129	241	94
289	Glamis,	1980	1813	23	19	42	2	3	5	17	12	29	8
290	Glenisla,	1008	925	11	11	22	3	–	3	4	5	9	7
291	Guthrie,	476	404	8	7	15	–	–	–	–	3	3	5
292	Inverarity,	961	888	11	26	37	1	–	1	6	4	10	4
293	Inverkeillor,	1792	1521	36	26	62	3	3	6	7	8	15	9
294	Kettins,	962	855	16	12	28	1	–	1	11	5	16	7
295	Kingoldrum,	473	409	4	4	8	–	2	2	2	1	3	2
296	Kinnell,	816	766	14	16	30	3	2	5	2	4	6	8
297	Kinnettles,	447	405	5	6	11	–	–	–	1	–	1	3
298	Kirkden,	1862	1623	25	32	57	4	2	6	17	17	34	9
299	Kirriemuir,	7359	6420	88	97	185	10	11	21	54	80	134	38
300	Lethnott and Navar,	446	318	3	5	8	–	1	1	3	–	3	–
†301	Liff, Benvie, and Invergowrie,	1430	1357	19	33	52	2	2	4	4	6	10	3
302	Lintrathen,	898	756	8	12	20	–	2	2	2	5	7	7
303	Lochlee,	495	424	1	5	6	–	2	2	–	–	–	2
304	Logie-Pert,	1483	1251	14	8	22	3	1	4	14	6	20	4
305	Lunan,	259	248	1	6	7	–	-	–	–	4	4	2
306	Lundie,	442	400	8	8	16	–	–	–	4	4	8	3
307	Mains, etc.—(1) Mains,	1392	1927	36	38	74	3	3	6	15	17	32	14
	(2) Strathmartine,	789	822	10	19	29	–	1	1	11	8	19	1
308	Marytown,	417	396	4	7	11	–	1	1	3	2	5	1
309	Menmuir,	796	761	20	11	31	1	–	1	3	5	8	5
310	Monifieth,	5052	7252	154	164	318	11	6	17	82	71	153	41
311	Monikie,	1460	1397	20	17	37	3	–	3	7	6	13	8
*312	MONTROSE,	15,668	15,783	240	241	481	17	21	38	132	173	305	79
313	Murroes,	763	751	13	16	29	1	1	2	7	6	13	3
314	Newtyle,	1139	931	19	13	32	1	3	4	5	8	13	3
315	Oathlaw,	399	452	5	8	13	1	–	1	3	2	5	1
316	Panbride,	1299	1331	17	18	35	–	1	1	12	12	24	7
317	Rescobie,	747	748	11	10	21	1	–	1	3	7	10	2
318	Ruthven,	265	247	3	7	10	–	1	1	–	5	5	–
†319	St Vigeans,	2553	2513	45	49	94	4	5	9	20	14	34	12
320	Stracathro,	546	503	10	8	18	–	1	1	1	2	3	1
321	Tannadice,	1438	1286	17	21	38	2	–	2	4	4	8	6
322	Tealing,	883	879	11	15	26	1	2	3	7	6	13	1
	Total,	206750	240049	4503	4388	8891	446	443	889	2544	2772	5316	1685
	13. Perth.												
323	Aberdalgie,	295	342	6	5	11	–	1	1	2	3	5	1
*324	Aberfeldy,	2402	2286	22	27	49	5	2	7	22	17	39	9
325	Aberfoyle,	565	432	2	6	8	–	–	–	3	2	5	–
326	Abernethy,	1960	1744	25	23	48	4	5	9	10	19	29	15
327	Abernyte,	310	253	3	6	9	–	–	–	2	3	5	1
†328*a*	Alyth,	3198	3151	47	49	96	5	4	9	29	49	78	13
*328*b*	Ardoch,	1418	1316	15	11	26	4	1	5	6	6	12	9
329	Auchterarder,	4208	3795	44	49	93	12	5	17	38	36	74	20
330	Auchtergaven,	*c.*1664	*c.*1391	15	15	30	3	1	4	13	13	26	8
*331	Balquhidder,	746	743	12	12	24	2	2	4	8	9	17	2
†332	Bendochy,	549	474	7	9	16	1	–	1	–	2	2	–
*333	Blackford,	2041	1836	28	20	48	3	–	3	17	22	39	13
†334	Blair-Athol,	1553	1718	14	19	33	–	–	–	16	10	26	4
†335	Blairgowrie,	4423	4832	62	68	130	13	8	21	45	41	86	31
336	Callander,	1676	1870	26	20	46	2	1	3	25	27	52	7

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl.	Mal.	Fem	Total.	
†337	Caputh,	1728	1571	20	22	42	1	–	1	9	11	20	8
338	Cargill,	1647	1411	24	8	32	1	1	2	10	17	27	7
339	Clunie,	699	603	13	7	20	1	2	3	4	6	10	1
340	Collace,	534	456	4	2	6	–	–	–	1	3	4	3
†341	Comrie,	2226	1911	17	18	35	2	3	5	25	15	40	6
342	Crieff,	4490	4598	57	59	116	11	3	14	35	40	75	28
343	CULROSS,	1423	1354	23	20	43	2	–	2	11	10	21	10
*344	Dowally,	486	461	3	4	7	–	–	–	3	2	5	3
345	Dron,	376	343	3	8	11	–	1	1	5	1	6	1
†346	Dull,	753	677	11	4	15	2	–	2	6	4	10	4
347	Dunbarney,	1035	913	11	11	22	1	1	2	10	5	15	1
*348	Dunblane,	2528	2765	50	52	102	3	4	7	32	37	69	13
*349	Dunkeld,	1086	881	8	12	20	3	1	4	8	12	20	2
350	Dunning,	2084	1832	21	23	44	2	2	4	14	13	27	12
351	Errol,	2759	2504	37	31	68	4	3	7	17	24	41	15
352	Findo-Gask,	399	369	5	8	13	1	–	1	4	1	5	2
353	Forgandenny,	739	632	7	7	14	–	1	1	10	5	15	3
354	Forteviot,	595	567	8	10	18	–	1	1	2	9	11	5
*355*a*	Fortingall,												
	(1) Innerwick in Glenlyon	1244	*c.*621	6	4	10	1	–	1	6	2	8	1
	(2) Fortingall,		*c.*393	2	9	11	–	5	5	3	7	10	3
*355*b*	Foss,	381	270	4	–	4	–	–	–	2	1	3	0
356	Fowlis-Easter,	317	291	8	4	12	–	–	–	–	–	–	3
†357	Fowlis-Wester,	1276	1028	9	14	23	2	1	3	3	7	10	7
358	Glendevon,	138	105	2	1	3	–	–	–	2	–	2	–
359	Inchture,	659	659	9	7	16	–	1	1	3	4	7	2
*360	Kenmore,	1515	1215	17	13	30	–	1	1	7	13	20	8
*361	Killin,	1681	1977	11	14	25	2	1	3	17	14	31	5
362	Kilmadock,	3312	3170	33	36	69	2	3	5	28	29	57	15
363	Kilspindie,	665	679	18	10	28	3	1	4	9	4	13	3
364	Kincardine,	1778	1484	25	14	39	4	1	5	7	10	17	9
365	Kinclaven,	*c.*662	*c.*530	5	9	14	1	–	1	2	1	3	3
366	Kinfauns,	657	578	13	7	20	–	–	–	5	4	9	4
*367	Kinloch-Rannoch,	1147	921	10	11	21	1	2	3	6	6	12	3
368	Kinnaird,	318	299	4	4	8	1	–	1	1	6	7	1
†369	Kinnoul,	796	723	10	8	18	1	2	3	1	7	8	1
†370	Kirkmichael—												
	(1) Kirkmichael,	812	657	4	5	9	–	–	–	4	3	7	4
	(2) Glenshee,	334	241	1	1	2	–	–	–	2	1	3	1
371	Lecropt,	538	535	12	5	17	–	–	–	3	8	11	2
†372	Lethendy, etc.—												
	(1) Lethendy,	235	179	1	1	2	–	–	–	–	2	2	–
	(2) Kinloch,	295	251	5	2	7	–	–	–	1	2	3	–
†373	Little Dunkeld,	2089	2352	23	29	52	2	2	4	14	35	49	13
374	LOGIE,	3483	4553	56	55	111	4	4	8	47	49	96	28
*375	Logiealmond,	815	646	7	10	17	–	1	1	8	2	10	4
†376	Logierait,	1902	1739	23	20	43	1	4	5	14	19	33	8
377	Longforgan,	1823	1753	16	24	40	–	1	1	9	16	25	5
378	Madderty,	536	523	7	10	7	1	1	2	6	3	9	2
*379	Meigle,	1122	1003	11	12	23	–	–	–	4	10	14	5
†380	Methven,	2290	2073	12	18	30	2	1	3	23	21	44	7
381	Moneydie,	252	244	2	8	10	1	1	2	2	–	2	1
†382	Monzie,	461	413	3	6	9	–	–	–	1	1	2	0
383	Monzievaird and Strowan	782	744	9	8	17	–	–	–	8	3	11	1
†384	Moulin,	1605	1561	26	18	44	2	–	2	14	17	31	11
385	Muckhart,	615	612	5	7	12	–	–	–	4	3	7	2
*386*a*	Muthill,	2001	1916	17	24	41	2	2	4	12	14	26	7
*386*b*	Persie,	839	820	9	9	18	–	1	1	8	3	11	3
*387	PERTH,	26094	26382	486	460	946	36	41	77	301	339	640	211
388	Port of Menteith,	1375	1243	12	11	23	2	1	3	8	7	15	6

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
†389	Rattray,	2234	2586	44	33	77	4	3	7	26	39	65	15
†390	Redgorton,	c.1265	c.1111	16	7	23	2	1	3	8	13	21	4
391	Rhynd,	297	327	2	4	6	–	–	–	–	2	2	1
392	St Madoes,	280	290	5	2	7	–	–	–	–	3	3	1
393*a*	St Martins,	904	735	13	10	23	2	1	3	6	5	11	3
393*b*	Stanley,	c.1325	c.1117	15	19	34	2	2	4	19	9	28	4
†394*a*	Scone,	2153	2185	23	34	57	2	4	6	15	23	38	16
*394*b*	Strathfillan,	411	342	4	5	9	–	–	–	2	1	3	3
*394*c*	Tenandry,	595	530	11	3	14	1	1	2	3	3	6	2
†395	Tibbermore,	1182	1128	21	16	37	1	1	2	4	6	10	8
396	Trinity-Gask,	488	415	4	4	8	1	–	1	4	5	9	2
397	Tulliallan,	2410	2184	29	48	77	2	2	4	22	29	51	12
†398	Weem,	215	186	3	4	7	–	–	–	2	–	2	2
	Total,	133198	128550	1773	1742	3515	176	146	322	1148	1285	2433	719
	14. Fife.												
399	Abbotshall (merged in 442),												
†400	Abdie,	1257	1057	11	11	22	–	1	1	6	13	19	3
401	Aberdour,	1874	1697	35	22	57	1	1	2	13	22	35	12
402	ANSTRUTHER-EASTER,	1155	1239	23	17	40	4	2	6	7	13	20	4
403	ANSTRUTHER-WESTER,	421	545	6	9	15	1	2	3	4	4	8	3
404	Arngask,	705	565	2	10	12	–	–	–	4	4	8	5
405	Auchterderran,	3457	4017	105	73	178	5	2	7	26	23	49	24
406	AUCHTERMUCHTY,	3285	2958	28	24	52	5	8	13	22	17	39	18
407	Auchtertool,	609	529	16	19	35	1	3	4	6	7	13	4
408	Ballingry,	736	982	17	26	43	–	2	2	6	5	11	11
409	Balmerino,	815	717	8	8	16	–	1	1	4	7	11	2
410	Beath,	2390	3534	117	101	218	3	7	10	39	47	86	16
411	BURNTISLAND,	3670	3872	94	85	179	11	6	17	42	41	83	28
412	Cameron,	1362	1158	20	12	32	–	–	–	6	4	10	9
413	Carnbee,	1157	1088	16	12	28	–	1	1	10	4	14	6
414	Carnock,	2925	1764	15	23	38	–	–	–	6	10	16	7
415	Ceres,	2723	2381	37	21	58	2	2	4	18	20	38	19
416	Collessie,	1530	1703	35	30	65	7	1	8	19	11	30	13
417	CRAIL,	1948	1864	33	25	58	4	2	6	14	20	34	13
418	Creich,	377	387	8	10	18	–	2	2	3	1	4	–
419	Cults,	800	767	15	7	22	1	–	1	3	7	10	4
420	CUPAR,	6750	7102	97	96	193	13	11	24	67	67	134	32
421	Dairsie,	638	687	13	7	20	1	1	2	1	2	3	5
422	Dalgetty	1569	1310	27	13	40	1	–	1	13	12	25	5
*423	Dunbog,	414	395	7	8	15	–	1	1	4	2	6	3
*424	DUNFERMLINE—	21115	23256	449	406	855	32	25	57	224	226	450	163
425	Dunino,	370	325	3	6	9	1	–	1	4	3	7	6
426	DYSART,	8842	9682	205	158	363	7	9	16	103	104	207	40
427	Elie,	826	775	8	11	19	1	–	1	4	11	15	3
428	FALKLAND,	2937	3069	31	29	60	–	1	1	16	30	46	16
429	Ferry Port-on-Craig,	2013	2674	32	49	81	2	3	5	33	33	66	15
430	Flisk,	230	212	3	3	6	–	–	–	2	–	2	–
431	Forgan,	1326	2243	50	21	71	1	1	2	19	18	37	11
*432	INVERKEITHING,	3196	3131	55	46	101	7	1	8	36	27	63	14
433	Kemback,	896	1056	10	11	21	–	1	1	5	10	15	6
434	Kennoway,	2012	1703	15	24	39	2	–	2	8	21	29	11
435	Kettle,	2474	2323	30	33	63	4	1	5	24	15	39	14
436	KILCONQUHAR,	2431	2018	41	25	66	3	1	4	27	17	44	15
437	Kilmany,	656	651	8	10	18	1	–	1	3	2	5	2
†438	KILRENNY,	2534	2945	52	61	113	2	5	7	26	26	52	15

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
439	KINGHORN,	2349	2602	52	55	107	6	8	14	38	30	68	23
440	Kinglassie,	1266	1082	21	20	41	–	1	1	13	8	21	9
441	Kingsbarns,	937	922	15	6	21	2	–	2	2	10	12	7
*442	KIRKCALDY & Abbotshall,	11925	13509	252	243	495	15	11	26	147	116	263	104
443	Largo,	2626	2318	52	42	94	6	1	7	20	19	39	10
444	Leslie,	4332	4294	49	71	120	10	13	23	49	40	89	25
445	Leuchars,	1903	1727	35	28	63	3	2	5	26	21	47	15
446	Logie,	410	402	5	8	13	–	–	–	2	1	3	2
447	Markinch,	5375	5413	117	77	194	15	7	22	55	70	125	31
448	Monimail,	1054	918	14	10	24	–	–	–	8	4	12	3
449	Moonzie,	179	154	5	1	6	–	–	–	2	1	3	2
450	NEWBURGH,	2693	2529	39	37	76	9	3	12	16	26	42	12
451	Newburn,	374	362	4	2	6	–	–	–	3	2	5	2
452	PITTENWEEM,	1710	1803	41	44	85	3	5	8	18	18	36	9
453	ST ANDREWS and St Leonards,	7605	8592	104	107	211	12	8	20	60	68	128	64
454	St Monance (or Abercrombie),	1498	1761	33	42	75	3	3	6	8	12	20	15
455	Saline,	1610	1259	18	12	30	–	1	1	3	4	7	7
456	Scoonie,	3257	3178	53	56	109	4	1	5	42	32	74	20
457	Strathmiglo,	2261	2267	32	22	54	2	1	3	22	17	39	12
458	Torryburn,	1229	1051	17	22	39	–	–	–	7	14	21	12
459	Wemyss—(1) Wemyss,	6003	c.2492	52	38	90	3	1	4	14	22	36	17
	(2) Buckhaven,		c.3908	91	62	153	2	2	4	49	41	90	19
	Total,	155021	160924	2878	2567	5445	218	172	390	1481	1482	2963	997
	15. Kinross.												
460	Cleish,	649	539	6	5	11	–	–	–	5	6	11	–
461	Fossoway and Tulliebole,	1584	1461	22	17	39	4	2	6	15	16	31	4
462	Kinross,	2649	2477	40	36	76	3	2	5	31	36	67	17
463	Orwell,	2399	2248	20	31	51	2	7	9	22	23	45	11
464	Portmoak,	1450	1193	15	13	28	1	2	3	11	11	22	10
	Total,	8731	7918	103	102	205	10	13	23	84	92	176	42
	16. Clackmannan.												
465	Alloa,	8867	9940	244	219	463	22	14	36	133	129	262	57
466	Clackmannan,	4425	4653	97	74	171	4	7	11	59	31	90	29
467	Dollar,	1776	2524	20	32	52	1	3	4	16	17	33	14
468	Tillicoultry,	5054	5118	86	80	166	7	10	17	56	53	109	26
	Total,	20122	22235	447	405	852	34	34	68	264	230	494	126
	V. WEST-MIDLAND. 17. Stirling.												
469	Airth,	1194	1396	28	28	56	–	1	1	14	16	30	8
470	Alva,	3283	4296	98	85	183	7	11	18	39	41	80	24
471	Baldernock,	718	616	5	12	17	–	–	–	4	7	11	2
472	Balfron,	1517	1502	7	10	17	–	1	1	18	4	22	3
†473	Bothkennar,	c.1210	1726	39	45	84	2	1	3	14	13	27	18
474	Buchanan,	705	591	10	8	18	–	1	1	5	3	8	1
475	Campsie,	6483	6739	110	90	200	5	5	10	72	67	139	37
476	Denny—(1) Denny,	4988	c.2993	83	65	148	5	4	9	32	34	66	29
	(2) Haggs,		c.2000	25	27	52	1	1	2	8	13	21	6
477	Drymen,	1619	1405	21	16	37	1	1	2	10	13	23	5
478	Dunipace,	1731	1733	25	47	72	2	4	6	17	13	30	4

No. of District.	Registration Districts.	Population. 1861.	Population. 1871.	Total Births, including the Illegitimate. Males.	Total Births, including the Illegitimate. Fem.	Total Births, including the Illegitimate. Total.	Illegitimate Births. Mal.	Illegitimate Births. Fem	Illegitimate Births. Totl	Deaths. Mal.	Deaths. Fem	Deaths. Total.	Marriages.
†479	FALKIRK—(1) Burgh,	9030	9547	269	239	508	22	17	39	146	127	273	79
	(2) Landward,	c.6320	6726	200	163	363	16	7	23	78	69	147	74
480	Fintry,	685	499	3	4	7	–	1	1	6	3	9	3
481*a*	Gargunnock,	728	675	7	5	12	1	1	2	6	5	11	5
*481*b*	Grangemouth,	c.2249	2569	78	72	150	4	6	10	36	27	63	12
482	Killearn,	1171	1111	13	14	27	1	–	1	8	12	20	2
483	Kilsyth,	6112	6313	170	131	301	18	6	24	111	60	171	49
484	Kippen,	1722	1568	29	16	45	1	–	1	14	9	23	13
485	Larbert,	4999	5280	124	98	222	2	12	14	75	78	153	41
486	Muiravonside,	2660	2653	65	61	126	4	5	9	26	17	43	19
†487	Polmont,	c.4050	3848	86	84	170	6	6	12	56	36	92	31
†488	ST NINIANS—												
	(1) ST NINIANS,	4693	5289	97	84	181	7	5	12	67	56	123	28
	(2) Bannockburn,	3796	4358	77	64	141	6	6	12	48	52	100	20
489	Slamannan,	2916	4164	132	127	259	8	3	11	60	47	107	37
*490	STIRLING,	12171	12513	221	226	447	16	17	33	205	176	381	132
491	Strathblane,	1388	1235	21	14	35	1	1	2	9	11	20	4
	Total,	88138	93345	2043	1835	3878	136	123	259	1184	1009	2193	686
	18. Dumbarton.												
492	Arrochar,	629	525	5	4	9	–	1	1	2	6	8	6
*493	Bonhill,	9059	9593	185	185	370	8	5	13	112	103	215	102
†494	Cardross,	4168	4405	82	84	166	2	4	6	45	44	89	31
495	Cumbernauld,	3513	3602	100	93	193	11	8	19	67	45	112	35
*496	DUMBARTON,	8268	11423	253	254	507	9	9	18	166	144	310	81
497	Kilmaronock,	1085	978	10	9	19	1	1	2	10	5	15	5
498	Kirkintilloch,	8179	8257	168	177	345	14	12	26	129	107	236	72
499	Luss,	831	730	10	5	15	–	–	–	10	4	14	7
500	New or East Kilpatrick,	4910	6038	155	121	276	9	3	12	80	71	151	31
501	Old or West Kilpatrick,	5577	5346	148	141	289	6	12	18	80	65	145	31
502	Roseneath,	1626	1780	13	34	47	1	1	2	12	18	30	8
503	Row,	6334	8439	128	113	241	3	7	10	84	87	171	48
	Total,	54179	61116	1257	1220	2477	64	63	127	797	699	1496	457
	19. Argyll. *Mainland.*												
504	Ardchattan,	1381	1172	11	16	27	1	1	2	5	11	16	3
505	Ardnamurchan—												
	(1) Aharacle,	1544	1414	13	22	35	1	1	2	16	13	29	6
	(2) Arisaig,	1343	1131	13	15	28	1	3	4	6	8	14	–
	(3) Sunart (or Strontian),	759	760	7	11	18	–	2	2	2	9	11	1
	(4) Western Ardnamurchan,	1054	954	13	12	25	1	1	2	9	11	20	4
*506	Ballachulish and Corran of Ardgour,	919	849	10	10	20	2	1	3	7	6	13	3
507	CAMPBELTOWN,	8149	8580	178	164	342	18	15	33	110	110	220	64
508	Craignish,	618	481	6	2	8	–	1	1	2	6	8	2
*509	Cumlodden and Minard,	c.1340	c.1133	15	15	30	1	1	2	4	6	10	–
510	Dunoon and Kilmun,	5461	6871	104	82	186	5	6	11	81	86	167	44
†511	Glassary,	c.1462	c.1228	15	19	34	2	2	4	7	12	19	4
*512	Glenorchy,	869	752	10	13	23	1	2	3	9	4	13	7
†513	INVERARAY,	1650	1503	12	15	27	–	3	3	9	11	20	3
514	Inverchaolain,	424	443	3	5	8	–	–	–	4	3	7	–
515	Kilbrandon & Kilchattan,	2053	2107	24	23	47	1	1	2	14	22	36	3
†516	Kilcalmonell, etc.—												
	(1) Kilcalmonell,	742	684	2	16	18	–	2	2	6	3	9	3
	(2) Kilberry,	583	485	6	6	12	–	1	1	7	5	12	3

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
*517	Kilchrenan, etc.—												
	(1) Kilchrenan, . .	587	396	4	3	7	1	–	1	3	6	9	3
	(2) Dalavich, . .	230	217	3	2	5	–	–	–	2	–	2	–
518	Kilfinan, . . .	1891	2228	32	28	60	4	–	4	24	16	40	9
519	Killean and Kilchenzie, .	1890	1614	16	16	32	1	1	2	17	15	32	4
†520	Kilmalie, . . .	3353	3217	39	45	84	2	4	6	41	31	72	8
521	Kilmartin, . . .	949	869	4	12	16	–	–	–	5	4	9	4
522	Kilmodan, . . .	433	358	4	6	10	–	–	–	1	3	4	–
523	KILMORE AND KILBRIDE, .	2962	3402	58	54	112	3	4	7	57	45	102	21
524	Kilninver, etc.—												
	(1) Kilninver, . .	314	253	1	3	4	–	–	–	3	1	4	–
	(2) Kilmelford, . .	486	506	3	4	7	–	–	–	1	2	3	–
525	Lismore, etc.—												
	(1) Lismore, . .	1023	908	11	8	19	1	1	2	7	8	15	3
	(2) Appin, . . .	825	728	7	7	14	–	–	–	8	5	13	4
	(3) Glencoe & Ballachulish, . .	1324	1529	26	15	41	2	1	3	13	7	20	8
	(4) Duror, . . .	423	370	1	4	5	–	–	–	2	3	5	4
*526	Lochgilphead, . .	3312	3680	37	38	75	2	1	3	37	40	77	12
527	Lochgoilhead, etc.—												
	(1) Lochgoilhead, .	418	436	9	9	18	1	–	1	3	6	9	–
	(2) Kilmorich, . .	284	330	3	2	5	–	–	–	2	1	3	–
528	Morvern, . . .	1226	973	12	8	20	–	–	–	7	5	12	3
*529	Muckairn, . . .	965	790	6	5	11	1	–	1	11	5	16	1
530	North Knapdale, . .	1327	1059	7	7	14	–	–	–	11	11	22	2
†531	Saddell, etc.—												
	(1) Saddell, . .	739	645	10	8	18	3	–	3	7	3	10	3
	(2) Skipness, . .	533	500	8	1	9	1	–	1	4	5	9	1
532	Southend, . . .	1214	1044	12	14	26	–	1	1	10	5	15	5
†533	South Knapdale, . .	654	548	1	4	5	–	1	1	7	3	10	1
534	Stralachlan, etc.—												
	(1) Stralachlan, . .	309	340	5	7	12	–	–	–	1	1	2	1
	(2) Strachur, . .	563	527	9	7	16	1	1	2	1	6	7	3
*535	Tarbert, . . .	1661	1866	26	36	62	–	–	–	17	19	36	5
	Insular.												
*536	Bowmore (or Kilarrow),	2701	2088	17	26	43	4	7	11	17	24	41	6
537	Gigha, ...	467	390	6	11	17	1	3	4	–	3	3	3
538	Iona (merged in 542), .												
†539	Jura, etc.—(1) Jura, .	858	775	12	6	18	–	–	–	4	5	9	3
	(2) Colonsay,	598	456	7	4	11	1	1	2	3	6	9	1
†540	Kilchoman, . . .	2377	1882	15	20	35	1	4	5	11	15	26	6
541	Kildalton and Oa, . .	2956	2283	21	26	47	1	4	5	9	14	23	15
*542	Kilfinichen & Kilvickeon,	2535	2461	31	11	42	3	2	5	28	20	48	14
*543	Kilmeny, . . .	1268	924	7	11	18	1	–	1	6	9	15	2
†544	Kilninian and Kilmore, .	1641	1189	11	6	17	–	–	–	9	11	20	6
*545	Kinlochspelvie, . .	428	388	3	2	5	–	–	–	2	4	6	–
*546	Oa (merged in 541), .												
*547	Portnahaven, . .	1059	979	5	9	14	–	1	1	3	12	15	3
*548	Salen, ...	604	605	6	8	14	–	2	2	4	4	8	4
*549	Tobermory, . . .	1566	1344	16	10	26	2	2	4	14	16	30	4
†550	Torosay, . . .	557	454	2	1	3	–	–	–	3	2	5	1
551	Tyree, etc.—(1) Tyree, .	3217	2837	41	33	74	1	4	5	27	33	60	7
	(2) Coll, .	781	723	9	9	18	1	1	2	9	10	19	1
	Total,	83859	79661	995	992	1987	73	89	162	749	770	1519	331

No. of District.	Registration Districts.	Population. 1861.	Population. 1871.	Total Births, including the Illegitimate. Males.	Total Births. Fem.	Total Births. Total.	Illegitimate Births. Mal.	Illegitimate Births. Fem	Illegitimate Births. Totl	Deaths. Mal.	Deaths. Fem	Deaths. Total.	Marriages.
	20. Bute.												
552	Cumbrae,	1236	1613	41	21	62	–	–	–	24	20	44	7
†553	Kilbride—(1) Brodick,	902	928	8	8	16	1	–	1	8	7	15	1
	(2) Kilbride,	1351	1276	11	13	24	1	1	2	8	16	24	7
†554	Kilmory,	2515	2278	19	16	35	2	2	4	14	19	33	3
555	Kingarth,	905	901	14	12	26	–	–	–	8	8	16	9
*556	Lochranza,	824	777	10	6	16	1	–	1	5	9	14	3
*557	North Bute,	1351	1393	21	12	33	–	2	2	20	4	24	5
†558	ROTHESAY,	7227	7800	120	125	245	10	4	14	99	107	206	66
	Total,	16311	16966	244	213	457	15	9	24	186	190	376	101
	VI. SOUTH-WESTERN.												
	21. Renfrew.												
*559	ABBEY—												
	(1) Part of PAISLEY,	15889	16348	291	278	569	26	13	39	246	262	508	159
	(2) Landward,	5670	5679	122	105	227	9	5	14	71	77	148	57
	(3) Johnstone,	8142	8590	186	193	379	12	11	23	89	131	220	110
560	Cathcart,	3782	7231	169	147	316	1	5	6	90	80	170	72
561	Eaglesham,	2328	1714	13	23	36	2	–	2	13	16	29	9
562	Eastwood,	11314	13098	253	243	496	11	17	28	151	142	293	112
563	Erskine,	1457	1565	17	19	36	1	4	5	9	10	19	8
564	GREENOCK—												
	(1) New, or Middle,	9446	9592	137	134	271	21	16	37	103	87	190	17
	(2) East,	12135	17061	427	396	823	18	16	34	196	184	380	127
	(3) Old, or West,	22313	33141	759	775	1534	32	35	67	496	483	979	313
565	Houstoun and Killellan,	2490	2167	34	32	66	2	2	4	23	25	48	15
566	Inchinnan,	619	584	9	5	14	1	–	1	6	6	12	1
567	Inverkip—												
	(1) Inverkip,	1188	1393	15	14	29	1	1	2	13	11	24	8
	(2) Gourock,	2307	3109	77	41	118	5	1	6	44	49	93	16
568	Kilbarchan,	6348	6093	145	114	259	9	4	13	75	71	146	31
569	Kilmalcolm,	1455	1716	32	34	66	1	1	2	18	14	32	15
570	Lochwinnoch,	3821	3816	55	56	111	5	7	12	31	34	65	9
571	Mearns,	3547	3543	52	52	104	3	4	7	38	22	60	28
572	Neilston—												
	(1) Neilston,	4577	4633	70	67	137	11	12	23	46	45	91	30
	(2) Barrhead,	6436	6503	85	106	191	5	9	14	63	65	128	29
*573	PAISLEY,	31538	31910	700	640	1340	36	38	74	539	544	1083	301
574	PORT-GLASGOW,	7294	9912	224	205	429	6	6	12	125	130	255	72
†575	RENFREW,	4650	5908	138	129	267	4	6	10	83	87	170	53
	Total,	168746	195305	4010	3808	7818	222	213	435	2568	2575	5143	1592
	22 Ayr.												
576	Ardrossan—												
	(1) Old Ardrossan,	3530	3336	64	66	130	5	2	7	32	36	68	29
	(2) New Ardrossan,	3246	3929	85	74	159	4	2	6	46	22	68	25
577	Auchinleck,	4213	6174	159	168	327	8	12	20	77	68	145	46
*578	AYR,	19659	19172	371	383	754	31	30	61	268	275	543	136
579	Ballantrae,	1483	1277	19	25	44	2	3	5	7	8	15	4
580	Barr,	910	672	6	7	13	–	–	–	6	5	11	3
581	Beith,	5775	6233	107	95	202	6	6	12	56	54	110	37
582	Colmonell—(1) Colmonell,	2588	c.1167	16	16	32	3	1	4	7	3	10	7
	(2) Barrhill,		c.1126	18	9	27	–	1	1	7	9	16	14
583	Coylton,	1604	1440	66	50	116	1	5	6	24	20	44	18
584	Craigie,	730	618	7	7	14	–	1	1	1	5	6	2
585	Dailly,	2050	1932	31	51	82	2	6	8	10	17	27	12
586	Dalmellington,	4194	6165	146	115	261	12	5	17	62	47	109	40
587	Dalry,	11156	10885	170	171	341	6	18	24	106	98	204	59

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
588	Dalrymple,	1325	1412	27	29	56	3	3	6	15	7	22	17
589	Dreghorn,	3283	3241	80	88	168	5	7	12	46	33	79	28
†590	Dundonald—												
	(1) Dundonald,	2095	1507	21	16	37	3	1	4	16	13	29	7
	(2) Troon,	2599	2870	34	53	87	3	3	6	29	30	59	19
591	Dunlop,	1038	1160	28	23	51	1	1	2	14	18	32	4
592	Fenwick,	1532	1318	7	17	24	2	1	3	13	14	27	16
593	Galston,	5254	6331	118	99	217	11	4	15	60	42	102	50
594	Girvan,	7053	5685	91	86	177	12	14	26	66	52	118	23
*595	IRVINE,	8607	8462	246	196	442	21	24	45	144	145	289	60
596	Kilbirnie,	5265	4953	85	83	168	5	7	12	61	50	111	35
597	KILMARNOCK,	23556	24072	490	415	905	20	28	48	274	266	540	179
598	Kilmaurs,	3526	3449	82	80	162	6	2	8	48	52	100	23
599	Kilwinning,	7717	7375	163	124	287	6	6	12	80	75	155	33
600	Kirkmichael,	2823	2254	25	26	51	2	1	3	11	25	36	18
601	Kirkoswald,	2060	1846	31	21	52	4	1	5	11	14	25	12
602	Largs,	3620	4087	63	75	138	1	1	2	46	54	100	19
603	Loudoun,	4840	5525	83	73	156	10	5	15	54	61	115	34
604	Mauchline,	2303	2435	31	37	68	–	1	1	17	22	39	6
605	Maybole,	6713	5900	127	91	218	13	8	21	58	62	120	43
606	Monkton and Prestwick,	1937	1744	30	35	65	3	8	11	20	24	44	17
607	Muirkirk,	3270	3253	150	95	245	9	10	19	51	36	87	37
608	New Cumnock,	2891	3434	109	96	205	7	5	12	43	44	87	25
609	Ochiltree,	1676	1656	17	21	38	3	3	6	12	14	26	9
610	Old Cumnock,	3721	4041	94	73	167	7	4	11	45	40	85	19
611	RICCARTON,	5629	5845	193	161	354	5	8	13	79	63	142	36
*612	St Quivox and Newton-upon-Ayr,	1870	1363	26	24	50	3	4	7	7	17	24	13
613	Sorn,	4042	4032	68	62	130	7	3	10	42	45	87	25
614	Stair,	743	734	18	25	43	1	3	4	7	5	12	7
615	Stevenston,	5452	5019	94	95	189	10	6	16	45	49	94	28
616	Stewarton,	4449	4478	76	66	142	5	6	11	45	46	91	29
617	Straiton,	1544	1443	22	18	40	2	4	6	13	8	21	7
618	Symington,	855	792	16	13	29	3	1	4	6	4	10	5
619	Tarbolton,	2669	3219	65	84	149	3	9	12	32	26	58	18
620	West Kilbride,	1988	1847	38	31	69	7	2	9	17	12	29	15
	Total,	199083	200908	4113	3768	7881	283	286	569	2236	2135	4371	1348
	23 Lanark.												
621	Avondale,	6125	5460	81	92	173	4	8	12	64	59	123	40
†622	BARONY,—												
	(1) MARYHILL,	c.4356	6659	434	383	817	13	15	28	178	212	390	124
	(2) Shettleston,	6914	7517	173	139	312	10	5	15	80	102	182	50
623	Biggar,	1999	2013	25	34	59	4	5	9	19	20	39	14
624	Blantyre,	3092	3472	223	199	422	12	14	26	101	69	170	52
625	Bothwell—												
	(1) Bothwell,	7059	9193	298	282	580	12	9	21	168	151	319	73
	(2) Holytown,	10844	10099	243	227	470	16	9	25	114	108	222	52
626*a*	Cadder—(1) Western,	3023	3261	93	63	156	1	3	4	20	34	54	24
	(2) Eastern,	2925	3203	70	61	131	4	–	4	27	19	46	18
*626*b*	Calderhead,	4034	4271	83	77	160	4	4	8	40	35	75	24
627	Cambuslang,	3647	3740	205	178	383	11	12	23	91	84	175	36
†628	Cambusnethan,	13118	18709	464	384	848	23	14	37	214	186	400	144
629	Carluke,	6176	7066	181	155	336	15	14	29	75	80	155	67
630	Carmichael,	836	708	12	7	19	1	–	1	3	2	5	2
631	Carmunnock,	734	702	6	11	17	–	2	2	8	3	11	3
632	Carnwath,	3584	5709	152	127	279	15	7	22	56	51	107	36
633	Carstairs,	1345	1718	29	43	72	–	4	4	18	10	28	17

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
634	Covington and Thankerton	532	454	4	4	8	–	–	–	4	5	9	2
635	Crawford,—(1) Crawford,	694	727	8	17	25	1	1	2	8	7	15	7
	(2) Leadhills,	896	1102	33	21	54	3	2	5	22	16	38	6
636	Crawfordjohn, . .	980	853	12	10	22	2	1	3	6	8	14	10
637	Culter, ...	665	593	5	4	9	–	1	1	6	1	7	6
638	Dalserf—(1) Larkhall	3629	5332	163	136	299	10	6	16	63	56	119	47
	(2) Dalserf, .	1247	2009	58	53	111	1	5	6	24	18	42	19
639	Dalziel, . . .	5438	9175	294	315	609	18	12	30	150	144	294	79
640	Dolphinton, . . .	260	231	3	5	8	–	–	–	1	1	2	–
641	Douglas, . . .	2490	2624	45	57	102	5	3	8	23	23	46	20
642	Dunsyre, . . .	312	302	2	4	6	–	1	1	–	2	2	4
643	East Kilbride, . .	4064	3861	68	56	124	4	8	12	33	35	68	10
*644	GLASGOW—												
	(1) Bridgeton, . .		c.31154	899	850	1749	53	41	94	607	630	1237	360
	(2) Camlachie, . .		c.32676	863	822	1685	51	65	116	507	485	992	195
	(3) Dennistoun, . .		c.31024	957	843	1800	50	39	89	811	663	1474	465
	Do. (Landward),		c. 3298	98	97	195	27	16	43	176	180	356	22
	(4) Calton, . . .		c.43654	707	670	1377	51	45	96	539	561	1100	347
	(5) Blackfriars, . .		c.54602	722	702	1424	165	161	326	498	479	977	223
	(6) St Rollox, . .		c.38383	992	889	1881	93	87	180	809	765	1574	350
	Do. (Landward),		c. 239	21	17	38	3	1	4	10	8	18	2
	(7) Blythswood, . .		c.44310	476	492	968	56	45	101	426	375	801	372
	(8) Milton, . . .	c409921	c.38223	835	812	1647	60	72	132	475	475	950	219
	(9) Kelvin, . . .		c.32516	908	867	1775	45	49	94	576	551	1127	612
	(10) Anderston, . .		c.40178	811	763	1574	65	53	118	517	504	1021	261
	(11) Hutchesontown, .		c.29717	1113	1135	2248	63	71	134	565	599	1164	254
	Do. (Landward),		c. 1008	149	130	279	8	3	11	47	50	97	29
	(12) Gorbals, . .		c.43212	670	678	1348	57	53	110	475	493	968	580
	Do. (Landward),		c. 1565	101	90	191	2	3	5	47	49	96	18
	(13) Tradeston, . .		c.22340	337	301	638	26	25	51	255	236	491	74
	Do. (Landward),		c. 1411	71	54	125	3	3	6	28	43	71	44
	(14) Kinning Park, -		c. 9857	212	296	508	38	34	72	125	156	281	84
	Do. (Landward)		c. 8953	289	351	640	30	25	55	158	182	340	162
645	Glassford, . . .	1938	1430	30	26	56	3	1	4	12	16	28	12
†646	Govan—												
	(1) Govan Church, .	c10646	19899	1143	1077	2220	74	67	141	691	614	1305	308
	(2) Partick, . .	c14809	c23837	738	684	1422	27	31	58	462	429	891	272
647	HAMILTON, .	14047	16803	530	494	1024	31	31	62	340	312	652	141
648	LANARK, . . .	7891	7841	102	108	210	14	12	26	88	97	185	55
649	Lesmahagow, . .	9266	8709	233	186	419	19	9	28	96	87	183	67
650	Libberton, . . .	836	691	9	7	16	2	3	5	3	4	7	4
651	NEW MONKLAND—												
	(1) AIRDRIE, . .	12922	13488	292	281	573	19	17	36	228	213	441	128
	(2) Landward, . .	7632	9264	334	296	630	12	14	26	177	166	343	70
652	Old Monkland—												
	(1) Western, . .	6932	7873	171	165	336	11	6	17	76	86	162	50
	(2) Middle, . .	15303	18410	433	403	836	18	35	53	299	248	547	143
	(3) Eastern, . .	7308	7790	197	186	383	13	9	22	103	101	204	35
653	Pettinain, . . .	407	366	7	4	11	1	–	1	4	2	6	1
654	RUTHERGLEN, . .	9335	10766	258	251	509	8	13	21	161	159	320	105
†655	Shotts,—(1) Middle Dist.		c.754	55	42	97	1	3	4	20	21	41	10
	(2) Eastern do.	4792	c.2995	77	74	151	5	1	6	36	28	64	20
	(2) Western do.		c.1950	54	75	129	1	2	3	22	25	47	20
656	Stonehouse, . . .	3267	3177	63	45	108	6	1	7	24	18	42	18
657	Symington, . . .	528	442	7	4	11	2	–	2	1	3	4	2
658	Walston, . . .	480	425	3	3	6	–	1	1	3	1	4	1
659	Wandell and Lamington,	380	332	10	5	15	–	1	1	4	5	9	1
660	Wiston and Roberton, .	786	680	7	4	11	1	2	3	4	5	9	4
	Total,	640444	787005	19451	18423	37874	1403	1315	2718	12121	11665	23786	7126

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Tot.	Mal.	Fem	Total.	
	VII. SOUTH-EASTERN.												
	24. Linlithgow.												
661	Abercorn,	965	933	14	12	26	2	2	4	5	10	15	6
662	Bathgate—												
	(1) Bathgate,	6572	6942	148	128	276	10	10	20	94	74	168	42
	(2) Armadale,	3562	3187	69	84	153	7	4	11	31	32	63	19
663	Borrowstounness,	5698	4986	103	101	204	8	9	17	50	65	115	25
664	Carriden,	1821	1799	36	36	72	4	6	10	17	20	37	16
†665	Dalmeny,	804	916	19	12	31	4	1	5	9	4	13	2
666	Ecclesmachen,	309	329	5	6	11	–	1	1	2	2	4	1
†667	Kirkliston,	1907	2172	51	42	93	2	3	5	18	24	42	6
668	LINLITHGOW,	5784	5554	92	97	189	13	9	22	74	73	147	34
669	Livingstone,	1366	1727	15	31	46	1	3	4	11	12	23	5
*670	QUEENSFERRY,	1391	1521	27	38	65	1	1	2	11	22	33	6
671	Torphichen,	1848	1630	32	20	52	6	0	6	12	12	24	8
672	Uphall,	1507	2772	64	57	121	3	3	6	26	22	48	20
673	Whitburn—												
	(1) Whitburn,	5511	c.2250	27	29	56	4	1	5	23	24	47	10
	(2) Fauldhouse,		c.4661	90	98	188	7	9	16	40	35	75	18
	Total,	39045	41379	792	791	1583	72	62	134	423	431	854	218
	25. Edinburgh.												
†674	Borthwick,	1569	1494	22	26	48	2	3	5	14	12	26	5
675	Carrington,	681	712	10	7	17	3	1	4	7	10	17	4
†676	Cockpen,	2113	2481	64	53	117	3	2	5	30	27	57	17
677	Colinton,	2656	3644	71	59	130	12	11	23	123	99	222	25
678	Corstorphine,	1579	1788	37	23	60	2	4	6	15	17	32	9
†679	Cramond,	2695	3020	53	46	99	3	4	7	23	19	42	19
680	Cranston,	1035	1036	13	19	32	–	–	–	6	6	12	12
681	Crichton,	1304	1223	17	15	32	2	3	5	10	14	24	6
682	Currie,	2248	2360	42	46	88	6	5	11	26	20	46	11
683	Dalkeith,	7114	7667	125	122	247	8	9	17	90	88	178	66
*684	DUDDINGSTON—												
	(1) PORTOBELLO,	4366	5481	116	115	231	8	9	17	67	69	136	53
	(2) Landward,	857	970	17	14	31	1	4	5	8	7	15	6
*685	EDINBURGH—												
	(1) St George,	39759	51590	1119	1019	2138	67	42	109	535	550	1085	447
	Do. (Landward),	2309	3459	73	83	156	6	6	12	109	114	223	17
	(2) St Andrew,	38731	39781	647	641	1288	39	34	73	362	449	811	411
	(3) Canongate,	30169	33183	766	722	1488	148	103	251	675	559	1234	337
	(4) St Giles,	29679	31960	534	520	1054	40	41	81	411	365	776	356
	(5) Newington,	29797	41079	759	699	1458	47	39	86	459	545	1004	490
686	Fala and Soutra,	382	364	7	2	9	1	–	1	1	4	5	2
687	Glencorse,	1217	1153	37	26	63	3	2	5	7	6	13	17
688	Heriot,	407	414	8	5	13	–	–	–	3	4	7	1
689	INVERESK,	9518	10068	189	205	394	22	15	37	100	121	221	67
*690	Kirknewton and East-Calder,	1549	2213	50	44	94	3	3	6	39	19	58	9
691	Lasswade,	5688	7098	149	139	288	11	8	19	91	87	178	41
*692	LEITH—												
	(1) North Leith,	11562	16582	418	376	794	25	12	37	197	196	393	139
	(2) South Leith,	24467	29852	754	758	1512	47	44	91	420	402	822	323
†693	Liberton,	3510	3791	104	101	205	6	3	9	55	39	94	26
694	Mid-Calder,	1389	1634	33	14	47	2	2	4	6	23	29	8
†695	Newbattle,	2138	2424	50	39	89	1	3	4	20	18	38	16
696	Newton,	1553	1181	24	19	43	3	1	4	16	23	39	7
697	Penicuik,	3249	3765	79	90	169	6	2	8	29	51	80	26
698*a*	Ratho,	1659	1744	29	23	52	3	2	5	12	14	26	11

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Male	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
*698b	Stobhill,	2364	2447	70	56	126	7	5	12	33	30	63	11
†699	Stow,	1870	1957	32	37	69	1	2	3	19	17	36	8
†700	Temple,	682	658	9	15	24	2	1	3	7	7	14	1
701	West-Calder,	1927	7865	173	148	321	7	3	10	65	62	127	34
	Total,	273792	328138	6700	6326	13026	547	428	975	4090	4093	8183	3038
	26. Haddington.												
702	Aberlady,	1019	1022	10	16	26	–	–	–	8	12	20	4
703	Athelstaneford,	902	844	11	10	21	1	–	1	6	9	15	8
704	Bolton,	332	364	6	5	11	–	–	–	2	2	4	2
705	Dirleton,	1540	1419	22	13	35	–	–	–	13	10	23	11
706	DUNBAR,	4944	4982	92	83	175	12	10	22	54	63	117	30
707	Garvald,	891	832	13	9	22	–	1	1	2	4	6	1
708	Gladsmuir,	1945	1863	38	35	73	6	4	10	11	16	27	10
709	HADDINGTON,	5548	5735	71	72	143	6	4	10	55	65	120	27
710	Humbie,	997	967	15	12	27	2	1	3	5	7	12	–
711	Innerwick,	937	892	11	7	18	3	–	3	6	4	10	5
712	Morham,	281	204	4	5	9	–	2	2	1	3	4	2
713	NORTH BERWICK,	2071	2373	49	36	85	4	4	8	23	23	46	6
714	Oldhamstocks,	615	592	10	10	20	1	1	2	4	4	8	3
715	Ormiston,	915	911	15	17	32	–	1	1	7	9	16	12
716	Pencaitland,	1187	1320	29	28	57	5	2	7	11	17	28	4
717	Prestonkirk,	1960	1931	29	26	55	1	2	3	27	25	52	14
718	Prestonpans,	2080	2069	63	40	103	4	3	7	25	28	53	17
719	Salton,	712	647	5	8	13	2	–	2	5	4	9	1
720	Spott,	555	560	7	9	16	–	–	–	3	3	6	–
721	Stenton,	692	612	8	4	12	–	–	–	4	3	7	6
722	Tranent,	4647	4852	106	102	208	4	8	12	40	50	90	26
723	Whitekirk and Tynninghame,	1113	1073	12	13	25	1	–	1	8	11	19	10
724	Whittinghame	710	657	10	5	15	–	–	–	3	1	4	3
725	Yester,	1033	1034	14	14	28	2	3	5	5	3	8	5
	Total,	37626	37755	650	579	1229	54	46	100	328	376	704	207
	27. Berwick.												
726	Abbey St Bathans,	179	195	2	2	4	–	2	2	–	2	2	2
727	Ayton,	2014	1983	39	32	71	1	4	5	20	20	40	11
728	Bunkle and Preston,	756	764	15	9	24	3	1	4	3	6	9	5
729	Channelkirk,	671	705	13	6	19	1	1	2	1	6	7	5
730	Chirnside,	1502	1413	16	20	36	2	1	3	12	16	28	5
731	Cockburnspath,	1194	1133	17	20	37	2	3	5	7	6	13	2
732	Coldingham,	3241	3093	42	52	94	6	8	14	21	34	55	16
733	Coldstream,	2823	2619	32	35	67	5	–	5	16	16	32	14
734	Cranshaws,	134	142	–	2	2	–	1	1	–	–	–	–
735	Dunse,	3595	3602	50	37	87	4	4	8	40	41	81	16
736	Earlston,	1825	1977	34	19	53	1	3	4	11	17	28	11
737	Eccles,	1861	1780	15	16	31	2	2	4	15	11	26	6
738	Edrom,	1592	1513	20	16	36	1	2	3	10	8	18	9
739	Eyemouth,	1804	2372	52	64	116	5	4	9	26	18	44	18
740	Fogo,	559	502	10	11	21	1	4	5	4	6	10	2
741	Foulden,	431	425	5	5	10	1	–	1	2	3	5	1
742	Gordon,	931	876	14	22	36	2	3	5	10	7	17	4
743	Greenlaw,	1370	1381	11	16	27	1	1	2	10	14	24	2
744	Hume,	420	460	4	5	9	1	–	1	2	6	8	1
745	Hutton,	1067	1077	12	10	22	1	2	3	11	8	19	7
746	Ladykirk,	564	518	9	7	16	1	2	3	2	2	4	1

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
747	Langton,	502	548	4	8	12	1	1	2	2	5	7	3
748	LAUDER,	2198	2120	21	37	58	–	5	5	14	26	40	11
749	Legerwood,	599	525	12	6	18	–	1	1	6	7	13	4
750	Longformacus,	448	452	5	7	12	1	3	4	4	2	6	3
751	Merton,	729	734	10	8	18	1	1	2	7	7	14	3
752	Mordington,	377	402	10	7	17	2	1	3	3	–	3	2
753	Nenthorn,	461	434	4	5	9	–	1	1	5	1	6	4
754	Polwarth,	251	249	3	3	6	–	–	–	2	2	4	–
755	Swinton,	964	996	14	15	29	1	2	3	9	13	22	3
756	Westruther,	786	784	4	9	13	–	1	1	1	7	8	4
757	Whitsome,	640	608	8	5	13	1	1	2	1	3	4	1
	Total,	36488	36382	507	516	1023	48	65	113	277	320	597	171
	28. Peebles.												
758	Broughton (merged in 763),												
759	Drumelzier,	209	221	3	6	9	1	–	1	1	–	1	1
760	Eddlestone,	753	700	12	13	25	1	–	1	4	1	5	4
761	Glenholm (merged in 763),												
†762	Innerleithen,	1787	2776	53	47	100	5	–	5	21	39	60	25
763	Kilbucho, Broughton, and Glenholm,	723	729	10	7	17	1	–	1	2	5	7	–
764	Kirkurd,	362	294	3	6	9	–	–	–	2	3	5	1
765	Lyne, etc.—(1) Lyne,	81	104	1	6	7	–	–	–	–	–	–	1
	(2) Megget,	53	70	1	–	1	–	–	–	1	–	1	–
766	Manor,	247	271	4	5	9	–	1	1	1	1	2	1
767	Newlands,	987	851	12	11	23	2	1	3	6	6	12	1
768	PEEBLES,	2850	3172	47	64	111	4	6	10	22	37	59	24
769	Skirling,	317	325	2	3	5	–	1	1	2	–	2	–
770	Stobo,	478	459	13	9	22	1	–	1	5	1	6	1
771	Traquair,	687	669	13	19	32	–	2	2	4	8	12	4
772	Tweedsmuir,	196	190	4	2	6	–	–	–	–	–	–	1
773	West Linton,	1534	1387	15	18	33	2	2	4	5	13	18	6
	Total,	11264	12218	193	216	409	17	13	30	76	114	190	70
	29. Selkirk.												
*774*a*	Caddonfoot,	610	699	15	17	32	–	1	1	3	4	7	3
774*b*	Ettrick,	454	434	2	7	9	–	–	–	4	1	5	3
†775	GALASHIELS,	3268	5921	130	140	270	9	10	19	56	60	116	59
776*a*	Kirkhope,	535	565	6	5	11	–	–	–	1	5	6	3
*776*b*	LADHOPE,	4154	5317	130	125	255	11	11	22	72	77	149	53
777	Roberton,	640	593	6	9	15	–	–	–	6	6	12	3
†778	SELKIRK,	4646	5555	129	118	247	7	11	18	96	79	175	48
†779	Yarrow,	574	567	6	7	13	–	–	–	4	9	13	3
	Total,	14901	19651	424	428	852	27	33	60	242	241	483	175
	VIII. SOUTHERN.												
	30. Roxburgh.												
780	Ancrum,	1511	1391	20	23	43	2	1	3	8	10	18	3
781	Ashkirk,	578	550	7	5	12	2	–	2	7	2	9	3
782	Bedrule,	222	292	2	3	5	1	–	1	3	2	5	3
783	Bowden,	864	842	10	9	19	–	–	–	6	7	13	1
784	Castleton,	3688	2202	35	30	65	6	–	6	19	15	34	9
785	Cavers,	*c.*1136	*c.*910	15	13	28	3	1	4	6	3	9	3
786	Crailing,	673	657	6	7	13	–	–	–	6	4	10	4
787*a*	Eckford,	957	931	20	10	30	2	2	4	6	6	12	7
*787*b*	Edgerston,	359	365	3	6	9	–	–	–	2	1	3	2

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861	1871	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
788	Ednam,	599	613	5	5	10	1	1	2	2	3	5	4
789	HAWICK,	8726	8733	195	189	384	18	22	40	114	130	244	52
790	Hobkirk,	771	718	7	7	14	2	–	2	1	5	6	3
791	Hownam,	289	238	6	4	10	–	–	–	4	3	7	2
†792	JEDBURGH,	5011	4971	75	78	153	5	5	10	34	52	86	23
793	Kelso,	5192	5124	94	86	180	11	12	23	58	70	128	22
794	Kirkton,	c.1109	c.853	11	12	23	1	2	3	3	6	9	1
795	Lilliesleaf,	772	788	14	8	22	–	2	2	4	4	8	3
796	Linton,	608	570	7	4	11	2	1	3	1	1	2	4
797	Makerston,	380	361	6	3	9	–	–	–	1	2	3	1
798	Maxton,	497	481	9	7	16	–	–	–	3	2	5	1
799	Melrose,	3500	4115	57	67	124	5	10	15	49	43	92	16
800	Minto,	430	431	8	9	17	–	3	3	7	2	9	2
801	Morebattle,	1031	986	16	17	33	2	5	7	4	6	10	5
†802	Oxnam,	592	652	9	9	18	1	–	1	6	2	8	1
803	Roxburgh,	1178	1053	15	16	31	–	2	2	9	4	13	2
804	St Boswells,	922	973	12	12	24	–	1	1	6	5	11	5
805	Smailholm,	554	534	2	7	9	1	1	2	3	1	4	8
†806	Southdean,	687	674	15	6	21	1	–	1	4	4	8	2
807	Sprouston,	1305	1294	9	14	23	–	2	2	6	14	20	3
808	Stitchel,	425	388	6	3	9	1	–	1	6	1	7	2
809	Teviothead,	438	515	5	10	15	–	1	1	1	–	1	–
810	WILTON,	3357	3936	104	104	208	12	8	20	67	49	116	30
811	Yetholm,	1207	1100	19	16	35	4	2	6	11	14	25	12
	Total,	49568	48241	824	799	1623	83	84	167	467	473	940	239
	31. Dumfries.												
†812	ANNAN,	5113	4631	63	63	126	5	12	17	42	52	94	31
813*a*	Applegarth,	935	902	16	14	30	4	–	4	9	7	16	4
*813*b*	BRYDEKIRK,	779	731	12	9	21	3	2	5	8	8	16	5
814	Canonbie,	3219	3055	44	43	87	4	4	8	19	23	42	22
815	Carlaverock,	1248	1151	12	13	25	1	4	5	9	17	26	4
816	Closeburn,	1651	1612	22	27	49	3	3	6	13	15	28	12
†817	Cummertrees,	1184	1072	12	18	30	2	3	5	11	5	16	5
818	Dalton,	679	577	4	7	11	–	2	2	3	3	6	2
819	Dornock,	856	826	11	12	23	–	5	5	5	5	10	6
820	Dryfesdale,	2509	2825	49	43	92	5	3	8	35	41	76	12
821	DUMFRIES,	13523	14841	272	268	540	38	47	85	238	212	450	128
822	Dunscore,	1554	1504	17	18	35	2	2	4	9	15	24	12
823	Durrisdeer,	1320	1189	14	21	35	1	4	5	11	17	28	6
824	Eskdalemuir,	590	551	7	6	13	1	–	1	8	4	12	3
825	Ewes,	356	338	7	9	16	–	–	–	2	2	4	1
826	Glencairn,	1867	1749	30	22	52	1	2	3	22	21	43	12
827	Graitney (or Gretna),	1620	1395	18	20	38	8	3	11	12	13	25	11
828	Halfmorton,	713	611	7	10	17	1	3	4	1	3	4	3
†829	Hoddom,	1568	1520	22	25	47	2	1	3	8	7	15	11
830	Holywood,	1115	1069	23	14	37	2	2	4	12	5	17	5
831	Hutton,	876	842	11	12	23	1	2	3	3	5	8	5
832	Johnstone,	1149	1089	17	15	32	3	2	5	6	11	17	6
833	Keir,	849	828	8	10	18	1	–	1	11	6	17	6
834	Kirkconnel,	996	952	21	14	35	1	–	1	10	8	18	7
835	Kirkmahoe,	1462	1332	17	19	36	1	4	5	11	23	34	13
836	Kirkmichael,	1026	903	11	15	26	2	3	5	6	11	17	4
837	Kirkpatrick-Fleming—												
	(1) Northern District,	493	393	9	4	13	1	–	1	6	4	10	1
	(2) Southern District,	1432	1136	12	22	34	–	1	1	7	11	18	12
838	Kirkpatrick-Juxta,	1025	1091	28	9	37	6	2	8	11	5	16	5
839	Langholm,	2979	3735	70	72	142	5	4	9	42	41	83	14

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
840	LOCHMABEN,	3087	3085	44	43	87	9	10	19	32	28	60	19
841	Middlebie,	2004	2000	34	20	54	6	1	7	15	17	32	11
842	Moffat,	2232	2543	27	34	61	3	3	6	23	28	51	15
843	Morton,	2253	2099	33	36	69	4	1	5	22	20	42	12
844	Mouswald,	633	647	3	7	10	–	1	1	3	2	5	2
845	Penpont,	1326	1323	20	16	36	2	2	4	11	11	22	13
846	Ruthwell,	1046	974	11	14	25	1	2	3	4	6	10	8
847	St Mungo,	686	658	7	9	16	1	2	3	4	5	9	5
†848	SANQUHAR,	2758	2201	33	32	65	4	2	6	19	20	39	19
849	Tinwald,	1079	993	16	14	30	5	3	8	12	8	20	10
850	Torthorwald,	1254	1098	19	18	37	11	8	19	10	13	23	8
851	Tundergarth,	507	510	9	11	20	3	2	5	8	6	14	3
852	Tynron,	446	381	8	3	11	1	1	2	2	3	5	2
853*a*	Wamphray,	559	505	4	11	15	–	3	3	2	1	3	7
*853*b*	Wanlockhead,	811	837	15	8	23	1	1	2	9	7	16	6
854	Westerkirk,	537	540	6	6	12	–	–	–	2	3	5	3
	Total,	75904	74842	1155	1136	2291	155	162	317	768	778	1546	511
	32. Kirkcudbright.												
855	Anwoth,	899	827	9	12	21	–	1	1	5	6	11	1
†856	Balmaclellan,	890	861	6	11	17	–	4	4	5	7	12	3
857*a*	Balmaghie,	1225	1085	16	8	24	3	1	4	9	5	14	5
*857*b*	Bargrennan,	471	428	5	5	10	–	–	–	3	1	4	3
858	Borgue,	1162	1087	19	18	37	1	3	4	6	5	11	9
859	Buittle,	1165	1026	26	21	47	5	2	7	10	4	14	6
860	Carsphairn,	553	545	4	12	16	–	–	–	3	4	7	3
861	Colvend,	1366	1318	18	23	41	3	2	5	11	9	20	7
*862	Corsock-Bridge,	544	563	9	7	16	3	–	3	3	5	8	2
863	Crossmichael,	1536	1492	22	26	48	5	6	11	14	18	32	6
*864	Dalbeattie,	2054	3163	75	68	143	5	7	12	41	38	79	24
865	Dalry,	1149	1074	17	9	26	4	5	9	9	7	16	9
866	Girthon,	1702	1586	18	24	42	6	5	11	15	11	26	8
867	Irongray,	913	815	11	10	21	1	3	4	7	9	16	5
868	KELLS,	1170	1007	7	7	14	–	1	1	5	7	12	4
869	Kelton,	3436	3222	55	48	103	5	9	14	45	37	82	22
870	Kirkbean,	942	825	13	14	27	1	1	2	10	6	16	4
871	KIRKCUDBRIGHT,	3407	3346	54	45	99	9	9	18	32	42	74	18
872	Kirkgunzeon,	793	661	8	8	16	–	–	–	9	4	13	4
873	Kirkmabreck,	1851	1568	30	32	62	3	4	7	20	13	33	11
†874	Kirkpatrick-Durham,	1323	1218	17	16	33	4	3	7	8	7	15	6
875	Lochrutton,	677	656	10	15	25	2	4	6	7	9	16	7
†876	Minnigaff,	1518	1329	29	20	49	3	3	6	14	16	30	16
877	New Abbey,	1063	931	11	10	21	1	3	4	8	9	17	4
†878	Parton,	572	526	8	2	10	–	1	1	7	1	8	1
879	Rerrick,	1738	1911	24	27	51	4	3	7	16	18	34	13
880	TERREGLES,	580	547	4	5	9	–	1	1	7	5	12	2
881	Tongland,	892	908	5	8	13	1	–	1	6	6	12	6
882	TROQUEER,	4743	5402	86	100	186	11	11	22	60	60	120	27
883	Twynholm,	815	717	3	9	12	–	1	1	4	7	11	6
†884	Urr,	1531	1443	15	19	34	5	4	9	12	8	20	11
	Total,	42680	42087	634	689	1273	85	97	182	411	384	795	253
	33. Wigtown.												
855	Glasserton,	1472	1196	23	21	44	5	1	6	11	14	25	7
†886	Inch,	2460	2189	32	23	55	6	3	9	18	13	31	18
887	Kirkcolm,	1860	1948	31	34	65	2	7	9	25	20	45	14

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
888	Kirkcowan, . . .	1434	1352	18	20	38	3	5	8	4	17	21	7
889	Kirkinner, . . .	1716	1548	22	31	53	4	8	12	10	19	29	11
890	Kirkmaiden, . . .	2333	2507	44	36	80	6	3	9	23	27	50	14
†891	Leswalt, . .	1417	1249	24	22	46	2	7	9	8	9	17	7
892	Mochrum, . . .	2694	2450	40	28	68	4	8	12	29	18	47	24
893	New Luce, . . .	731	661	21	14	35	5	4	9	4	6	10	6
894	Old Luce (or Glenluce), .	2800	2449	31	47	78	5	13	18	22	17	39	16
†895	Penninghame, . .	3876	3712	58	56	114	7	7	14	33	30	63	18
896	Portpatrick, . . .	2189	1492	19	20	39	6	4	10	11	14	25	8
897	Sorbie, ...	1814	1667	32	26	58	3	3	6	12	14	26	14
898	Stoneykirk, . . .	3228	2993	34	51	85	7	9	16	22	21	43	17
*899	STRANRAER, . .	6315	5977	107	86	193	6	5	11	88	68	156	43
900	WHITHORN, . .	2934	2906	47	41	88	10	8	18	31	40	71	8
901	WIGTOWN, . . .	2637	2306	33	32	65	3	6	9	17	20	37	6
	Total,	41910	38602	616	588	1204	84	101	185	368	367	735	238

MARRIAGES registered in SCOTLAND in 1878, according to the Rites of the several Religious Denominations, with the Conditions of Parties, and the Number of Men and Women who signed the Register with Marks.

DISTRICTS, DIVISIONS, AND COUNTIES.	Total Marriages.	Regular Marriages according to the Rites of							Irregular Marriages.	Condition of Parties.					Signed the Register by Marks.	
		Established Church.	Free Church.	United Presbyterian Church.	Episcopalians.	Roman Catholic Church.	Other Denominations.	Not stated.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Not stated.	Men.	Women.
SCOTLAND	24358	11330	5431	3013	653	2181	1350	12	388	20809	691	2083	752	23	1674	3519
GROUPS OF DISTRICTS.																
PRINCIPAL TOWNS	9727	3738	2017	1285	398	1201	714	10	364	8029	392	897	406	3	731	1715
LARGE TOWNS	2942	1279	586	401	97	359	208	–	12	2509	88	251	94	–	225	453
SMALL TOWNS	5150	2508	1067	731	94	441	297	1	11	4444	116	427	158	5	365	728
MAINLAND-RURAL	5938	3543	1536	540	64	142	111	1	1	5320	89	432	85	12	227	419
INSULAR-RURAL	601	262	225	56	–	38	20	–	–	507	6	76	9	3	126	204
DIVISIONS.																
I. NORTHERN	611	222	269	73	1	–	45	–	1	539	4	55	12	1	22	60
II. NORTH-WESTERN	813	208	535	7	4	54	4	–	1	709	15	77	10	2	184	312
III. NORTH-EASTERN	2604	1537	615	140	102	47	146	1	16	2266	61	221	55	1	41	148
IV. EAST MIDLAND	3569	1803	676	546	126	135	211	2	70	3043	88	330	104	4	128	338
V. WEST MIDLAND	1575	790	366	173	28	169	47	–	2	1359	38	126	43	9	111	213
VI. SOUTH-WESTERN	10066	4312	1840	1329	233	1462	705	8	177	8496	343	824	402	1	1013	2111
VII. SOUTH-EASTERN	3879	1729	874	586	141	273	157	1	118	3324	124	325	103	3	144	270
VIII. SOUTHERN	1241	729	256	159	18	41	35	–	3	1073	18	125	23	2	31	67
COUNTIES.																
1 Shetland	147	94	27	15	–	–	11	–	–	121	1	23	2	–	8	23
2 Orkney	192	66	49	55	1	–	20	–	1	172	2	13	5	–	–	5
3 Caithness	181	50	114	3	–	–	14	–	–	165	–	12	4	–	10	18
4 Sutherland	91	12	79	–	–	–	–	–	–	81	1	7	1	1	4	14
5 Ross and Cromarty	377	54	314	4	2	–	3	–	–	338	5	31	3	–	95	158
6 Inverness	436	154	221	3	2	54	1	–	1	371	10	46	7	2	89	154
7 Nairn	42	19	17	2	–	2	2	–	–	37	2	3	–	–	4	8
8 Elgin	257	127	94	20	2	3	10	–	1	221	2	27	7	–	6	23
9 Banff	348	200	85	27	8	20	5	1	2	315	5	24	4	–	12	29
10 Aberdeen	1743	1031	378	87	88	22	124	–	13	1499	51	151	41	1	15	75
11 Kincardine	214	160	41	4	4	–	5	–	–	194	1	16	3	–	4	13
12 Forfar	1685	739	295	245	104	97	140	1	64	1408	53	159	65	–	85	242
13 Perth	719	394	184	87	13	17	17	1	6	616	14	73	13	3	13	33
14 Fife	997	585	167	181	7	14	43	–	–	871	19	85	21	1	22	50
15 Kinross	42	16	12	13	1	–	–	–	–	38	–	2	2	–	–	–
16 Clackmannan	126	69	18	20	1	7	11	–	–	110	2	11	3	–	8	13
17 Stirling	686	358	148	90	8	51	29	–	2	589	20	52	22	3	39	81
18 Dumbarton	457	201	88	54	10	93	11	–	–	406	8	34	9	–	44	79
19 Argyll	331	176	102	25	9	13	6	–	–	283	8	27	8	5	28	53
20 Bute	101	55	28	4	1	12	1	–	–	81	2	13	4	1	–	–
21 Renfrew	1592	660	299	173	71	277	96	–	16	1354	49	122	67	–	178	337
22 Ayr	1348	757	246	156	13	103	73	–	–	1176	23	107	42	–	113	196
23 Lanark	7126	2895	1295	1000	149	1082	536	8	161	5966	271	595	293	1	722	1578
24 Linlithgow	218	108	45	30	1	23	9	–	2	191	4	12	11	–	9	29
25 Edinburgh	3038	1275	734	436	135	222	121	1	114	2563	113	271	88	3	115	218
26 Haddington	207	130	43	23	–	9	2	–	–	193	1	13	–	–	14	18
27 Berwick	171	82	26	47	2	1	11	–	2	159	2	9	1	–	2	2
28 Peebles	70	42	7	10	1	7	3	–	–	61	3	6	–	–	1	2
29 Selkirk	175	92	19	40	2	11	11	–	–	157	1	14	3	–	3	1
30 Roxburgh	239	124	46	49	7	2	11	–	–	208	3	24	4	–	1	3
31 Dumfries	511	275	108	77	7	23	19	–	2	432	8	56	13	2	9	23
32 Kirkcudbright	253	166	52	21	2	10	1	–	1	230	1	18	4	–	3	8
33 Wigtown	238	164	50	12	2	6	4	–	–	203	6	27	2	–	18	33

CONDITION and AGE of PERSONS married in SCOTLAND in 1878.

CONDITION AND AGE OF PERSONS MARRIED IN SCOTLAND IN 1878.

CONDITION.	Total Marriages.	AGES AT MARRIAGE.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Bachelors with Spinsters.	20809	–	–	–	26	143	565	1137	8397	6740	2222	914	379	147	80	33	12	5	4	–	1	1	3
	20809	–	4	56	325	1008	1746	2198	8726	4813	1246	480	136	50	14	4	1	–	–	–	–	–	2
Bachelors with Widows.	691	–	–	–	–	–	1	4	90	204	167	110	58	37	8	8	2	1	1	–	–	–	–
	691	–	–	–	–	–	–	1	52	171	197	141	85	24	12	6	–	2	–	–	–	–	–
Widowers with Spinsters.	2083	–	–	–	–	–	–	–	48	268	380	401	322	248	185	108	84	28	6	5	–	–	–
	2083	–	–	2	7	11	26	49	314	516	398	360	217	115	44	18	2	3	1	–	–	–	–
Widowers with Widows.	752	–	–	–	–	–	–	–	3	42	96	121	139	122	97	67	37	21	5	1	1	–	–
	752	–	–	–	–	–	–	1	16	75	134	175	157	103	57	22	9	3	–	–	–	–	–
Condition not stated. Men.	23	–	–	–	–	–	1	–	3	6	5	3	2	–	1	–	–	–	–	–	–	–	2
Condition not stated. Women.	23	–	–	–	–	–	–	2	11	3	2	2	1	–	–	1	–	–	–	–	–	–	1
Total Men.....	24358	–	–	–	26	143	567	1141	8541	7260	2870	1549	900	554	371	216	135	55	16	6	2	1	5
Total Women...	24358	–	4	58	332	1019	1772	2251	9119	5578	1977	1158	596	292	127	51	12	8	1	–	–	–	3

AGES of MALES married in Scotland in 1878.

	Total Males.	AGES OF MALES MARRIED IN SCOTLAND IN 1878.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . . .	24358	–	–	–	26	143	567	1141	8541	7260	2870	1549	900	554	371	216	135	55	16	6	2	1	5
GROUPS OF DISTRICTS.																							
Principal Towns .	9727	–	–	–	16	66	272	499	3268	2952	1143	606	365	232	140	92	45	23	4	–	2	1	1
Large Towns . .	2942	–	–	–	3	15	53	134	1133	843	317	173	111	62	48	26	21	2	1	–	–	–	–
Small Towns . .	5150	–	–	–	3	28	115	221	1976	1502	516	321	180	119	69	42	33	17	5	2	–	–	1
Mainland-Rural .	5938	–	–	–	4	31	121	280	2053	1764	778	385	210	119	91	47	32	11	6	3	–	–	3
Insular-Rural .	601	–	–	–	–	3	6	7	111	199	116	64	34	22	23	9	4	2	–	1	–	–	–
DIVISIONS.																							
1. Northern . .	611	–	–	–	–	4	13	21	156	195	95	50	34	21	8	5	4	2	2	1	–	–	–
2. North-Western .	813	–	–	–	–	–	6	9	149	254	174	95	49	23	38	9	5	1	–	1	–	–	–
3. North-Eastern .	2604	–	–	–	4	9	43	101	869	819	328	174	92	63	32	32	25	7	4	1	–	–	1
4. East Midland .	3569	–	–	–	5	14	88	180	1356	990	369	243	129	62	64	29	27	8	1	2	–	–	2
5. West Midland .	1575	–	–	–	–	7	24	58	520	505	201	107	65	38	22	15	9	1	2	–	–	–	1
6. South-Western .	10066	–	–	–	14	79	295	548	3792	2865	1098	559	338	207	130	75	42	17	5	1	–	–	1
7. South-Eastern .	3879	–	–	–	3	19	72	167	1287	1266	449	246	147	103	54	34	15	14	–	–	2	1	–
8. Southern . .	1241	–	–	–	–	11	26	57	412	366	156	75	46	37	23	17	8	5	2	–	–	–	–
COUNTIES.																							
Shetland . . .	147	–	–	–	–	–	–	2	36	50	21	13	11	6	4	2	1	–	–	1	–	–	–
Orkney . .	192	–	–	–	–	3	7	4	56	60	26	13	10	7	1	1	1	2	1	–	–	–	–
Caithness . . .	181	–	–	–	–	1	6	15	51	49	27	11	8	8	2	1	1	–	1	–	–	–	–
Sutherland . .	91	–	–	–	–	–	–	–	13	36	21	13	5	–	1	1	1	–	–	–	–	–	–
Ross and Cromarty .	377	–	–	–	–	–	3	6	68	115	91	43	18	8	17	4	3	–	–	1	–	–	–
Inverness . .	436	–	–	–	–	–	3	3	81	139	83	52	31	15	21	5	2	1	–	–	–	–	–

AGES of MALES married in Scotland in 1878.

Nairn	42	–	–	–	–	–	–	2	7	19	8	2	2	–	1	–	–	–	1	–	–	–	–
Elgin	257	–	–	–	–	–	1	8	74	78	43	17	14	8	6	3	3	1	1	–	–	–	–
Banff	348	–	–	–	–	–	11	13	121	121	37	19	7	6	2	5	4	2	–	–	–	–	–
Aberdeen	1743	–	–	–	4	9	29	67	595	533	212	118	63	48	20	20	18	3	2	1	–	–	1
Kincardine	214	–	–	–	–	–	2	11	72	68	28	18	6	1	3	4	–	1	–	–	–	–	–
Forfar	1685	–	–	–	3	8	47	93	638	473	156	111	61	31	32	12	16	3	–	–	–	–	1
Perth	719	–	–	–	1	2	9	28	217	207	108	67	31	11	20	7	7	2	–	1	–	–	1
Fife	997	–	–	–	–	4	28	53	437	254	92	59	27	18	9	8	4	2	1	1	–	–	–
Kinross	42	–	–	–	1	–	–	3	17	11	3	2	2	–	2	–	–	1	–	–	–	–	–
Clackmannan	126	–	–	–	–	–	4	3	47	45	10	4	8	2	1	2	–	–	–	–	–	–	–
Stirling	686	–	–	–	–	4	16	32	262	211	67	40	30	11	5	3	4	–	–	–	–	–	1
Dumbarton	457	–	–	–	–	1	3	18	170	153	48	24	12	15	5	4	3	–	1	–	–	–	–
Argyll	331	–	–	–	–	1	2	7	57	117	69	34	16	11	9	6	1	1	–	–	–	–	–
Bute	101	–	–	–	–	1	3	1	31	24	17	9	7	1	3	2	1	–	1	–	–	–	–
Renfrew	1592	–	–	–	1	12	53	85	610	465	150	89	49	29	25	10	6	4	4	–	–	–	–
Ayr	1348	–	–	–	–	9	29	76	540	365	130	78	40	35	24	11	8	2	–	1	–	–	–
Lanark	7126	–	–	–	13	58	213	387	2642	2035	818	392	249	143	81	54	28	11	1	–	–	–	1
Linlithgow	218	–	–	–	–	–	6	11	93	55	23	10	6	7	2	3	1	1	–	–	–	–	–
Edinburgh	3038	–	–	–	3	14	54	124	941	1026	364	206	127	83	43	26	11	13	–	–	2	1	–
Haddington	207	–	–	–	–	2	3	8	95	51	27	8	3	5	2	2	1	–	–	–	–	–	–
Berwick	171	–	–	–	–	1	2	8	61	64	14	6	4	4	4	3	–	–	–	–	–	–	–
Peebles	70	–	–	–	–	–	3	5	28	20	3	3	4	3	–	–	1	–	–	–	–	–	–
Selkirk	175	–	–	–	–	2	4	11	69	50	18	13	3	1	3	–	1	–	–	–	–	–	–
Roxburgh	239	–	–	–	–	1	4	10	98	67	25	15	5	3	3	3	3	1	1	–	–	–	–
Dumfries	511	–	–	–	–	5	5	19	159	162	70	25	27	19	11	4	1	3	1	–	–	–	–
Kirkcudbright	253	–	–	–	–	4	5	11	81	80	28	18	8	7	4	4	2	1	–	–	–	–	–
Wigtown	238	–	–	–	–	1	12	17	74	57	33	17	6	8	5	6	2	–	–	–	–	–	–

AGES of FEMALES married in Scotland in 1878.

	Total Females	AGES OF FEMALES MARRIED IN SCOTLAND IN 1878.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland	24358	–	4	58	332	1019	1772	2251	9119	5578	1977	1158	596	292	127	51	12	8	1	–	–	–	3
GROUPS OF DISTRICTS.																							
Principal Towns	9727	–	1	27	143	448	759	865	3603	2133	805	481	257	106	60	32	5	–	1	–	–	–	1
Large Towns	2942	–	–	6	45	127	201	314	1104	645	218	147	76	39	15	4	–	1	–	–	–	–	–
Small Towns	5150	–	2	16	61	233	397	507	1958	1115	387	226	119	83	27	13	2	3	–	–	–	–	1
Mainland-Rural	5938	–	1	8	80	191	390	531	2269	1506	481	266	126	56	21	2	5	4	–	–	–	–	1
Insular-Rural	601	–	–	1	3	20	25	34	185	179	86	38	18	8	4	–	–	–	–	–	–	–	–
DIVISIONS.																							
1. Northern	611	–	–	–	4	20	33	34	188	182	75	42	17	10	5	1	–	–	–	–	–	–	–
2. North-Western	813	–	–	1	8	17	28	55	270	250	105	47	25	5	1	–	–	1	–	–	–	–	–
3. North-Eastern	2604	–	–	7	38	86	177	215	962	655	208	131	77	21	18	5	1	2	–	–	–	–	1
4. East Midland	3569	–	1	2	27	106	202	292	1444	810	325	180	88	56	18	7	6	3	–	–	–	–	2
5. West Midland	1575	–	1	2	18	60	134	153	582	364	115	75	42	20	7	2	–	–	–	–	–	–	–
6. South-Western	10066	–	1	36	176	529	879	1082	3769	2026	739	423	224	119	38	21	4	–	–	–	–	–	–
7. South-Eastern	3879	–	1	8	53	163	250	316	1423	980	308	196	87	48	32	13	–	–	1	–	–	–	–
8. Southern	1241	–	–	2	8	38	69	104	481	311	102	64	36	13	8	2	1	2	–	–	–	–	–
COUNTIES.																							
Shetland	147	–	–	–	–	2	10	5	44	45	19	10	8	3	1	–	–	–	–	–	–	–	–
Orkney	192	–	–	–	2	10	10	10	56	55	26	15	2	5	–	1	–	–	–	–	–	–	–
Caithness	181	–	–	–	2	8	11	13	56	51	19	12	5	2	2	–	–	–	–	–	–	–	–
Sutherland	91	–	–	–	–	–	2	6	32	31	11	5	2	–	2	–	–	–	–	–	–	–	–
Ross and Cromarty	377	–	–	–	6	8	11	25	135	110	49	21	9	3	–	–	–	–	–	–	–	–	–
Inverness	436	–	–	1	2	9	17	30	135	140	56	26	16	2	1	–	–	1	–	–	–	–	–

AGES of FEMALES married in Scotland in 1878.

Nairn . . .	42	–	–	–	1	–	–	3	10	16	8	3	–	–	1	–	–	–	–	–	–	–	–
Elgin . . .	257	–	–	2	–	10	14	15	89	75	18	16.	12	4	1	–	–	1	–	–	–	–	–
Banff . . .	348	–	–	–	3	12	25	26	150	77	28	15	9	1	1	1	–	–	–	–	–	–	–
Aberdeen . .	1743	–	–	4	31	57	124	158	643	412	134	92	51	16	14	4	1	1	–	–	–	–	1
Kincardine . .	214	–	–	1	3	7	14	13	70	75	20	5	5	–	1	–	–	–	–	–	–	–	–
Forfar . . .	1685	–	–	2	15	57	94	150	690	361	136	96	44	22	11	5	2	–	–	–	–	–	–
Perth . . .	719	–	–	–	5	19	38	42	258	188	89	38	19	13	6	1	–	2	–	–	–	–	1
Fife . . .	997	–	1	–	5	22	56	89	420	233	86	35	25	20	1	1	2	1	–	–	–	–	–
Kinross . . .	42	–	–	–	–	2	5	2	17	8	5	2	–	–	–	–	1	–	–	–	–	–	–
Clackmannan . .	126	–	–	–	2	6	9	9	59	20	9	9	–	1	–	–	1	–	–	–	–	–	1
Stirling . . .	686	–	–	1	14	33	69	71	267	129	40	30	21	10	–	1	–	–	–	–	–	–	–
Dumbarton . .	457	–	1	–	1	13	44	49	178	109	25	20	10	5	2	–	–	–	–	–	–	–	–
Argyll . . .	331	–	–	1	3	5	17	23	106	104	39	19	7	4	3	–	–	–	–	–	–	–	–
Bute . . .	101	–	–	–	–	9	4	10	31	22	11	6	4	1	2	1	–	–	–	–	–	–	–
Renfrew . . .	1592	–	–	6	25	86	154	171	598	324	100	62	41	14	6	4	1	–	–	–	–	–	–
Ayr . . .	1348	–	–	1	13	70	120	144	516	268	92	59	34	22	5	3	1	–	–	–	–	–	–
Lanark . . .	7126	–	1	29	138	373	605	767	2655	1434	547	302	149	83	27	14	2	–	–	–	–	–	–
Linlithgow . .	218	–	–	2	5	7	22	23	86	39	16	8	2	6	2	–	–	–	–	–	–	–	–
Edinburgh . .	3038	–	1	5	41	136	194	230	1079	781	253	168	79	33	25	12	–	–	1	–	–	–	–
Haddington . .	207	–	–	–	5	4	11	26	77	55	14	8	2	3	1	1	–	–	–	–	–	–	–
Berwick . . .	171	–	–	–	–	6	10	13	73	48	11	5	1	2	2	–	–	–	–	–	–	–	–
Peebles . . .	70	–	–	–	1	2	5	6	30	17	4	1	2	1	1	–	–	–	–	–	–	–	–
Selkirk . . .	175	–	–	1	1	8	8	18	78	40	10	6	1	3	1	–	–	–	–	–	–	–	–
Roxburgh . .	239	–	–	–	–	7	8	27	102	63	9	11	6	3	1	1	–	1	–	–	–	–	–
Dumfries . .	511	–	–	–	1	6	33	40	194	125	51	32	20	5	3	1	–	–	–	–	–	–	–
Kirkcudbright .	253	–	–	–	2	14	16	13	98	68	19	14	3	2	3	–	1	–	–	–	–	–	–
Wigtown . .	238	–	–	2	5	11	12	24	87	55	23	7	7	3	1	–	–	1	–	–	–	–	–

DEATHS at Different Ages in SCOTLAND during the YEAR 1878.—BOTH SEXES.

	POPULATION.		BOTH SEXES.												
			ALL AGES.	AGE UNDER											
				MONTHS.											
	1861.	1871.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	3062294	3360018	76793	7382	2810	5407	6973	3065	1980	1324	3446	1973	2559	2632	2450
Principal Towns	884955	1068556	29425	2932	1247	2518	3392	1468	857	570	1361	726	952	1018	966
Large Towns	274381	334257	10188	1026	375	855	1139	486	346	236	520	248	316	314	314
Small Towns .	704380	776087	17005	1639	611	1144	1416	630	422	285	775	485	653	620	562
Mainland-Rural	1061793	1049114	18212	1618	545	844	959	448	320	220	735	480	575	615	550
Insular-Rural .	136785	132004	1963	167	32	46	67	33	35	13	55	34	63	65	58
Shetland . .	31670	31608	433	25	5	12	11	7	7	1	12	6	10	17	11
Orkney . .	32395	31274	490	24	6	7	12	3	8	3	15	11	19	16	13
Caithness .	42200	41011	596	36	20	23	28	13	8	5	19	15	14	23	12
Sutherland .	24157	23298	347	17	10	6	8	7	6	1	4	4	6	16	11
Ross & Cromarty	82427	82093	1235	83	28	39	42	23	19	12	28	15	26	43	40
Inverness .	84815	84258	1371	131	25	50	58	26	20	16	49	19	39	52	40
Nairn . .	8347	8372	173	23	3	8	8	1	4	1	2	2	2	4	8
Elgin . .	44305	44549	766	59	21	28	36	17	11	8	25	20	21	27	24
Banff . .	56020	58883	884	78	24	39	45	25	12	14	47	20	25	21	37
Aberdeen .	223417	246298	4626	505	181	288	340	135	114	70	192	132	147	152	143
Kincardine .	34781	35097	579	48	21	29	24	15	8	8	26	13	16	18	14
Forfar . .	206750	240049	5316	558	225	344	436	182	134	94	221	135	164	168	138
Perth . .	133198	128550	2433	189	65	97	91	49	33	33	84	48	92	77	64
Fife . . .	155021	160924	2963	287	95	183	224	76	60	45	99	80	100	75	75
Kinross . .	8731	7918	176	13	3	2	5	6	4	7	13	7	3	8	7
Clackmannan .	20122	22235	494	54	31	48	59	25	9	4	9	17	17	21	12
Stirling . .	88138	93345	2193	212	84	137	194	103	58	45	122	72	81	82	61
Dumbarton .	54179	61116	1496	123	53	92	157	67	42	29	77	44	59	70	49
Argyll . .	83859	79661	1519	83	31	48	59	30	29	12	44	35	44	67	61
Bute . .	16311	16966	376	17	9	14	18	8	1	3	10	10	15	13	18
Renfrew . .	168746	195305	5143	434	186	364	485	226	139	117	300	153	211	210	192
Ayr . .	199083	200908	4371	438	157	332	375	167	101	81	207	148	166	160	147
Lanark . .	640444	787005	23786	2415	921	2237	2995	1333	821	505	1302	650	818	801	799
Linlithgow .	39045	41379	854	79	42	66	91	27	27	9	28	27	38	27	18
Edinburgh .	273792	328138	8183	854	355	629	840	338	189	121	294	158	219	265	272
Haddington .	37626	37755	704	62	23	45	42	25	11	8	29	21	23	29	14
Berwick . .	36488	36382	597	67	14	19	27	12	10	7	27	13	19	15	13
Peebles . .	11264	12218	190	20	7	9	7	5	4	5	10	8	6	4	4
Selkirk . .	14901	19651	483	58	19	20	38	24	18	10	20	19	27	26	20
Roxburgh .	49568	48241	940	90	44	48	67	22	20	20	26	12	22	26	29
Dumfries .	75904	74842	1546	158	58	74	80	31	28	16	49	22	60	53	59
Kirkcudbright	42680	42087	795	86	24	33	30	14	9	9	23	24	24	30	27
Wigtown .	41910	38602	735	56	20	37	41	23	16	5	33	13	26	16	18

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1878.—BOTH SEXES.

Glasgow . .	395503	477732	14157	1375	581	1329	1854	820	455	283	717	363	490	488	485
Edinburgh .	170444	201052	4910	490	209	381	535	219	122	86	184	88	121	175	171
Dundee . .	91664	120724	3159	357	168	265	331	137	95	62	115	83	95	107	80
Aberdeen .	73900	88181	2204	253	98	159	199	69	62	37	81	57	70	74	68
Greenock .	43894	59794	1549	143	55	116	182	67	40	36	74	54	60	47	51
Paisley . .	47427	48257	1591	118	61	108	127	81	51	43	121	47	62	69	58
Leith . .	36029	46434	1215	143	55	122	131	55	19	15	43	26	33	36	37
Perth . .	26094	26382	640	53	20	38	33	20	13	8	26	8	21	22	16

DEATHS at Different Ages in SCOTLAND during the YEAR 1878.—BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND, . .	2221	2282	2302	2453	2779	2952	3546	3649	3928	3859	2683	1459	493	145	27	14
Principal Towns .	997	991	1009	1083	1109	1181	1295	1163	964	898	460	185	56	22	3	2
Large Towns . .	268	268	312	321	373	389	417	428	448	388	235	121	36	6	3	–
Small Towns . .	425	489	462	496	627	646	796	842	959	889	655	332	107	31	3	4
Mainland-Rural .	477	470	469	496	606	689	951	1085	1404	1494	1143	686	244	67	17	5
Insular-Rural . .	54	64	50	57	64	47	87	131	153	190	190	135	50	19	1	3
Shetland . . .	17	14	10	10	14	12	19	25	36	42	44	42	12	10	–	2
Orkney . . .	14	10	10	12	14	21	21	48	36	62	54	37	12	2	–	–
Caithness . .	13	21	17	19	16	23	22	37	50	70	50	28	11	3	–	–
Sutherland . .	8	12	9	9	11	14	15	26	45	29	35	24	10	1	1	2
Ross and Cromarty .	34	26	23	34	49	42	70	63	125	130	130	67	33	8	3	–
Inverness . . .	32	47	35	38	57	62	71	76	97	117	103	67	30	9	4	1
Nairn . . .	3	7	6	4	7	6	11	12	13	16	11	6	4	–	1	–
Elgin . . .	14	31	23	16	31	20	35	40	71	73	58	32	18	6	1	–
Banff . . .	22	22	17	24	23	29	44	43	68	85	70	35	11	3	1	–
Aberdeen . . .	112	113	129	112	137	169	202	263	251	324	227	130	48	10	–	–
Kincardine . .	18	11	17	21	15	22	28	38	44	59	38	21	5	2	–	–
Forfar . . .	182	159	177	200	228	226	277	261	272	254	172	81	20	5	2	1
Perth . . .	85	71	70	83	108	97	156	151	188	217	153	88	29	12	1	2
Fife	64	69	79	83	117	127	140	183	230	196	158	91	21	5	–	1
Kinross . . .	1	1	5	6	7	2	10	11	10	17	19	7	1	1	–	–
Clackmannan . .	3	14	13	19	8	21	31	19	24	13	9	9	4	–	–	1
Stirling . . .	54	64	74	71	88	72	90	109	115	113	51	29	7	4	1	–
Dumbarton . .	47	46	34	34	55	56	83	82	64	62	40	21	8	2	–	–
Argyll . . .	44	52	47	39	58	60	87	97	124	137	115	82	26	6	2	–
Bute	16	14	16	12	19	11	14	21	35	28	31	16	6	1	–	–
Renfrew . . .	159	172	148	184	191	172	280	238	205	217	94	48	13	5	–	–
Ayr	108	104	126	121	178	149	194	200	232	203	161	74	32	8	2	–
Lanark . . .	718	729	763	808	810	908	882	788	693	579	308	147	37	14	4	1
Linlithgow . .	13	18	20	31	27	37	37	44	37	46	40	14	11	–	–	–
Edinburgh . .	267	302	283	306	291	347	415	393	383	332	204	82	29	13	1	1
Haddington . .	20	19	20	23	27	21	35	49	54	52	35	17	–	–	–	–
Berwick . . .	19	12	17	17	22	26	29	38	47	61	44	17	4	1	–	–
Peebles . .	2	3	6	10	4	10	9	10	16	15	7	6	2	1	–	–
Selkirk . . .	17	14	15	9	12	12	20	21	19	23	18	2	1	1	–	–
Roxburgh . . .	21	15	28	26	41	46	50	64	69	79	39	29	6	1	–	–
Dumfries . . .	48	50	33	38	58	70	80	103	130	109	70	49	16	3	1	–
Kirkcudbright . .	27	26	19	12	26	29	58	49	75	49	40	32	13	4	2	1
Wigtown . . .	19	14	13	22	30	33	31	47	70	50	55	29	13	4	–	1

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1878.—BOTH SEXES.

Glasgow . . .	467	465	479	517	528	581	550	458	365	293	138	52	17	5	1	1
Edinburgh . .	164	203	177	183	185	208	227	222	196	185	112	45	12	9	1	–
Dundee . . .	132	104	101	131	136	129	148	139	88	84	45	19	5	1	1	1
Aberdeen . . .	62	71	80	52	73	81	95	118	111	122	69	30	10	3	–	–
Greenock . . .	54	58	55	63	55	51	86	65	50	52	18	13	4	–	–	–
Paisley . . .	41	39	43	61	58	53	81	79	71	72	31	13	2	1	–	–
Leith . . .	46	36	49	45	38	50	63	48	48	46	22	5	3	1	–	–
Perth . . .	31	15	25	31	36	28	45	34	35	44	25	8	3	2	–	–

DEATHS at Different Ages in SCOTLAND during the YEAR 1878.—MALES

	MALE POPULATION.		MALES.													
			ALL AGES.	AGE UNDER												
				MONTHS.			2	3	4	5	10	15	20	25	30
	1861.	1871.		3	6	12										
SCOTLAND .	1449848	1603143	38389	4152	1560	3004	3568	1558	1004	664	1746	984	1288	1274	1136
Principal Towns	407839	502021	14707	1654	682	1383	1718	737	442	282	701	359	458	474	445
Large Towns .	129933	160176	5157	610	207	474	584	252	181	125	261	114	151	153	128
Small Towns .	335356	371118	8512	908	350	647	727	324	203	143	390	256	335	305	274
Mainland-Rural	513554	508787	9072	878	304	480	506	230	158	110	365	241	312	306	256
Insular-Rural .	63166	61041	941	102	17	20	33	15	20	4	29	14	32	36	33
Shetland . .	13053	13103	188	12	2	4	5	2	3	1	4	4	6	10	3
Orkney . .	14924	14355	234	12	4	5	6	1	4	1	9	7	12	8	11
Caithness .	19846	19403	299	26	11	13	15	7	5	2	9	10	5	10	5
Sutherland .	11058	10942	164	11	3	1	4	1	3	–	3	1	4	12	4
Ross & Cromarty	38462	38558	598	47	14	21	21	13	8	2	13	8	18	26	25
Inverness .	39500	39360	675	79	15	29	28	19	12	7	28	8	23	28	24
Nairn . .	3976	3925	80	13	3	3	4	1	4	–	–	–	1	2	5
Elgin . .	20716	20738	380	41	11	17	18	10	5	4	15	8	13	14	10
Banff . .	26401	27826	416	44	16	23	21	6	5	10	23	11	15	6	22
Aberdeen. .	105355	116768	2246	287	96	161	164	54	69	35	101	76	76	65	65
Kincardine .	16906	17002	297	32	13	16	14	8	5	2	17	5	7	10	9
Forfar . .	93280	107416	2544	321	124	187	209	87	69	43	139	69	68	71	66
Perth . .	63169	60812	1148	92	41	44	46	19	18	19	41	23	45	34	28
Fife. . .	72714	75206	1481	169	48	109	121	49	29	24	53	44	57	33	30
Kinross . .	4150	3748	84	10	2	2	2	1	2	1	5	5	2	6	4
Clackmannan .	9742	10819	264	34	21	25	30	15	2	3	6	10	10	11	5
Stirling . .	43487	46193	1184	116	51	79	113	59	30	27	67	36	48	44	27
Dumbarton .	26455	29957	797	69	31	53	75	37	25	15	40	27	32	38	23
Argyll . .	40914	38796	749	46	14	24	27	12	14	8	16	17	21	43	38
Bute . .	7201	7616	186	13	4	8	10	3	1	1	6	4	6	4	11
Renfrew . .	79380	93167	2568	250	103	205	250	120	77	62	139	72	92	92	84
Ayr . .	97042	98244	2236	240	89	193	212	91	46	36	102	75	88	71	56
Lanark . .	308263	388392	12121	1375	498	1236	1495	686	399	262	641	321	406	391	352
Linlithgow .	20069	21049	423	39	22	41	51	12	10	4	13	13	15	13	11
Edinburgh .	126276	153784	4090	466	201	341	454	168	101	55	147	72	112	134	129
Haddington .	17866	18069	328	41	13	21	19	12	7	2	10	6	13	15	2
Berwick . .	17354	17361	277	34	6	9	15	7	5	4	9	7	10	7	7
Peebles . .	5588	5902	76	9	3	4	4	2	3	–	2	6	2	3	1
Selkirk . .	7275	9476	242	30	13	12	21	13	9	5	13	8	10	9	11
Roxburgh .	24555	22049	467	43	30	27	40	13	9	11	14	1	10	13	15
Dumfries. .	35687	34831	768	83	29	48	36	12	12	10	30	12	30	28	31
Kirkcudbright.	19885	19607	411	42	16	19	19	6	5	6	11	12	15	15	11
Wigtown.	19299	17769	368	26	13	24	19	12	8	2	20	6	16	8	11

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1878.—MALES.

Glasgow . .	185556	230995	7185	766	316	742	927	424	213	145	361	180	238	239	225
Edinburgh .	76013	91090	2442	274	114	209	289	112	66	40	94	37	60	86	83
Dundee . .	40395	52605	1516	206	93	140	167	64	49	29	76	43	36	40	36
Aberdeen .	32554	39786	1066	150	48	88	96	27	43	17	45	31	34	33	28
Greenock .	21567	30298	795	76	31	67	93	32	22	22	31	24	34	26	23
Paisley . .	21913	22269	785	73	34	62	66	48	29	19	54	28	26	25	24
Leith . .	17894	22976	617	81	31	63	64	25	12	7	26	14	21	15	16
Perth . .	14971	12002	301	28	15	12	16	5	8	3	14	2	9	10	10

DEATHS at Different Ages in SCOTLAND during the YEAR 1878.—MALES.

	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1039	1103	1187	1290	1399	1486	1747	1750	1880	1701	1041	574	184	56	4	10
Principal Towns .	478	515	535	575	527	564	622	544	446	357	131	58	12	7	–	1
Large Towns . .	121	123	157	168	195	202	215	206	210	179	84	45	10	1	1	–
Small Towns . .	193	224	237	262	333	313	397	409	455	395	251	125	39	15	–	2
Mainland-Rural. .	231	215	239	259	310	380	468	530	701	683	497	283	96	26	3	5
Insular-Rural . .	16	26	19	26	34	27	45	61	68	87	78	63	27	7	–	2
Shetland . . .	3	6	5	5	8	6	9	10	17	17	16	21	4	4	–	1
Orkney . . .	4	3	3	6	6	10	12	20	21	28	20	12	8	1	–	–
Caithness . . .	8	8	8	11	13	11	11	20	24	34	20	11	2	–	–	–
Sutherland . .	5	7	3	3	8	7	7	12	23	10	16	9	5	–	–	2
Ross and Cromarty .	15	10	14	14	25	20	26	30	61	56	57	33	18	2	1	–
Inverness . . .	17	18	15	15	32	31	35	33	50	47	42	23	11	5	–	1
Nairn . . .	2	3	2	1	5	4	5	3	6	8	4	–	1	–	–	–
Elgin . . .	6	20	14	11	13	9	23	15	35	25	21	14	7	1	–	–
Banff. . . .	10	7	6	9	11	13	24	22	28	36	32	10	6	–	–	–
Aberdeen . . .	44	57	49	47	64	82	91	139	127	147	87	47	11	5	–	–
Kincardine . .	8	3	7	11	5	16	19	18	20	31	13	6	2	–	–	–
Forfar . . .	73	75	82	83	90	102	129	119	128	113	56	29	10	2	–	–
Perth . . .	38	28	30	52	57	43	63	66	104	97	63	34	14	6	1	2
Fife	30	35	37	37	65	56	63	93	118	88	64	24	3	2	–	–
Kinross . . .	–	1	1	2	4	1	5	5	6	7	5	5	–	–	–	–
Clackmannan . .	2	3	5	9	6	10	16	10	12	9	3	6	1	–	–	–
Stirling . . .	23	27	40	41	52	40	51	56	61	59	20	12	4	1	–	–
Dumbarton . .	28	27	18	16	25	40	45	48	28	29	15	9	2	2	–	–
Argyll . . .	23	20	25	19	34	35	38	53	54	71	46	37	10	3	1	–
Bute	9	10	11	5	9	7	5	12	12	13	7	12	3	–	–	–
Renfrew . . .	71	87	84	110	88	89	136	108	91	92	42	17	4	3	–	–
Ayr	42	51	71	72	103	80	103	102	110	90	63	30	14	6	–	–
Lanark . . .	345	369	421	460	419	465	443	381	323	243	103	69	13	3	1	1
Linlithgow . .	8	12	8	18	13	21	23	18	17	17	18	3	3	–	–	–
Edinburgh . .	144	161	155	154	143	163	209	182	166	131	66	29	3	3	–	1
Haddington . .	10	7	12	13	13	11	12	23	23	23	14	6	–	–	–	–
Berwick . . .	7	3	6	8	9	11	11	16	31	28	18	7	2	–	–	–
Peebles . . .	1	–	2	3	2	4	4	2	6	6	4	2	–	1	–	–
Selkirk . . .	11	4	6	5	6	4	15	9	9	9	9	–	1	–	–	–
Roxburgh . . .	11	7	15	9	21	17	23	30	32	37	18	17	4	–	–	–
Dumfries . . .	22	22	15	22	22	39	43	50	63	54	33	15	6	1	–	–
Kirkcudbright . .	12	6	11	7	14	19	34	23	41	25	19	12	7	3	–	1
Wigtown . . .	7	6	6	12	14	20	14	22	33	21	27	13	5	2	–	1

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1878.—MALES.

Glasgow . . .	236	241	269	288	257	282	266	219	170	118	38	18	4	2	–	1
Edinburgh . .	83	114	92	93	92	93	112	104	82	67	32	13	–	1	–	–
Dundee . . .	56	50	47	54	54	56	67	59	39	36	10	6	3	–	–	–
Aberdeen . . .	17	32	33	23	33	42	47	60	58	54	17	8	1	1	–	–
Greenock . . .	25	32	31	40	27	30	47	27	21	19	10	5	–	–	–	–
Paisley . . .	20	22	22	31	27	27	34	37	32	28	11	4	1	1	–	–
Leith . . .	28	18	28	27	16	20	29	24	24	19	7	1	–	1	–	–
Perth . . .	13	6	13	19	21	14	20	14	20	16	6	3	3	1	–	–

DEATHS at Different Ages in SCOTLAND during the YEAR 1878.—FEMALES.

	FEMALE POPULATION.		FEMALES.												
			ALL AGES.	AGE UNDER											
				MONTHS.			2	3	4	5	10	15	20	25	30
	1861.	1871.		3	6	12									
SCOTLAND .	1612446	1756875	38404	3230	1250	2403	3405	1507	976	660	1700	989	1271	1358	1314
Principal Towns	477116	566535	14718	1278	565	1135	1674	731	415	288	660	367	494	544	521
Large Towns .	144448	174081	5031	416	168	381	555	234	165	111	259	134	165	161	186
Small Towns .	369024	404969	8493	731	261	497	689	306	219	142	385	229	318	315	288
Mainland-Rural	548239	540327	9140	740	241	364	453	218	162	110	370	239	263	309	294
Insular-Rural .	73619	70963	1022	65	15	26	34	18	15	9	26	20	31	29	25
Shetland . .	18617	18505	245	13	3	8	6	5	4	–	8	2	4	7	8
Orkney . .	17471	16919	256	12	2	2	6	2	4	2	6	4	7	8	2
Caithness .	22354	21608	297	10	9	10	13	6	3	3	10	5	9	13	7
Sutherland .	13099	12356	183	6	7	5	4	6	3	1	1	3	2	4	7
Ross & Cromarty	43965	43535	637	36	14	18	21	10	11	10	15	7	8	17	15
Inverness .	45315	44898	696	52	10	21	30	7	8	9	21	11	16	24	16
Nairn . .	4371	4447	93	10	–	5	4	–	–	1	2	2	1	2	3
Elgin . .	23589	23811	386	18	10	11	18	7	6	4	10	12	8	13	14
Banff . .	29619	31057	468	34	8	16	24	19	7	4	24	9	10	15	15
Aberdeen .	118062	129530	2380	218	85	127	176	81	45	35	91	56	71	87	78
Kincardnine .	17875	18095	282	16	8	13	10	7	3	6	9	8	9	8	5
Forfar . .	113470	132633	2772	237	101	157	227	95	65	51	82	66	96	97	72
Perth . .	70029	67738	1285	97	24	53	45	30	15	14	43	25	47	43	36
Fife. . .	82307	85718	1482	118	47	74	103	27	31	21	46	36	43	42	45
Kinross . .	4581	4170	92	3	1	–	3	5	2	6	8	2	1	2	3
Clackmannan .	10380	11416	230	20	10	23	29	10	7	1	3	7	7	10	7
Stirling . .	44651	47152	1009	96	33	58	81	44	28	18	55	36	33	38	34
Dumbarton .	27724	31159	699	54	22	39	82	30	17	14	37	17	27	32	26
Argyll . .	42945	40865	770	37	17	24	32	18	15	4	28	18	23	24	23
Bute . .	9110	9350	190	4	5	6	8	5	–	2	4	6	9	9	7
Renfrew . .	89366	102138	2575	184	83	159	235	106	62	55	161	81	119	118	108
Ayr. . .	102041	102664	2135	198	68	139	163	76	55	45	105	73	78	89	91
Lanark . .	332181	398613	11665	1040	423	1001	1500	647	422	243	661	329	412	410	447
Linlithgow .	18976	20330	431	40	20	25	40	15	17	5	15	14	23	14	7
Edinburgh .	147516	174354	4093	388	154	288	386	170	88	66	147	86	107	131	143
Haddington .	19760	19686	376	21	10	24	23	13	4	6	19	15	10	14	12
Berwick . .	19134	19021	320	33	8	10	12	5	5	3	18	6	9	8	6
Peebles . .	5676	6316	114	11	4	5	3	3	1	5	8	2	4	1	3
Selkirk . .	7626	10175	241	28	6	8	17	11	9	5	7	11	17	17	9
Roxburgh .	25013	25292	473	47	14	21	27	9	11	9	12	11	12	13	14
Dumfries. .	40217	40011	778	75	29	26	44	19	16	6	19	10	30	25	28
Kirkcudbright	22795	22480	384	44	8	14	11	8	4	3	12	12	9	15	16
Wigtown .	22611	20833	367	30	7	13	22	11	8	3	13	7	10	8	7

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1878.—FEMALES.

Glasgow . .	209947	246737	6972	609	265	587	927	396	242	138	356	183	252	249	260
Edinburgh .	94431	109962	2468	216	95	172	246	107	56	46	90	51	61	89	88
Dundee . .	51269	68119	1643	151	75	125	164	73	46	33	39	40	59	67	44
Aberdeen .	41346	48395	1138	103	50	71	103	42	19	20	36	26	36	41	40
Greenock .	22327	29496	754	67	24	49	89	35	18	14	43	30	26	21	28
Paisley . .	25514	25988	806	45	27	46	61	33	22	24	67	19	36	44	34
Leith . .	18135	23458	598	62	24	59	67	30	7	8	17	12	12	21	21
Perth . .	14147	14380	339	25	5	26	17	15	5	5	12	6	12	12	6

DEATHS at Different Ages in SCOTLAND during the YEAR 1878.—FEMALES.

	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1182	1179	1115	1163	1380	1466	1799	1899	2048	2158	1642	885	309	89	23	4
Principal Towns .	519	476	474	508	582	617	673	619	518	541	329	127	44	15	3	1
Large Towns . .	147	145	155	153	178	187	202	222	238	209	151	76	26	5	2	–
Small Towns . .	232	265	225	234	294	333	399	433	504	494	404	207	68	16	3	2
Mainland-Rural . .	246	255	230	237	296	309	483	555	703	811	646	403	148	41	14	–
Insular-Rural . .	38	38	31	31	30	20	42	70	85	103	112	72	23	12	1	1
Shetland . . .	14	8	5	5	6	6	10	15	19	25	28	21	8	6	–	1
Orkney . . .	10	7	7	6	8	11	9	28	15	34	34	25	4	1	–	–
Caithness . . .	5	13	9	8	3	12	11	17	26	36	30	17	9	3	–	–
Sutherland . .	3	5	6	6	3	7	8	14	22	19	19	15	5	1	1	–
Ross and Cromarty .	19	16	9	20	24	22	44	33	64	74	73	34	15	6	2	–
Inverness . . .	15	29	20	23	25	31	36	43	47	70	61	44	19	4	4	–
Nairn . . .	1	4	4	3	2	2	6	9	7	8	7	6	3	–	1	–
Elgin . . .	8	11	9	5	18	11	12	25	36	48	37	18	11	5	1	–
Banff . . .	12	15	11	15	12	16	20	21	40	49	38	25	5	3	1	–
Aberdeen . . .	68	56	80	65	73	87	111	124	124	177	140	83	37	5	–	–
Kincardine . .	10	8	10	10	10	6	9	20	24	28	25	15	3	2	–	–
Forfar . . .	109	84	95	117	138	124	148	142	144	141	116	52	10	3	2	1
Perth . . .	47	43	40	31	51	54	93	85	84	120	90	54	15	6	–	–
Fife	34	34	42	46	52	71	77	90	112	108	94	67	18	3	–	1
Kinross . . .	1	–	4	4	3	1	5	6	4	10	14	2	1	1	–	–
Clackmannan . .	1	11	8	10	2	11	15	9	12	4	6	3	3	–	–	1
Stirling . . .	31	37	34	30	36	32	39	53	54	54	31	17	3	3	1	–
Dumbarton . .	19	19	16	18	30	16	38	34	36	33	25	12	6	–	–	–
Argyll . . .	21	32	22	20	24	25	49	44	70	66	69	45	16	3	1	–
Bute	7	4	5	7	10	4	9	9	23	15	24	4	3	1	–	–
Renfrew . . .	88	85	64	74	103	83	144	130	114	125	52	31	9	2	–	–
Ayr	66	53	55	49	75	69	91	98	122	113	98	44	18	2	2	–
Lanark . . .	373	360	342	348	391	443	439	407	370	336	205	78	24	11	3	–
Linlithgow . .	5	6	12	13	14	16	14	26	20	29	22	11	8	–	–	–
Edinburgh . .	123	141	128	152	148	184	206	211	217	201	138	53	26	10	1	–
Haddington . .	10	12	8	10	14	10	23	26	31	29	21	11	–	–	–	–
Berwick . . .	12	9	11	9	13	15	18	22	16	33	26	10	2	1	–	–
Peebles . . .	1	3	4	7	2	6	5	8	10	9	3	4	2	–	–	–
Selkirk . . .	6	10	9	4	6	8	5	12	10	14	9	2	–	1	–	–
Roxburgh . . .	10	8	13	17	20	29	27	34	37	42	21	12	2	1	–	–
Dumfries . . .	26	28	18	16	36	31	37	53	67	55	37	34	10	2	1	–
Kirkcudbright . .	15	20	8	5	12	10	24	26	34	24	21	20	6	1	2	–
Wigtown . . .	12	8	7	10	16	13	17	25	37	29	28	16	8	2	–	–

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1878.—FEMALES.

Glasgow . . .	231	224	210	229	271	299	284	239	195	175	100	34	13	3	1	–
Edinburgh . .	81	89	85	90	93	115	115	118	114	118	80	32	12	8	1	–
Dundee . . .	76	54	54	77	82	73	81	80	49	48	35	13	2	1	1	1
Aberdeen . . .	45	39	47	29	40	39	48	58	53	68	52	22	9	2	–	–
Greenock . . .	29	26	24	23	28	21	39	38	29	33	8	8	4	–	–	–
Paisley . . .	21	17	21	30	31	26	47	42	39	44	20	9	1	–	–	–
Leith . . .	18	18	21	18	22	30	34	24	24	27	15	4	3	–	–	–
Perth . . .	18	9	12	12	15	14	25	20	15	28	19	5	–	1	–	–

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1878.—Both Sexes.

	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	378	27	10	28	23	9	3	9	13	5	12	14	14
Arbroath	461	44	16	14	28	8	12	6	17	17	13	15	7
Forfar	241	25	6	14	14	2	4	4	19	4	9	6	10
Montrose	305	25	6	9	11	9	4	2	14	5	9	6	4
Dunfermline	450	45	18	22	36	11	13	6	11	12	19	20	12
Kirkcaldy	263	28	9	24	44	9	8	5	7	10	6	5	4
Stirling	381	29	11	24	45	26	14	13	28	11	14	17	9
Dumbarton	310	31	17	25	30	14	9	6	12	8	11	9	10
Ayr	543	55	24	38	39	21	11	6	16	7	20	23	23
Kilmarnock	540	56	16	49	53	22	19	11	32	13	25	16	20
Barony	572	66	27	62	82	34	23	9	26	24	22	20	20
Glasgow (Landward)	978	103	31	103	120	48	35	27	28	21	23	27	38
Govan	2196	237	93	243	307	125	85	51	119	49	60	55	69
Hamilton	652	50	20	50	88	42	31	29	57	20	17	20	18
Airdrie	441	43	11	37	57	39	24	17	58	16	12	11	13
Coatbridge	547	61	20	45	72	33	32	15	39	11	17	17	14
Hawick	360	42	19	31	50	15	10	10	10	4	11	14	7
Dumfries	570	59	21	37	40	19	9	10	14	11	16	19	22

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1878—Both Sexes.

Shetland	77	3	2	3	3	2	2	1	3	2	3	5	3
Orkney	96	5	–	2	3	–	3	–	1	3	3	3	2
Caithness	292	19	12	13	13	8	5	2	11	6	10	12	5
Ross and Cromarty	183	15	2	8	6	6	2	2	7	1	6	8	13
Nairn	119	16	2	5	8	1	4	1	–	2	2	3	6
Elgin	347	32	9	21	21	9	5	5	15	8	10	10	9
Banff	389	30	12	24	25	15	8	9	17	8	8	8	17
Aberdeen	647	74	33	45	80	26	21	14	30	12	23	20	24
Kincardine	142	14	6	10	5	4	2	2	6	–	3	1	–
Forfar	625	54	15	24	35	15	14	8	40	8	20	18	15
Perth	474	33	17	21	24	6	10	6	14	9	30	13	10
Fife	1081	94	29	74	85	36	24	24	43	28	42	32	27
Clackmannan	404	47	26	35	49	20	9	3	8	12	13	20	8
Stirling	1066	103	48	68	89	46	23	24	55	38	37	39	36
Dumbarton	862	70	29	48	82	37	21	17	43	23	36	42	33
Argyll	489	28	19	20	31	17	15	6	19	8	7	27	30
Bute	206	10	3	11	10	6	1	1	6	7	6	10	9
Renfrew	1475	128	53	111	137	61	37	31	79	41	62	69	68
Ayr	2205	218	80	169	179	81	48	47	112	91	94	76	64
Lanark	2720	306	87	239	294	128	86	51	151	93	118	101	91
Linlithgow	568	48	29	51	67	19	22	5	17	24	27	18	13
Edinburgh	742	98	32	47	63	23	21	3	26	21	29	19	19
Haddington	327	31	16	23	25	15	6	4	16	9	8	15	5
Berwick	125	19	2	6	8	4	1	–	6	–	–	2	2
Peebles	59	4	2	2	2	1	2	1	3	4	1	–	1
Selkirk	440	55	18	20	37	23	17	9	19	16	24	24	19
Roxburgh	214	22	14	6	5	2	4	5	3	3	2	3	5
Dumfries	177	21	5	16	8	4	3	–	6	2	9	7	10
Kirkcudbright	235	29	4	14	10	4	2	4	8	5	11	10	9
Wigtown	219	13	5	8	12	11	4	–	11	1	9	5	9

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1878.—Both Sexes.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness	9	11	8	12	24	25	18	16	24	25	20	10	8	–	1	–
Arbroath	13	14	15	21	22	29	27	32	29	33	18	9	1	1	–	–
Forfar	4	5	12	7	10	10	9	10	18	19	8	8	4	–	–	–
Montrose	11	10	14	15	15	16	27	17	25	24	17	8	1	–	1	–
Dunfermline	2	9	9	14	27	20	26	32	33	27	19	6	1	–	–	–
Kirkcaldy	4	2	7	10	10	11	13	11	14	9	7	4	2	–	–	–
Stirling	8	4	14	8	13	12	17	19	15	10	11	6	3	–	–	–
Dumbarton	6	12	7	4	10	12	20	17	18	11	6	4	1	–	–	–
Ayr	19	15	19	17	28	27	25	25	30	27	16	8	3	1	–	–
Kilmarnock	13	14	15	21	18	20	22	22	22	16	15	9	1	–	–	–
Barony	21	12	14	14	14	14	16	12	18	13	5	3	1	–	–	–
Glasgow (Landward)	24	28	27	33	31	30	43	48	42	34	22	9	2	1	–	–
Govan	78	76	73	72	58	75	56	63	55	54	29	9	4	–	1	–
Hamilton	15	16	20	13	24	16	25	18	18	21	15	7	2	–	–	–
Airdrie	5	6	8	13	15	10	10	14	10	6	3	3	–	–	–	–
Coatbridge	8	7	16	21	18	18	23	17	20	14	5	3	–	1	–	–
Hawick	8	4	14	7	14	13	13	19	14	19	9	3	–	–	–	–
Dumfries	20	23	20	19	22	31	27	36	43	26	10	12	2	2	–	–

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1878.—Both Sexes.

Shetland	2	–	2	2	1	4	3	2	8	11	3	5	1	1	–	–
Orkney	3	1	2	3	6	9	5	7	9	7	10	6	3	–	–	–
Caithness	7	14	8	14	10	14	13	17	21	25	18	10	4	1	–	–
Ross and Cromarty	5	4	2	4	9	10	13	7	8	18	17	6	4	–	–	–
Nairn	3	6	4	3	6	3	7	9	9	6	5	5	3	–	–	–
Elgin	5	19	7	10	13	11	16	23	20	26	23	8	8	3	1	–
Banff	10	9	7	14	12	10	19	24	25	36	24	13	3	2	–	–
Aberdeen	15	10	9	12	14	16	20	28	28	39	28	18	8	–	–	–
Kincardine	4	4	4	4	7	5	3	10	14	15	10	7	1	1	–	–
Forfar	11	16	20	18	26	27	37	33	62	39	46	17	4	3	–	–
Perth	13	21	16	19	16	19	37	29	31	37	20	15	3	3	–	2
Fife	23	29	39	25	35	51	51	75	62	61	54	30	6	1	–	1
Clackmannan	3	13	11	15	8	15	24	14	21	13	7	5	4	–	–	1
Stirling	27	38	27	37	43	38	48	50	58	51	23	13	3	4	–	–
Dumbarton	32	25	22	23	36	35	47	45	31	36	27	15	6	1	–	–
Argyll	12	13	20	12	22	16	24	31	30	32	27	19	3	1	–	–
Bute	10	6	9	7	13	7	11	9	17	14	14	7	2	–	–	–
Renfrew	47	59	34	46	56	56	77	57	61	62	28	12	1	2	–	–
Ayr	52	51	60	57	97	67	91	107	132	103	80	29	15	4	1	–
Lanark	65	70	85	79	88	103	97	100	111	85	48	35	5	3	1	–
Linlithgow	7	9	14	17	20	21	21	26	24	28	27	8	6	–	–	–
Edinburgh	23	22	18	26	21	34	48	37	48	30	24	6	4	–	–	–
Haddington	7	11	11	12	13	5	13	16	16	26	15	9	–	–	–	–
Berwick	3	5	5	5	6	8	3	10	10	6	10	3	1	–	–	–
Peebles	–	1	1	3	2	5	4	2	8	5	4	–	1	–	–	–
Selkirk	13	14	14	7	11	10	18	20	16	20	15	1	–	–	–	–
Roxburgh	4	2	4	10	7	17	13	13	25	19	14	11	1	–	–	–
Dumfries	6	4	1	2	9	12	12	12	11	8	6	3	–	–	–	–
Kirkcudbright	5	8	3	3	6	6	12	12	27	15	13	8	6	1	–	–
Wigtown	8	5	3	7	14	12	9	17	16	16	15	8	1	–	–	–

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1878.—MALES.

	MALES.												
	ALL AGES	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	197	15	7	18	13	6	2	3	8	4	9	10	9
Arbroath	209	26	10	6	11	2	5	1	11	8	4	8	3
Forfar	112	18	4	10	4	–	3	–	12	2	3	2	3
Montrose	132	11	4	4	3	7	2	–	7	1	6	4	2
Dunfermline	224	31	8	13	20	6	4	3	7	4	9	7	5
Kirkcaldy	147	23	4	15	27	6	5	3	3	3	3	4	2
Stirling	205	16	7	14	26	15	8	10	13	5	8	9	6
Dumbarton	166	18	9	11	10	6	4	3	5	4	8	5	6
Ayr	268	30	11	18	28	9	3	3	7	2	11	13	10
Kilmarnock	274	36	11	25	28	14	9	2	19	7	9	7	6
Barony	258	35	14	28	36	16	14	3	12	14	9	6	7
Glasgow (Landward)	466	66	14	57	52	31	10	15	16	11	9	9	13
Govan	1153	144	48	135	157	62	55	29	60	22	32	24	26
Hamilton	340	33	12	28	49	14	15	18	29	9	9	14	4
Airdrie	228	26	7	20	30	22	13	14	24	6	4	5	4
Coatbridge	299	31	12	29	40	20	18	6	16	5	7	10	8
Hawick	181	19	12	20	29	9	6	5	5	–	3	6	4
Dumfries	298	32	13	23	21	7	5	7	7	7	8	10	10

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1878.—MALES.

Shetland	30	1	–	2	1	1	1	1	–	1	3	3	–
Orkney	43	3	–	1	2	–	1	–	1	3	2	1	2
Caithness	153	15	5	7	7	3	3	1	7	4	4	5	2
Ross and Cromarty	77	5	–	4	1	4	1	–	3	1	5	5	7
Nairn	56	10	2	2	4	1	4	–	–	–	1	1	3
Elgin	189	22	6	13	12	4	–	2	7	4	6	7	4
Banff	173	19	7	13	11	3	3	6	9	3	4	3	11
Aberdeen	304	41	20	23	36	9	9	6	16	7	15	6	16
Kincardine	64	12	4	6	2	3	2	–	4	–	1	–	–
Forfar	307	35	6	15	16	9	8	5	24	6	7	8	9
Perth	220	16	12	11	14	3	4	3	4	6	15	7	6
Fife	546	50	19	42	45	20	13	13	25	19	25	12	12
Clackmannan	205	27	16	18	25	10	2	2	6	7	6	10	3
Stirling	576	54	27	38	47	26	9	14	36	20	23	19	17
Dumbarton	450	40	17	30	37	21	13	9	24	16	16	24	13
Argyll	248	17	11	10	18	10	8	4	7	6	3	19	14
Bute	99	8	–	7	5	2	1	1	4	4	2	3	8
Renfrew	720	73	31	63	70	30	22	18	36	15	22	28	30
Ayr	1145	125	45	105	96	44	22	21	59	49	54	32	25
Lanark	1391	172	48	127	145	64	37	23	71	44	61	56	40
Linlithgow	289	20	14	34	38	9	10	1	7	11	14	11	8
Edinburgh	351	48	17	23	33	12	11	1	7	13	16	10	12
Haddington	149	20	11	11	10	7	5	–	3	1	4	9	2
Berwick	66	9	2	2	7	3	1	–	2	–	–	2	1
Peebles	22	–	1	1	1	1	1	–	–	4	–	–	1
Selkirk	224	28	13	12	20	13	9	5	13	8	9	9	10
Roxburgh	92	9	8	3	5	1	–	4	–	–	1	3	1
Dumfries	84	8	2	12	4	2	–	–	6	1	5	3	6
Kirkcudbright	118	15	3	6	6	1	–	3	4	3	6	7	4
Wigtown	121	6	3	6	9	8	3	–	5	–	5	2	7

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1878.—MALES.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness	6	3	4	5	11	15	7	9	14	8	10	–	1	–	–	–
Arbroath	5	4	6	11	8	12	15	16	13	15	5	2	1	1	–	–
Forfar	2	2	7	4	3	4	3	4	8	8	1	2	3	–	–	–
Montrose	3	2	7	3	6	6	16	7	10	10	7	4	–	–	–	–
Dunfermline	1	4	3	8	17	8	12	14	19	14	4	2	1	–	–	–
Kirkcaldy	1	1	4	1	7	5	7	7	9	2	4	1	–	–	–	–
Stirling	4	2	7	6	4	7	8	6	8	7	4	4	1	–	–	–
Dumbarton	5	10	4	3	5	11	9	11	9	7	2	1	–	–	–	–
Ayr	10	8	5	11	17	15	13	12	11	14	3	4	–	–	–	–
Kilmarnock	3	6	9	14	11	14	15	12	6	4	5	2	–	–	–	–
Barony	12	5	6	3	10	4	9	4	4	4	2	1	–	–		–
Glasgow (Landward)	7	10	16	18	8	15	18	22	21	16	9	3	–	–		–
Govan	35	45	35	39	37	42	25	37	22	29	7	5	–	–	1	–
Hamilton	5	9	11	5	14	10	16	6	10	7	7	5	1	–	–	–
Airdrie	3	1	5	8	10	6	4	7	6	2	–	1	–	–	–	–
Coatbridge	4	1	13	15	10	9	14	8	9	7	4	3	–	–	–	–
Hawick	4	2	6	2	7	3	7	7	7	11	5	2	–	–	–	–
Dumfries	11	8	9	12	10	16	17	17	24	14	5	3	2	–	–	–

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1878.—MALES.

Shetland	1	–	1	1	–	1	1	–	3	4	1	2	–	1	–	–
Orkney	1	1	2	–	2	5	1	3	7	2	–	2	1	–	–	–
Caithness	4	5	4	9	7	7	6	11	11	11	9	5	1	–	–	–
Ross and Cromarty	2	2	1	1	4	3	7	1	3	7	6	4	–	–	–	
Nairn	2	3	1	–	4	2	3	3	3	5	2	–	–	–	–	
Elgin	3	13	5	8	7	5	12	10	10	10	8	5	5	1	–	–
Banff	6	4	2	4	4	4	9	13	8	13	12	1	1	–	–	–
Aberdeen	6	6	4	6	4	7	7	13	16	14	6	9	2	–	–	–
Kincardine	–	2	1	2	2	3	1	4	5	4	3	3	–	–	–	–
Forfar	2	11	9	8	11	11	18	18	29	20	15	5	1	1	–	–
Perth	7	7	5	9	7	5	14	16	17	18	6	4	–	2	–	2
Fife	12	15	19	13	24	24	19	42	31	25	21	3	2	1	–	–
Clackmannan	2	2	3	6	6	7	15	7	10	9	2	3	1	–	–	–
Stirling	14	15	13	21	26	20	30	30	30	28	11	4	3	1	–	–
Dumbarton	20	13	11	11	17	22	25	24	13	17	8	7	1	1	–	–
Argyll	6	6	10	6	14	10	8	16	10	14	13	7	1	–	–	–
Bute	7	3	7	3	5	5	5	4	4	4	1	5	1	–	–	–
Renfrew	21	24	20	29	27	23	36	24	28	30	15	3	1	1	–	–
Ayr	16	24	39	29	56	31	48	53	70	45	32	13	8	4	–	–
Lanark	24	36	44	52	54	59	55	47	50	40	19	19	3	1	–	–
Linlithgow	3	6	5	11	10	13	13	11	14	13	10	2	1	–	–	–
Edinburgh	13	9	10	8	10	15	25	14	19	16	6	2	1	–	–	–
Haddington	2	4	5	7	6	3	4	7	6	13	7	2	–	–	–	–
Berwick	2	1	3	3	5	4	1	4	5	2	5	1	1	–	–	–
Peebles	–	–	–	–	1	1	3	–	3	2	2	–	–	–	–	–
Selkirk	8	4	6	4	5	4	13	9	8	6	8	–	–	–	–	–
Roxburgh	2	1	2	4	4	6	4	6	11	8	5	4	–	–	–	–
Dumfries	3	3	1	1	3	3	4	4	6	3	1	3	–	–	–	–
Kirkcudbright	1	2	2	3	1	4	7	3	17	6	7	2	4	1	–	–
Wigtown	3	2	2	3	7	6	3	12	8	6	10	5	–	–	–	–

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1878.—FEMALES.

	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	181	12	3	10	10	3	1	6	5	1	3	4	5
Arbroath	252	18	6	8	17	6	7	5	6	9	9	7	4
Forfar	129	7	2	4	10	2	1	4	7	2	6	4	7
Montrose	173	14	2	5	8	2	2	2	7	4	3	2	2
Dunfermline	226	14	10	9	16	5	9	3	4	8	10	13	7
Kirkcaldy	116	5	5	9	17	3	3	2	4	7	3	1	2
Stirling	176	13	4	10	19	11	6	3	15	6	6	8	3
Dumbarton	144	13	8	14	20	8	5	3	7	4	3	4	4
Ayr	275	25	13	20	11	12	8	3	9	5	9	10	13
Kilmarnock	266	20	5	24	25	8	10	9	13	6	16	9	14
Barony	314	31	13	34	46	18	9	6	14	10	13	14	13
Glasgow (Landward)	512	37	17	46	68	17	25	12	12	10	14	18	25
Govan	1043	93	45	108	150	63	30	22	59	27	28	31	43
Hamilton	312	17	8	22	39	28	16	11	28	11	8	6	14
Airdrie	213	17	4	17	27	17	11	3	34	10	8	6	9
Coatbridge	248	30	8	16	32	13	14	9	23	6	10	7	6
Hawick	179	23	7	11	21	6	4	5	5	4	8	8	3
Dumfries	272	27	8	14	19	12	4	3	7	4	8	9	12

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1878.—FEMALES.

Shetland	47	2	2	1	2	1	1	–	3	1	–	2	3
Orkney	53	2	–	1	1	–	2	–	–	–	1	2	–
Caithness	139	4	7	6	6	5	2	1	4	2	6	7	3
Ross and Cromarty	106	10	2	4	5	2	1	2	4	–	1	3	6
Nairn	63	6	–	3	4	–	–	1	–	2	1	2	3
Elgin	158	10	3	8	9	5	5	3	8	4	4	3	5
Banff	216	11	5	11	14	12	5	3	8	5	4	5	6
Aberdeen	343	33	13	22	44	17	12	8	14	5	8	14	8
Kincardine	78	2	2	4	3	1	–	2	2	–	2	1	–
Forfar	318	19	9	9	19	6	6	3	16	2	13	10	6
Perth	254	17	5	10	10	3	6	3	10	3	15	6	4
Fife	535	44	10	32	40	16	11	11	18	9	17	20	15
Clackmannan	199	20	10	17	24	10	7	1	2	5	7	10	5
Stirling	490	49	21	30	42	20	14	10	19	18	14	20	19
Dumbarton	412	30	12	18	45	16	8	8	19	7	20	18	20
Argyll	241	11	8	10	13	7	7	2	12	2	4	8	16
Bute	107	2	3	4	5	4	–	–	2	3	4	7	1
Renfrew	755	55	22	48	67	31	15	13	43	26	40	41	38
Ayr	1060	93	35	64	83	37	26	26	53	42	40	44	39
Lanark	1329	134	39	112	149	64	49	28	80	49	57	45	51
Linlithgow	279	28	15	17	29	10	12	4	10	13	13	7	5
Edinburgh	391	50	15	24	30	11	10	2	19	8	13	9	7
Haddington	178	11	5	12	15	8	1	4	13	8	4	6	3
Berwick	59	10	–	4	1	1	–	–	4	–	–	–	1
Peebles	37	4	1	1	1	–	1	1	3	–	1	–	–
Selkirk	216	27	5	8	17	10	8	4	6	8	15	15	9
Roxburgh	122	13	6	3	–	1	4	1	3	3	1	–	4
Dumfries	93	13	3	4	4	2	3	–	–	1	4	4	4
Kirkcudbright	117	14	1	8	4	3	2	1	4	2	5	3	5
Wigtown	98	7	2	2	3	3	1	–	6	1	4	3	2

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1878.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness	3	8	4	7	13	10	11	7	10	17	10	10	7	–	1	–
Arbroath	8	10	9	10	14	17	12	16	16	18	13	7	–	–	–	–
Forfar	2	3	5	3	7	6	6	6	10	11	7	6	1	–	–	–
Montrose	8	8	7	12	9	10	11	10	15	14	10	4	1	–	1	–
Dunfermline	1	5	6	6	10	12	14	18	14	13	15	4	–	–	–	–
Kirkcaldy	3	1	3	9	3	6	6	4	5	7	3	3	2	–	–	–
Stirling	4	2	7	2	9	5	9	13	7	3	7	2	2	–	–	–
Dumbarton	1	2	3	1	5	1	11	6	9	4	4	3	1	–	–	–
Ayr	9	7	14	6	11	12	12	13	19	13	13	4	3	1	–	–
Kilmarnock	10	8	6	7	7	6	7	10	16	12	10	7	1	–	–	–
Barony	9	7	8	11	4	0	7	8	14	9	3	2	1	–	–	–
Glasgow (Landward)	17	18	11	15	23	15	25	26	21	18	13	6	2	1	–	–
Govan	43	31	38	33	21	33	31	26	33	25	22	4	4	–	–	–
Hamilton	10	7	9	8	10	6	9	12	8	14	8	2	1	–	–	–
Airdrie	2	5	3	5	5	4	6	7	4	4	3	2	–	–	–	–
Coatbridge	4	6	3	6	8	9	9	9	11	7	1	–	–	1	–	–
Hawick	4	2	8	5	7	10	6	12	7	8	4	1	–	–	–	–
Dumfries	9	15	11	7	12	15	10	19	19	12	5	9	–	2	–	–

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1878.—FEMALES.

Shetland	1	–	1	1	1	3	2	2	5	7	2	3	1	–	–	–
Orkney	2	–	–	3	4	4	4	4	2	5	10	4	2	–	–	–
Caithness	3	9	4	5	3	7	7	6	10	14	9	5	3	1	–	–
Ross and Cromarty	3	2	1	3	5	7	6	6	5	11	11	2	4	–	–	–
Nairn	1	3	3	3	2	1	4	6	6	1	3	5	3	–	–	–
Elgin	2	6	2	2	6	6	4	13	10	16	15	3	3	2	1	–
Banff	4	5	5	10	8	6	10	11	17	23	12	12	2	2	–	–
Aberdeen	9	4	5	6	10	9	13	15	12	25	22	9	6	–	–	–
Kincardine	4	2	3	2	5	2	2	6	9	11	7	4	1	1	–	–
Forfar	9	5	11	10	15	16	19	15	33	19	31	12	3	2	–	–
Perth	6	14	11	10	9	14	23	13	14	19	14	11	3	1	–	–
Fife	11	14	20	12	11	27	32	33	31	36	33	27	4	–	–	1
Clackmannan	1	11	8	9	2	8	9	7	11	4	5	2	3	–	–	1
Stirling	13	23	14	16	17	18	18	20	28	23	12	9	–	3	–	–
Dumbarton	12	12	11	12	19	13	22	21	18	19	19	8	5	–	–	–
Argyll	6	7	10	6	8	6	16	15	20	18	14	12	2	1	–	–
Bute	3	3	2	4	8	2	6	5	13	10	13	2	1	–	–	–
Renfrew	26	35	14	17	29	33	41	33	33	32	13	9	–	1	–	–
Ayr	36	27	21	28	41	36	43	54	62	58	48	16	7	–	1	–
Lanark	41	34	41	27	34	44	42	53	61	45	29	16	2	2	1	–
Linlithgow	4	3	9	6	10	8	8	15	10	15	17	6	5	–	–	–
Edinburgh	10	13	8	18	11	19	23	23	29	14	18	4	3	–	–	–
Haddington	5	7	6	5	7	2	9	9	10	13	8	7	–	–	–	–
Berwick	1	4	2	2	1	4	2	6	5	4	5	2	–	–	–	–
Peebles	–	1	1	3	1	4	1	2	5	3	2	–	1	–	–	–
Selkirk	5	10	8	3	6	6	5	11	8	14	7	1	–	–	–	–
Roxburgh	2	1	2	6	3	11	9	7	14	11	9	7	1	–	–	–
Dumfries	3	1	–	1	6	9	8	8	5	5	5	–	–	–	–	–
Kirkcudbright	4	6	1	–	5	2	5	9	10	9	6	6	2	–	–	–
Wigtown	5	3	1	4	7	6	6	5	8	10	5	3	1	–	–	–

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1878.—Both Sexes.

	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	304	17	8	10	15	5	3	3	8	9	4	11	7
Sutherland	347	17	10	6	8	7	6	1	4	4	6	16	11
Ross and Cromarty	867	46	19	24	21	10	11	8	16	11	14	26	22
Inverness	472	30	7	9	16	8	3	3	17	6	15	21	12
Nairn	54	7	1	3	–	–	–	–	2	–	–	1	2
Elgin	419	27	12	7	15	8	6	3	10	12	11	17	15
Banff	495	48	12	15	20	10	4	5	30	12	17	13	20
Aberdeen	1775	178	50	84	61	40	31	19	81	63	54	58	51
Kincardine	437	34	15	19	19	11	6	6	20	13	13	17	14
Forfar	525	53	14	18	17	11	5	12	16	18	18	16	22
Perth	1319	103	28	38	34	23	10	19	44	31	41	42	38
Fife	1169	120	39	63	59	20	15	10	38	30	33	18	32
Kinross	176	13	3	2	5	6	4	7	13	7	3	8	7
Clackmannan	90	7	5	13	10	5	–	1	1	5	4	1	4
Stirling	746	80	25	45	60	31	21	8	39	23	30	26	16
Dumbarton	324	22	7	19	45	16	12	6	22	13	12	19	6
Argyll	693	32	10	19	20	6	9	4	21	19	24	29	20
Renfrew	528	45	17	29	39	17	11	7	26	11	27	25	15
Ayr	1083	109	37	76	104	43	23	17	47	37	27	45	40
Lanark	1523	174	51	129	121	64	50	23	107	53	59	62	51
Linlithgow	286	31	13	15	24	8	5	4	11	3	11	9	5
Edinburgh	1316	123	59	79	111	41	27	17	41	23	36	35	45
Haddington	377	31	7	22	17	10	5	4	13	12	15	14	9
Berwick	472	48	12	13	19	8	9	7	21	13	19	13	11
Peebles	131	16	5	7	5	4	2	4	7	4	5	4	3
Selkirk	43	3	1	–	1	1	1	1	1	3	3	2	1
Roxburgh	366	26	11	11	12	5	6	5	13	5	9	9	17
Dumfries	919	89	37	27	39	12	18	9	33	14	35	33	33
Kirkcudbright	440	46	15	13	13	6	5	2	11	14	13	14	12
Wigtown	516	43	15	29	29	12	12	5	22	12	17	11	9

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1878.—Both Sexes.

Shetland	356	22	3	9	8	5	5	–	9	4	7	12	8
Orkney	394	19	6	5	9	3	5	3	14	8	16	13	11
Ross and Cromarty	185	22	7	7	15	7	6	2	5	3	6	9	5
Inverness	521	74	8	13	19	9	14	4	19	8	12	17	14
Argyll	337	23	2	9	8	7	5	2	4	8	13	11	11
Bute	170	7	6	3	8	2	–	2	4	3	9	3	9

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1878.—Both Sexes.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Caithness	6	7	9	5	6	9	9	20	29	45	32	18	7	2	–	–
Sutherland	8	12	9	9	11	14	15	26	45	29	35	24	10	1	1	2
Ross and Cromarty	25	20	19	23	34	30	52	47	105	103	99	50	23	6	3	–
Inverness	13	17	10	10	15	25	26	33	41	50	42	27	9	5	2	–
Nairn	–	1	2	1	1	3	4	3	4	10	6	1	1	–	1	–
Elgin	9	12	16	6	18	9	19	17	51	47	35	24	10	3	–	–
Banff	12	13	10	10	11	19	25	19	43	49	46	22	8	1	1	–
Aberdeen	35	32	40	48	50	72	87	117	112	163	130	82	30	7	–	–
Kincardine	14	7	13	17	8	17	25	28	30	44	28	14	4	1	–	–
Forfar	11	10	15	8	19	15	29	30	50	55	38	20	5	–	–	–
Perth	41	35	29	33	56	50	74	88	122	136	108	65	23	7	1	–
Fife	35	29	24	34	45	45	50	65	121	99	78	51	12	4	–	–
Kinross	1	1	5	6	7	2	10	11	10	17	19	7	1	1	–	–
Clackmannan	–	1	2	4	–	6	7	5	3	–	2	4	–	–	–	–
Stirling	19	22	33	26	32	22	25	40	42	52	17	10	1	–	1	–
Dumbarton	9	9	5	7	9	9	16	20	15	15	7	2	1	1	–	–
Argyll	24	27	19	15	23	35	43	47	58	66	55	46	16	4	2	–
Renfrew	17	16	16	14	22	12	36	37	23	31	17	10	6	2	–	–
Ayr	24	24	32	26	35	35	56	46	48	57	50	28	13	3	1	–
Lanark	35	49	41	46	34	61	62	58	54	59	43	26	6	4	1	–
Linlithgow	6	9	6	14	7	16	16	18	13	18	13	6	5	–	–	–
Edinburgh	34	41	39	52	47	55	77	86	91	71	46	26	10	3	–	1
Haddington	13	8	9	11	14	16	22	33	38	26	20	8	–	–	–	–
Berwick	16	7	12	12	16	18	26	28	37	55	34	14	3	1	–	–
Peebles	2	2	5	7	2	5	5	8	8	10	3	6	1	1	–	–
Selkirk	4	–	1	2	1	2	2	1	3	3	3	1	1	1	–	–
Roxburgh	9	9	10	9	20	16	24	32	30	41	16	15	5	1	–	–
Dumfries	27	30	14	19	31	31	49	64	84	79	58	36	15	2	1	–
Kirkcudbright	17	11	14	7	16	19	38	28	40	30	23	22	6	2	2	1
Wigtown	11	9	10	15	16	21	22	30	54	34	40	21	12	4	–	1

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1878.—Both Sexes.

Shetland	15	14	8	8	13	8	16	23	28	31	41	37	11	9	–	2
Orkney	11	9	8	9	8	12	16	41	27	55	44	31	9	2	–	–
Ross and Cromarty	4	2	2	7	6	2	5	9	12	9	14	11	6	2	–	–
Inverness	10	19	17	16	18	12	27	27	32	42	41	30	13	4	1	1
Argyll	8	12	8	12	13	9	20	19	36	39	33	17	7	1	–	–
Bute	6	8	7	5	6	4	3	12	18	14	17	9	4	1	–	–

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1878.—MALES.

	MALES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12										
Caithness	146	11	6	6	8	4	2	1	2	6	1	5	3
Sutherland	164	11	3	1	4	1	3	–	3	1	4	12	4
Ross and Cromarty	424	28	10	12	13	6	3	2	8	6	9	16	16
Inverness	219	14	5	7	4	6	3	2	7	1	8	8	6
Nairn	24	3	1	1	–	–	–	–	–	–	–	1	2
Elgin	191	19	5	4	6	6	5	2	8	4	7	7	6
Banff	243	25	9	10	10	3	2	4	14	8	11	3	11
Aberdeen	876	96	28	50	32	18	17	12	40	38	27	26	21
Kincardine	233	20	9	10	12	5	3	2	13	5	6	10	9
Forfar	268	25	7	12	8	5	2	8	9	9	12	9	13
Perth	627	48	14	21	16	11	6	13	23	15	21	17	12
Fife	564	65	17	39	29	17	7	5	18	18	20	10	11
Kinross	84	10	2	2	2	1	2	1	5	5	2	6	4
Clackmannan	59	7	5	7	5	5	–	1	–	3	4	1	2
Stirling	403	46	17	27	40	18	13	3	18	11	17	16	4
Dumbarton	181	11	5	12	28	10	8	3	11	7	8	9	4
Argyll	352	16	3	10	7	–	2	3	9	8	13	18	17
Renfrew	268	28	7	13	21	10	4	3	18	5	10	13	7
Ayr	549	49	22	45	60	24	12	10	17	17	14	19	15
Lanark	801	102	27	70	59	33	24	9	52	30	37	28	25
Linlithgow	134	19	8	7	13	3	–	3	6	2	1	2	3
Edinburgh	680	63	39	46	68	19	12	7	20	8	15	23	18
Haddington	179	21	2	10	9	5	2	2	7	5	9	6	–
Berwick	211	25	4	7	8	4	4	4	7	7	10	5	6
Peebles	54	9	2	3	3	1	2	–	2	2	2	3	–
Selkirk	18	2	–	–	1	–	–	–	–	–	1	–	1
Roxburgh	194	15	10	4	6	3	3	2	9	1	6	4	10
Dumfries	446	48	17	17	17	5	7	5	18	6	17	18	16
Kirkcudbright	233	22	10	9	7	3	5	1	6	7	9	5	6
Wigtown	247	20	10	18	10	4	5	2	15	6	11	6	4

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1878.—MALES.

Shetland,	158	11	2	2	4	1	2	–	4	3	3	7	3
Orkney,	191	9	4	4	4	1	3	1	8	4	10	7	9
Ross and Cromarty	97	14	4	5	7	3	4	–	2	1	4	5	2
Inverness	259	50	3	4	11	7	7	2	13	3	6	10	9
Argyll	149	13	–	4	2	2	4	1	–	3	5	6	7
Bute	87	5	4	1	5	1	–	–	2	–	4	1	3

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1878.—MALES.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Caithness	4	3	4	2	6	4	5	9	13	23	11	6	1	–	–	–
Sutherland	5	7	3	3	8	7	7	12	23	10	16	9	5	–	–	2
Ross and Cromarty	11	7	12	12	18	15	17	26	50	44	44	23	14	1	1	–
Inverness	9	8	4	3	11	10	14	13	21	23	15	9	4	4	–	–
Nairn	–	–	1	1	1	2	2	–	3	3	2	–	1	–	–	–
Elgin	3	7	9	3	6	4	11	5	25	15	13	9	2	–	–	–
Banff	4	3	4	5	7	9	15	9	20	23	20	9	5	–	–	–
Aberdeen	21	19	12	18	27	33	37	66	53	79	64	30	8	4	–	–
Kincardine	8	1	6	9	3	13	18	14	15	27	10	3	2	–	–	–
Forfar	5	6	6	3	8	13	10	15	29	24	18	10	2	–	–	–
Perth	18	15	12	24	29	24	29	36	67	63	51	27	11	3	1	–
Fife	16	15	11	15	17	19	25	30	59	47	35	18	–	1	–	–
Kinross	–	1	1	2	4	1	5	5	6	7	5	5	–	–	–	–
Clackmannan	–	1	2	3	–	3	1	3	2	–	1	3	–	–	–	–
Stirling	5	10	20	14	22	13	13	20	23	24	5	4	–	–	–	–
Dumbarton	3	4	3	2	3	7	11	13	6	5	5	1	1	1	–	–
Argyll	12	11	13	7	15	18	20	25	35	39	20	23	5	2	1	–
Renfrew	5	9	11	10	7	9	19	20	10	15	6	5	2	1	–	–
Ayr	13	13	18	18	19	20	27	25	23	27	23	11	6	2	–	–
Lanark	19	21	22	32	19	38	36	31	31	20	17	14	5	–	–	–
Linlithgow	5	6	3	7	3	8	10	7	3	4	8	1	2	–	–	–
Edinburgh	20	20	25	26	25	35	43	40	41	29	21	13	2	1	–	1
Haddington	8	3	7	6	7	8	8	16	17	10	7	4	–	–	–	–
Berwick	5	2	3	5	4	7	10	12	26	26	13	6	1	–	–	–
Peebles	1	–	2	3	1	3	1	2	3	4	2	2	–	1	–	–
Selkirk	3	–	–	1	1	–	2	–	1	3	1	–	1	–	–	–
Roxburgh	5	4	7	3	10	8	12	17	14	18	8	11	4	–	–	–
Dumfries	12	13	6	9	12	22	27	34	36	39	29	10	5	1	–	–
Kirkcudbright	7	2	8	4	10	13	22	15	21	17	10	9	2	2	–	1
Wigtown	4	4	4	9	7	14	11	10	25	15	17	8	5	2	–	1

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1878.—MALES.

Shetland	2	6	4	4	8	5	8	10	14	13	15	19	4	3	–	1
Orkney	3	2	1	6	4	5	11	17	14	26	20	10	7	1	–	–
Ross and Cromarty	2	1	1	1	3	2	2	3	8	5	7	6	4	1	–	–
Inverness	2	7	7	7	10	6	14	11	15	16	17	14	6	1	–	1
Argyll	5	3	2	6	5	7	10	12	9	18	13	7	4	1	–	–
Bute	2	7	4	2	4	2	–	8	8	9	6	7	2	–	–	–

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1878.—FEMALES.

	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	158	6	2	4	7	1	1	2	6	3	3	6	4
Sutherland	183	6	7	5	4	6	3	1	1	3	2	4	7
Ross and Cromarty	443	18	9	12	8	4	8	6	8	5	5	10	6
Inverness	253	16	2	2	12	2	–	1	10	5	7	13	6
Nairn	30	4	–	2	–	–	–	–	2	–	–	–	–
Elgin	228	8	7	3	9	2	1	1	2	8	4	10	9
Banff	252	23	3	5	10	7	2	1	16	4	6	10	9
Aberdeen	899	82	22	34	29	22	14	7	41	25	27	32	30
Kincardine	204	14	6	9	7	6	3	4	7	8	7	7	5
Forfar	257	28	7	6	9	6	3	4	7	9	6	7	9
Perth	692	55	14	17	18	12	4	6	21	16	20	25	26
Fife	605	55	22	24	30	3	8	5	20	12	13	8	21
Kinross	92	3	1	–	3	5	2	6	8	2	1	2	3
Clackmannan	31	–	–	6	5	–	–	–	1	2	–	–	2
Stirling	343	34	8	18	20	13	8	5	21	12	13	10	12
Dumbarton	143	11	2	7	17	6	4	3	11	6	4	10	2
Argyll	341	16	7	9	13	6	7	1	12	11	11	11	3
Renfrew	260	17	10	16	18	7	7	4	8	6	17	12	8
Ayr	534	60	15	31	44	19	11	7	30	20	13	26	25
Lanark	722	72	24	59	62	31	26	14	55	23	22	34	26
Linlithgow	152	12	5	8	11	5	5	1	5	1	10	7	2
Edinburgh	636	60	20	33	43	22	15	10	21	15	21	12	27
Haddington	198	10	5	12	8	5	3	2	6	7	6	8	9
Berwick	261	23	8	6	11	4	5	3	14	6	9	8	5
Peebles	77	7	3	4	2	3	–	4	5	2	3	1	3
Selkirk	25	1	1	–	–	1	1	1	1	3	2	2	–
Roxburgh	172	11	1	7	6	2	3	3	4	4	3	5	7
Dumfries	473	41	20	10	22	7	11	4	15	8	18	15	17
Kirkcudbright	207	24	5	4	6	3	–	1	5	7	4	9	6
Wigtown	269	23	5	11	19	8	7	3	7	6	6	5	5

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1878.—FEMALES.

Shetland	198	11	1	7	4	4	3	–	5	1	4	5	5
Orkney	203	10	2	1	5	2	2	2	6	4	6	6	2
Ross and Cromarty	88	8	3	2	8	4	2	2	3	2	2	4	3
Inverness	262	24	5	9	8	2	7	2	6	5	6	7	5
Argyll	188	10	2	5	6	5	1	1	4	5	8	5	4
Bute	83	2	2	2	3	1	–	2	2	3	5	2	6

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1878.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Caithness	2	4	5	3	–	5	4	11	16	22	21	12	6	2	–	–
Sutherland	3	5	6	6	3	7	8	14	22	19	19	15	5	1	1	–
Ross and Cromarty	14	13	7	11	16	15	35	21	55	59	55	27	9	5	2	–
Inverness	4	9	6	7	4	15	12	20	20	27	27	18	5	1	2	–
Nairn	–	1	1	–	–	1	2	3	1	7	4	1	–	–	1	–
Elgin	6	5	7	3	12	5	8	12	26	32	22	15	8	3	–	–
Banff	8	10	6	5	4	10	10	10	23	26	26	13	3	1	1	–
Aberdeen	14	13	28	30	23	39	50	51	59	84	66	52	22	3	–	–
Kincardine	6	6	7	8	5	4	7	14	15	17	18	11	2	1	–	–
Forfar	6	4	9	5	11	2	19	15	21	31	20	10	3	–	–	–
Perth	23	20	17	9	27	26	45	52	55	73	57	38	12	4	–	–
Fife	19	14	13	19	28	26	25	35	62	52	43	33	12	3	–	–
Kinross	1	–	4	4	3	1	5	6	4	10	14	2	1	1	–	–
Clackmannan	–	–	–	1	–	3	6	2	1	–	1	1	–	–	–	–
Stirling	14	12	13	12	10	9	12	20	19	28	12	6	1	–	1	–
Dumbarton	6	5	2	5	6	2	5	7	9	10	2	1	–	–	–	–
Argyll	12	16	6	8	8	17	23	22	23	27	35	23	11	2	1	–
Renfrew	12	7	5	4	15	3	17	17	13	16	11	5	4	1	–	–
Ayr	11	11	14	8	16	15	29	21	25	30	27	17	7	1	1	–
Lanark	16	28	19	14	15	23	26	27	23	39	26	12	1	4	1	–
Linlithgow	1	3	3	7	4	8	6	11	10	14	5	5	3	–	–	–
Edinburgh	14	21	14	26	22	20	34	46	50	42	25	13	8	2	–	–
Haddington	5	5	2	5	7	8	14	17	21	16	13	4	–	–	–	–
Berwick	11	5	9	7	12	11	16	16	11	29	21	8	2	1	–	–
Peebles	1	2	3	4	1	2	4	6	5	6	1	4	1	–	–	–
Selkirk	1	–	1	1	–	2	–	1	2	–	2	1	–	1	–	–
Roxburgh	4	5	3	6	10	8	12	15	16	23	8	4	1	1	–	–
Dumfries	15	17	8	10	19	9	22	30	48	40	29	26	10	1	1	–
Kirkcudbright	10	9	6	3	6	6	16	13	19	13	13	13	4	–	2	–
Wigtown	7	5	6	6	9	7	11	20	29	19	23	13	7	2	–	–

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1878.—FEMALES.

Shetland	13	8	4	4	5	3	8	13	14	18	26	18	7	6	–	1
Orkney	8	7	7	3	4	7	5	24	13	29	24	21	2	1	–	–
Ross and Cromarty	2	1	1	6	3	–	3	6	4	4	7	5	2	1	–	–
Inverness	8	12	10	9	8	6	13	16	17	26	24	16	7	3	1	–
Argyll	3	9	6	6	8	2	10	7	27	21	20	10	3	–	–	–
Bute	4	1	3	3	2	2	3	4	10	5	11	2	2	1	–	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1878.—MALES.

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
	All Causes	38389	188	234	299	164	598	675	80	380	416	2246	297	2544	1148	1481	84
	Specified Causes . .	37704	169	223	295	147	530	603	80	362	413	2206	291	2531	1116	1435	83
	(CLASSES.)																
I.	ZYMOTIC DISEASES	6897	13	21	43	16	71	88	14	41	61	458	42	483	143	252	17
II.	CONSTITUTIONAL ,,	7007	48	49	51	32	78	105	12	71	63	352	39	409	200	229	12
III.	LOCAL ,,	17141	47	85	144	57	238	266	31	177	216	1030	129	1197	554	660	39
IV.	DEVELOPMENTAL ,,	4718	52	62	49	33	118	114	22	54	52	279	48	330	171	223	11
V.	VIOLENT DEATHS . .	1941	9	6	8	9	25	30	1	19	21	87	33	112	48	71	4
	(ORDERS.)																
I.	1. MIASMATIC DISEASES .	6506	13	20	42	15	71	82	14	41	58	433	42	463	135	234	17
	2. ENTHETIC ,, . .	124	–	1	1	–	–	–	–	–	2	10	–	8	2	3	–
	3. DIETIC ,, . .	244	–	–	–	1	–	4	–	–	1	12	–	12	5	12	–
	4. PARASITIC ,, . .	23	–	–	–	–	–	2	–	–	–	3	–	–	1	3	–
II.	1. DIATHETIC ,, . .	898	16	9	14	14	20	28	3	15	8	61	11	58	31	40	1
	2. TUBERCULAR ,, . .	6109	32	40	37	18	58	77	9	56	55	291	28	351	169	189	11
III.	1. DISEASES OF NERVOUS SYSTEM .	4017	10	17	38	12	59	78	7	43	62	248	27	322	150	157	8
	2. ,, OF ORGANS OF CIRCULATION . .	2506	2	9	30	9	28	28	3	44	30	148	27	195	115	108	11
	3. ,, OF RESPIRATORY ORGANS . .	7076	18	27	40	21	87	91	14	60	60	410	42	473	168	240	8
	4. ,, OF DIGESTIVE ORGANS	2258	10	20	14	10	45	50	4	16	35	126	19	125	73	101	6
	5. ,, OF URINARY ORGANS	983	5	11	16	4	14	16	3	12	23	78	11	59	33	46	5
	6. ,, OF ORGANS OF GENERATION .	12	–	–	1	–	1	1	–	–	1	–	1	–	–	–	1
	7. ,, OF ORGANS OF LOCOMOTION . .	176	2	1	5	1	2	2	–	1	1	8	–	18	10	5	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	113	–	–	–	–	2	–	–	1	4	12	2	5	5	3	–
IV.	1. DEV. DIS. OF CHILDREN .	1572	4	4	6	2	8	14	10	17	18	109	15	148	32	61	5
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	1791	48	49	31	28	104	81	8	27	24	98	26	94	110	104	4
	4. DISEASES OF NUTRITION .	1355	–	9	12	3	6	19	4	10	10	72	7	88	29	58	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1878.—FEMALES.

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty	Inverness	Nairn	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
	All Causes	38404	245	256	297	183	637	696	93	386	468	2380	282	2772	1285	1482	92
	Specified Causes . .	37699	202	239	293	159	581	631	91	377	463	2343	280	2761	1249	1441	91
	(CLASSES.)																
I.	ZYMOTIC DISEASES	7300	19	27	47	17	95	86	14	51	74	512	57	506	172	216	21
II.	CONSTITUTIONAL ,,	8042	41	45	60	24	87	102	14	67	79	422	64	596	218	264	17
III.	LOCAL ,,	15745	51	85	129	53	213	219	35	168	228	984	106	1219	579	674	31
IV.	DEVELOPMENTAL ,,	5958	88	82	54	64	178	208	28	89	72	373	46	371	247	264	19
V.	VIOLENT DEATHS . .	654	3	–	3	1	8	16	–	2	10	52	7	69	33	23	3
	(ORDERS.)																
I.	1. MIASMATIC DISEASES .	7008	18	27	45	16	90	84	14	49	71	499	56	485	161	206	21
	2. ENTHETIC ,, . .	106	–	–	1	1	–	1	–	1	1	7	–	13	1	2	–
	3. DIETIC ,, . .	166	1	–	1	–	3	–	–	1	1	3	1	6	10	6	–
	4. PARASITIC ,, . .	20	–	–	–	–	2	1	–	–	1	3	–	2	–	2	–
II.	1. DIATHETIC ,, . .	1584	5	10	15	12	29	30	7	20	23	119	19	151	51	74	8
	2. TUBERCULAR ,, . .	6458	36	35	45	12	58	72	7	47	56	303	45	445	167	190	9
III.	1. DISEASES OF NERVOUS SYSTEM . .	3608	12	17	30	14	47	48	8	46	47	218	27	267	151	172	9
	2. ,, OF ORGANS OF CIRCULATION .	2441	2	11	25	6	20	19	5	23	28	164	18	219	132	122	4
	3. ,, OF RESPIRATORY ORGANS . .	6506	21	32	45	25	100	91	14	66	95	395	33	509	170	258	9
	4. ,, OF DIGESTIVE ORGANS	2239	14	18	15	6	27	45	6	24	45	127	19	157	89	86	6
	5. ,, OF URINARY ORGANS	507	–	3	7	1	9	7	2	5	8	39	6	37	17	23	2
	6. ,, OF ORGANS OF GENERATION .	170	1	1	2	1	7	4	–	1	–	13	–	16	8	2	–
	7. ,, OF ORGANS OF LOCOMOTION . .	156	–	2	3	–	–	2	–	3	3	13	2	11	5	8	1
	8. ,, OF INTEGUMENTARY SYSTEM . .	118	1	1	2	–	3	3	–	–	2	15	1	3	7	3	–
IV.	1. DEV. DIS. OF CHILDREN .	1207	3	4	4	2	7	12	5	8	16	78	3	98	30	36	1
	2. ,, OF ADULTS . .	401	6	2	3	2	7	17	1	3	8	23	2	24	9	15	1
	3. ,, OF OLD PEOPLE .	3112	76	72	42	57	157	166	21	68	38	201	33	184	175	163	16
	4. DISEASES OF NUTRITION .	1238	3	4	5	3	7	13	1	10	10	71	8	65	33	50	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1878.—MALES. (*Continued*).

Class.	CAUSES OF DEATH.	Clackmannan	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright	Wigtown.
	All Causes	264	1184	797	749	186	2568	2236	12121	423	4090	328	277	76	242	467	768	411	368
	Specified Causes . .	263	1167	790	702	182	2535	2207	11999	418	4075	322	270	75	241	463	751	400	360
	(CLASSES.)																		
I.	ZYMOTIC DISEASES	38	243	147	88	24	436	387	2459	80	767	60	42	13	66	98	97	31	58
II.	CONSTITUTIONAL ,,	53	175	137	140	41	501	423	2399	87	772	47	44	14	46	75	159	81	63
III.	LOCAL ,,	120	521	353	310	73	1118	964	5330	191	1906	156	131	36	102	215	342	230	173
IV.	DEVELOPMENTAL ,,	43	136	93	108	32	337	289	1233	44	412	49	42	8	18	55	107	40	54
V.	VIOLENT DEATHS .	9	92	60	56	12	143	144	578	16	218	10	11	4	9	20	46	18	12
	(ORDERS.)																		
I.	1. MIASMATIC DISEASES .	38	230	140	79	23	416	360	2342	78	696	55	38	12	57	91	89	28	54
	2. ENTHETIC ,, .	–	3	2	2	–	10	7	51	–	16	1	1	–	–	2	2	–	–
	3. DIETIC ,, .	–	10	5	6	1	10	18	59	2	53	4	3	1	9	4	6	2	4
	4. PARASITIC ,, .	–	–	–	1	–	–	2	7	–	2	–	–	–	–	1	–	1	–
II.	1. DIATHETIC ,, .	11	17	14	31	4	53	48	190	17	95	10	8	2	6	16	24	13	10
	2. TUBERCULAR ,, .	42	158	123	109	37	448	375	2209	70	677	37	36	12	40	59	135	68	53
III.	1. DISEASES OF NERVOUS SYSTEM .	30	119	91	79	25	287	242	1125	39	426	35	32	8	16	59	75	47	44
	2. ,, OF ORGANS OF CIRCULATION	18	90	57	57	11	152	145	567	34	321	26	32	4	13	47	66	52	27
	3. ,, OF RESPIRATORY ORGANS . .	51	199	142	94	18	469	361	2659	75	760	65	31	14	45	59	129	78	68
	4. ,, OF DIGESTIVE ORGANS .	14	76	51	51	7	136	145	656	28	247	22	21	2	20	25	50	32	21
	5. ,, OF URINARY ORGANS . .	6	29	7	27	11	60	58	230	14	113	8	12	6	7	20	11	16	12
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION .	–	8	3	1	1	10	7	54	1	20	–	1	2	1	1	5	5	–
	8. ,, OF INTEGUMENTARY SYSTEM .	1	–	2	1	–	4	6	33	–	19	–	2	–	–	4	6	–	1
IV.	1. DEV. DIS. OF CHILDREN	12	37	30	8	7	126	104	508	17	187	7	10	3	9	12	22	6	14
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	14	49	27	87	22	94	109	244	13	106	26	21	3	5	21	54	26	34
	4. DISEASES OF NUTRITION	17	50	36	13	3	117	76	481	14	11 9	16	11	2	4	22	31	8	6

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1878.—FEMALES. (*Continued.*)

	CAUSES OF DEATH.	Clackmannan	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright	Wigtown.
	All Causes . . .	230	1009	699	770	190	2575	2135	11665	431	4093	376	320	114	241	473	778	384	367
	Specified Causes . .	229	993	693	709	180	2547	2109	11560	423	4066	367	314	113	240	467	755	374	359
	(CLASSES.)																		
I.	ZYMOTIC DISEASES	46	218	139	96	28	457	397	2623	84	819	73	51	19	61	73	114	34	54
II.	CONSTITUTIONAL ,,	54	194	160	148	46	656	513	2629	88	861	77	49	26	55	81	158	86	61
III.	LOCAL ,,	84	411	292	277	85	969	852	4729	174	1750	157	155	51	92	242	326	177	148
IV.	DEVELOPMENTAL ,,	37	153	89	171	20	427	320	1427	64	548	55	54	15	31	66	139	68	91
V.	VIOLENT DEATHS .	8	17	13	17	1	38	27	152	13	88	5	5	2	1	5	18	9	5
	(ORDERS.)																		
I.	1. MIASMASTIC DISEASES	44	212	135	92	26	440	382	2533	82	765	69	49	18	57	72	105	34	51
	2. ENTHETIC ,, .	–	3	1	1	–	8	5	36	–	18	3	–	–	1	–	1	–	1
	3. DIETIC ,, .	1	3	3	3	2	9	9	51	2	34	1	2	1	3	1	8	–	–
	4. PARASITIC ,, .	1	–	–	–	–	–	1	3	–	2	–	–	–	–	–	–	–	2
II.	1. DIATHETIC ,, .	10	37	28	38	11	98	81	331	22	190	14	20	9	13	23	46	21	19
	2. TUBERCULAR ,, .	44	157	132	110	35	558	432	2298	66	671	63	29	17	42	58	112	65	42
III.	1. DISEASES OF NERVOUS SYSTEM . .	16	109	73	84	28	242	183	951	48	428	30	42	11	21	77	73	41	38
	2. ,, OF ORGANS OF CIRCULATION	14	49	47	40	16	133	159	554	28	310	37	41	13	19	68	56	38	21
	3. ,, OF RESPIRATORY ORGANS .	35	150	116	94	26	404	312	2334	63	674	61	33	13	29	59	127	53	60
	4. ,, OF DIGESTIVE ORGANS .	13	82	41	46	14	139	140	631	31	216	17	26	11	14	30	54	33	17
	5. ,, OF URINARY ORGANS . .	3	12	5	7	–	26	35	134	2	69	7	7	1	6	5	7	7	8
	6. ,, OF ORGANS OF GENERATION .	–	3	3	2	–	12	7	47	–	25	3	3	–	1	1	2	2	3
	7. ,, OF ORGANS OF LOCOMOTION .	1	4	4	4	–	8	8	51	–	13	–	1	1	1	–	5	2	–
	8. ,, OF INTEGUMENTARY SYSTEM	2	2	3	–	1	5	8	27	2	15	2	2	1	1	2	2	1	1
IV.	1. DEV. DIS. OF CHILDREN	6	28	19	8	1	96	71	418	7	161	7	13	2	8	14	17	11	13
	2. ,, OF ADULTS .	6	6	5	6	2	30	17	123	4	39	6	2	3	2	5	7	11	4
	3. ,, OF OLD PEOPLE	17	72	42	146	15	191	147	470	40	212	33	35	5	12	30	85	36	55
	4. DISEASES OF NUTRITION	8	47	23	11	2	110	85	416	13	136	9	4	5	9	17	30	10	19

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
V.	1. ACCIDENT OR NEGLIGENCE	1810	8	6	8	7	23	29	1	19	20	77	31	98	44	64	3
	*																
	3. HOMICIDE	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	4. SUICIDE	123	1	–	–	2	2	1	–	–	1	10	2	14	4	5	1
	5. EXECUTION	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	48	–	–	–	–	1	2	–	–	–	3	–	–	4	4	–
	CAUSES NOT SPECIFIED	637	19	11	4	17	67	70	–	18	3	37	6	13	28	42	1
I.	ORDER 1.																
	1. Small-pox	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	727	2	–	10	–	1	–	–	–	–	21	–	55	10	47	1
	3. Scarlatina	959	–	1	4	2	3	7	1	9	12	72	12	61	25	27	9
	4. Diphtheria	472	2	9	2	–	6	10	–	3	12	68	3	27	13	10	1
	5. Quinsy	28	–	1	1	–	1	–	–	2	–	2	–	2	–	3	–
	6. Croup	458	2	1	5	1	24	12	–	4	2	25	3	18	9	20	–
	7. Hooping-cough	1239	–	1	–	2	2	16	2	3	5	87	2	73	9	25	1
	8. Typhus Fever	134	–	–	–	–	–	–	3	1	1	25	1	19	2	1	–
	8. Enteric or Typhoid Fever	687	1	2	8	6	5	8	3	6	8	32	8	57	22	31	1
	8. Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	8. Simple Continued Fever	67	–	–	–	1	3	–	–	1	2	–	–	3	1	1	–
	9. Erysipelas	122	3	1	1	–	3	3	–	2	2	6	–	15	2	7	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	19	–	–	–	–	1	2	–	–	–	1	–	2	–	1	–
	12. Influenza	39	–	–	–	1	–	–	–	1	1	4	–	1	–	1	–
	13. Dysentery	78	2	–	–	–	2	1	1	–	1	10	–	6	5	1	–
	14. Diarrhœa	1166	–	1	5	1	8	11	4	7	5	58	12	112	29	44	2
	15. Cholera	99	–	–	1	–	1	2	–	1	1	7	1	–	1	5	2
	16. Ague	7	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
	17. Remittent Fever	38	–	–	–	–	–	–	–	1	1	4	–	2	1	4	–
	18. Rheumatism	148	1	3	5	1	10	9	–	–	5	10	–	9	6	3	–
	19. Other *Miasmatic* Diseases	15	–	–	–	–	1	–	–	–	–	1	–	–	–	2	–
	ORDER 2.																
	1. Syphilis	101	–	–	1	–	–	–	–	–	2	7	–	8	1	2	–
	2. Stricture of Urethra	22	–	1	–	–	–	–	–	–	–	3	–	–	1	1	–
	3. Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																
	1. Privation	6	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–
	2. Want of Breast Milk	59	–	–	–	–	–	1	–	–	–	2	–	2	2	2	–
	3. Purpura and Scurvy	28	–	–	–	–	–	1	–	–	1	3	–	6	–	1	–
	4. Alcoholism *a* Del. Tremens	43	–	–	–	1	–	1	–	–	–	3	–	3	–	1	–
	4. Alcoholism *b* Intemperance	108	–	–	–	–	–	–	–	–	–	4	–	1	2	7	–
	ORDER 4.																
	1. Thrush	16	–	–	–	–	–	2	–	–	–	3	–	–	1	1	–
	2. Worms, etc.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
II.	ORDER 1.																
	1. Gout	12	1	–	–	–	–	–	–	–	–	3	–	1	–	1	–
	2. Dropsy	189	6	–	–	5	3	7	1	5	4	8	3	11	2	7	1
	3. Cancer	615	8	6	12	9	16	19	1	9	3	44	8	42	28	26	–
	4. Cancrum Oris (Noma)	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	77	1	3	2	–	1	2	1	1	1	6	–	4	1	6	–

* Order 2, comprising Violent Deaths in Battle, is omitted as inapplicable to the civil population.

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1878. FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
V.	1. ACCIDENT OR NEGLIGENCE	590	3	–	3	1	8	12	–	2	9	46	6	61	32	18	3
	*																
	3. HOMICIDE	7	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–
	4. SUICIDE	57	–	–	–	–	–	2	–	–	1	6	1	8	1	4	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	42	–	–	–	–	–	–	–	–	–	1	–	1	3	6	–
	CAUSES NOT SPECIFIED	663	43	17	4	24	56	65	2	9	5	36	2	10	33	35	1
I.	ORDER 1.																
	1. Small-pox	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	2. Measles	645	1	–	8	–	2	–	–	–	–	23	–	65	10	37	–
	3. Scarlatina	911	–	2	4	4	5	3	–	7	15	63	8	67	16	16	13
	4. Diphtheria	561	1	7	2	–	7	11	–	2	17	81	4	30	16	14	1
	5. Quinsy	17	1	–	–	–	3	3	–	–	–	–	1	1	–	1	–
	6. Croup	401	2	2	8	–	20	14	2	2	5	28	5	16	7	13	1
	7. Hooping-cough	1549	–	–	1	5	5	20	1	2	6	115	4	75	19	20	–
	8. Typhus Fever	129	–	–	–	–	2	–	4	1	1	20	2	30	2	3	–
	8. Enteric or Typhoid Fever	790	1	2	5	1	11	8	2	10	8	38	12	48	26	32	4
	8. Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	8. Simple Continued Fever	80	–	–	1	–	2	1	–	1	1	5	–	2	3	–	–
	9. Erysipelas	126	2	2	2	1	1	–	–	6	2	15	2	12	–	5	–
	10. Puerperal Fever (Metria)	164	–	–	4	–	4	4	–	2	3	9	2	7	4	5	–
	11. Carbuncle	9	–	–	–	–	2	–	–	–	1	1	–	1	–	–	–
	12. Influenza	57	1	1	–	1	6	–	–	–	–	5	1	4	–	2	–
	13. Dysentery	100	–	1	–	–	1	1	–	1	3	13	–	11	5	5	–
	14. Diarrhœa	1104	1	6	5	1	7	9	5	10	6	59	8	99	42	40	–
	15. Cholera	78	–	1	–	–	–	–	–	1	–	3	1	4	–	2	–
	16. Ague	5	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
	17. Remittent Fever	34	–	–	–	–	–	–	–	–	1	2	2	1	–	2	–
	18. Rheumatism	234	8	3	5	3	12	10	–	3	1	18	4	11	10	8	2
	19. Other *Miasmatic* Diseases	12	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
	ORDER 2.																
	1. Syphilis	106	–	–	1	1	–	1	–	1	1	7	–	13	1	2	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																
	1. Privation	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	44	–	–	–	–	–	–	–	1	–	1	1	1	4	–	–
	3. Purpura and Scurvy	22	1	–	–	–	1	–	–	–	–	–	–	2	4	–	–
	4. Alcoholism *a* Del. Tremens	9	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–
	4. Alcoholism *b* Intemperance	89	–	–	1	–	2	–	–	–	–	2	–	3	2	4	–
	ORDER 4.																
	1. Thrush	14	–	–	–	–	1	1	–	–	1	3	–	2	–	1	–
	2. Worms, etc.	6	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
II.	ORDER 1.																
	1. Gout	4	–	–	–	–	–	–	–	–		–	–	1	–	1	–
	2. Dropsy	264	–	4	–	2	7	12	4	4	4	11	5	27	8	6	–
	3. Cancer	1214	5	6	15	9	20	16	3	15	18	101	11	113	41	60	7
	4. Cancrum Oris (Noma)	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	95	–	–	–	1	2	2	–	1	1	7	3	10	2	7	1

* See note on opposite page.

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1878.—MALES. (*Continued*).

Class.	CAUSES OF DEATH.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
V.	1. ACCIDENT OR NEGLIGENCE	9	86	57	53	10	138	137	562	11	192	8	9	2	9	16	43	18	12
	*																		
	3. HOMICIDE	–	–	–	–	–	1	1	–	1	2	–	–	–	–	–	–	–	–
	4. SUICIDE	–	6	3	3	2	4	6	16	4	23	2	2	2	–	4	3	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	1	–	2	2	28	–	1	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	1	17	7	46	4	31	27	94	5	14	6	7	1	1	4	17	11	8
I.	ORDER 1.																		
	1. Small-pox	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	2. Measles	11	8	10	16	–	12	29	283	8	156	16	–	–	1	8	13	3	6
	3. Scarlatina	1	49	20	7	–	82	43	406	8	37	5	8	2	28	5	2	3	3
	4. Diphtheria	1	14	19	5	1	34	37	106	7	43	4	7	1	–	1	12	3	11
	5. Quinsy	–	1	1	1	–	3	1	5	–	2	–	–	–	–	1	1	–	–
	6. Croup	2	25	10	7	1	32	32	130	5	58	1	4	2	4	8	8	–	3
	7. Hooping-cough	4	21	19	5	1	76	26	646	14	120	8	5	–	7	31	8	5	15
	8. Typhus Fever	–	4	8	1	–	21	6	23	2	12	1	1	–	–	–	2	–	–
	8. Enteric or Typhoid Fever	8	32	12	6	9	42	60	174	8	88	5	6	3	12	14	6	2	2
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	11	6	–	1	5	6	14	2	5	–	–	–	–	2	2	1	–
	9. Erysipelas	1	6	–	–	–	10	2	42	–	11	–	1	–	–	3	–	–	1
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	1	–	–	1	1	1	4	–	1	2	–	–	–	1	–	–	–
	12. Influenza	–	3	1	5	3	2	3	8	–	3	–	–	–	–	–	–	1	1
	13. Dysentery	–	1	4	2	–	2	10	19	2	3	–	1	–	–	2	2	1	–
	14. Diarrhœa	10	42	24	15	6	75	83	403	15	124	11	3	3	5	11	22	6	9
	15. Cholera	–	1	2	–	–	7	16	26	6	15	1	–	–	–	1	2	–	–
	16. Ague	–	–	1	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	6	1	1	–	4	–	11	–	2	–	–	–	–	–	–	–	–
	18. Rheumatism	–	4	2	8	–	7	3	31	1	16	–	2	1	–	3	3	3	2
	19. Other *Miasmatic* Diseases	–	–	–	–	–	1	1	6	–	–	1	–	–	–	–	1	–	1
	ORDER 2.																		
	1. Syphilis	–	3	2	–	–	10	6	45	–	12	1	–	–	–	1	–	–	–
	2. Stricture of Urethra	–	–	–	2	–	–	1	6	–	4	–	1	–	–	–	2	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																		
	1. Privation	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	2	–	1	–	2	4	12	–	18	–	–	–	6	2	1	1	1
	3. Purpura and Scurvy	–	1	–	–	–	1	2	6	–	1	1	1	–	2	–	1	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	1	–	4	2	10	–	12	1	–	1	–	1	–	1	1
	4. Alcoholism *b* Intemperance	–	7	5	4	1	3	9	30	2	21	2	2	–	1	1	4	–	2
	ORDER 4.																		
	1. Thrush	–	–	–	–	–	–	1	5	–	2	–	–	–	–	1	–	–	–
	2. Worms, etc.	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	1	–
II.	ORDER 1.																		
	1. Gout	–	–	–	–	–	1	1	1	1	–	1	–	–	–	–	–	1	–
	2. Dropsy	2	4	3	7	–	15	8	58	2	14	2	–	–	3	2	1	1	4
	3. Cancer	9	9	7	22	4	32	28	118	11	75	6	6	1	3	14	22	11	6
	4. Cancrum Oris (Noma)	–	–	–	–	–	1	–	2	–	2	–	–	–	–	–	–	–	–
	5. Mortification	–	4	4	2	–	4	11	11	3	4	1	2	1	–	–	1	–	–

* See page 52, note *.

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1878.—FEMALES. (*Continued*)

Class.	CAUSES OF DEATH.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
V.	1. ACCIDENT OR NEGLIGENCE *	8	17	13	17	1	35	24	143	10	76	5	4	2	1	4	17	6	3
	3. HOMICIDE	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	1
	4. SUICIDE	–	–	–	–	–	3	2	9	3	11	–	–	–	–	1	1	3	1
	5 EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	1	1	–	–	4	2	19	1	2	–	–	–	–	–	1	–	–
	CAUSES NOT SPECIFIED	1	15	5	61	10	24	24	86	7	25	9	6	1	1	6	22	10	8
I.	ORDER 1.																		
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	17	5	9	18	–	21	21	226	4	133	10	–	–	3	3	20	1	8
	3. Scarlatina	2	40	17	3	3	66	58	414	4	33	5	7	2	22	7	3	1	1
	4. Diphtheria	4	16	19	12	1	39	39	142	10	38	4	7	4	2	3	19	7	2
	5. Quinsy	–	–	–	–	–	–	–	5	–	–	–	1	–	–	–	1	–	–
	6. Croup	3	17	6	10	1	31	22	112	1	56	1	6	1	2	1	4	2	–
	7. Hooping-cough	3	33	32	5	2	78	49	820	18	156	10	3	2	5	28	10	3	19
	8. Typhus Fever	–	–	–	–	–	17	3	31	3	10	–	–	–	–	–	–	–	–
	8. Enteric or Typhod Fever	3	23	17	7	9	59	54	210	13	106	12	13	5	17	14	8	3	9
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	1	10	1	2	1	5	10	19	3	6	1	1	1	1	–	–	2	–
	9. Erysipelas	1	4	3	2	–	1	10	36	1	10	1	1	1	–	1	3	–	1
	10. Puerperal Fever (Metria)	2	4	2	3	1	13	9	44	2	24	3	4	–	2	2	4	1	–
	11. Carbuncle	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	1
	12. Influenza	–	3	4	5	–	1	3	8	1	6	1	1	–	–	1	–	–	2
	13. Dysentery	1	2	1	–	1	6	5	23	–	8	1	1	1	–	1	3	4	1
	14. Diarrhœa	7	41	20	12	5	83	75	356	18	130	14	2	1	2	9	20	7	4
	15. Cholera	–	2	1	1	1	5	12	23	1	18	–	–	–	–	–	2	–	–
	16. Ague	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	3	–	3	–	4	1	6	–	4	1	–	–	–	–	3	–	1
	18. Rheumatism	–	8	3	9	1	10	11	46	3	25	5	2	–	1	2	5	3	2
	19. Other *Miasmatic* Diseases	–	1	–	–	–	1	–	8	–	–	–	–	–	–	–	–	–	–
	ORDER 2.																		
	1. Syphilis	–	3	1	1	–	8	5	36	–	18	3	–	–	1	–	1	–	1
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																		
	1. Privation	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	1	–	1	–	5	1	15	–	6	–	1	1	2	–	3	–	–
	3. Purpura and Scurvy	–	1	2	–	1	1	1	5	1	2	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	2	–	–	–	2	–	–	–	1	–	–	–	1	–	–
	4. Alcoholism *b* Intemperance	1	1	1	–	1	3	7	28	1	25	1	–	–	1	1	4	–	–
	ORDER 4.																		
	1. Thrush	1	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	2
II.	ORDER 1.																		
	1. Gout	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	2. Dropsy	2	4	5	10	1	21	8	80	3	20	2	2	–	1	5	2	3	1
	3. Cancer	6	26	22	23	9	71	67	233	16	157	12	18	9	12	17	41	18	17
	4. Cancrum Oris (Noma)	1	1	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–
	5. Mortification	1	6	1	5	1	6	6	12	3	12	–	–	–	–	1	3	–	1

* See page 52, note *.

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
	ORDER 2.																
	1. Scrofula	437	4	4	4	–	3	4	–	3	4	33	5	26	8	19	1
	2. Tabes Mesenterica	664	1	–	1	–	3	–	–	1	6	18	3	33	17	14	–
	3. Phthisis	3897	26	27	25	17	50	67	7	47	41	182	18	225	128	117	9
	4. Hydrocephalus	1111	1	9	7	1	2	6	2	5	4	58	2	67	16	39	1
III.	ORDER 1.																
	1. Cephalitis	523	–	5	5	1	4	9	–	2	13	20	–	35	10	16	2
	2. Apoplexy	1036	5	4	9	2	10	16	5	13	12	56	11	82	41	45	3
	3. Paralysis	1005	3	6	10	5	23	26	1	14	18	63	10	90	58	46	2
	4. Insanity	44	–	–	–	–	2	3	–	–	1	3	–	2	2	2	
	5. Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	134	1	1	2	2	5	2	–	1	2	11	–	8	3	5	–
	7. Convulsions	650	1	–	2	2	6	13	–	5	9	45	1	58	15	24	–
	8. *Brain Disease, etc.*	624	–	1	10	–	9	9	1	8	7	50	5	47	21	19	1
	ORDER 2.																
	1. Pericarditis	63	–	–	2	–	–	1	–	–	–	3	–	8	–	1	3
	2. Aneurism	95	–	1	3	1	–	–	–	–	1	6	1	7	3	2	–
	3. *Heart Disease, etc.*	2348	2	8	25	8	28	27	3	44	29	139	26	180	112	105	8
	ORDER 3.																
	1. Laryngitis	118	–	–	–	–	–	–	–	–	–	20	3	8	2	7	–
	2. Bronchitis	4280	10	11	25	7	54	51	7	41	38	250	22	319	89	152	5
	3. Pleurisy	175	1	2	2	–	4	12	–	1	1	15	–	13	4	2	–
	4. Pneumonia	1728	2	9	11	11	8	16	2	9	16	98	14	111	39	64	2
	5. Asthma	184	5	2	1	3	14	7	1	4	2	11	1	–	7	3	–
	6. *Lung Disease, etc.*	591	–	3	1	–	7	5	4	5	3	16	2	22	27	12	1
	ORDER 4.																
	1. Gastritis	124	–	–	1	3	3	2	–	3	1	6	1	14	3	6	–
	2. Enteritis	518	1	–	2	1	5	7	1	1	5	16	1	15	8	27	–
	3. Peritonitis	208	–	6	1	–	3	3	–	2	1	15	3	16	9	10	–
	4. Ascites	32	–	1	–	–	1	–	–	–	–	2	–	3	–	–	1
	5. Ulceration of Intestines	109	2	–	1	1	1	1	–	2	3	3	1	8	4	1	1
	6. Hernia	67	–	–	2	–	4	3	–	1	1	8	1	3	3	4	–
	7. Ileus	149	2	–	–	4	5	5	–	1	4	10	2	6	5	8	–
	8. Intussusception	41	–	–	1	–	2	–	1	–	2	3	–	3	1	2	–
	9. Stricture of Intestines	15	–	–	–	–	–	1	–	–	–	1	–	2	1	1	–
	10. Fistula	10	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
	11. *Stomach Disease, etc.*	340	2	4	2	1	11	13	1	2	4	30	6	22	13	9	2
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	94	–	–	–	–	1	4	–	2	–	9	1	5	3	8	1
	14. Jaundice	137	–	2	1	–	2	4	–	1	4	10	1	7	3	6	–
	15. *Liver Disease, etc*	390	3	7	3	–	6	7	1	1	9	13	2	21	19	18	1
	16. *Spleen Disease, etc.*	24	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
	ORDER 5.																
	1. Nephritis	104	–	–	–	–	2	2	–	2	2	6	–	7	7	5	–
	2. Ischuria	49	–	2	1	1	1	–	–	–	–	6	–	1	–	2	–
	3. Bright's Disease (Nephria)	286	–	2	–	1	–	4	–	4	5	16	2	25	6	13	4
	4. Diabetes	66	1	–	1	–	1	1	–	–	1	6	–	1	3	3	–
	5. Calculus (Stone)	40	1	5	2	2	1	3	1	–	1	8	–	–	1	1	–
	6. Cystitis	103	–	1	7	–	2	3	2	1	3	8	3	7	3	5	–
	7. *Kidney Disease, etc.*	335	3	1	5	–	7	3	–	5	11	28	6	18	13	17	1
	ORDER 6.																
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	12	–	–	1	–	1	1	–	–	1	–	1	–	–	–	1
	ORDER 7.																
	1. Synovitis (Arthritis)	22	1	–	–	–	1	–	–	–	–	2	–	2	–	1	–
	2. *Joint Disease, etc.*	154	1	1	5	1	1	2	–	1	1	6	–	16	10	4	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
	ORDER 2.																
	1. Scrofula	338	1	2	2	–	–	2	–	3	5	20	5	14	9	13	–
	2. Tabes Mesenterica	598	–	1	1	–	3	–	–	2	4	11	1	37	13	7	–
	3. Phthisis	4548	31	28	35	11	48	65	6	39	40	233	29	334	128	146	5
	4. Hydrocephalus	974	4	4	7	1	7	5	1	3	7	39	10	60	17	24	4
III.	ORDER 1.																
	1. Cephalitis	377	2	–	6	–	5	3	1	6	2	19	–	23	14	14	1
	2. Apoplexy	961	4	5	3	3	5	11	2	7	12	42	13	80	41	51	4
	3. Paralysis	1081	6	7	18	10	27	16	1	13	19	70	7	89	62	66	2
	4. Insanity	60	–	2	–	–	1	1	–	1	2	6	–	–	1	4	–
	5. Chorea	6	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	6. Epilepsy	114	–	1	1	–	1	1	1	1	2	8	2	9	3	8	–
	7. Convulsions	531	–	1	–	1	–	11	2	6	5	34	1	36	12	18	1
	8. *Brain Disease, etc.*	478	–	1	2	–	8	5	1	12	5	38	4	30	18	11	1
	ORDER 2.																
	1. Pericarditis	50	–	–	1	–	–	–	–	–	–	3	–	2	1	4	–
	2. Aneurism	27	–	–	–	–	–	–	–	–	–	1	–	1	3	–	–
	3. *Heart Disease, etc.*	2364	2	11	24	6	20	19	5	23	28	160	18	216	128	118	4
	ORDER 3.																
	1. Laryngitis	72	–	2	–	–	1	–	–	1	–	10	–	7	1	1	–
	2. Bronchitis	4409	13	20	32	11	62	51	10	50	67	263	25	358	112	168	5
	3. Pleurisy	108	–	–	3	1	2	2	–	1	1	11	–	9	4	8	–
	4. Pneumonia	1236	4	4	6	6	7	14	1	10	17	79	7	101	28	57	3
	5. Asthma	157	2	3	3	7	25	17	–	2	5	5	1	6	7	7	–
	6. *Lung Disease, etc.*	524	2	3	1	–	3	7	3	2	5	27	–	28	18	17	1
	ORDER 4.																
	1. Gastritis	144	–	–	2	–	2	4	–	2	5	3	–	8	3	12	–
	2. Enteritis	433	–	4	1	1	5	5	3	4	5	17	1	30	10	20	1
	3. Peritonitis	263	1	2	2	–	1	5	1	1	4	22	3	32	10	7	–
	4. Ascites	47	–	–	–	1	1	–	–	–	1	4	–	5	1	3	–
	5. Ulceration of Intestines	124	2	1	–	–	2	1	–	3	3	11	3	7	7	7	–
	6. Hernia	63	–	1	–	1	1	1	–	–	2	1	–	13	–	4	–
	7. Ileus	136	3	2	1	–	–	6	1	2	7	10	2	7	6	4	–
	8. Intussusception	24	–	–	1	–	–	–	–	–	–	–	–	2	–	2	–
	9. Stricture of Intestines	16	–	–	–	–	2	–	–	1	–	–	–	1	–	1	–
	10. Fistula	6	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–
	11. *Stomach Disease, etc.*	340	4	2	3	3	7	13	1	4	1	32	3	17	18	4	2
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	99	–	–	–	–	1	3	–	–	3	4	1	4	9	4	1
	14. Jaundice	122	–	–	–	–	2	1	–	–	1	9	1	5	1	8	–
	15. *Liver Disease, etc.*	402	4	4	5	–	3	4	–	7	12	12	5	25	21	10	1
	16. *Spleen Disease, etc.*	20	–	2	–	–	–	1	–	–	–	2	–	–	3	–	1
	ORDER 5.																
	1. Nephritis	64	–	–	–	–	–	1	–	1	–	4	–	2	5	–	1
	2. Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	3. Bright's Disease (Nephria)	216	–	2	5	1	5	4	2	1	3	9	–	22	6	14	–
	4. Diabetes	37	–	–	–	–	–	–	–	2	–	3	–	1	1	2	–
	5. Calculus (Stone)	8	–	–	1	–	1	1	–	–	–	1	–	–	1	–	–
	6. Cystitis	24	–	–	1	–	–	1	–	1	–	2	–	–	–	3	1
	7. *Kidney Disease, etc.*	155	–	1	–	–	3	–	–	–	5	20	6	11	4	4	–
	ORDER 6.																
	1. Ovarian Dropsy	72	–	–	1	–	4	3	–	–	–	4	–	6	3	2	–
	2. *Uterus Disease, etc.*	98	1	1	1	1	3	1	–	1	–	9	–	10	5	–	–
	ORDER 7.																
	1. Synovitis (Arthritis)	18	–	1	–	–	–	–	–	–	–	4	–	–	1	2	–
	2. *Joint Disease, etc.*	138	–	1	3	–	–	2	–	3	3	9	2	11	4	6	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1878.—MALES. (*Continued*).

Class.	CAUSES OF DEATH.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	ORDER 2.																		
	1. Scrofula	1	15	11	9	2	32	30	140	2	54	3	3	2	1	1	6	2	5
	2. Tabes Mesenterica	6	16	14	–	4	36	49	315	9	86	2	1	1	1	7	14	4	2
	3. Phthisis	24	98	67	84	25	284	214	1338	39	417	26	23	8	31	42	95	54	42
	4. Hydrocephalus	11	29	31	16	6	96	82	416	20	120	6	9	1	7	9	20	8	4
III.	ORDER 1.																		
	1. Cephalitis	4	24	10	14	7	34	36	173	12	51	3	–	1	4	8	8	6	6
	2. Apoplexy	9	24	27	20	6	85	67	271	9	106	7	12	2	3	23	21	12	18
	3. Paralysis	6	29	26	21	7	68	53	217	9	110	5	10	3	5	14	26	13	8
	4. Insanity	–	4	–	1	–	2	1	10	–	7	–	1	–	–	1	2	–	–
	5. Chorea	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	1	3	3	7	1	9	14	23	1	19	2	1	–	1	2	2	1	1
	7. Convulsions	4	18	10	9	2	45	25	248	4	70	8	2	2	1	3	9	7	2
	8. *Brain Disease, etc.*	6	17	15	7	2	43	46	183	4	63	10	6	–	2	8	7	8	9
	ORDER 2.																		
	1. Pericarditis	1	2	2	1	–	5	3	14	–	12	–	1	–	1	1	–	2	–
	2. Aneurism	–	1	–	3	–	6	10	27	–	20	–	2	–	–	1	–	–	–
	3. *Heart Disease, etc.*	17	87	55	53	11	141	132	526	34	289	26	29	4	12	45	66	50	27
	ORDER 3.																		
	1. Laryngitis	2	3	1	2	–	10	7	30	–	17	–	–	–	–		3	2	1
	2. Bronchitis	37	117	100	50	10	279	200	1632	42	476	41	12	8	29	35	58	38	35
	3. Pleurisy	–	4	3	4	1	7	10	44	4	18	3	2	2	2	3	4	6	1
	4. Pneumonia	11	49	23	24	6	134	87	618	19	183	20	11	3	11	18	55	29	15
	5. Asthma	–	7	3	3	–	16	21	54	5	6	–	2	–	2	1	2	–	1
	6. *Lung Disease, etc.*	1	19	12	11	1	23	36	281	5	60	1	4	1	1	2	7	3	15
	ORDER 4.																		
	1. Gastritis	–	2	5	2	1	8	7	32	–	15	1	–	–	–	2	5	1	–
	2. Enteritis	1	18	15	12	–	40	52	186	7	52	5	4	1	10	10	7	7	1
	3. Peritonitis	1	11	7	2	–	14	7	54	3	24	1	1	–	–	–	6	4	4
	4. Ascites	1	2	–	–	–	–	5	11	–	3	–	1	–	–	–	1	–	–
	5. Ulceration of Intestines	1	4	4	1	–	4	4	23	3	19	2	2	–	1	1	3	3	5
	6. Hernia	–	–	2	1	–	7	3	11	3	8	–	1	–	–	–	–	1	–
	7. Ileus	1	4	–	8	1	6	7	40	3	19	1	2	–	1	–	3	–	1
	8. Intussusception	–	2	–	–	–	2	4	9	1	3	1	–	–	–	–	2	2	–
	9. Stricture of Intestines	–	–	1	–	–	–	1	3	–	4	–	–	–	–	–	–	–	–
	10. Fistula	1	–	–	–	–	–	2	4	–	–	–	–	–	–	–	–	1	–
	11. *Stomach Disease, etc.*	2	13	5	11	–	8	18	93	4	34	1	5	1	5	3	7	5	3
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	1	2	–	3	–	11	6	25	1	5	–	2	–	–	–	4	–	–
	14. Jaundice	3	10	3	3	–	7	10	31	1	12	2	2	–	1	2	3	3	3
	15. *Liver Disease, etc.*	2	6	9	8	5	29	17	130	2	37	8	–	–	2	7	9	4	4
	16. *Spleen Disease, etc.*	–	2	–	–	–	–	2	4	–	12	–	1	–	–	–	–	1	–
	ORDER 5.																		
	1. Nephritis	1	9	2	1	–	9	7	25	1	11	–	–	–	1	2	2	–	–
	2. Ischuria	–	1	–	4	1	2	3	10	2	3	1	3	–	–	1	2	1	1
	3. Bright's Disease (Nephria)	2	4	2	10	3	19	17	79	3	39	4	4	3	1	2	1	7	4
	4. Diabetes	–	2	–	2	1	6	3	18	1	6	–	–	–	1	3	1	2	2
	5. Calculus (Stone)	1	–	–	1	–	2	1	6	–	2	–	1	–	–	–	–	–	–
	6. Cystitis	–	3	2	1	1	8	3	13	3	14	1	2	–	–	6	1	–	–
	7. *Kidney Disease, etc.*	2	10	1	8	5	14	24	79	4	38	2	2	3	4	6	4	6	5
	ORDER 6.																		
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	–	–	–
	ORDER 7.																		
	1. Synovitis (Arthritis)	–	1	–	–	–	2	3	6	–	1	–	–	–	–	–	1	1	–
	2. *Joint Disease, etc.*	–	7	3	1	1	8	4	48	1	19	–	1	2	1	1	4	4	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1878.—FEMALES. (*Continued*).

Class.	CAUSES OF DEATH.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	ORDER 2.																		
	1. Scrofula	6	4	8	4	1	35	20	127	4	37	2	2	–	1	–	5	2	4
	2. Tabes Mesenterica	3	17	9	4	4	45	42	262	14	75	7	2	1	3	5	12	12	1
	3. Phthisis	25	116	84	93	27	386	297	1571	31	420	47	24	12	29	44	84	46	34
	4. Hydrocephalus	10	20	31	9	3	92	73	338	17	139	7	1	4	9	9	11	5	3
III.	ORDER 1.																		
	1. Cephalitis	1	11	7	6	2	24	13	140	8	41	2	4	1	4	5	7	3	2
	2. Apoplexy	3	27	21	17	12	82	52	252	13	102	9	14	6	5	19	18	13	13
	3. Paralysis	6	35	24	38	11	61	57	203	8	122	10	12	1	6	26	24	12	12
	4. Insanity	–	3	6	3	–	3	1	6	1	11	–	1	–	–	3	2	2	–
	5. Chorea	1	–	–	–	–	1	–	–	–	2	–	–	–	1	–	–	–	–
	6. Epilepsy	1	5	1	2	–	4	4	23	–	22	–	2	–	–	5	4	1	2
	7. Convulsions	4	15	6	10	1	34	26	206	10	54	5	1	2	3	7	8	5	6
	8. *Brain Disease, etc.*	–	13	8	8	2	33	30	121	8	74	4	8	1	2	12	10	5	3
	ORDER 2.																		
	1. Pericarditis	1	1	4	1	–	1	3	15	1	9	1	–	1	1	–	–	–	–
	2. Aneurism	–	–	2	1	–	–	1	6	–	6	–	1	–	1	2	1	1	–
	3. *Heart Disease, etc.*	13	48	41	38	16	132	155	533	27	295	36	40	12	17	66	55	37	21
	ORDER 3.																		
	1. Laryngitis	1	–	2	1	–	5	6	21	1	6	–	1	–	1	1	2	1	–
	2. Bronchitis	27	98	84	58	12	280	206	1597	47	457	44	21	12	22	40	91	29	37
	3. Pleurisy	–	2	2	2	–	4	2	23	–	20	–	2	1	1	3	2	1	1
	4. Pneumonia	5	29	16	14	12	81	53	454	8	129	12	6	–	4	12	27	16	14
	5. Asthma	1	3	1	3	1	6	6	30	–	8	2	–	–	1	1	4	–	–
	6. *Lung Disease, etc.*	1	18	11	16	1	28	39	209	7	54	3	3	–	–	2	1	6	8
	ORDER 4.																		
	1. Gastritis	1	5	5	–	1	4	10	47	–	11	1	–	–	–	7	7	3	1
	2. Enteritis	2	14	8	5	1	36	28	150	12	27	–	10	–	8	7	9	6	3
	3. Peritonitis	3	8	4	3	2	16	16	67	2	22	5	5	1	–	3	9	3	3
	4. Ascites	1	2	1	1	–	5	–	17	–	1	–	–	–	–	1	1	–	1
	5. Ulceration of Intestines	1	2	2	3	–	9	8	26	3	10	1	2	1	–	1	2	4	2
	6. Hernia	–	2	–	–	–	5	1	11	–	13	1	1	1	2	1	–	–	1
	7. Ileus	1	5	2	2	1	6	7	34	1	17	–	1	2	–	1	2	3	–
	8. Intussusception	–	2	1	–	–	2	1	7	1	2	–	–	–	–	1	2	–	–
	9. Stricture of Intestines	–	–	–	2	–	3	1	2	–	3	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	1	21	8	6	2	6	25	87	2	37	2	4	5	1	4	6	7	2
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	1	1	2	5	1	15	12	19	3	6	1	–	–	–	2	–	1	–
	14. Jaundice	–	8	1	4	1	6	8	33	3	15	2	1	–	1	1	6	3	1
	15. *Liver Disease, etc.*	2	12	7	15	5	25	21	124	4	49	4	1	1	2	1	10	3	3
	16. *Spleen Disease, etc.*	–	–	–	–	–	1	2	5	–	2	–	1	–	–	–	–	–	–
	ORDER 5.																		
	1. Nephritis	1	3	–	2	–	3	3	22	–	8	1	1	–	–	1	1	2	2
	2. Ischuria	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	1	3	1	4	–	9	17	55	2	24	4	2	–	5	3	3	4	5
	4. Diabetes	–	1	1	–	–	3	5	8	–	6	–	2	–	1	–	–	–	1
	5. Calculus (Stone)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–
	6. Cystitis	–	1	1	1	–	2	2	5	–	2	–	–	–	–	–	1	–	–
	7. *Kidney Disease, etc.*	1	4	2	–	–	9	8	41	–	28	2	2	1	–	1	2	–	–
	ORDER 6.																		
	1. Ovarian Dropsy	–	2	1	–	–	5	3	16	–	13	2	2	–	1	–	1	2	1
	2. *Uterus Disease, etc.*	–	1	2	2	–	7	4	31	–	12	1	1	–	–	1	1	–	2
	ORDER 7.																		
	1. Synovitis (Arthritis)	–	3	–	–	–	2	2	2	–	–	–	–	–	–	–	1	–	–
	2. *Joint Disease, etc.*	1	1	4	4	–	6	6	49	–	13	–	1	1	1	–	4	2	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
	ORDER 8.																
	1. Phlegmon	47	–	–	–	–	–	–	–	–	2	5	1	4	2	2	–
	2. Ulcer	23	–	–	–	–	1	–	–	–	1	2	–	1	1	1	–
	3. *Skin Disease, etc.*	43	–	–	–	–	1	–	–	1	1	5	1	–	2	–	–
IV.	ORDER 1.																
	1. Premature Birth	960	1	3	5	2	3	6	9	11	8	63	5	94	20	39	3
	2. Cyanosis	36	1	1	–	–	–	–	–	–	–	3	–	2	2	1	1
	3. Spina Bifida	27	–	–	–	–	–	–	–	–	–	1	1	1	–	4	–
	4. Other Malformations	129	2	–	–	–	3	2	–	–	4	17	5	21	6	4	1
	5. Teething	420	–	–	1	–	2	6	1	6	6	25	4	30	4	13	–
	ORDER 2.																
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																
	1. Old Age	1791	48	49	31	28	104	81	8	27	24	98	26	94	110	104	4
	ORDER 4.																
	1. Atrophy and Debility	1355	–	9	12	3	6	19	4	10	10	72	7	88	29	58	2
V.	ORDER 1. (*Accident or Negligence.*)																
	1. Fractures and Contusions	751	–	3	1	2	5	12	–	7	7	23	5	40	21	27	1
	2. Gunshot Wounds	9	–	–	–	–	1	–	–	–	1	1	–	–	1	1	–
	3. Cut, Stab	8	–	–	–	–	–	–	–	1	1	1	–	1	–	1	–
	4. Burns and Scalds	161	1	–	–	–	3	2	–	2	1	10	1	10	2	5	1
	5. Poison	29	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
	6. Drowning	488	6	3	5	4	9	14	1	8	4	21	16	20	13	16	–
	7. Suffocation	197	–	–	2	–	–	–	–	–	6	10	7	17	3	3	–
	8. Otherwise	167	1	–	–	1	5	1	–	1	–	10	1	9	4	11	1
	ORDER 3. (*Homicide.*)																
	1. Murder and Manslaughter	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	ORDER 4. (*Suicide.*)																
	1. Gunshot Wounds	6	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	2. Cut, Stab	28	–	–	–	–	–	1	–	–	–	2	–	1	1	2	1
	3. Poison	10	–	–	–	1	–	–	–	–	–	–	–	3	1	–	–
	4. Drowning	22	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–
	5. Hanging	50	1	–	–	1	2	–	–	–	–	7	2	5	2	3	–
	6. Otherwise and undefined	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)																
	1. Hanging	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Sudden Deaths (cause unascertained)	48	–	–	–	–	1	2	–	–	–	3	–	–	4	4	–
	Causes not specified or ill-defined	637	19	11	4	17	67	70	–	18	3	37	6	13	28	42	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
	ORDER 8.																
	1. Phlegmon	43	–	–	–	–	1	–	–	–	–	7	1	–	3	1	–
	2. Ulcer	46	1	–	1	–	1	2	–	–	1	3	–	2	3	1	–
	3. *Skin Disease, etc.*	29	–	1	1	–	1	1	–	–	1	5	–	1	1	1	–
IV.	ORDER 1.																
	1. Premature Birth	695	–	2	2	–	2	7	2	3	7	45	–	52	15	21	1
	2. Cyanosis	31	–	–	–	1	–	–	–	–	–	1	–	4	2	1	–
	3. Spina Bifida	31	–	–	–	–	1	–	–	–	–	3	–	5	1	1	–
	4. Other Malformations	81	–	–	–	1	2	–	–	–	2	10	1	11	7	2	–
	5. Teething	369	3	2	2	–	2	5	3	5	7	19	2	26	5	11	–
	ORDER 2.																
	1. Paramenia	21	–	–	–	–	–	–	1	–	1	2	–	2	–	1	–
	2. Childbirth (*see* Puerperal Fever)	380	6	2	3	2	7	17	–	3	7	21	2	22	9	14	1
	ORDER 3.																
	1. Old Age	3112	76	72	42	57	157	166	21	68	38	201	33	184	175	163	16
	ORDER 4.																
	1. Atrophy and Debility	1238	3	4	5	3	7	13	1	10	10	71	8	65	33	50	1
V.	ORDER 1. (*Accident or Negligence.*)																
	1. Fractures and Contusions	167	1	–	1	–	1	5	–	1	3	10	3	12	8	4	1
	2. Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	133	2	–	–	1	2	1	–	–	4	16	2	18	5	3	–
	5. Poison	19	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–
	6. Drowning	78	–	–	2	–	2	2	–	–	–	4	–	5	9	2	1
	7. Suffocation	126	–	–	–	–	1	1	–	–	2	12	–	21	5	4	1
	8. Otherwise	63	–	–	–	–	2	3	–	1	–	4	1	3	5	4	–
	ORDER 3. (*Homicide.*)																
	1. Murder and Manslaughter	7	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–
	ORDER 4. (*Suicide.*)																
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	11	–	–	–	–	–	–	–	–	–	1	–	2	–	2	–
	3. Poison	5	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
	4. Drowning	19	–	–	–	–	–	–	–	–	–	3	1	2	–	–	–
	5. Hanging	20	–	–	–	–	–	2	–	–	1	1	–	2	1	2	–
	6. Otherwise and undefined	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)																
	1. Hanging	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	42	–	–	–	–	–	–	–	–	–	1	–	1	3	6	–
	Causes not specified or ill-defined	663	43	17	4	24	56	65	2	9	5	36	2	10	33	35	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1878.—MALES. (*Continued*).

Class.	CAUSES OF DEATH.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	ORDER 8.																		
	1. Phlegmon	–	–	1	1	–	1	3	15	–	6	–	–	–	–	1	3	–	–
	2. Ulcer	–	–	–	–	–	–	1	5	–	6	–	–	–	–	2	1	–	1
	3. *Skin Disease, etc.*	1	–	1	–	–	3	2	13	–	7	–	2	–	–	1	2	–	–
IV.	ORDER 1.																		
	1. Premature Birth	6	16	17	3	4	73	63	306	11	127	5	9	3	8	8	15	5	9
	2. Cyanosis	–	3	2	–	–	1	5	9	–	4	1	–	–	–	–	–	–	–
	3. Spina Bifida	1	–	.	1	–	2	2	7	1	5	–	–	–	–	–	–	–	1
	4. Other Malformations	1	4	2	1	1	5	6	26	–	13	–	1	–	–	1	2	1	–
	5. Teething	4	14	9	3	2	45	28	160	5	38	1	–	–	1	3	5	–	4
	ORDER 2.																		
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																		
	1. Old Age	14	49	27	87	22	94	109	244	13	106	26	21	3	5	21	54	26	34
	ORDER 4.																		
	1. Atrophy and Debility	17	50	36	13	3	117	76	481	14	119	16	11	2	4	22	31	8	6
V.	ORDER 1. (*Accident or Negligence.*)																		
	1. Fractures and Contusions	1	40	19	9	–	52	63	276	6	86	2	3	1	2	9	17	6	5
	2. Gunshot Wounds	–	–	–	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	9	2	3	1	9	10	57	2	19	1	2	–	–	–	4	1	3
	5. Poison	1	1	1	–	–	–	4	9	–	8	1	–	–	–	1	–	–	–
	6. Drowning	5	23	28	33	8	56	33	102	1	31	3	–	1	2	2	10	7	3
	7. Suffocation	2	3	5	2	1	11	12	66	2	30	–	1	–	4	1	7	1	1
	8. Otherwise	–	9	2	5	–	10	15	49	–	16	1	3	–	1	3	5	3	–
	ORDER 3. (*Homicide.*)																		
	1. Murder and Manslaughter	–	–	–	–	–	1	1	–	1	2	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)																		
	1. Gunshot Wounds	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	1	–	–
	2. Cut, Stab	–	1	1	1	2	–	2	1	–	10	–	–	1	–	1	–	–	–
	3. Poison	–	1	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–
	4. Drowning	–	1	1	1	–	1	–	4	3	3	–	–	–	–	1	1	–	–
	5. Hanging	–	3	1	–	–	1	2	8	1	5	1	2	1	–	1	1	–	–
	6. Otherwise and undefined	–	–	–	–	–	1	1	1	–	2	1	–	–	–	1	–	–	–
	ORDER 5. (*Execution.*)																		
	1. Hanging	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	1	–	2	2	28	–	1	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	1	17	7	46	4	31	27	94	5	14	6	7	1	1	4	17	11	8

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1878.—FEMALES. (*Continued*).

Class.	CAUSES OF DEATH.	Clackmannan.	Stirling.	Dunbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	ORDER 8.																		
	1. Phlegmon	–	–	–	–	–	4	5	8	1	6	–	1	1	1	1	1	1	–
	2. Ulcer	1	1	3	–	1	1	2	12	1	5	2	–	–	–	1	1	–	–
	3. *Skin Disease, etc.*	1	1	–	–	–	–	1	7	–	4	–	1	–	–	–	–	–	1
IV.	ORDER 1.																		
	1. Premature Birth	1	10	16	3	–	48	44	248	5	104	5	10	2	6	9	12	7	6
	2. Cyanosis	–	2	–	–	–	2	3	5	–	7	–	–	–	1	–	1	1	–
	3. Spina Bifida	–	–	–	–	–	2	2	11	–	3	–	–	–	–	–	–	2	–
	4. Other Malformations	2	1	–	3	–	1	6	20	–	7	1	2	–	–	–	–	–	2
	5. Teething	3	15	3	2	1	43	16	134	2	40	1	1	–	1	5	4	1	5
	ORDER 2.																		
	1. Paramenia	–	–	–	–	–	1	2	5	1	2	1	–	–	–	–	1	1	–
	2. Childbirth (*see* Puerperal Fever)	6	6	5	6	2	29	15	118	3	37	5	2	3	2	5	6	10	4
	ORDER 3.																		
	1. Old Age	17	72	42	146	15	191	147	470	40	212	33	35	5	12	30	85	36	55
	ORDER 4.																		
	1. Atrophy and Debility	8	47	23	11	2	110	85	416	13	136	9	4	5	9	17	30	10	19
V.	ORDER 1. (*Accident or Negligence.*)																		
	1. Fractures and Contusions	2	4	4	5	–	13	5	44	5	29	2	–	1	–	–	2	–	1
	2. Gunshot Wounds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	4	2	4	–	8	6	29	1	9	3	3	–	–	1	5	2	2
	5. Poison	–	1	–	–	–	–	–	9	–	4	–	–	–	–	–	1	1	–
	6. Drowning	3	3	3	4	–	6	4	16	3	1	–	–	1	–	1	5	1	–
	7. Suffocation	3	2	1	3	–	4	5	28	1	26	–	–	–	–	2	3	1	–
	8. Otherwise	–	3	3	1	1	4	4	14	–	6	–	1	–	1	–	1	1	–
	ORDER 3. (*Homicide.*)																		
	1. Murder and Manslaughter	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	1
	ORDER 4. (*Suicide.*)																		
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	1	–
	3. Poison	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	2	1	4	1	4	–	–	–	–	–	–	1	–
	5. Hanging	–	–	–	–	–	1	1	2	1	3	–	–	–	–	–	1	1	1
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	ORDER 5. (*Execution.*)																		
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	1	1	–	–	4	2	19	1	2	–	–	–	–	–	1	–	–
	Causes not specified or ill-defined	1	15	5	61	10	24	24	86	7	25	9	6	1	1	6	22	10	8

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1878.—MALES.

Class.	CAUSES OF DEATH.	Total Principal Towns.	Glasgow	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
	All Causes	14707	7185	2442	1516	1066	795	785	617	301
	Specified Causes . . .	14608	7121	2437	1512	1058	791	778	613	298
	(CLASSES.)									
I.	ZYMOTIC DISEASES	2801	1355	492	312	218	107	170	102	45
II.	CONSTITUTIONAL ,,	2880	1522	453	261	181	159	132	128	44
III.	LOCAL ,,	6725	3251	1160	683	511	355	332	275	158
IV.	DEVELOPMENTAL ,,	1537	682	220	189	114	109	118	66	39
V.	VIOLENT DEATHS . . .	665	311	112	67	34	61	26	42	12
	(ORDERS.)									
I.	1. MIASMATIC DISEASES . .	2615	1273	438	301	205	96	166	96	40
	2. ENTHETIC ,, ...	71	40	12	5	5	6	1	–	2
	3. DIETIC ,, ...	106	38	41	6	5	5	3	5	3
	4. PARASITIC ,, ...	9	4	1	–	3	–	–	1	–
II.	1. DIATHETIC ,, ...	266	111	59	29	26	10	14	12	5
	2. TUBERCULAR ,, ...	2614	1411	394	232	155	149	118	116	39
III.	1. DISEASES of NERVOUS SYSTEM	1512	664	247	188	114	104	89	69	37
	2. ,, OF ORGANS OF CIRCULATION	840	336	185	86	73	45	29	50	36
	3. ,, OF RESPIRATORY ORGANS	3155	1698	473	303	226	151	149	104	51
	4. ,, OF DIGESTIVE ORGANS	753	366	149	61	55	39	33	32	18
	5. ,, OF URINARY ORGANS .	353	142	79	31	36	13	27	13	12
	6. ,, OF ORGANS OF GENERATION	4	4	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION	67	23	14	13	2	2	5	5	3
	8. ,, OF INTEGUMENTARY SYSTEM . . .	41	18	13	1	5	1	–	2	1
IV.	1. DEV. DIS. OF CHILDREN . .	722	322	110	103	64	45	37	34	7
	2. ,, OF ADULTS . .	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE .	315	112	46	36	27	25	40	12	17
	4. DISEASES OF NUTRITION . .	500	248	64	50	23	39	41	20	15

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1878.—FEMALES.

Class.	CAUSES OF DEATH.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
	All Causes	14718	6972	2468	1643	1138	754	806	598	339
	Specified Causes . . .	14611	6912	2460	1636	1133	742	801	591	336
	(CLASSES.)									
I.	ZYMOTIC DISEASES	2944	1452	487	321	235	124	156	111	58
II.	CONSTITUTIONAL ,,	3316	1620	544	350	224	205	182	134	57
III.	LOCAL ,,	6282	2988	1072	741	509	272	294	248	158
IV.	DEVELOPMENTAL ,,	1820	752	306	184	147	132	162	85	52
V.	VIOLENT DEATHS . .	249	100	51	40	18	9	7	13	11
	(ORDERS.)									
I.	1. MIASMATIC DISEASES . .	2806	1398	448	307	225	113	153	109	53
	2. ENTHETIC ,, . .	59	23	12	10	5	5	2	1	1
	3. DIETIC ,, . .	72	30	25	3	2	6	1	1	4
	4. PARASITIC ,, . .	7	1	2	1	3	–	–	–	–
II.	1. DIATHETIC ,, . .	541	199	120	64	56	37	25	25	15
	2. TUBERCULAR ,, . .	2775	1421	424	286	168	168	157	109	42
III.	1. DISEASES of NERVOUS SYSTEM .	1322	557	242	150	111	81	67	69	45
	2. ,, OF ORGANS OF CIRCULATION	889	359	191	120	68	42	31	38	40
	3. ,, OF RESPIRATORY ORGANS	2963	1572	432	348	225	105	130	102	49
	4. ,, OF DIGESTIVE ORGANS	738	357	122	84	57	33	47	28	10
	5. ,, OF URINARY ORGANS .	205	77	48	22	30	4	11	6	7
	6. ,, OF ORGANS OF GENERATION	74	30	17	7	7	4	5	1	3
	7. ,, OF ORGANS OF LOCOMOTION	56	28	8	8	5	1	1	3	2
	8. ,, OF INTEGUMENTARY SYSTEM . . .	35	8	12	2	6	2	2	1	2
IV.	1. DEV. DIS. OF CHILDREN . .	569	263	103	49	42	33	37	31	11
	2. ,, OF ADULTS . . .	146	62	22	18	14	9	9	10	2
	3. ,, OF OLD PEOPLE .	644	211	112	75	60	46	87	23	30
	4. DISEASES OF NUTRITION . .	461	216	69	42	31	44	29	21	9

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1878.—MALES (*Contd.*)

Class	CAUSES OF DEATH.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
V.	1. ACCIDENT OR NEGLIGENCE	616	300	92	60	28	60	24	41	11
	*									
	3. HOMICIDE	3	–	1	–	–	–	1	1	–
	4. SUICIDE	45	11	18	7	6	1	1	–	1
	5. EXECUTION	1	–	1	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	22	21	–	–	1	–	–	–	–
	CAUSES NOT SPECIFIED	77	43	5	4	7	4	7	4	3
I.	ORDER I.									
	1. Small-pox	2	2	–	–	–	–	–	–	–
	2. Measles	351	154	114	51	1	2	3	20	6
	3. Scarlatina	255	96	25	30	31	2	57	5	9
	4. Diphtheria	130	50	23	12	24	16	1	3	1
	5. Quinsy	8	3	1	1	1	1	1	–	–
	6. Croup	160	69	33	15	13	12	8	7	3
	7. Hooping-cough	724	468	90	54	55	24	23	7	3
	8. Typhus Fever	75	16	9	10	21	7	10	2	–
	8. Enteric or Typhoid Fever	221	93	44	25	14	8	17	16	4
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	13	8	2	–	–	1	1	1	–
	9. Erysipelas	49	20	9	10	2	4	3	1	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–
	11. Carbuncle	4	–	–	2	1	1	–	–	–
	12. Influenza	7	4	2	–	–	1	–	–	–
	13. Dysentery	16	8	1	1	4	–	–	1	1
	14. Diarrhœa	509	245	67	84	26	13	33	29	12
	15. Cholera	33	12	9	–	4	2	5	1	–
	16. Ague	2	2	–	–	–	–	–	–	–
	17. Remittent Fever	18	8	–	1	4	1	3	1	–
	18. Rheumatism	35	13	9	5	3	1	1	2	1
	19. Other *Miasmatic* Diseases	3	2	–	–	1	–	–	–	–
	ORDER 2.									
	1. Syphilis	59	35	8	5	3	6	1	–	1
	2. Stricture of Urethra	12	5	4	–	2	–	–	–	1
	3. Hydrophobia	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–
	ORDER 3.									
	1. Privation	3	1	1	–	–	–	–	–	1
	2. Want of Breast Milk	23	2	14	1	2	2	–	2	–
	3. Purpura and Scurvy	10	4	1	3	1	–	1	–	–
	4. Alcoholism *a* Del. Tremens	24	7	10	2	2	2	1	–	–
	4. Alcoholism *b* Intemperance	46	24	15	–	–	1	1	3	2
	ORDER 4.									
	1. Thrush	7	2	1	–	3	–	–	1	–
	2. Worms, etc.	2	2	–	–	–	–	–	–	–
II.	ORDER 1.									
	1. Gout	4	–	–	1	2	1	–	–	–
	2. Dropsy	52	25	7	7	4	1	5	2	1
	3. Cancer	189	76	49	21	17	6	8	8	4
	4. Cancrum Oris (Noma)	4	1	1	–	–	–	1	1	–
	5. Mortification	17	9	2	–	3	2	–	1	–

* See page 52, note*.

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1878.—FEMALES. (*Contd.*)

Class.	CAUSES OF DEATH.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
V.	1. ACCIDENT OR NEGLIGENCE	232	97	46	38	16	8	6	10	11
	*									
	3. HOMICIDE	1	–	1	–	–	–	–	–	–
	4. SUICIDE	16	3	4	2	2	1	1	3	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	18	11	–	1	1	2	1	1	1
	CAUSES NOT SPECIFIED	89	49	8	6	4	10	4	6	2
I.	ORDER 1.									
	1. Small-pox	1	–	–	–	1	–	–	–	–
	2. Measles	307	127	91	59	–	6	1	17	6
	3. Scarlatina	243	94	18	39	30	1	51	6	4
	4. Diphtheria	168	75	24	15	20	17	7	6	4
	5. Quinsy	3	2	–	1	–	–	–	–	–
	6. Croup	145	60	31	10	14	12	7	9	2
	7. Hooping-cough	895	572	110	62	71	32	18	18	12
	8. Typhus Fever	71	23	8	12	14	4	8	–	2
	8. Enteric or Typhoid Fever	251	115	47	18	16	7	23	18	7
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	20	9	4	–	4	1	1	–	1
	9. Erysipelas	41	22	4	9	4	1	–	1	–
	10. Puerperal Fever (Metria)	60	22	17	6	5	2	4	3	1
	11. Carbuncle	2	1	–	1	–	–	–	–	–
	12. Influenza	14	7	4	1	2	–	–	–	–
	13. Dysentery	17	7	4	2	2	–	2	–	–
	14. Diarrhœa	463	219	59	65	34	20	27	26	13
	15. Cholera	26	9	8	3	1	2	2	1	–
	16. Ague	2	1	1	–		–	–	–	–
	17. Remittent Fever	7	2	1	1	–	1	1	1	–
	18. Rheumatism	66	28	17	3	7	6	1	3	1
	19. Other *Miasmatic* Diseases	4	3	–	–	–	1	–	–	–
	ORDER 2.									
	1. Syphilis	59	23	12	10	5	5	2	1	1
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–
	ORDER 3.									
	1. Privation	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	20	8	5	–	1	3	1	–	2
	3. Purpura and Scurvy	5	3	–	1	–	1	–	–	–
	4. Alcoholism *a* Del. Tremens	1	1	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	46	18	20	2	1	2	–	1	2
	ORDER 4.									
	1. Thrush	6	1	1	1	3	–	–	–	–
	2. Worms, etc.	1	–	1	–	–	–	–	–	–
II.	ORDER 1.									
	1. Gout	3	1	1	1	–	–	–	–	–
	2. Dropsy	103	45	8	18	7	9	7	7	2
	3. Cancer	406	143	103	41	46	25	17	18	13
	4. Cancrum Oris (Noma)	2	2	–	–	–	–	–	–	–
	5. Mortification	27	8	8	4	3	3	1	–	–

* See page 52, note. *

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
	ORDER 2.									
	1. Scrofula	194	87	31	18	20	15	12	8	3
	2. Tabes Mesenterica	310	191	43	28	9	5	11	17	6
	3. Phthisis	1628	882	247	143	95	106	63	65	27
	4. Hydrocephalus	482	251	73	43	31	23	32	26	3
III.	ORDER 1.									
	1. Cephalitis	209	109	33	25	7	23	2	8	2
	2. Apoplexy	356	157	64	38	25	21	30	13	8
	3. Paralysis	327	119	48	50	26	23	23	24	14
	4. Insanity	14	4	1	2	2	–	1	2	2
	5. Chorea	1	–	–	–	–	–	1	–	–
	6. Epilepsy	47	13	12	6	7	3	4	1	1
	7. Convulsions	310	143	42	44	28	17	14	18	4
	8. *Brain Disease, etc.*	248	119	47	23	19	17	14	3	6
	ORDER 2.									
	1. Pericarditis	24	5	8	2	2	2	3	2	–
	2. Aneurism	43	19	14	2	4	3	–	1	–
	3. *Heart Disease, etc.*	773	312	163	82	67	40	26	47	36
	ORDER 3.									
	1. Laryngitis	53	19	11	5	9	4	2	2	1
	2. Bronchitis	2020	1095	290	206	150	79	102	75	23
	3 Pleurisy	58	20	14	8	9	2	2	1	2
	4. Pneumonia	755	391	113	76	50	51	34	23	17
	5. Asthma	36	17	3	–	3	5	5	–	3
	6. *Lung Disease, etc.*	233	156	42	8	5	10	4	3	5
	ORDER 4.									
	1. Gastritis	36	16	6	5	2	3	2	2	–
	2. Enteritis	174	102	27	8	4	13	13	7	–
	3. Peritonitis	69	25	13	8	7	5	3	6	2
	4. Ascites	9	5	3	1	–	–	–	–	–
	5. Ulceration of Intestines	35	8	16	5	–	1	2	3	–
	6. Hernia	24	6	7	2	6	3	–	–	–
	7. Ileus	52	28	12	2	4	–	–	4	2
	8. Intussusception	13	6	1	3	2	1	–	–	–
	9. Stricture of Intestines	8	1	4	1	1	–	–	–	1
	10. Fistula	3	2	–	–	–	–	–	–	1
	11. *Stomach Disease, etc.*	127	60	26	11	19	4	2	2	3
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–
	13. Hepatitis	26	12	4	2	–	–	6	–	2
	14. Jaundice	32	13	4	2	4	3	1	3	2
	15. *Liver Disease, etc.*	132	79	18	11	6	6	4	3	5
	16. *Spleen Disease, etc.*	13	3	8	–	–	–	–	2	–
	ORDER 5.									
	1. Nephritis	41	12	8	6	3	–	8	1	3
	2. Ischuria	9	3	3	–	3	–	–	–	–
	3. Bright's Disease (Nephria)	117	50	28	15	10	4	7	2	1
	4. Diabetes	26	12	2	1	2	1	4	2	2
	5. Calculus (Stone)	10	5	2	–	2	–	1	–	–
	6. Cystitis	34	6	11	5	3	1	5	1	2
	7. *Kidney Disease, etc.*	116	54	25	4	13	7	2	7	4
	ORDER 6.									
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	4	4	–	–	–	–	–	–	–
	ORDER 7.									
	1. Synovitis (Arthritis)	7	3	1	1	–	–	2	–	–
	2. *Joint Disease, etc.*	60	20	13	12	2	2	3	5	3

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1878.—FEMALES. (*Contd.*)

Class.	CAUSES OF DEATH.	Total Principal Towns	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
	ORDER 2.									
	1. Scrofula	149	73	21	9	9	11	15	10	1
	2. Tabes Mesenterica	276	162	42	24	9	14	8	12	5
	3. Phthisis	1896	983	263	218	124	124	96	56	32
	4. Hydrocephalus	454	203	98	35	26	19	38	31	4
III.	ORDER 1.									
	1. Cephalitis	161	85	26	15	10	12	2	5	6
	2. Apoplexy	332	137	57	48	22	24	20	17	7
	3. Paralysis	334	114	59	42	30	17	29	26	17
	4. Insanity	11	2	4	–	3	1	–	1	–
	5. Chorea	3	–	1	–	1	–	–	1	–
	6. Epilepsy	31	8	10	4	4	1	2	1	1
	7. Convulsions	251	133	30	27	20	15	8	14	4
	8. *Brain Disease, etc.*	199	78	55	14	21	11	6	4	10
	ORDER 2.									
	1. Pericarditis	19	9	6	1	2	–	–	1	–
	2. Aneurism	10	5	4	–	1	–	–	–	–
	3. *Heart Disease, etc.*	860	345	181	119	65	42	31	37	40
	ORDER 3.									
	1. Laryngitis	31	12	4	5	7	2	–	1	–
	2. Bronchitis	2084	1098	288	248	159	75	104	76	36
	3. Pleurisy	36	13	13	2	4	2	–	2	–
	4. Pneumonia	585	309	90	80	45	16	19	18	8
	5. Asthma	34	19	6	3	2	–	2	–	2
	6. *Lung Disease, etc.*	193	121	31	10	8	10	5	5	3
	ORDER 4.									
	1. Gastritis	39	26	3	4	1	2	1	2	–
	2. Enteritis	142	82	14	15	7	8	14	2	–
	3. Peritonitis	101	43	18	18	11	5	4	1	1
	4. Ascites	23	13	1	4	1	2	2	–	–
	5. Ulceration of Intestines	31	12	6	4	4	2	3	–	–
	6. Hernia	28	5	10	9	–	2	1	1	–
	7. Ileus	40	23	10	–	3	1	1	2	–
	8. Intussusception	4	2	1	1	–	–	–	–	–
	9. Stricture of Intestines	3	1	2	–	–	–	–	–	–
	10. Fistula	3	2	1	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	108	47	19	10	18	2	1	8	3
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–
	13. Hepatitis	29	11	3	3	1	2	8	–	1
	14. Jaundice	44	17	11	4	5	1	4	1	1
	15. *Liver Disease, etc.*	138	71	22	12	5	6	8	11	3
	16. *Spleen Disease, etc.*	5	2	1	–	1	–	–	–	1
	ORDER 5.									
	1. Nephritis	24	12	6	–	2	–	2	–	2
	2. Ischuria	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	77	36	14	11	8	1	2	2	3
	4. Diabetes	15	2	5	1	3	1	2	1	–
	5. Calculus (Stone)	2	2	–	–		–	–	–	–
	6. Cystitis	7	1	2	–	2	–	2	–	–
	7. *Kidney Disease, etc.*	80	24	21	10	15	2	3	3	2
	ORDER 6.									
	1. Ovarian Dropsy	27	11	7	1	2	1	3	1	1
	2. *Uterus Disease, etc.*	47	19	10	6	5	3	2	–	2
	ORDER 7.									
	1. Synovitis (Arthritis)	3	2	–	–	1	–	–	–	–
	2. *Joint Disease, etc.*	53	26	8	8	4	1	1	3	2

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLND during the YEAR 1878.—MALES. (*Contd.*)

Class.	CAUSES OF DEATH.	Total Principal Towns	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
	ORDER 8.									
	1. Phlegmon	13	6	5	–	1	–	–	–	1
	2. Ulcer	9	3	4	1	1	–	–	–	–
	3. *Skin Disease, etc.*	19	9	4	–	3	1	–	2	–
IV.	ORDER 1.									
	1. Premature Birth	434	184	78	65	38	21	18	25	5
	2. Cyanosis	8	3	1	1	2	–	–	–	1
	3. Spina Bifida	12	4	3	1	1	2	–	1	–
	4. Other Malformations	52	18	3	17	7	2	1	3	1
	5. Teething	216	113	25	19	16	20	18	5	–
	ORDER 2.									
	1. Paramenia	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–
	ORDER 3.									
	1. Old Age	315	112	46	36	27	25	40	12	17
	ORDER 4.									
	1. Atrophy and Debility	500	248	64	50	23	39	41	20	15
V.	ORDER 1. (*Accident or Negligence.*)									
	1. Fractures and Contusions	276	146	48	22	5	23	12	12	8
	2. Gunshot Wounds	1	–	1	–	–	–	–	–	–
	3. Cut, Stab	2	1	–	1	–	–	–	–	–
	4. Burns and Scalds	63	31	10	7	5	4	1	5	–
	5. Poison	16	7	5	1	1	–	–	2	–
	6. Drowning	124	53	5	10	8	24	6	17	1
	7. Suffocation	84	37	16	17	5	5	1	2	1
	8. Otherwise	50	25	7	2	4	4	4	3	1
	ORDER 3. (*Homicide.*)									
	1. Murder and Manslaughter	3	–	1	–	–	–	1	1	–
	ORDER 4. (*Suicide.*)									
	1. Gunshot Wounds	1	1	–	–	–	–	–	–	–
	2. Cut, Stab	10	1	8	–	1	–	–	–	–
	3. Poison	7	–	3	2	–	1	–	–	1
	4. Drowning	9	3	3	2	–	–	1	–	–
	5. Hanging	17	6	3	3	5	–	–	–	–
	6. Otherwise and undefined	1	–	1	–	–	–	–	–	–
	ORDER 5. (*Execution.*)									
	1. Hanging	1	–	1	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	22	21	–	–	1	–	–	–	–
	Causes not specified or ill-defined	77	43	5	4	7	4	7	4	3

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1878.—FEMALES. (*Contd.*)

Class.	CAUSES OF DEATH.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
	ORDER 8.									
	1. Phlegmon	13	2	6	–	2	1	2	–	–
	2. Ulcer	14	5	2	1	2	1	–	1	2
	3. *Skin Disease, etc.*	8	1	4	1	2	–	–	–	–
IV.	ORDER 1.									
	1. Premature Birth	325	145	72	26	23	17	15	19	8
	2. Cyanosis	8	2	3	1	1	–	–	1	–
	3. Spina Bifida	11	4	–	4	1	1	1	–	–
	4. Other Malformations	26	9	1	5	5	1	–	4	1
	5. Teething	199	103	27	13	12	14	21	7	2
	ORDER 2.									
	1. Paramenia	7	3	1	1	1	–	–	1	–
	2. Childbirth (*see* Puerperal Fever)	139	59	21	17	13	9	9	9	2
	ORDER 3.									
	1. Old Age	644	211	112	75	60	46	87	23	30
	ORDER 4.									
	1. Atrophy and Debility	461	216	69	42	31	44	29	21	9
V.	ORDER 1. (*Accident or Negligence.*)									
	1. Fractures and Contusions	78	36	19	4	5	5	2	3	4
	2. Gunshot Wounds	1	1	–	–	–	–	–	–	–
	3. Cut, Stab	2	1	–	–	–	–	–	1	–
	4. Burns and Scalds	40	17	5	8	3	1	2	2	2
	5. Poison	7	4	1	2	–	–	–	–	–
	6. Drowning	19	10	1	3	2	–	1	–	2
	7. Suffocation	60	19	15	18	4	–	–	3	1
	8. Otherwise	25	9	5	3	2	2	1	1	2
	ORDER 3. (*Homicide.*)									
	1. Murder and Manslaughter	1	–	1	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)									
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	3	2	1	–	–	–	–	–	–
	3. Poison	3	–	–	1	1	–	–	1	–
	4. Drowning	3	–	1	–	–	–	1	1	–
	5. Hanging	6	1	1	1	1	1	–	1	–
	6. Otherwise and undefined	1	–	1	–	–	–	–	–	–
	ORDER 5. (*Execution*).									
	1. Hanging	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	18	11	–	1	1	2	1	1	1
	Causes not specified or ill-defined	89	49	8	6	4	10	4	6	2

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1878.—MALES.

Class.	CAUSES OF DEATH.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward)	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
	All Causes . . .	5157	197	209	112	132	224	147	205	166	268	274	258	466	1153	340	228	299	181	298
	Specified Causes . .	5119	194	208	111	132	224	146	204	165	265	273	256	463	1146	340	227	297	180	288
	(CLASSES.)																			
I.	ZYMOTIC DISEASES	1155	34	32	21	17	47	33	56	28	47	57	55	82	253	118	100	75	54	46
II.	CONSTITUTIONAL ,,	876	33	33	19	16	24	31	26	28	53	49	44	94	221	45	17	55	29	59
III.	LOCAL ,,	2250	90	116	51	78	97	59	88	83	110	122	106	193	530	123	71	119	71	143
IV.	DEVELOPMENTAL ,,	629	24	23	14	14	48	22	19	15	38	32	36	88	103	37	32	31	24	29
V.	VIOLENT DEATHS .	209	13	4	6	7	8	1	15	11	17	13	15	6	39	17	7	17	2	11
	(ORDERS.)																			
I.	1. MIASMATIC DISEASES .	1104	33	30	21	15	39	32	56	25	41	53	54	81	247	113	99	70	52	43
	2. ENTHETIC ,, .	17	–	2	–	1	1	1	–	2	1	1	–	1	3	2	–	1	–	1
	3. DIETIC ,, .	28	1	–	–	1	6	–	–	1	5	2	1	–	–	3	1	4	1	2
	4. PARASITIC ,, .	6	–	–	–	–	1	–	–	–	–	1	–	–	3	–	–	–	1	–
II.	1. DIATHETIC ,, .	97	7	6	6	2	4	6	2	5	6	6	1	3	15	6	2	8	4	8
	2. TUBERCULAR ,, .	779	26	27	13	14	20	25	24	23	47	43	43	91	206	39	15	47	25	51
III.	1. DISEASES OF NERVOUS SYSTEM .	555	25	36	11	24	17	19	16	25	27	29	25	43	123	26	16	38	15	40
	2. ,, OF ORGANS OF CIRCULATION .	315	11	22	10	19	15	7	21	8	20	20	5	24	56	17	7	14	14	25
	3. ,, OF RESPIRATORY ORGANS . .	961	33	32	17	25	43	18	32	41	42	54	56	100	258	52	23	54	30	51
	4. ,, OF DIGESTIVE ORGANS, .	275	14	15	9	4	16	10	11	4	9	15	14	17	60	19	21	10	7	20
	5. ,, OF URINARY ORGANS . .	104	7	9	3	3	5	4	7	3	9	3	3	7	22	8	3	1	5	2
	6. ,, OF ORGANS OF GENERATION .	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION .	25	–	2	1	–	–	1	1	1	2	1	1	2	10	–	1	–	–	2
	8. ,, OF INTEGUMENTARY SYSTEM	14	–	–	–	3	1	–	–	1	1	–	1	–	1	1	–	2	–	3
IV.	1. DEV. DIS. OF CHILDREN	214	5	11	8	3	13	9	7	2	15	15	13	27	40	7	16	11	4	8
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	187	14	4	6	7	21	6	5	4	15	9	8	34	19	8	4	8	6	9
	4. DISEASES OF NUTRITION	228	5	8	–	4	14	7	7	9	8	8	15	27	44	22	12	12	14	12

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1878.—FEMALES.

Class.	CAUSES OF DEATH.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock	Barony.	Glasgow. (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
	All Causes . . .	5031	181	252	129	173	226	116	176	144	275	266	314	512	1043	312	213	248	179	272
	Specified Causes . .	4996	179	251	129	173	226	113	176	143	272	266	311	510	1034	312	213	245	178	265
	(CLASSES.)																			
I.	ZYMOTIC DISEASES	1173	32	39	27	22	31	25	47	29	53	73	80	113	251	109	85	70	43	44
II.	CONSTITUTIONAL ,,	1051	29	57	31	44	48	18	33	26	57	65	69	103	226	62	31	56	28	68
III.	LOCAL ,,	1980	75	114	53	72	97	50	80	71	107	96	104	188	432	98	67	74	87	115
IV.	DEVELOPMENTAL ,,	721	39	35	10	33	46	18	16	14	46	30	53	101	118	40	27	42	20	33
V.	VIOLENT DEATHS .	71	4	6	8	2	4	2	–	3	9	2	5	5	7	3	3	3	–	5
	(ORDERS.)																			
I.	1. MIASMATIC DISEASES	1137	30	38	26	21	31	24	45	27	51	72	77	109	243	104	85	70	43	41
	2. ENTHETIC ,, .	16	1	–	1	1	–	1	1	1	1	–	1	2	6	–	–	–	–	–
	3. DIETIC ,, .	18	–	1	–	–	–	–	1	1	1	1	1	2	2	5	–	–	–	3
	4. PARASITIC ,, .	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	194	11	19	12	17	13	4	5	2	8	13	8	11	25	7	6	9	5	19
	2. TUBERCULAR ,, .	857	18	38	19	27	35	14	28	24	49	52	61	92	201	55	25	47	23	49
III.	1. DISEASES OF NERVOUS SYSTEM .	473	18	35	13	16	18	12	23	12	24	14	25	41	114	23	13	21	24	27
	2. ,, OF ORGANS OF CIRCULATION	284	6	25	13	17	17	6	15	9	22	26	10	21	38	15	6	3	21	14
	3. ,, OF RESPIRATORY ORGANS .	843	34	38	18	24	51	21	20	39	34	44	51	93	201	38	28	32	31	46
	4. ,, OF DIGESTIVE ORGANS .	270	13	15	6	9	10	7	17	9	16	8	12	20	53	15	17	12	9	22
	5. ,, OF URINARY ORGANS .	62	2	1	3	4	1	3	3	1	9	1	3	7	15	2	1	3	1	2
	6. ,, OF ORGANS OF GENERATION	16	–	–	–	1	–	1	1	–	1	–	–	3	2	3	–	1	1	2
	7. ,, OF ORGANS OF LOCOMOTION	17	1	–	–	–	–	–	–	1	–	2	2	–	7	1	2	–	–	1
	8. ,, OF INTEGUMENTARY SYSTEM	15	1	–	–	1	–	–	1	–	1	1	1	3	2	1	–	2	–	1
IV.	1. DEV. DIS. OF CHILDREN	163	3	13	2	7	7	3	5	3	6	7	12	11	48	7	4	14	6	5
	2. ,, OF ADULTS .	56	2	2	–	2	4	–	1	–	3	–	8	6	13	5	–	5	3	2
	3. ,, OF OLD PEOPLE	306	29	13	6	23	24	9	6	5	26	14	20	55	27	13	9	11	4	12
	4. DISEASES OF NUTRITION	196	5	7	2	1	11	6	4	6	11	9	13	29	30	15	14	12	7	14

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
V.	1. ACCIDENT OR NEGLIGENCE. . . .	200	13	4	5	7	6	1	14	11	16	11	15	6	39	16	7	17	2	10
	*																			
	3. HOMICIDE . . .	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	4. SUICIDE . . .	8	–	–	1	–	2	–	1	–	1	1	–	–	–	1	–	–	–	1
	5. EXECUTION. . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	3	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
	CAUSES NOT SPECIFIED . .	35	3	1	1	–	–	1	1	1	3	1	2	2	5	–	1	2	1	10
1.	ORDER 1.																			
	1. Small-pox . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles . . .	138	–	–	–	1	7	11	4	–	9	6	5	22	21	25	5	3	5	14
	3. Scarlatina . .	241	2	–	–	2	3	3	12	–	–	7	–	4	43	51	81	26	2	5
	4. Diphtheria . .	59	3	4	3	–	1	1	7	–	1	4	9	4	16	2	1	2	–	1
	5. Quinsy . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	6. Croup . . .	65	–	–	–	1	–	2	8	–	6	5	5	3	19	2	2	6	3	3
	7. Hooping-cough .	227	12	5	4	5	6	5	8	5	5	1	12	34	77	2	2	13	29	2
	8. Typhus Fever. .	20	–	6	–	–	–	–	1	5	2	1	2	1	1	–	1	–	–	–
	8. Enteric or Typhoid Fever, . . .	77	3	7	2	1	5	1	2	2	2	8	5	2	19	5	–	8	5	–
	8. Relapsing Fever .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever . . .	7	–	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	2	1
	9. Erysipelas . .	19	2	–	4	–	2	–	–	–	–	1	1	–	4	2	1	2	–	–
	10. Puerperal Fever (Metria) . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle . .	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	12. Influenza . .	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
	13. Dysentery . .	14	–	–	2	–	–	–	–	2	–	1	–	1	5	–	–	–	2	1
	14. Diarrhœa . .	192	9	5	5	4	13	8	13	9	13	12	8	9	34	21	6	8	2	13
	15. Cholera . . .	19	1	–	–	–	1	–	–	2	2	7	2	1	1	1	–	–	–	1
	16. Ague . . .	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	17. Remittent Fever .	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	18. Rheumatism . .	14	1	–	–	1	–	–	1	–	–	–	2	–	4	2	–	–	2	1
	19. Other *Miasmatic* Dis.	3	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	1
	ORDER 2.																			
	1. Syphilis . . .	15	–	2	–	1	1	–	–	2	1	1	–	1	3	2	–	1	–	–
	2. Stricture of Urethra .	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1
	3. Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																			
	1. Privation . . .	2	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk .	7	–	–	–	–	2	–	–	–	1	–	1	–	–	1	–	–	–	2
	3. Purpura and Scurvy .	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	4. Alcoholism *a* Del. Tremens	3	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
	4. Alcoholism *b* Intemperance	14	–	–	–	1	3	–	–	1	2	1	–	–	–	2	–	3	1	–
	ORDER 4.																			
	1. Thrush . . .	5	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	1	–
	2. Worms, etc. . .	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.																			
	1. Gout	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	2. Dropsy . . .	22	–	1	1	–	1	1	–	1	1	1	1	1	4	3	1	3	1	1
	3. Cancer . . .	65	7	4	5	2	3	3	2	4	3	2	–	2	10	2	1	5	3	7
	4. Cancrum Oris (Noma).	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification . .	8	–	1	–	–	–	2	–	–	1	3	–	–	–	1	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
V.	1. ACCIDENT OR NEGLIGENCE	62	4	5	4	2	2	2	–	3	8	2	5	5	7	3	3	2	–	5
	*																			
	3. HOMICIDE	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. SUICIDE	8	–	1	4	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	5	–	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–
	CAUSES NOT SPECIFIED	30	2	1	–	–	–	3	–	1	3	–	3	1	5	–	–	3	1	7
I.	ORDER 1.																			
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	106	–	–	2	1	5	4	2	1	8	4	8	20	10	16	4	4	3	14
	3. Scarlatina	234	–	2	1	2	3	5	12	–	–	10	2	4	50	46	69	26	1	1
	4. Diphtheria	71	7	3	3	1	2	1	2	–	2	13	12	4	16	1	1	1	1	1
	5. Quinsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	6. Croup	65	4	–	–	2	1	1	7	1	5	3	7	6	14	5	1	4	1	3
	7. Hooping-cough	269	12	4	2	2	4	4	9	9	10	6	27	52	72	10	2	15	26	3
	8. Typhus Fever	22	–	16	–	–	2	1	–	–	–	1	–	–	1	–	1	–	–	–
	8. Enteric or Typhoid Fever	84	1	4	3	1	5	1	4	5	4	6	7	5	15	8	1	5	8	1
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	10	–	1	1	–	–	–	2	–	1	2	–	–	1	–	–	2	–	–
	9. Erysipelas	16	–	–	1	1	2	1	–	–	3	1	–	1	4	1	–	1	–	–
	10. Puerperal Fever (Metria)	18	1	–	–	1	2	–	–	–	1	1	2	1	4	2	–	1	–	2
	11. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	12. Influenza	6	–	1	2	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–
	13. Dysentery	15	–	–	2	–	1	1	–	–	–	–	–	1	5	–	–	3	1	1
	14. Diarrhœa	172	4	7	6	9	3	4	6	10	15	15	9	9	40	12	4	7	1	11
	15. Cholera	18	–	–	1	–	–	–	–	1	1	8	1	3	1	–	–	1	–	1
	16. Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	17. Remittent Fever	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	18. Rheumatism	24	1	–	2	1	–	1	1	–	–	2	1	3	6	1	1	–	1	3
	19. Other *Miasmatic* Dis.	3	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
	ORDER 2.																			
	1. Syphilis	16	1	–	1	1	–	1	1	1	1	–	1	2	6	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																			
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	3	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1
	3. Purpura and Scurvy	3	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1
	4. Alcoholism *b* Intemperance	10	–	–	–	–	–	–	–	–	1	1	–	2	1	4	–	–	–	1
	ORDER 4.																			
	1. Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
II.	ORDER 1.																			
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	30	2	2	–	2	–	–	–	–	1	–	2	1	6	2	2	6	2	2
	3. Cancer	151	8	17	11	12	13	2	4	2	7	11	5	9	19	5	4	3	3	16
	4. Cancrum Oris (Noma)	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	12	1	–	1	3	–	2	–	–	–	2	1	1	–	–	–	–	–	1

* See page 52, note *.

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1878.—MALES. *(Continued.)*

Class.	CAUSES OF DEATH.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
	ORDER 2.																			
	1. Scrofula	34	2	1	1	1	2	–	1	–	6	–	4	3	6	3	1	2	–	1
	2. Tabes Mesenterica	95	–	2	–	–	–	4	2	–	6	8	7	10	34	5	2	7	4	4
	3. Phthisis	479	21	20	9	10	14	13	19	15	31	23	20	57	115	19	11	31	15	36
	4. Hydrocephalus	171	3	4	3	3	4	8	2	8	4	12	12	21	51	12	1	7	6	10
III.	ORDER 1.																			
	1. Cephalitis	69	3	–	1	3	1	5	4	3	6	2	5	7	12	2	2	7	2	4
	2. Apoplexy	147	8	12	4	11	2	3	6	10	5	5	4	6	29	9	1	12	6	14
	3. Paralysis	134	6	12	1	5	8	3	1	9	5	9	4	15	28	3	6	4	2	13
	4. Insanity	10	3	–	–	–	–	–	–	–	1	–	–	–	5	–	–	–	–	1
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	17	1	–	–	2	–	–	1	–	5	1	–	1	5	–	–	–	1	–
	7. Convulsions	110	3	4	3	–	2	7	2	3	2	4	10	9	28	7	5	14	3	4
	8. *Brain Disease, etc.*	68	1	8	2	3	4	1	2	–	3	8	2	5	16	5	2	1	1	4
	ORDER 2.																			
	1. Pericarditis	12	–	2	–	2	–	–	–	2	1	2	–	1	2	–	–	–	–	–
	2. Aneurism	14	–	2	–	1	1	–	1	–	1	1	–	–	4	1	1	1	–	–
	3. *Heart Disease, etc.*	289	11	18	10	16	14	7	20	6	18	17	5	23	50	16	6	13	14	25
	ORDER 3.																			
	1. Laryngitis	14	–	–	2	–	1	–	–	–	2	1	1	1	4	1	1	–	–	–
	2. Bronchitis	568	24	25	13	17	24	13	20	28	21	36	24	49	144	32	15	34	22	27
	3. Pleurisy	21	–	–	–	–	–	–	2	1	3	1	2	2	5	1	–	1	–	3
	4. Pneumonia	243	8	4	1	6	14	5	5	11	10	10	23	35	68	10	–	7	7	19
	5. Asthma	18	–	–	–	–	1	–	1	–	1	1	–	–	5	1	3	3	1	1
	6. *Lung Disease, etc.*	97	1	3	1	2	3	–	4	1	5	5	6	13	32	7	4	9	–	1
	ORDER 4.																			
	1. Gastritis	17	–	3	1	–	1	–	–	–	1	–	1	–	2	–	6	–	1	1
	2. Enteritis	59	5	2	2	–	4	2	3	–	4	6	4	4	11	2	2	5	2	1
	3. Peritonitis	36	1	3	2	2	3	3	3	1	1	1	4	1	5	1	–	1	–	4
	4. Ascites	7	–	–	1	–	–	–	–	–	–	–	–	1	2	2	1	–	–	–
	5. Ulceration of Intestines	14	–	–	–	–	–	–	–	1	–	–	–	–	4	2	3	–	1	3
	6. Hernia	7	1	1	–	–	1	–	–	–	1	–	–	–	2	1	–	–	–	–
	7. Ileus	13	1	1	–	–	1	1	–	–	–	3	–	2	2	2	–	–	–	–
	8. Intussusception	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	9. Stricture of Intestines	2	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	10. Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	11. *Stomach Disease, etc.*	35	4	–	2	–	2	–	2	–	–	1	–	2	3	3	9	2	1	4
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	13	–	1	–	–	1	2	–	–	–	–	1	–	6	1	–	–	–	1
	14. Jaundice	15	–	2	1	–	–	1	1	–	1	–	–	2	4	2	–	–	–	1
	15. *Liver Disease, etc.*	52	2	2	–	1	3	1	1	2	1	2	4	5	16	3	–	2	2	5
	16. *Spleen Disease, etc.*	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.																			
	1. Nephritis	16	1	–	–	–	–	1	4	–	1	–	–	3	5	1	–	–	–	–
	2. Ischuria	4	–	1	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–
	3. Bright's Disease (Nephria)	33	2	3	2	1	2	1	1	1	4	–	1	–	8	3	1	1	2	–
	4. Diabetes	7	1	–	–	–	2	–	–	–	–	1	–	1	1	1	–	–	–	–
	5. Calculus (Stone)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	12	1	–	1	–	1	–	–	2	1	–	1	–	2	–	–	–	2	1
	7. *Kidney Disease, etc.*	31	1	5	–	2	–	2	1	–	2	2	1	3	6	2	2	–	1	1
	ORDER 6.																			
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	ORDER 7.																			
	1. Synovitis (Arthritis)	4	–	–	1	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–
	2. *Joint Disease, etc.*	21	–	2	–	–	–	1	1	1	–	1	1	2	9	–	1	–	–	2

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
	ORDER 2.																			
	1. Scrofula	35	–	2	–	–	2	–	1	1	4	1	1	8	7	4	2	1	–	1
	2. Tabes Mesenterica	77	–	4	3	1	1	1	5	1	6	4	4	6	22	4	1	5	3	6
	3. Phthisis	608	16	24	13	23	28	12	20	11	33	38	46	68	133	36	20	35	16	36
	4. Hydrocephalus	137	2	8	3	3	4	1	2	11	6	9	10	10	39	11	2	6	4	6
III.	ORDER 1.																			
	1. Cephalitis	55	1	2	2	1	1	1	5	1	2	–	1	8	21	3	3	–	1	2
	2. Apoplexy	138	6	11	3	9	3	5	7	5	8	3	7	14	30	6	2	5	7	7
	3. Paralysis	125	6	15	4	3	8	2	7	5	8	5	5	8	22	5	2	8	5	7
	4. Insanity	8	1	–	–	–	2	–	–	–	1	–	–	–	2	–	–	–	–	2
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	15	–	–	1	1	1	1	–	–	–	–	1	–	3	1	2	1	1	2
	7. Convulsions	78	2	2	2	–	2	2	1	1	3	1	6	5	29	6	2	6	6	2
	8. *Brain Disease, etc.*	54	2	5	1	2	1	1	3	–	2	5	5	6	7	2	2	1	4	5
	ORDER 2.																			
	1. Pericarditis	10	–	–	–	1	–	1	–	4	–	1	–	1	2	–	–	–	–	–
	2. Aneurism	4	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	1
	3. *Heart Disease, etc.*	270	6	25	13	16	17	5	15	4	22	2 5	10	20	35	15	6	3	20	13
	ORDER 3.																			
	1. Laryngitis	11	–	1	–	–	–	1	–	–	1	–	1	1	1	1	1	1	1	1
	2. Bronchitis	549	22	28	14	15	26	9	11	27	21	39	28	59	122	28	18	26	24	32
	3. Pleurisy	16	–	–	–	3	2	–	1	1	–	–	–	1	3	–	1	–	2	2
	4. Pneumonia	160	7	1	2	3	14	10	4	8	6	3	11	25	46	6	1	3	2	8
	5. Asthma	21	4	–	–	1	4	–	–	1	2	–	4	–	1	–	1	–	1	2
	6. *Lung Disease, etc.*	86	1	8	2	2	5	1	4	2	4	2	7	7	28	3	6	2	1	1
	ORDER 4.																			
	1. Gastritis	24	–	–	–	1	1	1	–	2	–	–	1	2	3	–	4	3	2	4
	2. Enteritis	45	4	3	1	–	2	3	1	–	2	3	3	3	10	4	–	2	2	2
	3. Peritonitis	33	2	3	3	1	1	–	3	1	3	1	–	1	8	2	–	–	1	3
	4. Ascites	3	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
	5. Ulceration of Intestines	12	–	1	–	–	1	–	–	–	–	3	–	3	–	3	1	–	–	–
	6. Hernia	8	–	1	–	2	1	–	–	–	–	–	1	–	2	1	–	–	–	–
	7. Ileus	17	2	–	–	1	–	–	1	2	3	–	1	2	3	–	–	–	1	1
	8. Intussusception	3	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–
	9. Stricture of Intestines	2	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	10. Fistula	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	39	3	1	–	–	2	–	4	1	1	–	2	4	6	–	8	1	1	5
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	9	–	–	–	–	–	–	1	–	1	–	1	–	1	1	–	2	2	–
	14. Jaundice	15	–	–	–	–	1	1	1	1	2	–	–	–	4	2	–	2	–	1
	15. *Liver Disease, etc.*	58	2	3	2	4	1	1	4	2	3	1	3	5	14	2	3	2	–	6
	16 *Spleen Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	ORDER 5.																			
	1. Nephritis	9	–	–	–	–	–	–	1	–	–	–	–	2	5	–	–	–	–	1
	2. Ischuria	2	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	29	2	1	3	3	–	2	–	–	6	1	–	1	6	1	–	1	1	1
	4. Diabetes	5	–	–	–	–	1	–	–	–	2	–	–	–	1	–	1	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	2	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	7. *Kidney Disease, etc.*	15	–	–	–	–	–	1	1	1	1	–	3	3	2	1	–	2	–	–
	ORDER 6.																			
	1. Ovarian Dropsy	7	–	–	–	1	–	1	1	–	–	–	–	1	–	1	–	1	–	1
	2. *Uterus Disease, etc.*	9	–	–	–	–	–	–	–	–	1	–	–	2	2	2	–	–	1	1
	ORDER 7.																			
	1. Synovitis (Arthritis)	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	16	1	–	–	–	–	–	–	1	–	1	2	–	7	1	2	–	–	1

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
	ORDER 8.																			
	1. Phlegmon	9	–	–	–	3	1	–	–	–	–	–	1	–	1	–	–	2	–	1
	2. Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	3. *Skin Disease, etc.*	4	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	2
IV.	ORDER 1.																			
	1. Premature Birth	133	1	9	5	2	10	5	1	2	9	10	4	16	29	7	9	8	1	5
	2. Cyanosis	4	–	–	–	–	–	–	2	–	–	1	–	–	1	–	–	–	–	–
	3. Spina Bifida	5	–	–	–	–	–	1	–	–	–	2	1	–	1	–	–	–	–	–
	4. Other Malformations	15	1	1	–	1	–	–	1	–	1	–	–	2	2	–	3	–	1	2
	5. Teething	57	3	1	3	–	3	3	3	–	5	2	8	9	7	–	4	3	2	1
	ORDER 2.																			
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																			
	1. Old Age	187	14	4	6	7	21	6	5	4	15	9	8	34	19	8	4	8	6	9
	ORDER 4.																			
	1. Atrophy and Debility	228	5	8	–	4	14	7	7	9	8	8	15	27	44	22	12	12	14	12
V.	ORDER 1. (*Accident or Negligence.*																			
	1. Fractures and Contusions	87	8	1	3	2	3	–	6	7	6	2	4	1	10	14	3	11	1	5
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	14	1	1	–	–	1	–	3	–	–	2	1	–	4	–	1	–	–	–
	5. Poison	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	6. Drowning	47	4	–	–	3	1	–	1	4	4	1	6	2	13	1	–	4	–	3
	7. Suffocation	22	–	–	–	–	–	–	2	–	3	2	1	2	7	1	1	1	1	1
	8. Otherwise	29	–	2	2	2	1	1	2	–	3	3	3	1	5	–	2	1	–	1
	ORDER 3. (*Homicide.*)																			
	1. Murder and Manslaughter	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)																			
	1. Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	2. Cut, Stab	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	3. Poison	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	5. Hanging	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)																			
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	3	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
	Causes not specified or ill-defined	35	3	1	1	–	–	1	1	1	3	1	2	2	5	–	1	2	1	10

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
	ORDER 8																			
	1 Phlegmon	6	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	1	–	1
	2. Ulcer	6	1	–	–	1	–	–	–	–	1	–	–	2	–	–	–	1	–	–
	3. *Skin Disease, etc.*	3	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–
IV.	ORDER 1.																			
	1. Premature Birth	107	1	7	2	5	6	–	3	2	4	5	6	8	34	4	2	11	4	3
	2. Cyanosis	5	–	–	–	1	–	–	1	–	–	–	–	–	2	–	–	–	–	1
	3. Spina Bifida	5	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	1	–	–
	4. Other Malformations	9	–	1	–	–	–	–	–	–	1	–	2	1	1	2	1	–	–	–
	5. Teething	37	2	5	–	1	1	3	1	1	1	2	4	1	8	1	1	2	2	1
	ORDER 2.																			
	1. Paramenia	3	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1
	2. Childbirth (*see* Puerperal Fever)	53	2	2	–	1	4	–	1	–	2	–	8	6	13	5	–	5	3	1
	ORDER 3.																			
	1. Old Age	306	29	13	6	23	24	9	6	5	26	14	20	55	27	13	9	11	4	12
	ORDER 4.																			
	1. Atrophy and Debility	196	5	7	2	1	11	6	4	6	11	9	13	29	30	15	14	12	7	14
V.	ORDER 1. (*Accident or Negligence.*)																			
	1. Fractures and Contusions	11	1	3	–	–	–	1	–	1	–	1	–	2	1	1	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	17	–	1	4	2	–	–	–	–	3	–	1	1	1	–	1	1	–	2
	5. Poison	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1
	6. Drowning	7	1	–	–	–	–	–	–	–	–	1	1	–	2	1	–	1	–	–
	7. Suffocation	14	–	1	–	–	1	–	–	–	2	–	3	1	3	–	1	–	–	2
	8. Otherwise	11	2	–	–	–	1	1	–	2	3	–	–	–	–	1	1	–	–	–
	ORDER 3. (*Homicide.*)																			
	1. Murder and Manslaughter	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)																			
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	3	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	3	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	5. Hanging	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)																			
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained	5	–	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–
	Causes not specified or ill-defined	30	2	1	–	–	–	3	–	1	3	–	3	1	5	–	–	3	1	7

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1878.—MALES.

Class.	CAUSES OF DEATH.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
	All Causes	8512	30	43	153	77	56	189	173	304	64	307	220	546	205	576
	Specified Causes . . .	8372	28	43	153	77	56	181	172	293	64	302	213	525	204	569
	(CLASSES).															
I.	ZYMOTIC DISEASES	1512	6	4	21	15	12	25	26	72	15	65	21	101	31	114
II.	CONSTITUTIONAL ,,	1644	7	14	30	14	8	32	28	46	5	40	58	96	42	96
III.	LOCAL ,,	3738	8	20	70	36	22	97	95	114	22	141	100	233	96	243
IV.	DEVELOPMENTAL ,,	992	5	4	26	6	14	20	18	49	15	43	26	68	30	67
V.	VIOLENT DEATHS . .	486	2	1	6	6	–	7	5	12	7	13	8	27	5	49
	(ORDERS).															
I.	1. MIASMATIC DISEASES . .	1431	6	4	21	15	12	25	25	68	15	61	21	98	31	106
	2. ENTHETIC ,, .	17	–	–	–	–	–	–	1	2	–	–	–	1	–	1
	3. DIETIC ,, . .	63	–	–	–	–	–	–	–	2	–	4	–	1	–	7
	4. PARASITIC ,, . .	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
II.	1. DIATHETIC ,, . .	217	1	3	10	5	3	7	5	3	1	8	7	13	9	11
	2. TUBERCULAR ,, . .	1427	6	11	20	9	5	25	23	43	4	32	51	83	33	85
III.	1. DISEASES OF NERVOUS SYSTEM . .	901	5	3	17	8	6	22	31	29	1	35	30	56	25	53
	2. ,, OF ORGANS OF CIRCULATION . .	617	–	3	14	2	3	28	14	10	5	28	20	44	17	45
	3. ,, OF RESPIRATORY ORGANS . .	1411	2	8	19	18	9	36	28	49	5	54	31	81	36	95
	4. ,, OF DIGESTIVE ORGANS	534	1	5	8	5	3	5	14	12	6	16	11	34	11	29
	5. ,, OF URINARY ORGANS	213	–	1	8	1	1	4	6	10	3	7	4	17	6	17
	6. ,, OF ORGANS OF GENERATION .	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	39	–	–	3	1	–	1	1	3	–	1	4	1	–	4
	8. ,, OF INTEGUMENTARY SYSTEM . .	21	–	–	–	1	–	1	1	1	1	–	–	–	1	–
IV.	1. DEV. DIS. OF CHILDREN .	330	–	1	5	1	9	6	10	23	5	10	8	19	6	13
	2. ,, OF ADULTS . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE .	353	5	2	15	5	3	9	4	16	8	18	13	30	9	32
	4. DISEASES OF NUTRITION .	309	–	1	6	–	2	5	4	10	2	15	5	19	15	22

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1878.—FEMALES.

Class.	CAUSES OF DEATH.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
	All Causes	8493	47	53	139	106	63	158	216	343	78	318	254	535	199	490
	Specified Causes . . .	8379	47	52	139	104	63	154	215	329	78	317	247	525	198	483
	(CLASSES.)															
I.	ZYMOTIC DISEASES	1600	5	5	22	29	11	26	34	102	19	57	33	85	38	100
II.	CONSTITUTIONAL ,,	1853	11	7	31	8	11	25	33	57	10	65	54	96	48	108
III.	LOCAL ,,	3481	19	26	67	43	26	70	114	108	37	130	111	248	74	182
IV.	DEVELOPMENTAL ,,	1295	12	14	18	22	15	33	29	55	11	57	41	86	31	84
V.	VIOLENT DEATHS . .	150	–	–	1	2	–	–	5	7	1	8	8	10	7	9
	(ORDERS.)															
I.	1. MIASMATIC DISEASES . .	1535	5	5	20	27	11	24	32	100	19	53	31	82	36	98
	2. ENTHETIC ,, . .	16	–	–	1	–	–	1	1	1	–	1	–	–	–	1
	3. DIETIC ,, . .	46	–	–	1	2	–	1	1	1	–	2	2	2	1	1
	4. PARASITIC ,, . .	3	–	–	–	–	–	–	–	–	–	1	–	1	1	–
II.	1. DIATHETIC ,, . .	360	2	1	6	4	4	6	12	13	4	18	11	26	9	22
	2. TUBERCULAR ,, . .	1493	9	6	25	4	7	19	21	44	6	47	43	70	39	86
III.	1. DISEASES OF NERVOUS SYSTEM . .	828	6	4	18	12	7	21	25	14	10	32	36	66	12	39
	2. ,, OF ORGANS OF CIRCULATION . .	578	1	6	13	4	3	14	16	21	8	22	19	47	12	20
	3. ,, OF RESPIRATORY ORGANS . .	1303	9	10	20	15	11	23	49	51	7	43	27	83	33	76
	4. ,, OF DIGESTIVE ORGANS	552	2	5	7	7	4	10	22	16	11	21	20	33	11	40
	5. ,, OF URINARY ORGANS	113	–	–	5	1	1	1	1	4	1	4	4	12	3	2
	6. ,, OF ORGANS OF GENERATION .	27	–	–	2	2	–	–	–	–	–	5	1	–	–	2
	7. ,, OF ORGANS OF LOCOMOTION . .	47	–	1	1	–	–	1	1	–	–	3	2	6	1	2
	8. ,, OF INTEGUMENTARY SYSTEM . .	33	1	–	1	2	–	–	–	2	–	–	2	1	2	1
IV.	1. DEV. DIS. OF CHILDREN .	254	–	1	4	1	2	4	10	13	–	12	6	12	4	17
	2. ,, OF ADULTS . .	77	1	–	1	3	1	1	3	–	–	1	1	5	6	4
	3. ,, OF OLD PEOPLE .	669	9	12	11	17	11	27	13	32	9	38	30	58	13	37
	4. DISEASES OF NUTRITION .	295	2	1	2	1	1	1	3	10	2	6	4	11	8	26

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	All Causes	450	248	99	720	1145	1391	289	351	149	66	22	224	92	84	118	121
	Specified Causes . . .	447	244	99	705	1127	1363	287	351	148	66	21	223	92	84	115	120
	(CLASSES.)																
I.	ZYMOTIC DISEASES	75	45	14	121	201	249	64	51	33	13	5	65	12	10	7	19
II.	CONSTITUTIONAL ,,	86	50	33	158	222	276	56	76	24	10	2	44	13	25	29	24
III	LOCAL ,,	195	109	36	312	485	616	128	162	63	34	12	91	50	30	62	56
IV.	DEVELOPMENTAL ,,	55	22	11	75	136	129	27	43	22	8	1	16	11	14	14	17
V.	VIOLENT DEATHS . .	36	18	5	39	83	93	12	19	6	1	1	7	6	5	3	4
	(ORDERS.)																
I.	1. MIASMATIC DISEASES . .	73	40	13	119	187	234	63	47	33	12	5	56	11	8	6	16
	2. ENTHETIC ,, . .	–	1	–	1	5	4	–	–	–	–	–	–	1	–	–	–
	3 DIETIC ,, . .	2	4	1	1	9	11	1	4	–	1	–	9	–	2	1	3
	4. PARASITIC ,, . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, . .	6	6	3	20	24	25	9	11	5	2	–	5	4	1	5	5
	2. TUBERCULAR ,, . .	80	44	30	138	198	251	47	65	19	8	2	39	9	24	24	19
III.	1. DISEASES OF NERVOUS SYSTEM . .	51	31	13	70	132	132	28	35	14	11	2	15	15	5	13	13
	2. ,, OF ORGANS OF CIRCULATION . .	36	18	4	51	76	75	25	25	13	5	3	12	11	5	18	7
	3. ,, OF RESPIRATORY ORGANS . .	71	37	11	126	166	274	48	62	25	7	4	38	10	13	21	27
	4. ,, OF DIGESTIVE ORGANS	33	15	3	48	78	91	18	28	11	7	–	19	7	7	4	5
	5. ,, OF URINARY ORGANS	1	7	5	12	28	29	8	12	–	3	2	6	6	–	5	4
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	2	–	–	2	2	10	1	–	–	–	1	1	–	–	1	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	1	1	–	3	3	5	–	–	–	1	–	–	1	–	–	–
IV.	1. DEV. DIS. OF CHILDREN .	19	4	4	34	50	50	8	19	2	2	–	8	5	3	4	2
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE .	16	11	6	16	42	29	8	9	12	3	1	5	3	6	7	10
	4. DISEASES OF NUTRITION .	20	7	1	25	44	50	11	15	8	3	–	3	3	5	3	5

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1878.—FEMALES. (*Continued*).

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	All Causes	412	241	107	755	1060	1329	279	391	178	59	37	216	122	93	117	98
	Specified Causes . . .	409	236	105	749	1048	1313	274	386	175	59	37	215	120	92	115	95
	(CLASSES.)																
I.	ZYMOTIC DISEASES	85	41	16	134	176	294	61	79	35	7	3	53	12	14	12	12
II.	CONSTITUTIONAL ,,	95	45	26	214	277	320	59	75	31	11	7	48	19	16	22	24
III.	LOCAL ,,	164	110	53	292	432	499	110	157	74	30	22	85	66	32	58	42
IV.	DEVELOPMENTAL ,,	58	32	9	95	153	182	39	63	32	10	3	28	23	24	19	17
V.	VIOLENT DEATHS . .	7	8	1	14	10	18	5	12	3	1	2	1	–	6	4	–
	(ORDERS.)																
I.	1. MIASMATIC DISEASES . .	83	38	15	132	166	283	60	74	34	7	3	49	12	12	12	12
	2. ENTHETIC ,, . .	–	–	–	1	3	2	–	2	1	–	–	1	–	–	–	–
	3. DIETIC ,, . .	2	3	1	1	7	9	1	3	–	–	–	3	–	2	–	–
	4. PARASITIC ,, . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, . .	19	12	5	24	37	46	16	14	6	5	3	10	3	9	4	9
	2. TUBERCULAR ,, . .	76	33	21	190	240	274	43	61	25	6	4	38	16	7	18	15
III.	1. DISEASES OF NERVOUS SYSTEM . .	45	43	19	68	93	97	24	38	14	7	6	21	22	5	13	11
	2. ,, OF ORGANS OF CIRCULATION . .	30	15	11	38	69	61	17	31	18	9	6	16	20	8	15	8
	3. ,, OF RESPIRATORY ORGANS . .	56	36	15	129	166	219	46	53	30	7	5	26	14	12	16	16
	4. ,, OF DIGESTIVE ORGANS	23	12	8	42	74	86	20	24	6	5	4	13	7	4	11	4
	5. ,, OF URINARY ORGANS	4	1	–	7	20	17	2	7	3	1	–	6	1	2	2	1
	6. ,, OF ORGANS OF GENERATION .	3	1	–	2	1	3	–	1	2	–	–	1	–	–	–	1
	7. ,, OF ORGANS OF LOCOMOTION . .	2	2	–	5	5	9	–	2	–	–	1	1	–	1	1	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	1	–	–	1	4	7	1	1	1	1	–	1	2	–	–	1
IV.	1. DEV. DIS. OF CHILDREN .	12	4	–	23	37	40	4	11	5	5	2	8	4	6	4	3
	2. ,, OF ADULTS .	3	1	–	7	10	11	3	1	6	1	1	2	–	–	3	1
	3. ,, OF OLD PEOPLE .	29	23	7	35	61	81	21	24	16	2	–	10	12	12	9	10
	4. DISEASES OF NUTRITION .	14	4	2	30	45	50	11	27	5	2	–	8	7	6	3	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
V.	1. ACCIDENT OR NEGLIGENCE	452	2	1	6	6	–	7	4	11	6	11	8	25	5	44
	*															
	3. HOMICIDE	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	32	–	–	–	–	–	–	1	1	1	2	–	1	–	5
	5. EXECUTION	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	15	–	–	–	–	–	–	–	–	–	–	2	4	–	–
	CAUSES NOT SPECIFIED	125	2	–	–	–	–	8	1	11	–	5	5	17	1	7
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	165	1	–	2	–	–	–	–	20	–	3	1	23	10	3
	3. Scarlatina	240	–	–	3	3	1	6	4	11	6	21	2	14	1	25
	4. Diphtheria	99	1	1	–	–	–	2	1	5	–	1	2	3	1	5
	5. Quinsy	5	–	1	–	–	–	1	–	–	–	–	–	1	–	1
	6. Croup	111	–	–	5	5	–	2	1	1	1	1	1	12	2	9
	7. Hooping-cough	155	–	–	–	–	1	1	5	12	1	3	2	5	4	10
	8. Typhus Fever	16	–	–	–	–	3	1	1	–	–	2	–	–	–	1
	8. Enteric or Typhoid Fever	200	1	–	5	–	3	3	4	5	1	12	8	14	6	14
	8. Relapsing Fever	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	8. Simple Continued Fever	25	–	–	–	–	–	1	1	–	–	–	–	1	–	8
	9. Erysipelas	28	–	1	1	–	–	2	–	–	–	1	–	4	1	4
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	7	–	–	–	1	–	–	–	–	–	–	–	–	–	1
	12. Influenza	11	–	–	–	–	–	–	–	–	–	–	–	–	–	3
	13. Dysentery	21	2	–	–	1	–	–	1	1	–	3	1	1	–	1
	14. Diarrhœa	280	–	1	2	1	4	6	3	13	6	10	4	15	6	16
	15. Cholera	23	–	–	–	–	–	–	1	–	–	–	–	4	–	–
	16. Ague	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	5	–	–	–	–	–	–	–	–	–	–	–	–	–	3
	18. Rheumatism	30	1	–	3	3	–	–	3	–	–	3	–	1	–	2
	19. Other *Miasmatic* Diseases	7	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	14	–	–	–	–	–	–	1	2	–	–	–	1	–	1
	2. Stricture of Urethra	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	17	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	3. Purpura and Scurvy	7	–	–	–	–	–	–	–	–	–	3	–	–	–	–
	4. Alcoholism *a* Del. Tremens	10	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	4. Alcoholism *b* Intemperance	29	–	–	–	–	–	–	–	1	–	–	–	1	–	5
	ORDER 4.															
	1. Thrush	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	2. Dropsy	57	–	–	–	2	1	5	4	1	1	2	–	3	1	3
	3. Cancer	137	1	3	8	2	1	2	1	2	–	5	7	7	8	6
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	21	–	–	2	1	1	–	–	–	–	1	–	2	–	2

* See page 52 note *.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
V.	1. ACCIDENT OR NEGLIGENCE	133	–	–	1	2	–	–	4	5	1	7	8	8	7	9
	*															
	3. HOMICIDE	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. SUICIDE	16	–	–	–	–	–	–	1	2	–	1	–	1	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	9	–	–	–	–	–	–	–	–	–	–	2	–	–	1
	CAUSES NOT SPECIFIED	105	–	1	–	2	–	4	1	14	–	1	5	10	1	6
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	155	–	–	1	2	–	–	–	23	–	1	–	17	14	1
	3. Scarlatina	205	–	–	4	5	–	5	9	9	3	11	–	4	2	17
	4. Diphtheria	110	1	–	1	–	–	2	2	7	–	3	3	7	4	7
	5. Quinsy	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	6. Croup	90	1	–	7	6	1	2	2	4	1	3	2	6	2	5
	7. Hooping-cough	220	–	–	1	1	1	1	5	24	1	4	2	7	2	20
	8. Typhus Fever	22	–	–	–	–	4	–	1	–	1	1	–	–	–	–
	8. Enteric or Typhoid Fever	220	–	–	2	2	1	3	4	8	6	15	8	12	2	8
	8. Relapsing Fever	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	8. Simple Continued Fever	31	–	–	–	1	–	1	–	–	–	–	–	–	1	5
	9. Erysipelas	33	1	1	–	–	–	2	1	3	1	1	–	1	1	2
	10. Puerperal Fever (Metria)	48	–	–	2	–	–	1	2	2	–	–	1	2	2	3
	11. Carbuncle	3	–	–	–	1	–	–	1	1	–	–	–	–	–	–
	12. Influenza	15	–	1	–	3	–	–	–	–	–	–	–	–	–	3
	13. Dysentery	34	–	–	–	–	–	–	1	6	–	6	–	2	1	1
	14. Diarrhœa	251	1	2	1	3	4	5	3	10	4	4	10	16	5	20
	15. Cholera	21	–	–	–	–	–	1	–	–	1	–	–	2	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	13	–	–	–	–	–	–	1	1	–	–	–	2	–	1
	18. Rheumatism	57	1	1	1	2	–	1	–	2	1	3	5	3	–	4
	19. Other *Miasmatic* Diseases	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1
	ORDER 2.															
	1. Syphilis	16	–	–	1	–	–	1	1	1	–	1	–	–	–	1
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	12	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	3. Purpura and Scurvy	8	–	–	–	–	–	–	–	–	–	–	2	–	–	–
	4. Alcoholism *a* Del. Tremens	4	–	–	–	–	–	–	1	–	–	–	–	1	–	–
	4. Alcoholism *b* Intemperance	21	–	–	1	2	–	–	–	1	–	1	–	1	1	1
	ORDER 4.															
	1. Thrush	3	–	–	–	–	–	–	–	–	–	1	–	1	1	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	52	–	–	–	2	3	2	2	1	1	3	2	3	2	2
	3. Cancer	283	2	1	6	1	1	4	10	11	3	13	9	20	6	17
	4. Cancrum Oris (Noma)	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	5. Mortification	22	–	–	–	1	–	–	–	1	–	2	–	3	–	3

See page 52, note *.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
V.	1. ACCIDENT OR NEGLIGENCE	33	15	4	38	80	90	9	17	5	1	–	7	6	4	3	4
	*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. HOMICIDE	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. SUICIDE	3	3	1	1	3	3	2	2	1	–	1	–	–	1	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	1	–	2	2	4	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	3	3	–	13	16	24	2	–	1	–	1	1	–	–	3	1
I.	ORDER 1.																
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	4	14	–	6	13	36	8	3	15	–	–	1	–	–	–	2
	3. Scarlatina	13	2	–	20	31	32	6	3	5	4	–	27	–	–	–	–
	4. Diphtheria	13	1	1	11	22	15	5	3	1	2	1	–	1	–	1	–
	5. Quinsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	6	4	1	6	12	17	5	8	1	–	2	4	2	–	–	3
	7. Hooping-cough	7	1	1	25	13	28	12	3	2	4	–	7	1	1	1	5
	8. Typhus Fever	1	–	–	4	2	–	1	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	7	2	6	14	29	25	7	12	–	1	1	12	2	4	1	1
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	3	–	–	3	3	2	2	–	–	–	–	–	–	–	1	–
	9. Erysipelas	–	–	–	3	–	8	–	1	–	–	–	–	2	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	1	2	–	1	1	–	–	–	–	–	–	–
	12. Influenza	1	3	–	1	2	1	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	1	1	–	1	2	2	1	1	–	–	–	–	–	1	–	–
	14. Diarrhœa	14	10	4	21	49	51	10	8	7	1	1	5	3	2	2	5
	15. Cholera	–	–	–	–	5	6	5	2	–	–	–	–	–	–	–	–
	16. Ague	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	1	2	–	3	1	4	1	2	–	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	1	1	3	–	–	1	–	–	–	–	–	–	–
	ORDER 2.																
	1. Syphilis	–	–	–	1	4	3	–	–	–	–	–	–	1	–	–	–
	2. Stricture of Urethra	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	1	7	–	1	–	–	–	6	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	1	1	–	–	–	–	–	2	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	1	–	–	1	2	–	2	–	–	–	–	–	–	1	1
	4. Alcoholism *b* Intemperance	2	3	1	1	6	1	1	1	–	1	–	1	–	2	–	2
	ORDER 4.																
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.																
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	2. Dropsy	1	1	–	6	6	11	–	3	2	–	–	2	–	–	–	2
	3. Cancer	2	5	3	13	13	14	8	8	3	–	–	3	4	1	4	3
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	3	–	–	1	5	–	1	–	–	2	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
V.	1. ACCIDENT OR NEGLIGENCE .	7	8	1	14	8	14	3	11	3	1	2	1	–	6	2	–
	*																
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	–	–	2	4	2	1	–	–	–	–	–	–	2	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	1	–	–	1	1	2	–	1	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED . . .	2	5	2	5	11	14	5	4	3	–	–	1	2	1	2	3
I.	ORDER 1.																
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	7	16	–	13	7	33	4	2	8	–	–	3	–	2	–	1
	3. Scarlatina	11	1	–	10	37	45	4	1	5	–	–	21	1	–	–	–
	4. Diphtheria	14	4	–	10	14	15	4	1	2	1	2	1	1	–	4	–
	5. Quinsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	6. Croup	4	3	–	9	8	13	1	6	–	–	–	2	–	1	1	–
	7. Hooping-cough	17	2	1	18	20	59	13	11	1	2	–	3	1	–	–	3
	8. Typhus Fever . . .	–	–	–	4	1	5	3	2	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	9	1	6	23	22	32	11	19	2	1	–	14	3	3	1	2
	8. Relapsing Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever .	1	–	1	3	7	6	3	1	–	–	–	–	–	–	1	–
	9. Erysipelas	3	1	–	–	5	4	1	2	1	–	–	–	–	2	–	–
	10. Puerperal Fever (Metria) .	2	1	1	5	5	8	2	4	1	1	–	2	–	1	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	4	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–
	13. Dysentery	1	–	1	4	1	5	–	2	1	–	–	–	–	–	2	–
	14. Diarrhœa	8	5	3	26	28	42	12	13	9	1	1	2	6	2	2	3
	15. Cholera	–	–	1	1	3	6	1	5	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever . .	–	1	–	2	–	2	–	1	–	–	–	–	–	1	–	1
	18. Rheumatism	2	2	1	3	7	5	1	4	4	–	–	1	–	–	1	2
	19. Other *Miasmatic* Diseases	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	ORDER 2.																
	1. Syphilis	–	–	–	1	3	2	–	2	1	–	–	1	–	–	–	–
	2. Stricture of Urethra . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																
	1. Privation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk .	–	1	–	1	1	5	–	–	–	–	–	2	–	–	–	–
	3. Purpura and Scurvy . .	1	–	–	–	1	1	1	2	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	1	–	1	–	5	2	–	1	–	–	–	1	–	2	–	–
	ORDER 4.																
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc. . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.																
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	2	3	–	4	2	13	1	1	1	–	–	1	–	–	–	1
	3. Cancer	16	7	4	20	32	29	13	13	5	5	3	9	3	9	4	7
	4. Cancrum Oris (Noma) .	–	–	–	–	–	2	–	–		–	–	–	–	–	–	–
	5. Mortification . . .	1	2	1	–	3	2	2	–	–		–	–	–	–	–	1

* See page 52, note *.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
	ORDER 2.															
	1. Scrofula	109	1	1	1	–	–	1	2	2	–	3	4	10	–	8
	2. Tabes Mesenterica	161	–	–	–	–	–	–	4	3	–	1	2	10	5	9
	3. Phthisis	889	5	7	16	8	4	21	15	27	3	21	38	53	19	51
	4. Hydrocephalus	268	–	3	3	1	1	3	2	11	1	7	7	10	9	17
III.	ORDER 1.															
	1. Cephalitis	130	–	1	2	–	–	2	8	2	–	6	2	6	4	12
	2. Apoplexy	251	4	–	6	–	4	7	5	4	1	7	10	18	7	10
	3. Paralysis	220	–	2	3	4	1	6	9	5	–	12	7	13	6	13
	4. Insanity	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	29	1	–	–	2	–	–	–	1	–	–	1	2	1	–
	7. Convulsions	106	–	–	–	–	–	3	6	2	–	5	4	8	2	10
	8. *Brain Disease, etc.*	162	–	–	6	2	1	4	3	15	–	5	6	8	5	8
	ORDER 2.															
	1. Pericarditis	11	–	–	1	–	–	–	–	–	–	1	–	–	1	1
	2. Aneurism	19	–	–	2	–	–	–	1	–	–	–	2	1	–	–
	3. *Heart Disease, etc.*	587	–	3	11	2	3	28	13	10	5	27	18	43	16	44
	ORDER 3.															
	1. Laryngitis	28	–	–	–	–	–	–	–	5	1	–	–	4	2	1
	2. Bronchitis	835	2	3	14	10	6	24	20	23	2	36	20	46	28	60
	3. Pleurisy	34	–	1	–	–	–	1	–	1	–	2	1	1	–	–
	4. Pneumonia	331	–	3	5	–	–	4	5	14	1	14	3	22	5	22
	5. Asthma	48	–	1	–	2	–	4	1	2	–	–	1	2	–	–
	6. *Lung Disease, etc.*	135	–	–	–	6	3	3	2	4	1	2	6	6	1	12
	ORDER 4.															
	1. Gastritis	22	–	–	–	–	–	1	1	1	–	2	1	1	–	1
	2. Enteritis	140	–	–	1	1	1	1	3	1	1	1	2	10	1	2
	3. Peritonitis	42	–	–	–	–	–	–	–	1	–	1	–	1	1	3
	4. Ascites	10	–	1	–	–	–	–	–	1	–	1	–	–	1	2
	5. Ulceration of Intestines	27	1	–	1	–	–	–	2	1	1	–	–	1	1	2
	6. Hernia	13	–	–	–	–	–	1	–	–	–	–	–	1	–	–
	7. Ileus	31	–	–	–	1	–	–	3	1	–	1	–	3	1	3
	8. Intussusception	14	–	–	1	1	1	–	–	–	–	–	–	1	–	–
	9. Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	4	–	–	–	1	–	–	–	–	–	–	–	–	1	–
	11. *Stomach Disease, etc.*	69	–	1	2	–	–	–	1	2	3	6	2	5	1	9
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	19	–	–	–	–	–	–	–	–	–	1	–	–	1	1
	14. Jaundice	44	–	–	1	–	–	1	1	2	1	1	1	3	2	4
	15. *Liver Disease, etc.*	95	–	3	2	1	1	1	2	2	–	2	5	8	1	2
	16. *Spleen Disease, etc.*	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	20	–	–	–	–	–	1	1	–	–	–	1	3	1	3
	2. Ischuria	11	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	59	–	1	–	–	–	1	2	1	–	3	–	5	2	2
	4. Diabetes	16	–	–	1	1	–	–	–	1	–	–	1	–	–	1
	5. Calculus (Stone)	9	–	–	2	–	–	–	–	3	–	–	–	1	1	–
	6. Cystitis	20	–	–	2	–	1	1	–	1	–	–	1	1	–	3
	7. *Kidney Disease, etc.*	78	–	–	3	–	–	1	3	3	3	4	1	7	2	8
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	4	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	2. *Joint Diseases, etc.*	35	–	–	3	–	–	1	1	2	–	1	4	1	–	4

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
	ORDER 2.															
	1. Scrofula	88	–	1	1	–	–	2	4	4	–	1	2	7	6	3
	2. Tabes Mesenterica	157	–	–	–	–	–	1	3	2	1	3	3	3	2	10
	3. Phthisis	1024	5	4	21	3	6	14	11	32	4	36	31	49	22	61
	4. Hydrocephalus	224	4	1	3	1	1	2	3	6	1	7	7	11	9	12
III.	ORDER 1.															
	1. Cephalitis	85	2	–	5	1	1	1	2	2	–	3	2	6	1	1
	2. Apoplexy	223	3	1	3	1	2	2	6	2	5	4	10	19	1	7
	3. Paralysis	268	1	1	9	5	1	5	12	6	2	15	14	25	5	13
	4. Insanity	17	–	1	–	–	–	–	–	–	–	–	–	2	–	–
	5. Chorea	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	6. Epilepsy	26	–	–	–	1	1	1	1	1	1	–	1	5	1	1
	7. Convulsions	97	–	1	–	–	1	4	2	2	–	4	3	6	3	9
	8. *Brain Disease, etc.*	109	–	–	1	4	1	8	2	1	2	6	6	3	–	8
	ORDER 2.															
	1. Pericarditis	9	–	–	–	–	–	–	–	–	–	–	–	1	1	1
	2. Aneurism	5	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	3. *Heart Disease, etc.*	564	1	6	13	4	3	14	16	21	8	21	18	46	11	19
	ORDER 3.															
	1. Laryngitis	20	–	2	–	1	–	1	–	1	–	–	–	–	1	–
	2. Bronchitis	859	6	7	17	10	8	15	30	30	4	28	20	60	25	54
	3. Pleurisy	22	–	–	1	–	–	–	–	1	–	3	–	2	–	1
	4. Pneumonia	242	1	–	2	1	1	4	11	8	3	7	2	16	5	15
	5. Asthma	27	–	1	–	1	–	1	5	2	–	1	1	–	1	–
	6. *Lung Disease, etc.*	133	2	–	–	2	2	2	3	9	–	4	4	5	1	6
	ORDER 4.															
	1. Gastritis	39	–	–	1	–	–	1	3	–	–	1	1	8	1	3
	2. Enteritis	126	–	–	1	2	3	2	5	2	1	6	4	9	2	5
	3. Peritonitis	51	–	–	–	–	–	–	2	4	1	2	–	4	2	2
	4. Ascites	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	5. Ulceration of Intestines	36	1	–	–	1	–	–	1	–	1	–	2	4	1	2
	6. Hernia	12	–	–	–	1	–	–	–	1	–	–	–	2	–	2
	7. Ileus	31	–	1	–		1	1	3	3	–	3	2	–	–	3
	8. Intussusception	10	–	–	1	–	–	–	–	–	–	1	–	–	–	1
	9. Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	80	–	–	2	1	–	2	–	4	3	2	2	–	1	12
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	26	–	–	–	–	–	–	3	–	1	1	–	–	1	–
	14. Jaundice	29	–	–	–	1	–	–	1	1	1	1	–	3	–	6
	15. *Liver Disease, etc.*	98	1	4	2	1	–	4	3	1	3	4	8	3	2	4
	16. *Spleen Disease, etc.*	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	ORDER 5.															
	1. Nephritis	12	–	–	–	–	–	–	–	2	–	–	–	–	1	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	54	–	–	3	–	1	1	–	–	–	3	2	8	1	–
	4. Diabetes	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1
	5. Calculus (Stone)	3	–	–	1	1	–	–	–	–	–	–	1	–	–	–
	6. Cystitis	9	–	–	1	–	–	–	–	–	–	–	–	3	–	–
	7. *Kidney Disease, etc.*	27	–	–	–	–	–	–	1	2	1	1	1	–	1	1
	ORDER 6.															
	1. Ovarian Dropsy	10	–	–	1	–	–	–	–	–	–	2	–	–	–	1
	2. *Uterus Disease, etc.*	17	–	–	1	2	–	–	–	–	–	3	1	–	–	1
	ORDER 7.															
	1. Synovitis (Arthritis)	9	–	1	–	–	–	–	–	–	–	–	1	2	–	2
	2. *Joint Disease, etc.*	38	–	–	1	–	–	1	1	–	–	3	1	4	1	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1878.—MALES. (*Continued*).

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	ORDER 2.																
	1. Scrofula	10	4	2	5	15	26	2	7	1	–	–	1	1	1	–	1
	2. Tabes Mesenterica	12	–	4	16	21	44	4	16	2	–	–	–	1	4	3	–
	3. Phthisis	40	30	19	85	114	144	28	33	11	6	2	31	7	19	16	16
	4. Hydrocephalus	18	10	5	32	48	37	13	9	5	2	–	7	–	–	5	2
III.	ORDER 1.																
	1. Cephalitis	6	4	4	6	19	24	7	4	1	–	1	4	2	1	1	1
	2 Apoplexy	13	6	2	28	40	37	5	17	2	4	1	3	5	1	3	1
	3. Paralysis	15	6	5	15	28	28	9	9	2	4	–	4	4	1	5	4
	4. Insanity	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	3	4	–	1	6	1	1	1	1	–	–	1	–	–	1	1
	7. Convulsions	4	5	–	12	10	20	3	1	6	1	–	1	–	1	1	1
	8. *Brain Disease, etc.*	10	6	2	8	29	21	3	3	2	2	–	2	4	–	2	5
	ORDER 2.																
	1. Pericarditis	–	–	–	–	–	3	–	1	–	–	–	1	–	–	2	–
	2. Aneurism	–	1	–	3	6	1	–	1	–	–	–	–	1	–	–	–
	3. *Heart Disease, etc.*	36	17	4	48	70	71	25	23	13	5	3	11	10	5	16	7
	ORDER 3.																
	1. Laryngitis	–	1	–	3	4	1	–	3	–	–	–	–	–	–	2	1
	2. Bronchitis	50	20	5	75	86	168	28	35	14	1	3	26	6	5	7	12
	3. Pleurisy	2	2	–	3	4	6	2	2	–	–	–	1	1	1	3	–
	4. Pneumonia	8	12	5	35	46	54	12	13	10	4	–	10	2	7	8	7
	5. Asthma	–	–	–	4	10	15	3	2	–	–	–	–	–	–	–	1
	6. *Lung Disease, etc.*	11	2	1	6	16	30	3	7	1	2	1	1	1	–	1	6
	ORDER 4.																
	1. Gastritis	2	1	–	2	3	3	–	1	–	–	–	–	1	1	–	–
	2. Enteritis	11	4	–	9	26	33	2	11	3	1	–	10	3	2	–	–
	3. Peritonitis	5	2	–	5	3	15	2	2	1	–	–	–	–	–	–	–
	4. Ascites	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	3	–	–	–	3	2	3	–	1	1	–	1	–	1	–	2
	6. Hernia	1	–	–	4	1	1	3	–	–	–	–	–	–	–	1	–
	7. Ileus	–	2	–	6	2	4	1	1	1	–	–	1	–	–	–	–
	8. Intussusception	–	–	–	–	3	2	1	1	1	–	–	–	–	2	–	–
	9. Stricture of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
	11. *Stomach Disease, etc.*	4	1	–	1	11	8	3	1	–	2	–	4	1	1	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	5	5	4	1	–	–	1	–	–	–	–	–	–
	14. Jaundice	3	2	–	2	5	6	1	3	1	1	–	1	–	–	1	1
	15. *Liver Disease, etc.*	4	3	3	14	10	12	1	8	3	–	–	2	2	–	1	2
	16. *Spleen Disease, etc.*	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	ORDER 5.																
	1. Nephritis	–	–	–	–	3	3	1	1	–	–	–	1	1	–	–	–
	2. Ischuria	–	1	–	1	2	4	2	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	1	2	3	6	8	9	2	5	–	1	2	1	–	–	2	–
	4. Diabetes	–	–	–	1	2	2	1	1	–	–	–	1	1	–	1	1
	5. Calculus (Stone)	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	1	3	2	2	–	–	–	–	2	–	–	–
	7. *Kidney Disease, etc.*	–	3	2	3	12	8	–	3	–	2	–	3	2	–	2	3
	ORDER 6.																
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.																
	1. Synovitis (Arthritis)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
	2. *Joint Disease, etc.*	2	–	–	2	2	9	1	–	–	–	1	1	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	ORDER 2.																
	1. Scrofula	6	–	1	6	10	24	2	1	2	1	–	1	–	2	1	–
	2. Tabes Mesenterica	4	–	4	17	23	42	11	17	5	1	–	2	–	–	3	–
	3. Phthisis	54	29	13	137	166	174	18	37	17	4	3	28	14	5	11	15
	4. Hydrocephalus	12	4	3	30	41	34	12	6	1	–	1	7	2	–	3	–
III.	ORDER 1.																
	1. Cephalitis	3	4	1	8	6	15	5	4	2	1	–	4	2	2	1	–
	2. Apoplexy	11	11	10	29	27	31	4	13	1	–	3	5	5	–	5	2
	3. Paralysis	15	15	6	11	30	24	3	13	4	4	1	6	11	3	3	5
	4. Insanity	6	2	–	2	–	2	1	–	–	–	–	–	1	–	–	–
	5. Chorea	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
	6. Epilepsy	–	1	–	1	2	4	–	3	–	–	–	–	1	–	–	–
	7. Convulsions	3	4	1	6	13	12	7	3	5	–	1	3	–	–	1	3
	8. *Brain Disease, etc.*	7	6	1	10	15	9	4	2	2	2	1	2	2	–	3	1
	ORDER 2.																
	1. Pericarditis	–	–	–	1	2	1	–	1	–	–	–	1	–	–	–	–
	2. Aneurism	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–
	3. *Heart Disease, etc.*	30	15	11	37	66	60	17	29	18	9	6	15	19	8	15	8
	ORDER 3.																
	1. Laryngitis	2	1	–	2	5	2	1	–	–	–	–	1	–	–	–	–
	2. Bronchitis	36	25	4	73	103	153	34	40	21	4	5	20	8	5	6	8
	3. Pleurisy	1	1	–	2	1	4	–	3	–	1	–	1	–	–	–	–
	4. Pneumonia	8	5	10	38	27	37	7	3	5	1	–	3	6	6	7	3
	5. Asthma	–	2	–	3	2	1	–	2	2	–	–	1	–	1	–	–
	6. *Lung Disease, etc.*	9	2	1	11	28	22	4	5	2	1	–	–	–	–	3	5
	ORDER 4.																
	1. Gastritis	2	–	1	1	6	4	–	2	–	–	–	–	3	–	–	1
	2. Enteritis	4	3	–	7	14	27	9	4	–	2	–	8	–	2	3	1
	3. Peritonitis	3	–	2	5	5	9	1	1	2	–	1	–	–	1	3	1
	4. Ascites	–	–	–	1	–	2	–	–	–	–	–	–	1	–	–	–
	5. Ulceration of Intestines	2	1	–	4	4	4	3	1	–	–	–	–	1	–	2	1
	6. Hernia	–	–	–	1	–	–	–	1	–	1	1	2	–	–	–	–
	7. Ileus	–	–	–	1	3	5	1	3	–	–	–	–	–	–	1	–
	8. Intussusception	1	–	–	2	1	3	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	7	4	1	3	14	11	1	2	2	1	2	1	1	–	1	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	1	3	10	2	2	1	1	–	–	–	–	–	–	–
	14. Jaundice	–	–	1	1	5	3	1	–	–	–	–	1	1	1	1	–
	15. *Liver Disease, etc.*	4	3	2	10	11	15	2	8	1	1	–	1	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–
	ORDER 5.																
	1. Nephritis	–	–	–	1	3	2	–	1	–	–	–	–	–	–	1	1
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	1	1	–	4	6	7	2	5	1	–	–	5	1	1	1	–
	4. Diabetes	1	–	–	–	2	2	–	–	–	–	–	1	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	1	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	1	–	–	2	7	4	–	1	2	1	–	–	–	1	–	–
	ORDER 6.																
	1. Ovarian Dropsy	1	–	–	1	1	–	–	1	1	–	–	1	–	–	–	–
	2. *Uterus Disease, etc.*	2	1	–	1	–	3	–	–	1	–	–	–	–	–	–	1
	ORDER 7.																
	1. Synovitis (Arthritis)	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	2	2	–	3	4	9	–	2	–	–	1	1	–	1	1	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
	ORDER 8.															
	1. Phlegmon	9	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	2. Ulcer	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	10	–	–	–	1	–	1	–	–	1	–	–	–	1	–
IV.	ORDER 1.															
	1. Premature Birth	208	–	1	4	–	8	3	4	10	3	6	3	10	4	9
	2. Cyanosis	12	–	–	–	–	–	–	–	1	–	1	1	1	–	1
	3. Spina Bifida	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. Other Malformations	26	–	–	–	1	–	–	2	5	1	–	3	3	1	1
	5. Teething	80	–	–	1	–	1	3	4	7	1	3	1	4	1	2
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	353	5	2	15	5	3	9	4	16	8	18	13	30	9	32
	ORDER 4.															
	1. Atrophy and Debility	309	–	1	6	–	2	5	4	10	2	15	5	19	15	22
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	195	–	1	1	1	–	5	2	3	3	5	5	11	1	24
	2. Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	3	–	–	–	–	–	–	1	–	–	–	–	1	–	1
	4. Burns and Scalds	30	–	–	–	1	–	–	–	–	–	2	–	1	–	4
	5. Poison	10	–	–	–	–	–	–	–	–	1	–	–	–	1	1
	6. Drowning	138	2	–	3	3	–	2	1	5	2	3	2	8	1	11
	7. Suffocation	39	–	–	2	–	–	–	–	2	–	–	–	1	2	–
	8. Otherwise	35	–	–	–	1	–	–	–	1	–	1	1	3	–	3
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide*)															
	1. Gunshot Wounds	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	2. Cut, Stab	9	–	–	–	–	–	–	–	–	–	1	–	1	–	1
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	6	–	–	–	–	–	–	–	1	–	–	–	–	–	1
	5. Hanging	15	–	–	–	–	–	–	–	–	1	1	–	–	–	3
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Sudden Deaths (cause unascertained)	15	–	–	–	–	–	–	–	–	–	–	2	4	–	–
	Causes not specified or ill-defined	125	2	–	–	–	–	8	1	11	–	5	5	17	1	7

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
	ORDER 8.															
	1. Phlegmon	10	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	2. Ulcer	15	1	–	–	1	–	–	–	–	–	–	1	–	1	1
	3. *Skin Disease, etc.*	8	–	–	1	1	–	–	–	1	–	–	1	1	1	–
IV.	ORDER 1.															
	1. Premature Birth	141	–	–	2	–	1	3	5	8	–	2	2	8	1	5
	2. Cyanosis	8	–	–	–	–	–	–	–	–	–	1	1	1	–	–
	3. Spina Bifida	7	–	–	–	1	–	–	–	–	–	1	1	–	–	–
	4. Other Malformations	20	–	–	–	–	–	–	–	3	–	1	1	1	2	–
	5. Teething	78	–	1	2	–	1	1	5	2	–	7	1	2	1	12
	ORDER 2.															
	1. Paramenia	5	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	72	1	–	1	3	–	1	2	–	–	1	1	5	6	4
	ORDER 3.															
	1. Old Age	669	9	12	11	17	11	27	13	32	9	38	30	58	13	37
	ORDER 4.															
	1. Atrophy and Debility	295	2	1	2	1	1	1	3	10	2	6	4	11	8	26
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	37	–	–	–	–	–	–	2	2	1	3	1	2	2	2
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	28	–	–	–	1	–	–	2	1	–	1	1	2	–	2
	5. Poison	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	24	–	–	1	1	–	–	–	1	–	2	3	–	2	1
	7. Suffocation	25	–	–	–	–	–	–	–	–	–	1	2	2	3	2
	8. Otherwise	13	–	–	–	–	–	–	–	1	–	–	1	2	–	2
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	3. Poison	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	8	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	5. Hanging	4	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	9	–	–	–	–	–	–	–	–	–	–	2	–	–	1
	Causes not specified or ill-defined	105	–	1	–	2	–	4	1	14	–	1	5	10	1	6

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	ORDER 8.																
	1. Phlegmon	1	1	–	1	2	3	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	2	–	2	–	–	–	1	–	–	1	–	–	–
IV.	ORDER 1.																
	1. Premature Birth	14	2	3	26	28	35	3	10	2	2	–	7	4	1	4	2
	2. Cyanosis	1	–	–	1	4	–	–	1	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	4. Other Malformations	1	1	1	2	2	–	–	2	–	–	–	–	–	–	–	–
	5. Teething	3	–	–	5	16	14	4	6	–	–	–	1	1	2	–	–
	ORDER 2.																
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																
	1. Old Age	16	11	6	16	42	29	8	9	12	3	1	5	3	6	7	10
	ORDER 4.																
	I. Atrophy and Debility	20	7	1	25	44	50	11	15	8	3	–	3	3	5	3	5
V.	ORDER 1. (*Accident or Negligence.*)																
	1. Fractures and Contusions	10	2	–	15	41	44	5	5	2	–	–	2	3	2	1	1
	2. Gunshot Wounds	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	1	1	–	2	2	10	2	2	–	–	–	–	–	1	–	1
	5. Poison	1	–	–	–	2	2	–	1	1	–	–	–	–	–	–	–
	6. Drowning	15	9	4	15	23	16	–	5	2	–	–	1	1	1	2	1
	7. Suffocation	4	2	–	4	6	7	2	3	–	–	–	3	–	–	–	1
	8. Otherwise	2	1	–	2	6	9	–	1	–	1	–	1	2	–	–	–
	ORDER 3. (*Homicide.*)																
	1. Murder and Manslaughter	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)																
	1. Gunshot Wounds	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	1	1	1	–	1	–	–	1	–	–	1	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	5. Hanging	1	–	–	1	2	2	1	1	1	–	–	–	–	1	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)																
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–
	Sudden Deaths (cause unascertained)	–	1	–	2	2	4	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	3	3	–	13	16	24	2	–	1	–	1	1	–	–	3	1

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	ORDER 8.																
	1. Phlegmon	–	–	–	1	3	2	–	–	–	1	–	1	1	–	–	–
	2. Ulcer	1	–	–	–	1	4	1	1	1	–	–	–	1	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1
IV.	ORDER 1.																
	1. Premature Births	10	1	–	15	21	24	3	3	3	5	2	6	3	3	4	1
	2. Cyanosis	–	–	–	1	1	–	–	2	–	–	–	1	–	–	–	–
	3. Spina Bifida	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–
	4. Other Malformations	–	3	–	–	4	4	–	–	1	–	–	–	–	–	–	–
	5. Teething	2	–	–	7	10	10	1	5	1	–	–	1	1	3	–	2
	ORDER 2.																
	1. Paramenia	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	3	1	–	7	9	11	2	1	5	1	1	2	–	–	3	1
	ORDER 3.																
	1. Old Age	29	23	7	35	61	81	21	24	16	2	–	10	12	12	9	10
	ORDER 4.																
	1. Atrophy and Debility	14	4	2	30	45	50	11	27	5	2	–	8	7	6	3	3
V.	ORDER 1. (*Accident or Negligence.*)																
	1. Fractures and Contusions	2	3	–	5	2	1	2	4	2	–	1	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	1	2	–	2	3	5	–	1	1	1	–	–	–	–	2	–
	5. Poison	–	–	–	–	–	4	–	–	–	–	–	–	–	1	–	–
	6. Drowning	2	–	–	4	1	1	–	–	–		1	–	–	4	–	–
	7. Suffocation	1	2	–	3	1	1	1	6	–	–	–	–	–	–	–	–
	8. Otherwise	1	1	1	–	1	1	–	–	–	–	–	1	–	1	–	–
	ORDER 3. (*Homicide.*)																
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)																
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	1	3	–	1	–	–	–	–	–	–	1	–
	5. Hanging	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)																
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	1	–	–	1	1	2	–	1	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	2	5	2	5	11	14	5	4	3	–	–	1	2	1	2	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1878.—MALES.

Class.	CAUSES OF DEATH.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
	All Causes	9072	146	164	424	219	24	191	243	876	233	268	627	564	84	59
	Specified Causes . . .	8795	142	147	381	201	24	181	241	855	227	266	605	540	83	59
	(CLASSES.)															
I.	ZYMOTIC DISEASES	1331	22	16	36	25	2	16	35	168	27	36	77	71	17	7
II.	CONSTITUTIONAL ,,	1454	21	32	53	38	4	39	35	125	34	40	98	78	12	11
III.	LOCAL ,,	4121	74	57	181	87	9	80	121	405	107	128	296	271	39	24
IV.	DEVELOPMENTAL ,,	1348	23	33	97	43	8	34	34	116	33	47	106	85	11	13
V.	VIOLENT DEATHS . .	541	2	9	14	8	1	12	16	41	26	15	28	35	4	4
	(ORDERS.)															
I.	1. MIASMATIC DISEASES . .	1263	21	15	36	24	2	16	33	160	27	35	74	65	17	7
	2. ENTHETIC ,, . .	18	1	–	–	–	–	–	1	3	–	–	–	–	–	–
	3. DIETIC ,, . .	45	–	1	–	1	–	–	1	5	–	1	2	5	–	–
	4. PARASITIC ,,	5	–	–	–	–	–	–	–	–	–	–	1	1	–	–
II.	1. DIATHETIC ,, . .	273	4	14	11	10	–	8	3	32	10	7	19	17	1	2
	2. TUBERCULAR ,, . .	1181	17	18	42	28	4	31	32	93	24	33	79	61	11	9
III.	1. DISEASES OF NERVOUS SYSTEM . .	979	21	12	46	25	1	21	31	105	26	28	83	65	8	5
	2. ,, OF ORGANS OF CIRCULATION .	699	16	9	25	9	–	16	16	65	22	30	59	42	11	1
	3. ,, OF RESPIRATORY ORGANS . .	1453	21	21	62	25	5	24	32	135	37	42	86	98	8	15
	4. ,, OF DIGESTIVE ORGANS	633	6	10	32	23	1	11	21	59	13	20	44	41	6	3
	5. ,, OF URINARY ORGANS	277	8	4	13	4	2	8	17	32	8	6	17	20	5	–
	6. ,, OF ORGANS OF GENERATION .	5	–	–	1	1	–	–	1	–	–	–	–	–	1	–
	7. ,, OF ORGANS of LOCOMOTION . .	38	2	1	1	–	–	–	–	3	–	1	3	3	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	37	–	–	1	–	–	–	3	6	1	1	4	2	–	–
IV.	1. DEV. DIS. OF CHILDREN .	290	1	2	7	4	1	11	8	22	10	13	17	20	5	6
	2. ,, OF ADULTS . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE .	761	16	28	84	36	5	18	20	55	18	23	80	47	4	5
	4. DISEASES OF NUTRITION .	297	6	3	6	3	2	5	6	39	5	11	9	18	2	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1878.—FEMALES.

Class.	CAUSES OF DEATH.	Total Mainland-Rural	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
	All Causes	9140	158	183	443	253	30	228	252	899	204	257	692	605	92	31
	Specified Causes . . .	8855	154	159	407	241	28	223	248	881	202	255	666	577	91	31
	(CLASSES.)															
I.	ZYMOTIC DISEASES	1470	25	17	46	25	3	25	40	175	38	40	81	75	21	8
II.	CONSTITUTIONAL ,,	1654	29	24	68	39	3	42	46	141	54	49	107	102	17	6
III.	LOCAL ,,	3734	62	53	152	79	9	98	114	367	69	109	310	279	31	10
IV.	DEVELOPMENTAL ,,	1825	36	64	136	91	13	56	43	171	35	52	154	114	19	6
V.	VIOLENT DEATHS . .	172	2	1	5	7	–	2	5	27	6	5	14	7	3	1
	(ORDERS.)															
I.	1. MIASMATIC DISEASES . .	1420	25	16	44	25	3	25	39	174	37	40	77	69	21	8
	2. ENTHETIC ,, . .	15	–	1	–	–	–	–	–	1	–	–	–	1	–	–
	3. DIETIC ,, . .	28	–	–	1	–	–	–	–	–	1	–	4	4	–	–
	4. PARASITIC ,, . .	7	–	–	1	–	–	–	1	–	–	–	–	1	–	–
II.	1. DIATHETIC ,, . .	451	9	12	22	13	3	14	11	50	15	21	25	31	8	1
	2. TUBERCULAR ,, . .	1203	20	12	46	26	–	28	35	91	39	28	82	71	9	5
III.	1. DISEASES OF NERVOUS SYSTEM . .	929	12	14	30	21	1	25	22	93	17	21	70	76	9	4
	2. ,, OF ORGANS OF CIRCULATION . .	665	12	6	15	7	2	9	12	75	10	22	73	52	4	2
	3. ,, OF RESPIRATORY ORGANS . . .	1280	25	25	76	21	3	43	46	119	26	38	94	103	9	2
	4. ,, OF DIGESTIVE ORGANS	624	8	6	17	23	2	14	23	54	8	22	59	36	6	2
	5. ,, OF URINARY ORGANS	120	2	1	8	3	1	4	7	5	5	3	6	7	2	–
	6. ,, OF ORGANS OF GENERATION .	49	–	1	5	2	–	1	–	6	–	3	4	1	–	–
	7. ,, OF ORGANS OF LOCOMOTION .	35	2	–	–	1	–	2	2	8	2	–	1	2	1	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	32	1	–	1	1	–	–	2	7	1	–	3	2	–	–
IV.	1. DEV. DIS. OF CHILDREN .	208	–	2	5	6	3	4	6	23	3	15	13	14	1	2
	2. ,, OF ADULTS . .	100	2	2	3	5	–	2	5	9	2	1	6	6	1	–
	3. ,, OF OLD PEOPLE .	1240	31	57	124	74	10	41	25	109	24	29	115	72	16	4
	4. DISEASES OF NUTRITION .	277	3	3	4	6	–	9	7	30	6	7	20	22	1	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	All Causes	403	181	352	268	549	801	134	680	179	211	54	18	194	446	233	247
	Specified Causes . . .	394	178	332	261	542	786	131	674	174	204	54	18	191	437	227	240
	(CLASSES.)																
I.	ZYMOTIC DISEASES	73	44	28	38	82	172	16	122	27	29	8	1	32	49	16	39
II.	CONSTITUTIONAL ,,	53	23	66	52	99	125	31	115	23	34	12	2	33	82	45	39
III.	LOCAL ,,	190	75	145	119	247	321	63	309	93	97	24	11	94	205	132	117
IV.	DEVELOPMENTAL ,,	50	23	62	35	83	95	17	83	27	34	7	2	20	70	20	37
V.	VIOLENT DEATHS . .	28	13	31	17	31	73	4	45	4	10	3	2	12	31	14	8
	(ORDERS).																
I.	1. MIASMATIC DISEASES . .	68	42	24	35	79	171	15	115	22	26	7	1	28	45	15	38
	2. ENTHETIC ,, . .	2	–	1	2	–	–	–	4	1	1	–	–	1	1	–	–
	3. DIETIC ,, . .	3	2	2	1	2	1	1	3	4	2	1	–	3	3	–	1
	4. PARASITIC ,, . .	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
II.	1. DIATHETIC ,, . .	4	3	17	9	12	19	8	13	5	6	2	1	8	16	7	5
	2. TUBERCULAR ,, . .	49	20	49	43	87	106	23	102	18	28	10	1	25	66	38	34
III.	1. DISEASES OF NERVOUS SYSTEM . .	50	15	42	24	54	58	11	75	21	21	6	1	29	38	26	31
	2. ,, OF ORGANS OF CIRCULATION . .	24	13	28	27	29	33	9	61	13	27	1	1	22	46	24	20
	3. ,, OF RESPIRATORY ORGANS . .	72	30	43	43	99	144	27	121	40	24	10	7	19	76	46	41
	4. ,, OF DIGESTIVE ORGANS	36	14	22	16	43	58	10	38	11	14	2	1	11	29	22	16
	5. ,, OF URINARY ORGANS	5	3	10	8	18	15	6	9	8	9	4	1	9	9	11	8
	6. ,, OF ORGANS OF GENERATION .	–		–	–	–	1	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	3	–	–	1	2	7	–	1	–	1	1	–	1	4	3	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	–	2	5	–	4	–	1	–	–	3	3	–	1
IV.	1. DEV. DIS. OF CHILDREN .	17	9	3	10	24	22	9	24	5	8	3	1	3	13	–	12
	2. ,, OF ADULTS . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE .	12	7	53	13	43	22	5	39	14	18	2	–	12	41	17	24
	4. DISEASES OF NUTRITION .	21	7	6	12	16	51	3	20	8	8	2	1	5	16	3	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1878.—FEMALES (*Continued.*)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	All Causes	343	143	341	260	534	722	152	636	198	261	77	25	172	473	207	269
	Specified Causes . .	334	141	313	255	523	710	149	629	192	255	76	25	169	457	200	264
	(CLASSES.)																
I.	ZYMOTIC DISEASES	71	25	39	43	95	169	23	142	38	44	16	8	18	65	13	42
II.	CONSTITUTIONAL ,,	53	39	68	55	114	142	29	108	46	38	19	7	34	88	50	37
III.	LOCAL ,,	149	57	105	111	217	279	64	273	83	125	29	7	89	207	91	106
IV.	DEVELOPMENTAL ,,	53	17	95	38	91	112	25	94	23	44	12	3	23	89	42	74
V.	VIOLENT DEATHS . .	8	3	6	8	6	8	8	12	2	4	–	–	5	8	4	5
	(ORDERS.)																
I.	1. MIASMATIC DISEASES . .	69	25	38	42	93	164	22	134	35	42	15	8	17	61	13	39
	2. ENTHETIC ,, . .	1	–	1	–	1	2	–	3	2	–	–	–	–	1	–	1
	3. DIETIC ,, . .	1	–	–	1	–	2	1	5	1	2	1	–	1	3	–	–
	4. PARASITIC ,, . .	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	2
II.	1. DIATHETIC ,, . .	10	7	15	12	23	20	6	31	8	15	6	3	15	21	14	10
	2. TUBERCULAR ,, . .	43	32	53	43	91	122	23	77	38	23	13	4	19	67	36	27
III.	1. DISEASES OF NERVOUS SYSTEM . .	47	16	27	26	52	60	24	79	16	35	5	–	31	44	25	27
	2. ,, OF ORGANS OF CIRCULATION . .	14	8	18	22	42	41	11	50	19	32	7	3	27	38	19	13
	3. ,, OF RESPIRATORY ORGANS . . .	54	21	31	40	68	100	17	87	31	26	8	3	14	79	27	44
	4. ,, OF DIGESTIVE ORGANS	25	9	22	17	42	59	11	42	11	21	7	1	14	35	15	13
	5. ,, OF URINARY ORGANS	7	–	4	4	5	9	–	8	4	6	1	–	3	5	3	7
	6. ,, OF ORGANS OF GENERATION .	–	–	1	1	5	5	–	6	1	3	–	–	–	–	2	2
	7. ,, OF ORGANS OF LOCOMOTION . .	2	1	2	1	1	2	–	–	–	1	–	–	–	4	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	2	–	–	2	3	1	1	1	1	1	–	–	2	–	–
IV.	1. DEV. DIS. OF CHILDREN	6	4	2	3	21	19	3	16	2	8	–	–	4	7	6	10
	2. ,, OF ADULTS . .	1	2	3	5	4	13	1	6	–	1	2	–	2	6	7	3
	3. ,, OF OLD PEOPLE .	29	8	84	23	46	43	19	53	17	33	5	2	14	63	25	45
	4. DISEASES OF NUTRITION .	17	3	6	7	20	37	2	19	4	2	5	1	3	13	4	16

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
V.	1. ACCIDENT OR NEGLIGENCE	504	2	7	12	7	1	12	16	38	25	11	25	32	3	4
	*															
	3. HOMICIDE	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. SUICIDE	36	–	2	2	1	–	–	–	3	1	4	3	2	1	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	7	–	–	1	1	–	–	–	2	–	–	2	–	–	–
	CAUSES NOT SPECIFIED	270	4	17	42	17	–	10	2	19	6	2	20	24	1	–
I.	ORDER 1.															
	1. Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	71	8	–	–	–	–	–	–	–	–	–	3	6	1	1
	3. Scarlatina	219	1	2	–	3	–	3	8	30	6	8	14	7	9	–
	4. Diphtheria	174	2	–	6	6	–	1	11	39	3	7	10	5	1	–
	5. Quinsy	14	1	–	1	–	–	1	–	1	–	1	–	2	–	–
	6. Croup	93	–	1	6	1	–	2	1	11	2	1	5	6	–	–
	7. Hooping-cough	129	–	2	2	4	1	2	–	20	1	2	4	9	1	–
	8. Typhus Fever	22	–	–	–	–	–	–	–	4	1	1	2	1	–	–
	8. Enteric or Typhoid Fever	178	3	6	4	2	–	3	4	13	7	10	10	11	1	2
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	20	–	1	2	–	–	–	1	–	–	1	1	–	–	–
	9. Erysipelas	22	–	–	2	1	–	–	2	4	–	–	2	1	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	6	–	–	–	2	–	–	–	–	–	–	–	1	–	–
	12. Influenza	15	–	1	–	–	–	1	1	4	–	–	–	1	–	–
	13. Dysentery	25	–	–	1	–	1	–	–	5	–	–	3	–	–	–
	14. Diarrhœa	180	3	1	5	2	–	1	2	19	6	4	13	8	2	4
	15. Cholera	23	1	–	–	1	–	1	–	3	1	–	1	–	2	–
	16. Ague	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	13	–	–	–	–	–	1	1	–	–	–	1	4	–	–
	18. Rheumatism	55	2	1	7	1	–	–	2	7	–	–	5	2	–	–
	19. Other *Miasmatic* Diseases	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	ORDER 2.															
	1. Syphilis	13	1	–	–	–	–	–	1	2	–	–	–	–	–	–
	2. Stricture of Urethra	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	3. Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	11	–	–	–	–	–	–	–	–	–	1	2	–	–	–
	3. Purpura and Scurvy	9	–	–	–	1	–	–	1	2	–	–	–	1	–	–
	4. Alcoholism *a* Del. Tremens	6	–	1	–	–	–	–	–	–	–	–	–	1	–	–
	4. Alcoholism *b* Intemperance	19	–	–	–	–	–	–	–	3	–	–	–	3	–	–
	ORDER 4.															
	1. Thrush	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	2. Worms, etc.	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–
II.	ORDER 1.															
	1. Gout	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	2. Dropsy	48	–	5	1	4	–	–	–	3	2	–	1	2	1	1
	3. Cancer	194	4	9	10	4	–	7	2	25	8	5	17	13	–	1
	4. Cancrum Oris (Noma)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	27	–	–	–	2	–	1	1	3	–	2	1	2	–	–

* See page 52, note *.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
V.	1. ACCIDENT OR NEGLIGENCE	151	2	1	5	3	–	2	5	25	5	5	13	6	3	1
	*															
	3. HOMICIDE	4	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	17	–	–	–	2	–	–	–	2	1	–	1	1	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	10	–	–	–	–	–	–	–	–	–	–	–	6	–	–
	CAUSES NOT SPECIFIED	275	4	24	36	12	2	5	4	18	2	2	26	22	1	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	76	7	–	–	–	–	–	–	–	–	2	4	11	–	3
	3. Scarlatina	223	–	4	–	2	–	2	6	24	5	12	12	4	13	–
	4. Diphtheria	203	1	–	7	3	–	–	15	54	4	5	9	4	1	–
	5. Quinsy	8	–	–	1	2	–	–	–	–	1	–	–	1	–	–
	6. Croup	74	1	–	3	–	1	–	3	10	4	1	3	5	1	1
	7. Hooping-cough	161	–	5	4	6	–	1	1	20	3	1	5	5	–	1
	8. Typhus Fever	12	–	–	–	–	–	1	–	6	1	1	–	–	–	–
	8. Enteric or Typhoid Fever	225	3	1	7	5	1	7	4	14	6	7	11	14	4	1
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	18	1	–	1	1	–	–	1	1	–	–	2	–	–	–
	9. Erysipelas	34	2	1	1	–	–	4	1	8	1	–	–	1	–	–
	10. Puerperal Fever (Metria)	34	2	–	3	–	–	1	1	2	2	–	2	1	–	–
	11. Carbuncle	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	19	–	1	3	–	–	–	–	3	1	–	–	1	–	–
	13. Dysentery	32	–	–	1	–	–	1	2	5	–	1	5	1	–	–
	14. Diarrhœa	206	4	1	3	4	1	5	3	15	4	8	19	17	–	2
	15. Cholera	12	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	16. Ague	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	17. Remittent Fever	11	–	–	–	–	–	–	–	1	2	–	–	–	–	–
	18. Rheumatism	66	4	3	9	2	–	2	1	9	3	2	4	4	2	–
	19. Other *Miasmatic* Diseases	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	15	–	1	–	–	–	–	–	1	–	–	–	1	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–		–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	9	–	–	–	–	–	–	–	–	1	–	2	–	–	–
	3. Purpura and Scurvy	4	–	–	1	–	–	–	–	–	–	–	2	–	–	–
	4. Alcoholism *a* Del. Tremens	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. Alcoholism *b* Intemperance	12	–	–	–	–	–	–	–	–	–	–	–	3	–	–
	ORDER 4.															
	1. Thrush	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	2. Worms, etc.	4	–	–	1	–	–	–	–	–	–	–	–	1	–	–
II.	ORDER 1.															
	1. Gout	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	2. Dropsy	66	–	2	5	6	1	2	2	3	4	2	4	3	–	–
	3. Cancer	351	9	9	16	6	2	11	8	44	8	19	19	25	7	–
	4. Cancrum Oris (Noma)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	32	–	1	1	1	–	1	1	3	3	–	2	2	1	1

* See page 52, note *

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
V.	1. ACCIDENT OR NEGLIGENCE	28	13	31	16	30	72	2	42	3	8	2	2	8	30	14	8
	*																
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	–	1	1	1	2	3	1	2	1	–	4	1	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	..	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	9	3	20	7	7	15	3	5	5	7	–	–	3	9	6	7
I.	ORDER 1.																
	1. Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	1	6	2	1	1	12	–	19	1	–	–	–	3	2	–	4
	3. Scarlatina	12	7	4	3	5	73	2	4	–	4	2	1	3	3	2	3
	4. Diphtheria	2	6	4	6	10	7	2	14	3	5	–	–	–	11	2	11
	5. Quinsy	–	–	1	1	1	1	–	1	–	–	–	–	1	1	–	–
	6. Croup	8	4	1	6	9	7	–	10	–	4	–	–	3	5	–	–
	7. Hooping-cough	3	7	1	4	7	10	2	20	6	1	–	–	1	6	3	10
	8. Typhus Fever	2	2	–	–	1	2	1	1	1	1	–	–	–	2	–	–
	8. Enteric or Typhoid Fever	16	3	2	3	21	17	1	16	5	5	2	–	7	2	1	1
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	3	3	–	–	2	3	–	2	–	–	–	–	–	1	–	–
	9. Erysipelas	2	–	–	–	1	4	–	–	–	1	–	–	1	–	–	1
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–
	12. Influenza	–	–	2	–	1	1	–	1	–	–	–	–	–	–	1	1
	13. Dysentery	–	1	–	1	7	3	1	–	–	1	–	–	–	1	–	–
	14. Diarrhœa	13	1	4	8	9	21	5	20	4	2	2	–	6	8	3	4
	15. Cholera	1	–	–	–	2	3	1	3	1	–	–	–	1	1	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	3	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	18. Rheumatism	1	1	2	2	2	6	–	3	–	2	1	–	1	2	3	2
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	ORDER 2.																
	1. Syphilis	2	–	–	2	–	–	–	4	1	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	1	–	2	1	–	1	–	–	–	–	2	–	–	1
	3. Purpura and Scurvy	1	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	1	–	–	–	–	1	–	1	–	1	–	–	–
	4. Alcoholism *b* Intemperance	2	2	1	–	–	–	1	2	2	1	–	–	–	2	–	–
	ORDER 4.																
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
II.	ORDER 1.																
	1. Gout	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	2. Dropsy	1	1	5	3	–	9	2	2	–	–	–	1	1	–	1	2
	3. Cancer	1	1	10	5	10	8	3	10	3	6	1	–	7	15	6	3
	4. Cancrum Oris (Noma)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	5. Mortification	2	1	2	1	2	1	2	1	1	–	1	–	–	1	–	–

* See page 52, note *

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
V.	1. ACCIDENT OR NEGLIGENCE	8	3	6	7	6	7	7	9	2	3	–	–	4	7	3	3
	*																
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1
	4. SUICIDE	–	–	–	1	–	1	1	3	–	–	–	–	1	1	1	1
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	1	1	1	–	–	–	–	–	–	1	–	–
	CAUSES NOT SPECIFIED	9	2	28	5	10	11	2	7	6	6	1	–	3	15	7	5
I.	ORDER 1.																
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	2	1	2	1	2	4	–	23	2	–	–	–	–	5	–	7
	3. Scarlatina	11	6	2	4	11	78	–	8	–	7	2	1	5	3	–	1
	4. Diphtheria	7	5	8	5	10	17	6	7	2	6	2	1	1	18	3	2
	5. Quinsy	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–
	6. Croup	5	1	5	3	6	2	–	10	1	6	1	–	–	1	–	–
	7. Hooping-cough	4	6	2	10	13	11	5	17	9	1	2	2	1	7	3	16
	8. Typhus Fever	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	11	3	6	6	22	22	2	22	10	12	5	3	3	4	2	7
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	3	–	1	–	–	1	–	1	1	1	1	1	–	–	1	–
	9. Erysipelas	2	–	1	–	1	3	–	3	–	1	1	–	1	1	–	1
	10. Puerperal Fever (Metria)	1	–	2	2	2	4	–	–	2	3	–	–	2	2	–	–
	11. Carbuncle	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
	12. Influenza	–	–	2	–	1	–	1	2	1	–	–	–	1	–	–	2
	13. Dysentery	1	–	–	–	4	2	–	2	–	1	1	–	–	3	1	1
	14. Diarrhœa	15	2	3	10	17	14	6	32	5	1	–	–	2	9	3	1
	15. Cholera	2	–	1	–	–	2	–	4	–	–	–	–	–	1	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	2	–	–	–	1	1	–	1	1	–	–	–	–	2	–	–
	18. Rheumatism	3	1	3	–	2	1	2	1	1	2	–	–	1	4	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.																
	1. Syphilis	1	–	1	–	1	2	–	3	2	–	–	–	–	1	–	1
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																
	1. Privation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	1	–	1	–	1	1	–	–	2	–	–
	3. Purpura and Scurvy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	–	–	1	–	1	1	3	1	–	–	–	1	1	–	–
	ORDER 4.																
	1. Thrush	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
II.	ORDER 1.																
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	2	3	3	1	5	3	2	4	1	2	–	–	3	1	2	–
	3. Cancer	5	4	11	9	17	16	3	23	7	13	6	3	11	18	12	10
	4. Cancrum Oris (Noma)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	5. Mortification	3	–	1	2	1	–	1	4	–	–	–	–	1	2	–	–

* See page 52, note *.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
	ORDER 2.															
	1. Scrofula	92	3	–	3	–	–	2	2	11	5	2	1	7	1	1
	2. Tabes Mesenterica	96	1	–	2	–	–	1	2	6	3	2	9	–	–	1
	3. Phthisis	812	9	17	36	26	3	26	26	60	15	22	63	37	9	5
	4. Hydrocephalus	181	4	1	1	2	1	2	2	16	1	7	6	17	1	2
III.	ORDER 1.															
	1. Cephalitis	103	3	1	3	2	–	–	5	11	–	–	6	4	2	–
	2. Apoplexy	269	3	2	10	5	1	6	7	27	10	10	23	22	3	2
	3. Paralysis	299	7	5	17	9	–	8	9	32	10	10	37	22	2	–
	4. Insanity	17	–	–	2	–	–	–	1	1	–	–	–	1	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	37	2	2	3	–	–	1	2	3	–	–	1	3	–	–
	7. Convulsions	115	2	2	6	5	–	2	3	15	1	2	7	7	–	2
	8. *Brain Disease, etc*	139	4	–	5	4	–	4	4	16	5	6	9	6	1	1
	ORDER 2.															
	1. Pericarditis	16	1	–	–	1	–	–	–	1	–	1	–	1	3	–
	2. Aneurism	18	1	1	–	–	–	–	–	2	1	2	1	–	–	–
	3. *Heart Disease, etc.*	665	14	8	25	8	–	16	16	62	21	27	58	41	8	1
	ORDER 3.															
	1. Laryngitis	23	–	–	–	–	–	–	–	6	2	1	1	2	–	–
	2. Bronchitis	811	11	7	38	17	1	17	18	77	20	22	46	69	5	9
	3. Pleurisy	47	2	–	3	1	–	–	1	5	–	3	1	1	–	–
	4. Pneumonia	381	6	11	8	3	2	5	11	34	13	10	19	23	2	6
	5. Asthma	72	1	3	12	3	1	–	1	6	1	–	3	–	–	–
	6. *Lung Disease, etc.*	119	1	–	1	1	1	2	1	7	1	6	16	3	1	–
	ORDER 4.															
	1. Gastritis	47	1	3	2	2	–	2	–	3	1	3	2	4	–	–
	2. Enteritis	137	1	1	1	2	–	–	2	11	–	2	6	11	–	–
	3. Peritonitis	55	1	–	3	2	–	2	1	7	3	–	7	3	–	–
	4. Ascites	5	–	–	–	–	–	–	–	1	–	–	–	–	1	–
	5. Ulceration of Intestines	30	–	1	1	–	–	2	1	2	–	3	4	–	1	–
	6. Hernia	21	2	–	2	2	–	–	1	2	1	–	3	2	–	–
	7. Ileus	48	–	4	4	3	–	1	1	5	2	2	3	3	–	–
	8. Intussusception	12	–	–	1	–	–	–	2	1	–	–	1	1	–	–
	9. Stricture of Intestines	4	–	–	–	1	–	–	–	–	–	–	–	1	–	–
	10. Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	96	–	1	10	4	1	2	3	9	3	3	8	2	2	1
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	31	–	–	1	2	–	2	–	9	1	1	1	5	1	–
	14. Jaundice	41	–	–	2	1	–	–	3	4	–	1	–	2	–	1
	15. *Liver Disease, etc.*	98	1	–	5	4	–	–	7	5	2	5	9	6	1	1
	16. *Spleen Disease, etc.*	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	ORDER 5.															
	1. Nephritis	26	–	–	2	1	–	1	1	3	–	1	3	1	–	–
	2. Ischuria	22	1	1	1	–	–	–	–	2	–	–	–	2	–	–
	3. Bright's Disease (Nephria)	70	–	1	–	1	–	3	3	5	2	1	5	5	4	–
	4. Diabetes	15	–	–	–	–	–	–	1	3	–	–	–	1	–	–
	5. Calculus (Stone)	12	–	2	1	–	1	–	1	3	–	–	1	–	–	–
	6. Cystitis	33	5	–	2	1	1	–	3	4	3	1	–	3	–	–
	7. *Kidney Disease, etc.*	99	2	–	7	1	–	4	8	12	3	3	8	8	1	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	5	–	–	1	1	–	–	1	–	–	–	–	–	1	–
	ORDER 7.															
	1. Synovitis (Arthritis)	6	–	–	–	–	–	–	–	1	–	–	–	1	–	–
	2. *Joint Disease, etc.*	32	2	1	1	–	–	–	–	2	–	1	3	2	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Mainland Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
	ORDER 2.															
	1. Scrofula	63	1	–	–	1	–	1	1	7	5	2	6	4	–	–
	2. Tabes Mesenterica	87	1	–	3	–	–	1	1	–	–	2	5	2	–	1
	3. Phthisis	898	14	11	37	22	–	25	29	77	25	20	65	57	5	3
	4. Hydrocephalus	155	4	1	6	3	–	1	4	7	9	4	6	8	4	1
III.	ORDER 1.															
	1. Cephalitis	74	1	–	4	1	–	5	–	7	–	–	6	6	1	–
	2. Apoplexy	260	–	3	4	5	–	5	6	18	8	5	24	24	4	2
	3. Paralysis	321	9	10	18	6	–	8	7	34	5	10	31	31	2	1
	4. Insanity	23	–	–	1	–	–	1	2	3	–	–	1	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	40	1	–	–	1	–	–	1	3	1	3	1	1	–	–
	7. Convulsions	100	–	1	–	5	1	2	3	12	1	1	5	8	1	1
	8. *Brain Disease, etc.*	111	1	–	3	3	–	4	3	16	2	2	2	6	1	–
	ORDER 2.															
	1. Pericarditis	12	1	–	–	–	–	–	–	1	–	–	1	2	–	–
	2. Aneurism	8	–	–	–	–	–	–	–	–	–	–	2	–	–	–
	3. *Heart Disease, etc.*	645	11	6	15	7	2	9	12	74	10	22	70	50	4	2
	ORDER 3.															
	1. Laryngitis	10	–	–	–	–	–	–	–	2	–	1	1	–	–	–
	2. Bronchitis	851	15	11	46	11	2	35	37	74	21	25	56	73	5	2
	3. Pleurisy	31	2	1	1	–	–	1	1	6	–	1	4	4	–	–
	4. Pneumonia	229	4	6	5	1	–	6	6	26	4	8	18	17	3	–
	5. Asthma	61	3	7	23	6	–	1	–	1	1	1	4	3	–	–
	6. *Lung Disease, etc.*	98	1	–	1	3	1	–	2	10	–	2	11	6	1	–
	ORDER 4.															
	1. Gastritis	40	1	–	1	3	–	1	2	2	–	2	2	2	–	–
	2. Enteritis	114	–	1	3	1	–	2	–	8	–	5	6	6	1	–
	3. Peritonitis	73	2	–	1	3	1	1	2	7	2	5	9	2	–	1
	4. Ascites	15	–	1	1	–	–	–	1	3	–	–	1	3	–	–
	5. Ulceration of Intestines	41	–	–	–	–	–	3	2	7	2	2	5	2	–	–
	6. Hernia	13	–	1	–	–	–	–	2	–	–	1	–	1	–	–
	7. Ileus	40	1	–	–	2	–	1	4	4	2	3	4	4	–	1
	8. Intussusception	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	9. Stricture of Intestines	8	–	–	2	–	–	1	–	–	–	–	–	1	–	–
	10. Fistula	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	103	1	3	6	9	1	2	1	10	–	4	13	2	2	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	32	–	–	1	2	–	–	–	3	–	–	8	4	1	–
	14. Jaundice	33	–	–	1	–	–	–	–	3	–	–	–	3	–	–
	15. *Liver Disease, etc.*	97	3	–	1	1	–	3	9	6	2	–	10	5	1	–
	16. *Spleen Disease, etc.*	7	–	–	–	1	–	–	–	1	–	–	1	–	1	–
	ORDER 5.															
	1. Nephritis	18	–	–	–	–	–	1	–	–	–	2	3	–	1	–
	2. Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	52	2	1	5	2	1	–	3	1	–	1	1	4	–	–
	4. Diabetes	9	–	–	–	–	–	2	–	–	–	–	1	–	–	–
	5. Calculus (Stone)	3	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	6. Cystitis	5	–	–	–	–	–	1	–	–	–	–	–	–	1	–
	7. *Kidney Disease, etc.*	32	–	–	3	–	–	–	4	3	5	–	1	3	–	–
	ORDER 6.															
	1. Ovarian Dropsy	27	–	–	4	2	–	–	–	2	–	2	2	1	–	–
	2. *Uterus Disease, etc.*	22	–	1	1	–	–	1	–	4	–	1	2	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	5	–	–	–	–	–	–	–	3	–	–	–	–	–	–
	2. *Joint Diseases, etc.*	30	2	–	–	1	–	2	2	5	2	–	1	2	1	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	ORDER 2.																
	1. Scrofula	6	1	5	–	9	8	–	8	2	3	2	–	–	4	2	4
	2. Tabes Mesenterica	5	2	–	4	14	15	5	10	–	1	1	1	2	6	1	2
	3. Phthisis	28	12	38	30	46	59	11	72	15	17	6	–	20	45	33	26
	4. Hydrocephalus	10	5	6	9	18	24	7	12	1	7	1	–	3	11	2	2
III.	ORDER 1.																
	1. Cephalitis	8	1	10	3	9	5	5	6	2	–	–	–	4	4	4	5
	2. Apoplexy	8	4	13	6	17	16	4	12	5	8	1	–	12	9	6	17
	3. Paralysis	15	2	12	7	11	10	–	29	3	6	3	1	8	13	7	4
	4. Insanity	4	–	1	1	–	–	–	4	–	1	–	–	1	–	–	–
	5 Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	2	–	2	1	2	3	–	5	1	1	–	–	1	2	–	–
	7. Convulsions	6	3	3	2	9	12	1	9	2	1	2	–	–	5	5	1
	8. *Brain Disease, etc.*	7	5	1	4	6	12	1	10	8	4	–	–	3	5	4	4
	ORDER 2.																
	1. Pericarditis	1	–	1	–	–	3	–	1	–	1	–	–	1	–	–	–
	2. Aneurism	–	–	2	–	2	–	–	4	–	2	–	–	–	–	–	–
	3. *Heart Disease, etc.*	23	13	25	27	27	30	9	56	13	24	1	1	21	46	24	20
	ORDER 3.																
	1. Laryngitis	2	1	1	1	–	2	–	1	–	–	–	–	–	3	–	–
	2. Bronchitis	37	22	21	23	57	71	14	76	27	11	5	3	7	33	24	23
	3. Pleurisy	2	–	2	–	2	7	2	1	3	2	2	1	2	–	3	1
	4. Pneumonia	22	4	8	14	21	30	7	34	10	7	3	1	9	33	17	8
	5. Asthma	6	3	3	2	9	10	2	1	–	2	–	2	–	1	–	–
	6. *Lung Disease, etc.*	3	–	8	3	10	24	2	8	–	2	–	–	1	6	2	9
	ORDER 4.																
	1. Gastritis	1	3	1	1	3	4	–	6	1	–	–	–	–	3	1	–
	2. Enteritis	13	4	4	5	16	23	5	7	2	3	1	–	5	4	7	1
	3. Peritonitis	5	1	–	1	2	2	1	3	–	1	–	–	–	5	1	4
	4. Ascites	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–
	5. Ulceration of Intestines	2	–	–	1	1	4	–	–	1	1	–	–	–	–	2	3
	6. Hernia	–	1	1	–	1	1	–	1	–	1	–	–	–	–	–	–
	7. Ileus	1	–	5	–	2	2	2	2	–	2	–	–	–	3	–	1
	8. Intussusception	2	–	–	1	–	–	–	1	–	–	–	–	–	–	2	–
	9. Stricture of Intestines	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	2	1	8	1	6	6	1	5	1	3	1	1	1	3	4	3
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	1	–	–	–	1	1	–	1	–	1	–	–	–	3	–	–
	14. Jaundice	5	–	1	1	4	4	–	2	1	1	–	–	2	2	2	2
	15. *Liver Disease, etc.*	3	3	2	5	4	9	1	8	5	–	–	–	3	5	2	2
	16. *Spleen Disease, etc.*	1	–	–	–	1	1	–	2	–	–	–	–	–	–	1	–
	ORDER 5.																
	1. Nephritis	2	2	–	1	3	1	–	1	–	–	–	–	1	2	–	–
	2. Ischuria	–	–	3	1	–	2	–	–	1	3	–	–	1	2	1	1
	3. Bright's Disease (Nephria)	1	–	3	2	5	6	1	4	4	3	1	–	–	1	5	4
	4. Diabetes	1	–	2	–	–	1	–	1	–	–	–	–	2	1	1	1
	5. Calculus (Stone)	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
	6. Cystitis	–	–	–	2	1	1	1	–	1	2	–	–	2	–	–	–
	7. *Kidney Disease, etc.*	1	1	2	2	8	3	4	3	2	–	3	1	3	3	4	2
	ORDER 6.																
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	ORDER 7.																
	1. Synovitis (Arthritis)	1	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–
	2. *Joint Disease, etc.*	2	–	–	1	1	6	–	1	–	1	1	–	1	3	3	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	ORDER 2.																
	1. Scrofula	–	1	4	3	5	7	2	5	–	1	–	–	–	2	1	4
	2. Tabes Mesenterica	2	4	4	6	9	16	3	4	2	1	1	1	2	7	8	1
	3. Phthisis	35	19	41	29	60	76	13	64	30	20	9	1	14	52	26	19
	4. Hydrocephalus	6	8	4	5	17	23	5	4	6	1	3	2	3	6	1	3
III.	ORDER 1.																
	1. Cephalitis	5	3	2	2	5	4	3	6	–	3	1	–	2	3	2	2
	2. Apoplexy	13	5	5	9	14	20	9	15	8	14	3	–	7	12	7	11
	3. Paralysis	15	4	14	4	14	15	5	24	6	8	–	–	10	15	8	7
	4. Insanity	3	–	1	–	–	–	–	6	–	1	–	–	2	–	2	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	4	1	–	–	2	3	–	8	–	2	–	–	3	2	1	2
	7. Convulsions	5	2	5	5	9	7	3	7	–	1	1	–	1	6	4	3
	8. *Brain Disease, etc.*	2	1	–	6	8	11	4	13	2	6	–	–	6	6	1	2
	ORDER 2.																
	1. Pericarditis	–	–	1	–	–	2	1	1	1	–	1	–	–	–	–	–
	2. Aneurism	–	1	1	–	–	–	–	1	–	1	–	1	–	–	1	–
	3. *Heart Disease, etc.*	14	7	16	22	42	39	10	48	18	31	6	2	27	38	18	13
	ORDER 3.																
	1. Larnygitis	–	–	–	1	–	1	–	1	–	1	–	–	–	1	1	–
	2. Bronchitis	33	21	19	28	43	65	13	53	23	17	7	2	8	61	16	29
	3. Pleurisy	–	–	1	–	1	1	–	2	–	1	1	–	1	–	1	1
	4. Pneumonia	10	–	5	8	17	16	1	18	7	5	–	1	4	15	7	11
	5. Asthma	3	–	–	1	2	4	–	–	–	–	–	–	–	1	–	–
	6. *Lung Disease, etc.*	8	–	6	2	5	13	3	13	1	2	–	–	1	1	2	3
	ORDER 4.																
	1. Gastritis	2	1	–	–	4	4	–	4	1	–	–	–	2	5	1	–
	2. Enteritis	8	4	1	7	9	19	3	7	–	8	–	–	5	5	3	2
	3. Peritonitis	3	–	1	2	7	4	1	2	3	5	–	–	2	5	–	2
	4. Ascites	1	1	–	–	–	1	–	–	–	–	–	–	–	1	–	1
	5. Ulceration of Intestines	–	–	2	–	1	3	–	3	1	2	1	–	–	2	2	1
	6. Hernia	–	–	–	1	1	2	–	1	1	–	–	–	1	–	–	1
	7. Ileus	1	–	1	3	1	–	–	2	–	1	2	–	–	2	1	–
	8. Intussusception	–	–	–	–	–	1	1	1	–	–	–	–	1	2	–	–
	9. Stricture of Intestines	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	5	–	–	–	10	8	1	8	–	3	3	–	2	3	4	2
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	2	3	2	1	1	1	2	–	–	–	–	–	–	1	–
	14. Jaundice	1	–	4	–	1	5	2	3	2	1	–	–	–	4	2	1
	15. *Liver Disease, etc.*	4	1	9	1	6	9	2	8	3	–	1	1	1	6	1	3
	16. *Spleen Disease, etc.*	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
	ORDER 5.																
	1. Nephritis	2	–	2	–	–	1	–	1	1	1	–	–	1	1	–	1
	2. Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	3	–	1	2	4	3	–	3	3	2	–	–	1	2	2	5
	4. Diabetes	–	–	–	–	1	2	–	–	–	2	–	–	–	–	–	1
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	6. Cystitis	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–
	7. *Kidney Disease, etc.*	2	–	–	2	–	2	–	3	–	1	1	–	1	1	–	–
	ORDER 6.																
	1. Ovarian Dropsy	–	–	–	–	2	2	–	4	1	2	–	–	–	–	2	1
	2. *Uterus Disease, etc.*	–	–	1	1	3	3	–	2	–	1	–	–	–	–	–	1
	ORDER 7.																
	1. Synovitis (Arthritis)	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	2. *Joint Disease, etc.*	1	1	2	1	1	2	–	–	–	1	–	–	–	3	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
	ORDER 8.															
	1. Phlegmon	16	–	–	–	–	–	–	2	3	1	1	1	1	–	–
	2. Ulcer	11	–	–	1	–	–	–	–	1	–	–	1	1	–	–
	3. *Skin Disease, etc.*	10	–	–	–	–	–	–	1	2	–	–	2	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	178	1	2	3	3	1	8	4	15	2	7	12	14	3	2
	2. Cyanosis	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	3. Spina Bifida	6	–	–	–	–	–	–	–	–	1	–	–	2	–	1
	4. Other Malformations	33	–	–	2	–	–	–	2	5	4	2	2	1	1	–
	5. Teething	63	–	–	2	1	–	3	2	2	3	4	3	3	–	3
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever).	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	761	16	28	84	36	5	18	20	55	18	23	80	47	4	5
	ORDER 4.															
	1. Atrophy and Debility	297	6	3	6	3	2	5	6	39	5	11	9	18	2	2
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	189	–	2	4	3	–	2	5	15	2	7	8	13	1	–
	2. Gunshot Wounds	5	–	–	1	–	–	–	1	1	–	–	1	1	–	–
	3. Cut, Stab	3	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	4. Burns and Scalds	50	–	–	1	–	–	2	1	5	1	–	2	3	1	–
	5. Poison	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	155	2	4	3	3	1	6	3	8	14	4	10	7	–	4
	7. Suffocation	51	–	–	–	–	–	–	6	3	7	–	2	2	–	–
	8. Otherwise	49	–	1	3	1	–	1	–	5	1	–	2	6	1	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	7	–	–	–	1	–	–	–	1	–	–	1	1	1	–
	3. Poison	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	6	–	–	–	–	–	–	–	–	–	3	–	–	–	–
	5. Hanging	15	–	1	2	–	–	–	–	2	1	1	2	1	–	–
	6. Otherwise and undefined	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	7	–	–	1	1	–	–	–	2	–	–	2	–	–	–
	Causes not specified or ill-defined	270	4	17	42	17	–	10	2	19	6	2	20	24	1	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
	ORDER 8.															
	1. Phlegmon	14	–	–	1	–	–	–	–	4	1		3	1	–	–
	2. Ulcer	10	1	–	–	1	–	–	1	1	–	–	–	1	–	–
	3. *Skin Disease, etc.*	8	–	–	–	–	–	–	1	2	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	118	–	–	2	5	1	–	2	14	–	10	5	7	1	–
	2. Cyanosis	10	–	1	–	–	–	–	–	–	–	1	1	–	–	–
	3. Spina Bifida	8	–	–	–	–	–	–	–	2	–	–	–	1	–	–
	4. Other Malformations	25	–	1	1	–	–	–	2	2	1	4	5	1	–	–
	5. Teething	47	–	–	2	1	2	4	2	5	2	–	2	5	–	2
	ORDER 2.															
	1. Paramenia	6	–	–	–	–	–	–	–	1	–	–	–	1	–	–
	2. Childbirth (*see* Puerperal Fever)	94	2	2	3	5	–	2	5	8	2	1	6	5	1	–
	ORDER 3.															
	1. Old Age	1240	31	57	124	74	10	41	25	109	24	29	115	72	16	4
	ORDER 4.															
	1. Atrophy and Debility	277	3	3	4	6	–	9	7	30	6	7	20	22	1	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	35	1	–	1	–	–	1	1	3	2	2	3	1	1	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	44	–	1	1	–	–	–	2	12	2	2	2	1	–	–
	5. Poison	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	6. Drowning	28	1	–	1	1	–	–	–	1	–	–	4	2	1	1
	7. Suffocation	25	–	–	–	1	–	–	2	8	–	1	2	1	1	–
	8. Otherwise	14	–	–	2	1	–	1	–	1	1	–	2	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	4	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	5	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	5. Hanging	8	–	–	–	2	–	–	–	–	–	–	1	1	–	–
	6. Otherwise and undefined	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	10	–	–	–	–	–	–	–	–	–	–	–	6	–	–
	Causes not specified or ill-defined	275	4	24	36	12	2	5	4	18	2	2	26	22	1	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	ORDER 8.																
	1. Phlegmon	–	–	–	–	1	2	–	1	–	–	–	–	1	2	–	–
	2. Ulcer	–	–	–	–	–	1	–	2	–	–	–	–	2	1	–	1
	3. *Skin Disease, etc.*	–	–	–	–	1	2	–	1	–	1	–	–	–	–	–	–
IV.	ORDER 1.																
	1. Premature Birth	6	1	–	8	16	14	8	14	3	7	3	1	3	10	–	7
	2. Cyanosis	–	1	–	–	–	5	–	2	1	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
	4. Other Malformations	2	1	–	–	3	1	–	5	–	1	–	–	–	1	–	–
	5. Teething	9	6	3	2	5	2	1	2	1	–	–	–	–	2	–	4
	ORDER 2.																
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3																
	1. Old Age	12	7	53	13	43	22	5	39	14	18	2	–	12	41	17	24
	ORDER 4.																
	1. Atrophy and Debility	21	7	6	12	16	51	3	20	8	8	2	1	5	16	3	1
V.	ORDER 1. (*Accident or Negligence.*)																
	1. Fractures and Contusions	10	2	6	2	14	43	1	21	–	3	1	–	5	11	4	4
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	4. Burns and Scalds	2	1	2	2	6	10	–	2	1	2	–	–	–	3	1	2
	5. Poison	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
	6. Drowning	11	9	21	11	5	7	1	4	1	–	1	1	1	6	5	2
	7. Suffocation	1	1	–	1	1	9	–	9	–	1	–	1	–	6	1	–
	8. Otherwise	4	–	2	–	3	3	–	5	1	2	–	–	1	4	3	–
	ORDER 3. (*Homicide.*)																
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)																
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–
	5. Hanging	–	–	–	–	–	–	–	1	–	2	1	–	1	–	–	–
	6. Otherwise and undefined	–	–	–	1	1	1	–	1	1	–	–	–	1	–	–	–
	ORDER 5. (*Execution.*)																
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	9	3	20	7	7	15	3	5	5	7	–	–	3	9	6	7

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	ORDER 8.																
	1. Phlegmon	–	–	–	–	1	–	1	–	–	–	1	–	–	1	–	–
	2. Ulcer	–	2	–	–	–	–	–	1	1	–	–	–	–	1	–	–
	3. *Skin Disease, etc.*	–	–	–	–	1	3	–	–	–	1	–	–	–	–	–	–
IV.	ORDER 1.																
	1. Premature Birth	2	4	1	1	14	14	2	10	2	5	–	–	2	7	2	5
	2. Cyanosis	1	–	–	1	2	1	–	1	–	–	–	–	–	–	1	–
	3. Spina Bifida	–	–	–	–	1	–	–	2	–	–	–	–	–	–	2	–
	4. Other Malformations	1	–	–	–	1	–	–	2	–	2	–	–	–	–	–	2
	5. Teething	2	–	1	1	3	4	1	1	–	1	–	–	2	–	1	3
	ORDER 2.																
	1. Paramenia	–	–	–	1	–	2	–	–	–	–	–	–	–	–	1	–
	2. Childbirth (*see* Puerperal Fever)	1	2	3	4	4	11	1	6	–	1	2	–	2	6	6	3
	ORDER 3.																
	1. Old Age	29	8	84	23	46	43	19	53	17	33	5	2	14	63	25	45
	ORDER 4.																
	1. Atrophy and Debility	17	3	6	7	20	37	2	19	4	2	5	1	3	13	4	16
V.	ORDER 1. (*Accident or Negligence.*)																
	1. Fractures and Contusions	2	1	1	1	2	3	3	3	–	–	–	–	–	2	–	1
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	2	1	1	3	–	2	1	1	2	2	–	–	1	3	–	2
	5. Poison	1	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–
	6. Drowning	2	1	4	1	2	–	3	–	–	–	–	–	1	1	1	–
	7. Suffocation	–	–	–	1	2	–	–	2	–	–	–	–	2	1	1	–
	8. Otherwise	1	–	–	1	–	2	–	–	–	1	–	–	–	–	1	–
	ORDER 3. (*Homicide.*)																
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1
	ORDER 4. (*Suicide.*)																
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Cut, Stab	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	1
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	ORDER 5. (*Execution.*)																
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	1	1	1	–	–	–	–	–	–	1	–	–
	Causes not specified or ill-defined	9	2	28	5	10	11	2	7	6	6	1	–	3	15	7	5

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1878.

Class.	CAUSES OF DEATH.	Males.							Females.						
		Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
	All Causes . . .	941	158	191	97	259	149	87	1022	198	203	88	262	188	83
	Specified Causes . . .	810	141	180	72	208	126	83	858	155	187	70	211	160	75
	(CLASSES).														
I.	ZYMOTIC DISEASES	98	7	17	20	29	15	10	113	14	22	20	29	16	12
II.	CONSTITUTIONAL „	153	41	35	11	34	24	8	168	30	38	11	34	35	20
III.	LOCAL „	307	39	65	21	89	56	37	268	32	59	18	65	62	32
IV.	DEVELOPMENTAL „	212	47	58	15	47	24	21	297	76	68	20	78	44	11
V.	VIOLENT DEATHS . .	40	7	5	5	9	7	7	12	3	–	1	5	3	–
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	93	7	16	20	25	15	10	110	13	22	19	29	16	11
	2. ENTHETIC „ . .	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC „ . .	2	–	–	–	2	–	–	2	1	–	–	–	–	1
	4. PARASITIC „ . .	2	–	–	–	2	–	–	1	–	–	1	–	–	–
II.	1. DIATHETIC „ . .	45	15	6	4	11	8	1	38	3	9	3	6	11	6
	2. TUBERCULAR „ . .	108	26	29	7	23	16	7	130	27	29	8	28	24	14
III.	1. DISEASES OF NERVOUS SYSTEM . .	70	5	14	5	28	6	12	56	6	13	5	9	14	9
	2. „ OF ORGANS OF CIRCULATION . .	35	2	6	1	8	11	7	25	1	5	1	6	7	5
	3. „ OF RESPIRATORY ORGANS . .	96	16	19	7	33	14	7	117	12	22	9	36	27	11
	4. „ OF DIGESTIVE ORGANS	63	9	15	8	13	14	4	55	12	13	3	9	12	6
	5. „ OF URINARY ORGANS	36	5	10	–	5	10	6	7	–	3	–	2	2	–
	6. „ OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	4	1	1	–	2	–	–
	7. „ OF ORGANS OF LOCOMOTION . .	7	2	1	–	2	1	1	1	–	1	–	–	–	–
	8. „ OF INTEGUMENTARY SYSTEM . .	–	–	–	–	–	–	–	3	–	1	–	1	–	1
IV.	1. DEV. DIS. OF CHILDREN .	16	4	3	–	5	1	3	13	3	3	1	3	2	1
	2. „ OF ADULTS .	–	–	–	–	–	–	–	22	5	2	1	10	2	2
	3. „ OF OLD PEOPLE	175	43	47	15	31	23	16	253	67	60	16	63	39	8
	4. DISEASES OF NUTRITION .	21	–	8	–	11	–	2	9	1	3	2	2	1	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1878.

Class.	CAUSES OF DEATH.	Males. Total.	Males. Shetland.	Males. Orkney.	Males. Ross and Cromarty.	Males. Inverness.	Males. Argyll.	Males. Bute.	Females. Total.	Females. Shetland.	Females. Orkney.	Females. Ross and Cromarty.	Females. Inverness.	Females. Argyll.	Females. Bute.
V.	1. ACCIDENT OR NEGLIGENCE	38	6	5	5	9	7	6	12	3	–	1	5	3	–
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	2	1	–	–	–	–	1	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	130	17	11	25	50	23	4	164	43	16	18	51	28	8
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	2	1	–	1	–	–	–	1	1	–	–	–	–	–
	3. Scarlatina	4	–	1	–	2	1	–	6	–	2	–	1	–	3
	4. Diphtheria	10	1	8	–	1	–	–	9	–	7	–	1	–	1
	5. Quinsy	–	–	–	–	–	–	–	3	1	–	1	1	–	–
	6. Croup	29	2	1	13	11	2	–	27	1	2	11	10	2	1
	7. Hooping-cough	4	–	1	–	–	3	–	4	–	–	–	2	1	1
	8. Typhus Fever	1	–	–	–	–	1	–	2	–	–	2	–	–	–
	8. Enteric or Typhoid Fever	11	–	2	1	3	2	3	10	1	2	2	2	–	3
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	2	–	–	1	–	–	1	1	–	–	–	–	1	–
	9. Erysipelas	4	3	–	1	–	–	–	2	1	1	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	4	–	–	1	3	–	–
	11. Carbuncle	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	12. Influenza	3	–	–	–	–	–	3	3	1	–	–	–	2	–
	13. Dysentery	2	–	–	–	1	1	–	2	–	1	–	1	–	–
	14. Diarrhœa	5	–	–	2	–	1	2	12	–	4	1	1	4	2
	15. Cholera	1	–	–	1	–	–	–	1	–	1	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	2	–	–	–	–	2	–
	18. Rheumatism	14	–	3	–	7	4	–	21	7	2	1	7	4	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	2	1	–	–	–	–	1
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Thrush	2	–	–	–	2	–	–	1	–	–	1	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	10	6	–	–	3	1	–	13	–	4	–	4	4	1
	3. Cancer	30	7	3	4	8	7	1	23	3	5	3	2	5	5
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	4	1	3	–	–	–	–	2	–	–	–	–	2	–

* See page 52, note *.

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1878. (*Continued.*)

Class.	CAUSES OF DEATH.	Males. Total.	Males. Shetland.	Males. Orkney.	Males. Ross and Cromarty.	Males. Inverness.	Males. Argyll.	Males. Bute.	Females. Total.	Females. Shetland.	Females. Orkney.	Females. Ross and Cromarty.	Females. Inverness.	Females. Argyll.	Females. Bute.
	ORDER 2.														
	1. Scrofula	8	3	3	–	2	–	–	3	1	1	–	1	–	
	2. Tabes Mesenterica	2	1	–	1	–	–	–	1	–	1	–	–	–	–
	3. Phthisis	89	21	20	6	20	16	6	122	26	24	8	27	23	14
	4. Hydrocephalus	9	1	6	–	1	–	1	4	–	3	–	–	1	–
III.	ORDER 1.														
	1. Cephalitis	12	–	4	1	4	–	3	2	–	–	–	1	–	1
	2. Apoplexy	13	1	4	–	3	1	4	8	1	4	–	–	1	2
	3. Paralysis	25	3	4	2	11	3	2	33	5	6	4	4	9	5
	4. Insanity	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	4	–	1	–	1	1	1	2	–	1	–	–	1	–
	7. Convulsions	9	1	–	–	5	1	2	5	–	–	–	4	1	–
	8. *Brain Disease, etc.*	7	–	1	2	4	–	–	5	–	1	1	–	2	1
	ORDER 2.														
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	34	2	5	1	8	11	7	25	1	5	1	6	7	5
	ORDER 3.														
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	46	8	8	6	10	9	5	66	7	13	6	18	14	8
	3. Pleurisy	15	1	1	1	11	–	1	3	–	–	1	2	–	–
	4. Pneumonia	18	2	6	–	5	4	1	20	3	4	1	6	4	2
	5. Asthma	10	5	1	–	4	–	–	14	2	2	1	7	1	1
	6. *Lung Disease, etc.*	7	–	3	–	3	1	–	14	–	3	–	3	8	–
	ORDER 4.														
	1. Gastritis	2	–	–	1	–	–	1	2	–	–	1	1	–	–
	2. Enteritis	8	1	–	3	–	4	–	6	–	4	–	–	1	1
	3. Peritonitis	6	–	6	–	–	–	–	5	1	2	–	–	2	–
	4. Ascites	1	–	–	1	–	–		1	–	–	–	–	1	–
	5. Ulceration of Intestines	3	1	–	–	1	1	–	4	1	1	1	1	–	–
	6. Hernia	2	–	–	2	–	–	–	2	–	1	–	1	–	–
	7. Ileus	5	2	–	–	1	1	1	8	3	1	–	2	1	1
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	13	2	3	1	5	2	–	10	4	2	–	1	2	1
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	5	–	–	–	2	3	–	3	–	–	–	1	2	–
	14. Jaundice	5	–	2	–	3	–	–	1	–	–	–	1	–	–
	15. *Liver Disease, etc.*	13	3	4	–	1	3	2	11	3	–	1	1	3	3
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	2	–	2	–	–	–	–
	ORDER 5.														
	1. Nephritis	1	–	–	–	–	1	–	1	–	–	–	1	–	–
	2. Ischuria	3	–	2	–	–	–	1	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	7	–	1	–	1	5	–	4	–	2	–	–	2	–
	4. Diabetes	2	1	–	–	–	–	1	–	–	–	–	–	–	–
	5. Calculus (Stone)	8	1	5	–	2	–	–	–	–	–	–	–	–	–
	6. Cystitis	4	–	1	–	1	1	1	1	–	–	–	1	–	–
	7. *Kidney Disease, etc.*	11	3	1	–	1	3	3	1	–	1	–	–	–	–
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	1	–	–	–	1	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	3	1	1	–	1	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	6	1	1	–	2	1	1	1	–	1	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1878. (*Continued.*)

Class.	CAUSES OF DEATH.	Males. Total.	Males. Shetland.	Males. Orkney.	Males. Ross and Cromarty.	Males. Inverness.	Males. Argyll.	Males. Bute.	Females. Total.	Females. Shetland.	Females. Orkney.	Females. Ross and Cromarty.	Females. Inverness.	Females. Argyll.	Females. Bute.
	ORDER 8.														
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	1	–	–	–	–	–	1
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	2	–	1	–	1	–	–
IV.	ORDER 1.														
	1. Premature Birth	7	1	2	–	2	1	1	4	–	2	–	1	1	–
	2. Cyanosis	2	1	1	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	3	2	–	–	1	–	–	1	–	–	1	–	–	–
	5. Teething	4	–	–	–	2	–	2	8	3	1	–	2	1	1
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	22	5	2	1	10	2	2
	ORDER 3.														
	1. Old Age	175	43	47	15	31	23	16	253	67	60	16	63	39	8
	ORDER 4.														
	1. Atrophy and Debility	21	–	8	–	11	–	2	9	1	3	2	2	1	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	4	–	2	–	1	1	–	6	1	–	–	4	1	–
	2. Gunshot Wounds	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	4	1	–	1	1	–	1	4	2	–	–	1	1	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	24	4	3	3	7	3	4	–	–	–	–	–	–	–
	7. Suffocation	1	–	–	–	–	–	1	2	–	–	1	–	1	–
	8. Otherwise	4	1	–	1	–	2	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	130	17	11	25	50	23	4	164	43	16	18	51	28	8

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1878.—MALES.

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	38389	4152	1560	3004	3568	1558	1004	664	1746	984	1288	1274	1136	1039
	Specified Causes . .	37704	3927	1515	2960	3541	1548	995	658	1723	973	1277	1262	1126	1028
	(CLASSES.)														
I.	ZYMOTIC DISEASES	6897	464	376	937	1351	657	485	329	726	215	181	141	104	90
II.	CONSTITUTIONAL ,,	7007	125	185	414	586	301	179	149	440	345	577	628	527	428
III.	LOCAL ,,	17141	1200	772	1307	1292	498	283	148	453	314	382	333	337	374
IV.	DEVELOPMENTAL ,,	4718	2046	143	282	264	55	16	5	17	6	3	5	3	3
V.	VIOLENT DEATHS .	1941	92	39	20	48	37	32	27	87	93	134	155	155	133
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	6506	365	352	914	1337	652	482	329	719	212	178	133	94	67
	2. ENTHETIC ,, .	124	39	17	13	8	3	2	–	2	–	–	3	3	1
	3. DIETIC ,, .	244	47	6	10	3	–	–	–	3	2	3	5	7	22
	4. PARASITIC ,, .	23	13	1	–	3	2	1	–	2	1	–	–	–	–
II.	1. DIATHETIC ,, .	898	16	2	10	9	9	7	7	14	6	8	15	16	15
	2. TUBERCULAR ,, .	6109	109	183	404	577	292	172	142	426	339	569	613	511	413
III.	1. DISEASES OF NERVOUS SYSTEM . .	4017	280	139	241	279	96	71	48	148	105	86	67	78	85
	2. ,, OF ORGANS OF CIRCULATION .	2506	11	5	4	6	3	3	–	29	29	48	48	56	63
	3. ,, OF RESPIRATORY ORGANS . .	7076	571	470	887	861	339	172	66	154	68	115	109	99	125
	4. ,, OF DIGESTIVE ORGANS . . .	2258	322	144	155	118	41	24	16	54	52	66	59	57	48
	5. ,, OF URINARY ORGANS . . .	983	5	2	2	10	12	7	13	36	19	35	36	36	47
	6. ,, OF ORGANS OF GENERATION .	12	1	–	–	–	–	–	–	1	–	–	–	1	–
	7. ,, OF ORGANS OF LOCOMOTION . .	176	2	1	2	6	5	4	5	28	38	25	11	10	5
	8. ,, OF INTEGUMENTARY SYSTEM . .	113	8	11	16	12	2	2	–	3	3	7	3	–	1
IV.	1. DEV. DIS. OF CHILDREN	1572	1127	42	187	188	25	2	–	–	1	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	1791	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	1355	919	101	95	76	30	14	5	17	5	3	5	3	3

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1878.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	38404	3230	1250	2403	3405	1507	976	660	1700	989	1271	1358	1314	1182
	Specified Causes . .	37699	3041	1214	2364	3358	1483	968	655	1682	975	1264	1347	1301	1162
	(CLASSES.)														
I.	ZYMOTIC DISEASES	7300	396	345	817	1373	703	520	362	760	240	204	188	175	133
II.	CONSTITUTIONAL ,,	8042	115	175	349	505	265	175	127	448	452	751	738	650	540
III.	LOCAL ,,	15745	859	537	954	1174	435	248	142	414	261	278	331	365	392
IV.	DEVELOPMENTAL ,,	5958	1589	131	233	271	56	9	6	16	5	13	74	95	81
V.	VIOLENT DEATHS .	654	82	26	11	35	24	16	18	44	17	18	16	16	16
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	7008	316	309	797	1359	702	519	358	757	235	199	184	170	122
	2. ENTHETIC ,, .	106	41	28	10	9	1	–	–	–	1	1	2	2	2
	3. DIETIC ,, .	166	31	5	8	4	–	1	–	2	4	4	2	3	9
	4. PARASITIC ,, .	20	8	3	2	1	–	–	4	1	–	–	–	–	–
II.	1. DIATHETIC ,, .	1584	10	2	8	14	3	1	5	14	15	4	16	25	56
	2. TUBERCULAR ,, .	6458	105	173	341	491	262	174	122	434	437	747	722	625	484
III.	1. DISEASES OF NERVOUS SYSTEM . .	3608	218	102	186	215	80	62	33	114	70	67	56	57	69
	2. ,, OF ORGANS OF CIRCULATION .	2441	10	4	5	5	3	2	1	32	53	38	70	66	95
	3. ,, OF RESPIRATORY ORGANS . .	6506	407	326	636	838	309	155	80	166	68	77	81	100	111
	4. ,, OF DIGESTIVE ORGANS . .	2239	219	98	117	97	37	16	22	50	29	54	65	81	60
	5. ,, OF URINARY ORGANS . . .	507	–	2	3	6	–	8	4	17	21	19	33	31	26
	6. ,, OF ORGANS OF GENERATION .	170	–	–	–	1	–	1	–	–	1	4	7	17	15
	7. ,, OF ORGANS OF LOCOMOTION . .	156	1	–	2	6	2	1	2	33	17	17	11	8	11
	8. ,, OF INTEGUMENTARY SYSTEM . .	118	4	5	5	6	4	3	–	2	2	2	8	5	5
IV.	1. DEV. DIS. OF CHILDREN	1207	809	37	146	191	20	1	1	2	–	–	–	–	–
	2. ,, OF ADULTS .	401	–	–	–	–	–	–	–	–	2	9	73	89	77
	3. ,, OF OLD PEOPLE	3112	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	1238	780	94	87	80	36	8	5	14	3	4	1	6	4

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	1103	1187	1290	1399	1486	1747	1750	1880	1701	1041	574	184	56	4	10
	Specified Causes . .	1086	1175	1275	1383	1468	1713	1710	1840	1657	1039	574	183	56	4	8
	(CLASSES.)															
I.	ZYMOTIC DISEASES	92	100	92	77	63	88	83	92	75	46	22	9	1	–	1
II.	CONSTITUTIONAL ,,	342	307	270	251	232	234	187	155	76	46	16	6	1	–	–
III.	LOCAL ,,	500	618	780	938	1025	1225	1265	1272	1056	494	214	44	15	–	2
IV.	DEVELOPMENTAL ,,	7	6	10	17	38	76	122	254	420	440	313	122	39	4	2
V.	VIOLENT DEATHS .	145	144	123	100	110	90	53	67	30	13	9	2	–	–	3
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	66	66	62	59	49	69	71	85	74	41	20	9	1	–	–
	2. ENTHETIC ,, .	3	5	7	2	4	3	1	3	1	3	1	–	–	–	–
	3. DIETIC ,, .	23	29	23	16	10	16	11	4	–	2	1	–	–	–	1
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	19	41	55	67	99	128	103	123	65	42	15	6	1	–	–
	2. TUBERCULAR ,, .	323	266	215	184	133	106	84	32	11	4	1	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	100	124	153	169	220	301	329	362	304	150	71	9	2	–	–
	2. ,, OF ORGANS OF CIRCULATION .	126	143	167	227	248	306	288	319	244	89	35	6	3	–	–
	3. ,, OF RESPIRATORY ORGANS . .	156	219	284	327	368	381	398	344	315	158	70	15	4	–	1
	4. ,, OF DIGESTIVE ORGANS . .	69	80	115	150	131	135	138	126	93	43	11	6	4	–	1
	5. ,, OF URINARY ORGANS . .	44	42	54	58	51	89	101	113	91	46	24	8	2	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	1	1	1	2	–	3	1	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	3	4	6	3	4	5	4	2	1	1	1	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	2	6	1	3	2	7	5	6	5	6	2	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	75	122	254	420	440	313	122	39	4	2
	4. DISEASES OF NUTRITION	7	6	10	17	38	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . .	1179	1115	1163	1380	1466	1799	1899	2048	2158	1642	885	309	89	23	4
	Specified Causes . .	1161	1096	1150	1354	1442	1765	1853	2002	2113	1641	884	309	89	23	3
	(CLASSES).															
I.	ZYMOTIC DISEASES	108	102	84	87	77	107	116	126	134	91	39	10	3	–	–
II.	CONSTITUTIONAL ,,	441	384	369	331	272	290	235	192	125	72	30	7	3	-	1
III.	LOCAL ,,	487	525	647	863	1009	1216	1257	1220	1121	676	254	65	14	–	1
IV.	DEVELOPMENTAL ,,	99	57	24	37	51	114	222	437	703	775	548	220	69	23	–
V.	VIOLENT DEATHS .	26	28	26	36	33	38	23	27	30	27	13	7	–	–	1
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	94	89	69	69	61	97	109	119	134	89	39	9	3	–	–
	2. ENTHETIC ,, .	2	–	1	2	2	1	–	1	–	–	–	–	–	–	–
	3. DIETIC ,, .	12	13	14	16	14	9	7	6	–	1	–	1	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
II.	1. DIATHETIC ,, .	62	96	142	176	171	199	186	157	118	66	27	7	3	–	1
	2. TUBERCULAR ,, .	379	288	227	155	101	91	49	35	7	6	3	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	75	97	132	181	225	270	323	309	321	234	89	20	2	–	1
	2. ,, OF ORGANS OF CIRCULATION .	121	118	148	198	205	317	316	252	219	119	36	7	1	–	–
	3. ,, OF RESPIRATORY ORGANS . .	134	138	195	284	360	389	394	450	409	248	109	33	9	–	–
	4. ,, OF DIGESTIVE ORGANS . . .	89	104	115	142	146	181	169	153	126	53	13	3	–	–	–
	5. ,, OF URINARY ORGANS . . .	38	44	31	41	49	31	27	31	27	12	5	–	1	–	–
	6. ,, OF ORGANS OF GENERATION .	19	16	12	11	14	10	18	14	4	5	–	1	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	3	4	4	3	3	9	8	5	3	1	2	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	8	4	10	3	7	9	2	6	12	4	–	1	1	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	93	47	10	1	–	-	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	·	2	113	222	437	703	775	548	220	69	23	–
	4. DISEASES OF NUTRITION	6	10	14	36	49	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued*).

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	1810	89	38	20	48	37	32	27	87	92	132	146	146	126
	*														
	3. HOMICIDE	6	3	1	–	–	–	–	–	–	–	1	–	–	–
	4. SUICIDE	123	–	–	–	–	–	–	–	–	1	1	9	9	7
	5. EXECUTION	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	48	6	2	4	1	1	–	–	1	1	–	1	–	2
	CAUSES NOT SPECIFIED	637	219	43	40	26	9	9	6	22	10	11	11	10	9
I.	ORDER 1.														
	1. Small Pox	3	–	–	1	–	–	–	–	1	–	–	–	–	1
	2. Measles	727	11	9	160	288	125	49	31	44	4	2	3	–	–
	3. Scarlatina	959	6	14	54	126	125	149	109	302	43	19	4	3	1
	4. Diphtheria	472	9	8	33	81	72	58	52	108	18	9	4	4	3
	5. Quinsy	28	2	1	4	2	1	3	3	3	1	–	1	2	–
	6. Croup	458	18	12	56	124	88	65	45	43	6	–	–	–	–
	7. Hooping-cough	1239	65	80	303	424	154	94	51	66	2	–	–	–	–
	8. Typhus Fever	134	–	–	–	1	–	1	1	5	13	27	18	8	9
	8. Enteric or Typhoid Fever	687	–	3	7	25	30	31	22	90	98	91	80	58	29
	8. Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	67	–	1	2	1	5	5	3	10	6	10	4	1	2
	9. Erysipelas	122	24	7	8	–	2	2	–	1	–	1	1	2	5
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	19	1	–	–	–	–	1	–	–	–	–	–	–	–
	12. Influenza	39	3	3	2	1	1	–	2	–	1	2	1	1	2
	13. Dysentery	78	8	11	8	7	2	2	–	1	2	–	–	1	2
	14. Diarrhœa	1166	203	192	241	236	36	13	7	19	5	4	6	8	2
	15. Cholera	99	11	7	27	18	2	1	–	2	1	–	1	1	1
	16. Ague	7	–	–	–	1	–	–	–	1	–	–	1	–	–
	17. Remittent Fever	38	–	–	5	1	7	8	2	10	3	–	1	–	–
	18. Rhuematism	148	–	–	–	1	–	–	1	12	9	13	8	5	10
	19. Other *Miasmatic* Diseases	15	4	4	3	–	2	–	–	1	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	101	39	17	13	7	3	2	–	2	–	–	3	3	1
	2. Stricture of Urethra	22	–	–	–	1	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	6	–	–	–	–	–	–	–	1	–	–	–	–	–
	2. Want of Breast Milk	59	44	6	8	1	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	28	3	–	2	2	–	–	–	2	2	2	1	2	–
	4. Alcoholism *a* Del. Tremens	43	–	–	–	–	–	–	–	–	–	–	1	1	7
	4. Alcoholism *b* Intemperence	108	–	–	–	–	–	–	–	–	–	1	3	4	15
	ORDER 4.														
	1. Thrush	16	12	1	–	2	1	–	–	–	–	–	–	–	–
	2. Worms, etc.	7	1	–	–	1	1	1	–	2	1	–	–	–	–
II.	ORDER 1.														
	1. Gout	12	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	189	12	1	5	6	6	3	6	11	4	6	5	3	4
	3. Cancer	615	–	–	4	3	1	2	1	2	1	2	10	13	11
	4. Cancrum Oris (Noma)	5	–	–	1	–	–	1	–	1	–	–	–	–	–
	5. Mortification	77	4	1	–	–	2	1	–	–	1	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	590	80	26	11	34	24	16	18	44	17	15	10	11	14
	*														
	3. HOMICIDE	7	2	–	–	1	–	–	–	–	–	–	1	1	–
	4. SUICIDE	57	–	–	–	–	–	–	–	–	–	3	5	4	2
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	42	2	2	1	2	2	–	–	–	–	–	1	–	3
	CAUSES NOT SPECIFIED	663	187	34	38	45	22	8	5	18	14	7	10	13	17
I.	ORDER 1.														
	1. Small-pox	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	2. Measles	645	5	14	102	249	126	59	28	49	6	2	2	–	–
	3. Scarlatina	911	4	7	40	124	126	132	106	269	60	14	8	9	5
	4. Diphtheria	561	9	4	30	85	93	88	68	130	19	11	3	4	3
	5. Quinsy	17	2	1	–	3	2	–	–	5	1	–	–	–	1
	6. Croup	401	12	6	42	118	64	60	45	50	2	1	–	–	–
	7. Hooping-cough	1549	66	104	350	537	222	110	73	86	–	–	–	–	–
	8. Typhus Fever	129	–	–	1	–	–	1	–	11	21	16	16	3	7
	8. Enteric or Typhoid Fever	790	–	5	8	21	16	41	22	106	92	125	78	68	46
	8. Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	80	1	2	2	5	3	7	5	12	10	4	5	4	4
	9. Erysipelas	126	26	3	10	7	2	1	–	2	1	3	1	4	3
	10. Puerperal Fever (Metria)	164	–	–	–	–	–	–	–	–	–	6	46	50	28
	11. Carbuncle	9	–	1	–	–	–	–	–	–	1	–	–	–	–
	12. Influenza	57	3	–	1	1	–	–	–	–	2	–	–	2	1
	13. Dysentery	100	4	6	6	7	–	1	–	2	–	1	1	2	1
	14. Diarrhœa	1104	172	143	176	182	35	13	5	11	4	1	7	8	13
	15. Cholera	78	7	9	24	14	2	1	–	5	–	1	–	4	–
	16. Ague	5	–	–	–	–	–	–	–	–	–	–	1	–	1
	17. Remittent Fever	34	–	1	3	3	9	4	5	8	–	–	–	–	–
	18. Rheumatism	234	1	–	1	1	–	1	1	11	16	13	16	12	9
	19. Other *Miasmatic* Diseases	12	4	3	1	2	2	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	106	41	28	10	9	1	–	–	–	1	1	2	2	2
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	2	–	–	1	1	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	44	31	5	6	2	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	22	–	–	1	1	–	1	–	2	4	4	2	–	1
	4. Alcoholism *a* Del. Tremens	9	–	–	–	–	–	–	–	–	–	–	–	1	1
	4. Alcoholism *b* Intemperance	89	–	–	–	–	–	–	–	–	–	–	–	2	7
	ORDER 4.														
	1. Thrush	14	8	3	1	1	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	6	–	–	1	–	–	–	4	1	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	264	2	1	6	9	3	–	3	12	11	2	7	6	12
	3. Cancer	1214	3	–	1	–	–	–	–	2	3	1	8	19	43
	4. Cancrum Oris (Noma)	7	2	–	–	–	–	1	1	–	1	–	1	–	–
	5. Mortification	95	3	1	1	5	–	–	1	–	–	1	–	–	1

* See page 52, note *.

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	130	129	107	86	97	79	49	58	28	13	9	2	–	–	3
	*															
	3. HOMICIDE	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. SUICIDE	15	13	16	14	13	10	4	9	2	–	–	–	–	–	–
	5. EXECUTION	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	2	3	2	1	2	8	6	2	–	2	–	1	–	–	–
	CAUSES NOT SPECIFIED	15	9	13	15	16	26	34	38	44	–	–	–	–	–	2
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	4. Diphtheria	1	–	3	3	2	1	–	–	1	2	–	–	–	–	–
	5. Quinsy	–	1	1	–	1	1	1	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	10	10	9	10	3	4	1	1	3	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	25	19	20	13	9	10	14	5	5	2	1	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	2	2	4	1	4	1	–	1	–	2	–	–	–	–	–
	9. Erysipelas	6	5	3	6	6	12	10	9	5	4	2	1	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	1	–	2	1	2	5	1	–	3	–	1	1	–	–	–
	12. Influenza	1	2	–	1	–	1	4	4	4	2	1	–	–	–	–
	13. Dysentery	1	1	2	1	2	4	5	7	6	4	1	–	–	–	–
	14. Diarrhœa	5	8	8	11	15	23	25	35	27	18	13	5	1	–	–
	15. Cholera	2	6	2	1	3	3	1	4	3	2	–	–	–	–	–
	16. Ague	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	18. Rheumatism	10	8	7	9	2	4	8	17	16	5	1	2	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	1	3	4	1	–	–	1	1	–	–	–	–	–	–	–
	2. Stricture of Urethra	1	2	3	1	4	3	–	2	1	3	1	–	–	–	–
	3. Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	1	–	1	–	–	1	–	1	–	–	1	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	1	2	–	1	2	4	1	–	1	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	10	12	8	–	1	2	1	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	12	16	12	16	8	11	6	2	–	1	–	–	–	–	1
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	2	1	1	2	3	2	1	–	–	–	–	–	–	–
	2. Dropsy	4	7	9	7	10	23	7	18	14	14	2	2	–	–	–
	3. Cancer	15	30	43	56	82	94	87	95	33	17	9	4	–	–	–
	4. Cancrum Oris (Noma)	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	5. Mortification	–	2	1	3	5	7	7	9	18	11	4	–	1	–	–

* See page 52, note *.

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	18	19	23	30	25	32	19	26	30	27	13	7	–	–	1
	*															
	3. HOMICIDE	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	4. SUICIDE	8	8	3	6	8	6	3	1	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	2	1	1	5	4	4	3	3	4	1	1	–	–	–	–
	CAUSES NOT SPECIFIED	16	18	12	21	20	30	43	43	41	–	–	–	–	–	1
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	3	1	–	1	1	–	–	–	–	1	–	–	–	–	–
	4. Diphtheria	3	2	3	2	1	2	1	–	–	–	–	–	–	–	–
	5. Quinsy	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	8. Typhus Fever	10	13	11	6	3	4	4	2	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	27	28	17	20	14	17	12	11	8	5	2	1	–	–	–
	8. Relapsing Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	4	1	–	3	4	–	3	–	1	–	–	–	–	–
	9. Erysipelas	2	5	5	3	5	2	9	8	7	13	3	1	–	–	–
	10. Puerperal Fever (Metria)	18	15	1	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	1	–	2	2	–	1	1	–	–	–	–
	12. Influenza	1	1	–	1	1	8	7	11	6	6	5	–	–	–	–
	13. Dysentery	4	–	2	3	3	5	11	13	13	11	4	–	–	–	–
	14. Diarrhœa	13	12	13	17	17	33	46	47	66	42	21	5	2	–	–
	15. Cholera	–	2	1	2	2	–	1	1	2	–	–	–	–	–	–
	16. Ague	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	18. Rheumatism	10	5	14	11	10	22	15	21	30	8	3	2	1	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	2	–	1	2	2	1	–	1	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	1	–	1	–	1	2	–	–	–	1	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	1	1	2	1	2	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	10	12	11	15	11	7	7	6	–	–	–	1	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–
	2. Dropsy	7	7	13	21	17	27	30	24	21	19	2	2	–	–	–
	3. Cancer	52	88	125	154	149	168	143	120	79	36	17	2	–	–	1
	4. Cancrum Oris (Noma)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	5. Mortification	3	1	4	1	5	2	13	11	17	11	8	3	3	–	–

* See page 52, note *.

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	437	11	15	30	48	36	20	12	62	46	39	36	20	13
	2. Tabes Mesenterica	664	43	47	74	156	89	48	29	76	44	25	12	7	4
	3. Phthisis	3897	17	17	53	100	49	34	40	161	209	492	558	479	394
	4. Hydrocephalus	1111	38	104	247	273	118	70	61	127	40	13	7	5	2
III.	ORDER 1.														
	1. Cephalitis	523	21	29	57	78	32	25	25	68	49	31	12	18	17
	2. Apoplexy	1036	12	13	37	41	17	12	6	21	8	11	11	10	18
	3. Paralysis	1005	1	3	4	–	–	4	1	6	7	10	10	10	15
	4. Insanity	44	–	–	–	–	–	–	–	1	1	2	1	4	5
	5. Chorea	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	6. Epilepsy	134	2	2	2	8	–	–	–	2	4	8	17	9	10
	7. Convulsions	650	218	79	127	126	32	25	4	14	5	1	–	3	1
	8. *Brain Disease, etc.*	624	26	13	14	26	15	5	12	36	31	23	16	23	19
	ORDER 2.														
	1. Pericarditis	63	–	–	1	–	–	1	–	7	2	6	7	3	2
	2. Aneurism	95	–	–	–	–	–	–	–	–	–	2	–	2	5
	3. *Heart Disease, etc.*	2348	11	5	3	6	3	2	–	22	27	40	41	51	56
	ORDER 3.														
	1. Laryngitis	118	9	7	22	20	6	9	2	9	2	5	3	3	2
	2. Bronchitis	4280	397	343	605	577	213	111	36	65	24	28	29	28	39
	3. Pleurisy	175	8	3	7	1	5	2	2	4	6	16	9	5	11
	4. Pneumonia	1728	67	93	198	206	88	41	21	61	25	49	57	45	51
	5. Asthma	184	–	1	–	–	–	–	1	–	–	1	1	3	2
	6. *Lung Disease, etc.*	591	90	23	55	57	27	9	4	15	11	16	10	15	20
	ORDER 4.														
	1. Gastritis	124	22	5	10	11	–	3	–	2	2	2	–	2	3
	2. Enteritis	518	127	75	87	55	21	10	2	13	11	14	10	9	4
	3. Peritonitis	208	19	7	10	7	3	2	1	17	13	14	19	5	12
	4. Ascites	32	–	–	–	1	1	1	2	4	1	–	–	–	1
	5. Ulceration of Intestines	109	–	–	2	3	–	–	–	–	7	3	3	6	3
	6. Hernia	67	4	3	2	–	–	–	–	–	–	2	–	2	1
	7. Ileus	149	23	4	6	1	–	–	1	3	6	9	7	4	3
	8. Intussusception	41	5	5	7	1	–	–	–	–	3	1	1	1	–
	9. Stricture of Intestines	15	1	–	–	–	–	–	–	–	–	–	1	–	–
	10. Fistula	10	–	–	–	–	–	–	–	–	–	3	–	1	–
	11. *Stomach Disease, etc.*	340	50	34	22	24	7	1	7	6	2	4	5	6	6
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	94	2	2	2	4	1	–	2	2	2	2	5	3	1
	14. Jaundice	137	58	6	3	3	4	3	–	–	–	–	2	1	1
	15. *Liver Disease, etc.*	390	10	3	4	6	4	4	1	4	4	10	5	16	12
	16. *Spleen Disease, etc.*	24	1	–	–	2	–	–	–	3	1	2	1	1	1
	ORDER 5.														
	1. Nephritis	104	1	–	–	4	4	3	7	17	4	4	7	–	4
	2. Ischuria	49	1	1	–	–	–	–	–	–	1	–	–	–	–
	3. Bright's Disease (Nephria)	286	–	–	2	2	2	1	4	11	9	18	14	13	24
	4. Diabetes	66	–	–	–	–	2	–	–	1	1	6	6	10	5
	5. Calculus (Stone)	40	–	–	–	1	1	–	–	–	–	–	1	1	1
	6. Cystitis	103	1	–	–	–	–	–	–	–	–	2	2	2	1
	7. *Kidney Disease, etc.*	335	2	1	–	3	3	3	2	7	4	5	6	10	12
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	12	1	–	–	–	–	–	–	1	–	–	–	1	–
	ORDER 7.														
	1. Synovitis (Arthritis)	22	–	–	–	1	1	–	1	9	3	2	1	3	–
	2. *Joint Disease, etc.*	154	2	1	2	5	4	4	4	19	35	23	10	7	5

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Cass.	CAUSES OF DEATH.	FEMALES. ALL AGES	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	338	16	12	33	35	18	13	11	39	37	27	28	20	10
	2. Tabes Mesenterica	598	37	42	62	134	74	42	26	73	35	25	15	6	11
	3. Phthisis	4548	15	28	50	94	67	39	46	182	326	684	678	598	459
	4. Hydrocephalus	974	37	91	196	228	103	80	39	140	39	11	1	1	4
III.	ORDER 1.														
	1. Cephalitis	377	8	20	49	55	25	32	15	56	21	18	11	7	8
	2. Apoplexy	961	13	17	35	22	11	9	2	18	7	6	7	15	16
	3. Paralysis	1081	3	–	–	2	1	–	–	2	3	6	8	13	17
	4. Insanity	60	–	–	–	–	–	–	–	1	1	–	1	3	4
	5. Chorea	6	–	–	–	1	–	–	–	–	3	–	–	1	–
	6. Epilepsy	114	2	1	3	3	–	1	–	5	9	10	9	6	5
	7. Convulsions	531	178	54	79	112	33	13	11	15	4	5	5	5	3
	8. *Brain Disease, etc.*	478	14	10	20	20	10	7	5	17	22	22	15	7	16
	ORDER 2.														
	1. Pericarditis	50	–	–	3	1	–	–	–	5	5	2	8	5	1
	2. Aneurism	27	–	–	–	–	–	–	–	–	–	–	–	1	–
	3. *Heart Disease, etc.*	2364	10	4	2	4	3	2	1	27	48	36	62	60	94
	ORDER 3.														
	1. Laryngitis	72	11	3	6	17	2	6	5	3	–	–	2	3	3
	2. Bronchitis	4409	287	228	460	580	202	89	41	84	31	26	23	46	50
	3. Pleurisy	108	3	2	2	3	2	3	1	4	3	8	8	4	6
	4. Pneumonia	1236	55	53	130	177	77	46	29	52	22	31	35	36	38
	5. Asthma	157	–	–	–	1	–	–	–	1	–	–	4	1	3
	6. *Lung Disease, etc.*	524	51	40	38	60	26	11	4	22	12	12	9	10	11
	ORDER 4.														
	1. Gastritis	144	15	5	14	12	2	–	3	5	1	–	3	3	3
	2. Enteritis	433	89	46	67	47	17	8	8	14	6	10	9	12	3
	3. Peritonitis	263	16	6	2	7	4	2	3	11	6	19	26	15	18
	4. Ascites	47	1	–	–	1	1	–	1	2	1	1	1	3	–
	5. Ulceration of Intestines	124	2	1	1	–	–	–	1	3	–	2	6	14	9
	6. Hernia	63	4	–	1	–	–	–	–	–	–	–	1	–	–
	7. Ileus	136	14	7	5	3	–	–	2	5	2	–	–	5	2
	8. Intussusception	24	1	1	2	2	–	1	–	1	–	1	1	–	–
	9. Stricture of Intestines	16	1	–	–	–	–	–	–	–	–	–	–	2	–
	10. Fistula	6	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	340	35	22	19	17	5	3	1	6	–	5	7	4	3
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	99	2	1	1	1	1	1	–	1	5	6	3	2	5
	14. Jaundice	122	24	6	1	1	3	–	–	1	–	1	2	5	4
	15. *Liver Disease, etc.*	402	14	2	4	5	2	–	3	1	8	7	6	12	13
	16. *Spleen Disease, etc.*	20	1	1	–	1	2	1	–	–	–	2	–	4	–
	ORDER 5.														
	1. Nephritis	64	–	–	–	4	–	5	3	7	3	2	2	6	5
	2. Ischuria	3	–	–	1	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	216	–	1	–	1	–	2	1	5	8	9	15	12	13
	4. Diabetes	37	–	–	–	–	–	–	–	2	7	1	5	3	3
	5. Calculus (Stone)	8	–	–	–	–	–	–	–	–	–	–	–	1	1
	6. Cystitis	24	–	–	1	–	–	–	–	2	–	1	–	3	–
	7. *Kidney Disease, etc.*	155	–	1	1	1	–	1	–	1	3	6	11	6	4
	ORDER 6.														
	1. Ovarian Dropsy	72	–	–	–	–	–	–	–	–	1	1	1	4	4
	2. *Uterus Disease, etc.*	98	–	–	–	1	–	1	–	–	–	3	6	13	11
	ORDER 7.														
	1. Synovitis (Arthritis)	18	–	–	–	–	1	–	1	3	1	1	1	–	1
	2. *Joint Disease, etc.*	138	1	–	2	6	1	1	1	30	16	16	10	8	10

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	14	5	3	7	4	7	4	3	2	–	–	–	–	–	–
	2. Tabes Mesenterica	–	3	1	2	3	–	–	–	1	–	–	–	–	–	–
	3. Phthisis	308	256	209	175	126	99	79	29	8	4	1	–	–	–	–
	4. Hydrocephalus	1	2	2	–	–	–	1	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	9	11	8	5	8	9	4	5	1	–	–	1	–	–	–
	2. Apoplexy	29	34	50	57	80	128	107	145	99	61	27	1	1	–	–
	3. Paralysis	30	36	53	55	72	109	148	156	164	69	34	7	1	–	–
	4. Insanity	3	3	2	2	3	3	3	5	4	1	1	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	9	7	5	10	15	6	8	6	1	4	1	–	–	–	–
	7. Convulsions	2	3	1	1	1	2	3	2	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	18	30	34	39	43	44	56	43	35	15	8	–	–	–	–
	ORDER 2.															
	1. Pericarditis	4	1	4	5	6	6	–	4	2	2	–	–	–	–	–
	2. Aneurism	18	12	13	13	10	5	5	6	3	1	–	–	–	–	–
	3. *Heart Disease, etc.*	104	130	150	209	232	295	283	309	239	86	35	6	3	–	–
	ORDER 3.															
	1. Laryngitis	3	3	3	2	3	–	4	–	1	–	–	–	–	–	–
	2. Bronchitis	54	95	143	176	206	222	249	228	221	123	53	12	3	–	–
	3. Pleurisy	8	13	15	5	15	17	5	9	5	3	1	–	–	–	–
	4. Pneumonia	69	85	87	86	91	98	88	59	39	16	5	1	1	–	1
	5. Asthma	7	11	15	29	28	22	19	19	18	4	2	1	–	–	–
	6. *Lung Disease, etc.*	15	12	21	29	25	22	33	29	31	12	9	1	–	–	–
	ORDER 4.															
	1. Gastritis	6	5	8	5	5	7	9	11	3	2	–	1	–	–	–
	2. Enteritis	2	9	9	11	7	10	6	10	7	7	1	1	–	–	–
	3. Peritonitis	4	9	7	11	8	16	8	6	6	2	1	–	1	–	–
	4. Ascites	3	3	2	1	5	2	2	2	1	–	–	–	–	–	–
	5. Ulceration of Intestines	5	5	10	14	12	5	17	4	7	3	–	–	–	–	–
	6. Hernia	3	1	5	5	7	4	3	9	7	5	2	1	1	–	–
	7. Ileus	4	3	6	14	11	9	13	8	10	3	–	–	1	–	–
	8. Intussusception	–	2	2	3	1	2	5	–	1	1	–	–	–	–	–
	9. Stricture of Intestines	–	4	1	2	–	1	2	–	2	1	–	–	–	–	–
	10. Fistula	2	1	2	–	–	1	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	6	8	16	19	19	21	21	24	21	6	3	1	1	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	4	2	9	10	13	7	8	7	4	1	1	–	–	–	–
	14. Jaundice	–	2	3	8	2	4	10	10	10	3	2	2	–	–	–
	15. *Liver Disease, etc.*	27	26	32	47	40	43	34	34	13	9	1	–	–	–	1
	16. *Spleen Disease, etc.*	3	–	3	–	1	3	–	1	1	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	4	3	6	1	2	4	9	8	5	4	2	–	1	–	–
	2. Ischuria	–	2	–	3	1	5	4	11	8	5	5	2	–	–	–
	3. Bright's Disease (Nephria)	18	20	21	23	23	28	20	15	10	5	3	–	–	–	–
	4. Diabetes	7	5	7	3	3	4	3	1	1	1	–	–	–	–	–
	5. Calculus (Stone)	1	–	–	4	4	4	7	6	3	4	2	–	–	–	–
	6. Cystitis	1	–	2	4	3	10	17	24	24	6	2	1	1	–	–
	7. *Kidney Disease, etc.*	13	12	18	20	15	34	41	48	40	21	10	5	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	1	1	1	2	–	3	1	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	3	4	6	2	4	5	4	2	1	1	1	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	5	5	7	5	3	10	1	2	1	–	–	–	–	–	–
	2. Tabes Mesenterica	2	5	1	2	1	2	1	1	–	1	–	–	–	–	–
	3. Phthisis	371	277	219	147	97	79	47	32	6	4	3	–	–	–	–
	4. Hydrocephalus	1	1	–	1	–	–	–	–	–	1	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	4	12	4	–	11	5	7	3	2	3	1	–	–	–	–
	2. Apoplexy	22	26	50	70	74	103	119	96	103	79	31	7	2	–	1
	3. Paralysis	17	21	44	63	90	120	151	156	181	124	47	12	–	–	–
	4. Insanity	6	7	7	5	3	5	5	3	4	4	1	–	–	–	–
	5. Chorea	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	11	1	6	4	10	5	7	9	4	–	3	–	–	–	–
	7. Convulsions	3	–	2	4	3	–	–	1	1	–	–	–	–	–	–
	8. *Brain Disease, etc.*	12	29	19	35	34	32	34	41	26	24	6	1	–	–	–
	ORDER 2.															
	1. Pericarditis	2	2	1	2	1	4	4	3	1	–	–	–	–	–	–
	2. Aneurism	3	1	1	3	4	7	–	5	2	–	–	–	–	–	–
	3. *Heart Disease, etc.*	116	115	146	193	200	306	312	244	216	119	36	7	1	–	–
	ORDER 3.															
	1. Laryngitis	2	1	3	2	–	3	–	–	–	–	–	–	–	–	–
	2. Bronchitis	58	81	119	191	255	282	290	340	313	204	95	27	7	–	–
	3. Pleurisy	3	4	7	2	7	6	11	6	9	2	2	–	–	–	–
	4. Pneumonia	54	35	41	53	50	55	51	46	40	21	5	3	1	–	–
	5. Asthma	2	5	13	18	10	23	12	33	23	6	1	1	–	–	–
	6. *Lung Disease, etc.*	15	12	12	18	38	20	30	25	24	15	6	2	1	–	–
	ORDER 4.															
	1. Gastritis	6	4	7	10	4	7	5	18	10	5	2	–	–	–	–
	2. Enteritis	6	12	9	5	13	12	11	14	11	3	1	–	–	–	–
	3. Peritonitis	24	14	9	12	8	15	8	15	16	4	2	1	–	–	–
	4. Ascites	2	3	2	4	12	3	4	3	1	1	–	–	–	–	–
	5. Ulceration of Intestines	8	8	7	11	14	8	9	11	5	4	–	–	–	–	–
	6. Hernia	2	6	7	4	8	4	10	5	9	2	–	–	–	–	–
	7. Ileus	5	6	8	6	8	16	13	7	12	9	–	1	–	–	–
	8. Intussusception	1	2	2	2	1	2	1	1	1	–	1	–	–	–	–
	9. Stricture of Intestines	–	–	–	1	–	3	3	–	5	–	1	–	–	–	–
	10. Fistula	1	2	1	–	–	–	1	1	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	14	12	14	23	23	32	41	22	20	11	1	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	1	1	3	11	6	16	12	8	9	2	1	–	–	–	–
	14. Jaundice	1	5	4	5	11	11	8	13	10	3	2	1	–	–	–
	15. *Liver Disease, etc.*	16	29	39	46	37	52	43	35	17	9	2	–	–	–	–
	16. *Spleen Disease, etc.*	2	–	3	2	1	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	4	5	1	4	3	2	4	1	3	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	22	21	16	21	22	9	13	13	8	2	2	–	–	–	–
	4. Diabetes	3	4	2	2	1	2	1	1	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	1	–	1	2	–	–	1	1	–	–	–	–	–
	6. Cystitis	1	2	2	–	–	1	3	1	3	3	1	–	–	–	–
	7. *Kidney Disease, etc.*	8	12	9	14	21	15	6	14	12	6	2	–	1	–	–
	ORDER 6.															
	1. Ovarian Dropsy	7	5	5	4	9	6	9	9	4	2	–	1	–	–	–
	2. *Uterus Disease, etc.*	12	11	7	7	5	4	9	5	–	3	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	1	3	2	1	1	–	1	–	–	–	–
	2. *Joint Disease, etc.*	3	4	4	3	2	6	6	4	2	1	1	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	47	1	2	8	–	1	2	–	3	2	6	1	–	–
	2. Ulcer	23	2	1	–	1	–	–	–	–	–	–	1	–	–
	3. *Skin Disease, etc.*	43	5	8	8	11	1	–	–	–	1	1	1	–	1
IV.	ORDER 1.														
	1. Premature Birth	960	951	8	–	1	–	–	–	–	–	–	–	–	–
	2. Cyanosis	36	33	1	1	–	–	1	–	–	–	–	–	–	–
	3. Spina Bifida	27	23	1	2	1	–	–	–	–	–	–	–	–	–
	4. Other Malformations	129	114	6	3	3	1	1	–	–	1	–	–	–	–
	5. Teething	420	6	26	181	183	24	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	1791	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	1355	919	101	95	76	30	14	5	17	5	3	5	3	3
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	751	3	2	3	2	9	4	5	31	35	57	64	79	58
	2. Gunshot Wounds	9	–	–	–	–	–	–	–	–	–	–	4	–	1
	3. Cut, Stab	8	–	–	–	1	–	–	–	–	1	–	–	–	–
	4. Burns and Scalds	161	2	1	3	25	19	17	8	15	6	6	6	4	7
	5. Poison	29	–	–	–	–	–	2	1	1	1	4	–	2	2
	6. Drowning	488	1	1	–	13	8	6	6	25	41	46	58	48	46
	7. Suffocation	197	75	32	13	3	–	2	1	3	2	7	4	7	3
	8. Otherwise	167	8	2	1	4	1	1	6	12	6	12	10	6	9
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	6	3	1	–	–	–	–	–	–	–	1	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	6	–	–	–	–	–	–	–	–	–	–	1	–	1
	2. Cut, Stab	28	–	–	–	–	–	–	–	–	–	–	1	2	–
	3. Poison	10	–	–	–	–	–	–	–	–	–	–	1	2	–
	4. Drowning	22	–	–	–	–	–	–	–	–	–	1	2	3	2
	5. Hanging	50	–	–	–	–	–	–	–	–	1	–	4	1	3
	6. Otherwise and undefined	7	–	–	–	–	–	–	–	–	–	–	–	1	1
	ORDER 5. (*Execution.*)														
	1. Hanging	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	48	6	2	4	1	1	–	–	1	1	–	1	–	2
	Causes not specified or ill-defined	637	219	43	40	26	9	9	6	22	10	11	11	10	9

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	43	1	1	1	–	–	1	–	1	1	1	6	4	4
	2. Ulcer	46	–	1	1	–	–	–	–	–	–	1	2	1	1
	3. *Skin Disease, etc.*	29	3	3	3	6	4	2	–	1	1	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	695	685	8	2	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	31	28	1	1	–	–	–	–	1	–	–	–	–	–
	3. Spina Bifida	31	23	3	1	1	1	1	–	1	–	–	–	–	–
	4. Other Malformations	81	71	3	4	1	1	–	1	–	–	–	–	–	–
	5. Teething	369	2	22	138	189	18	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	21	–	–	–	–	–	–	–	–	2	3	5	–	–
	2. Childbirth (*see* Puerperal Fever	380	–	–	–	–	–	–	–	–	–	6	68	89	77
	ORDER 3.														
	1. Old Age	3112	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	1238	780	94	87	80	36	8	5	14	3	4	1	6	4
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	167	3	1	2	5	1	5	3	13	4	3	4	3	3
	2. Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	3. Cut, Stab	3	–	–	–	–	1	–	–	–	–	–	–	–	–
	4. Burns and Scalds	133	–	1	5	20	16	10	12	17	4	4	1	–	–
	5. Poison	19	–	–	–	–	1	1	–	1	–	1	–	2	–
	6. Drowning	78	1	2	–	6	4	–	1	6	5	3	4	4	6
	7. Suffocation	126	62	22	3	3	1	–	–	1	1	2	–	2	2
	8. Otherwise	63	14	–	1	–	–	–	2	6	3	1	1	–	3
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	7	2	–	–	1	–	–	–	–	–	–	1	1	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	11	–	–	–	–	–	–	–	–	–	–	–	2	–
	3. Poison	5	–	–	–	–	–	–	–	–	–	–	2	–	–
	4. Drowning	19	–	–	–	–	–	–	–	–	–	3	3	–	1
	5. Hanging	20	–	–	–	–	–	–	–	–	–	–	–	1	–
	6. Otherwise and undefined	2	–	–	–	–	–	–	–	–	–	–	–	1	1
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	42	2	2	1	2	2	–	–	–	–	–	1	–	3
	Causes not specified or ill-defined	663	187	34	38	45	22	8	5	18	14	7	10	13	17

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	1	4	1	2	1	5	3	3	1	–	–	–	–	–	–
	2. Ulcer	1	1	–	–	1	2	2	2	1	6	2	–	–	–	–
	3. *Skin Disease, etc.*	–	1	–	1	–	–	–	1	3	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–		–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	75	122	254	420	440	313	122	39	4	2
	ORDER 4.															
	1. Atrophy and Debility	7	6	10	17	38	1	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	69	55	52	41	53	36	30	32	15	8	6	2	–	–	–
	2. Gunshot Wounds	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	1	–	1	2	1	–	–	1	–	–	–	–	–	–	–
	4. Burns and Scalds	7	7	7	3	5	5	–	4	2	1	1	–	–	–	–
	5. Poison	4	5	3	1	1	1	1	–	–	–	–	–	–	–	–
	6. Drowning	33	44	28	21	20	16	9	8	5	1	1	–	–	–	3
	7. Suffocation	6	5	7	7	5	5	–	5	4	1	–	–	–	–	–
	8. Otherwise	10	12	8	11	11	15	9	8	2	2	1	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	3	8	5	2	3	–	2	2	–	–	–	–	–	–	–
	3. Poison	1	–	3	–	1	1	–	1	–	–	–	–	–	–	–
	4. Drowning	4	1	1	3	3	1	–	–	1	–	–	–	–	–	–
	5. Hanging	5	3	6	7	5	8	1	5	1	–	–	–	–	–	–
	6. Otherwise and undefined	1	1	–	–	1	–	1	1	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	2	3	2	1	2	8	6	2	–	2	–	1	–	–	–
	Causes not specified or ill-defined	15	9	13	15	16	26	34	38	44	–	–	–	–	–	2

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued*).

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	6	4	5	1	2	3	–	–	–	1	–	–	–	–	–
	2. Ulcer	1	–	4	2	4	5	2	6	11	2	–	1	1	–	–
	3. *Skin Disease, etc.*	1	–	1	–	1	1	–	–	1	1	–	–	–	–	–
V.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	4	4	2	1	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	89	43	8	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	2	113	222	437	703	775	548	220	69	23	–
	ORDER 4.															
	1. Atrophy and Debility	6	10	14	36	49	1	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	5	7	9	8	7	15	2	17	13	19	10	5	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	3	2	2	5	3	4	5	3	9	4	2	1	–	–	–
	5. Poison	3	2	1	2	2	1	1	1	–	–	–	–	–	–	–
	6. Drowning	4	5	5	5	7	3	4	1	–	1	–	–	–	–	1
	7. Suffocation	1	2	3	3	4	5	3	–	4	–	1	1	–	–	–
	8. Otherwise	2	1	3	5	2	4	4	4	4	3	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	2	1	–	2	1	2	1	–	–	–	–	–	–	–	–
	3. Poison	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. Drowning	3	4	1	1	1	2	–	–	–	–	–	–	–	–	–
	5. Hanging	3	1	2	3	6	1	2	1	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	2	1	1	5	4	4	3	3	4	1	1	–	–	–	–
	Causes not specified or ill-defined	16	18	12	21	20	30	43	43	41	–	–	–	–	–	1

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes . . .	14707	1654	682	1383	1718	737	442	282	701	359	458	474	445	478
	Specified Causes . .	14608	1629	677	1375	1718	735	439	280	696	356	455	471	442	475
	(CLASSES.)														
I.	ZYMOTIC DISEASES	2801	219	185	442	625	289	180	123	240	57	55	42	39	44
II.	CONSTITUTIONAL ,,	2880	40	84	191	273	152	90	69	211	154	224	253	205	193
III.	LOCAL ,,	6725	508	329	592	678	259	143	74	209	117	136	132	145	187
IV.	DEVELOPMENTAL ,,	1537	826	56	138	128	25	10	3	6	2	1	1	1	1
V.	VIOLENT DEATHS .	665	36	23	12	14	10	16	11	30	26	39	43	52	50
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	2615	169	172	431	620	286	180	123	236	56	55	37	34	31
	2. ENTHETIC ,, .	71	27	11	6	3	2	–	–	1	–	–	2	2	1
	3. DIETIC ,, .	106	17	2	5	1	–	–	–	2	1	–	3	3	12
	4. PARASITIC ,, .	9	6	–	–	1	1	–	–	1	–	–	–	–	–
II.	1. DIATHETIC ,, .	266	6	1	6	2	5	3	4	9	1	3	7	4	5
	2. TUBERCULAR ,, .	2614	34	83	185	271	147	87	65	202	153	221	246	201	188
III.	1. DISEASES OF NERVOUS SYSTEM . .	1512	135	65	115	143	44	32	24	59	33	29	18	33	34
	2. ,, OF ORGANS OF CIRCULATION .	840	2	1	3	2	2	2	–	9	14	14	18	26	29
	3. ,, OF RESPIRATORY ORGANS . .	3155	247	203	421	484	189	94	36	81	26	42	60	44	72
	4. ,, OF DIGESTIVE ORGANS . . .	753	120	54	46	38	14	7	9	20	20	27	19	23	21
	5. ,, OF URINARY ORGANS . . .	353	–	–	–	3	5	4	4	26	6	14	13	16	28
	6. ,, OF ORGANS OF GENERATION .	4	–	–	–	–	–	–	–	–	–	–	–	1	–
	7. ,, OF ORGANS OF LOCOMOTION . .	67	2	–	–	3	3	3	1	14	16	8	3	2	2
	8. ,, OF INTEGUMENTARY SYSTEM . .	41	2	6	7	5	2	1	–	–	2	2	1	–	1
IV.	1. DEV. DIS. OF CHILDREN .	722	501	24	91	93	13	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	315	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION .	500	325	32	47	35	12	10	3	6	2	1	1	1	1

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	14718	1278	565	1135	1674	731	415	288	660	367	494	544	521	519
	Specified Causes .	14611	1257	560	1129	1670	728	415	286	654	366	493	542	516	510
	(CLASSES.)														
I.	ZYMOTIC DISEASES	2944	177	167	427	661	311	192	139	228	63	68	85	56	50
II.	CONSTITUTIONAL ,,	3316	45	67	156	247	147	96	63	227	175	304	277	278	235
III.	LOCAL ,,	6282	375	253	427	605	237	114	74	178	115	109	144	139	181
IV.	DEVELOPMENTAL ,,	1820	627	60	118	146	25	4	2	7	3	4	31	39	34
V.	VIOLENT DEATHS .	249	33	13	1	11	8	9	8	14	10	8	5	4	10
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	2806	135	148	417	652	311	192	138	228	63	66	83	55	43
	2. ENTHETIC ,, .	59	24	16	6	6	–	–	–	–	–	1	1	1	–
	3. DIETIC ,, .	72	14	2	4	2	–	–	–	–	–	1	1	–	7
	4. PARASITIC ,, .	7	4	1	–	1	–	–	1	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	541	5	1	1	4	1	1	3	8	5	2	8	10	33
	2. TUBERCULAR ,, .	2775	40	66	155	243	146	95	60	219	170	302	269	268	202
III.	1. DISEASES OF NERVOUS SYSTEM . .	1322	114	59	82	92	34	31	12	43	29	20	20	23	28
	2. ,, OF ORGANS OF CIRCULATION .	889	–	1	–	2	2	1	–	11	29	17	36	27	43
	3. ,, OF RESPIRATORY ORGANS . .	2963	186	158	304	469	184	73	48	81	29	30	34	38	60
	4. ,, OF DIGESTIVE ORGANS . . .	738	73	30	38	38	15	5	12	20	13	21	25	28	24
	5. ,, OF URINARY ORGANS . . .	205	–	2	1	1	–	3	2	7	11	10	14	12	15
	6. ,, OF ORGANS OF GENERATION .	74	–	–	–	–	–	–	–	–	–	2	4	8	7
	7. ,, OF ORGANS OF LOCOMOTION . .	56	1	–	1	1	1	1	–	16	4	9	6	–	1
	8. ,, OF INTEGUMENTARY SYSTEM . .	35	1	3	1	2	1	–	–	–	.	–	5	3	3
IV.	1. DEV. DIS. OF CHILDREN .	569	357	21	76	108	6	–	–	1	–	–	–	–	–
	2. ,, OF ADULTS .	146	–	–	–	–	–	–	–	–	1	3	31	37	32
	3. ,, OF OLD PEOPLE	644	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION .	461	270	39	42	38	19	4	2	6	2	1	–	2	2

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued*).

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	515	535	575	527	564	622	544	446	357	131	58	12	7	-	1
	Specified Causes . .	510	531	570	525	559	616	540	443	357	131	58	12	7	-	1
	(CLASSES.)															
I.	ZYMOTIC DISEASES	36	45	38	23	24	27	23	17	15	7	3	2	-	-	1
II.	CONSTITUTIONAL ,,	156	138	117	80	75	74	55	28	13	4	1	-	-	-	-
III.	LOCAL ,,	254	295	361	383	406	465	408	319	230	65	27	1	2	-	-
IV.	DEVELOPMENTAL ,,	-	-	4	8	12	29	44	58	93	52	25	9	5	-	-
V.	VIOLENT DEATHS .	64	53	50	31	42	21	10	21	6	3	2	-	-	-	-
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	23	27	23	18	16	16	19	16	15	7	3	2	-	-	-
	2. ENTHETIC ,, .	1	3	6	-	4	2	-	-	-	-	-	-	-	-	-
	3. DIETIC ,, .	12	15	9	5	4	9	4	1	-	-	-	-	-	-	1
	4. PARASITIC ,, .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	1. DIATHETIC ,, .	9	16	25	23	30	40	29	24	10	3	1	-	-	-	-
	2. TUBERCULAR ,, .	147	122	92	57	45	34	26	4	3	1	-	-	-	-	-
III.	1. DISEASES OF NERVOUS SYSTEM . .	37	52	70	66	93	110	110	105	74	20	10	1	-	-	-
	2. ,, OF ORGANS OF CIRCULATION .	68	62	89	88	100	113	78	59	46	13	2	-	-	-	-
	3. ,, OF RESPIRATORY ORGANS . .	96	117	126	156	155	151	142	103	71	25	13	-	1	-	-
	4. ,, OF DIGESTIVE ORGANS . . .	26	40	48	48	35	49	43	27	14	3	2	-	-	-	-
	5. ,, OF URINARY ORGANS . . .	24	21	27	23	21	37	33	22	23	2	-	-	1	-	-
	6. ,, OF ORGANS OF GENERATION .	-	-	-	-	-	1	1	-	1	-	-	-	.	.	
	7. ,, OF ORGANS OF LOCOMOTION . .	1	2	1	1	1	2	-	1	-	1	-	-	.	.	-
	8. ,, OF INTEGUMENTARY SYSTEM . .	2	1	-	1	1	2	1	2	1	1	-	-	-	-	-
IV.	1. DEV. DIS. OF CHILDREN .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. ,, OF ADULTS .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. ,, OF OLD PEOPLE	-	-	-	-	-	29	44	58	93	52	25	9	5	-	-
	4. DISEASES OF NUTRITION .	-	-	4	8	12	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	476	474	508	582	617	673	619	518	541	329	127	44	15	3	1
	Specified Causes . .	469	470	501	572	612	670	617	516	540	329	126	44	15	3	1
	(CLASSES.)															
I.	ZYMOTIC DISEASES	41	42	37	29	29	28	33	26	30	16	7	2	–	–	–
II.	CONSTITUTIONAL ,,	188	163	154	138	96	106	66	43	25	15	2	2	1	–	–
III.	LOCAL ,,	204	234	292	379	458	482	443	329	293	151	42	18	6	–	–
IV.	DEVELOPMENTAL ,,	27	17	7	9	16	39	72	109	182	141	70	20	8	3	–
V.	VIOLENT DEATHS .	9	14	11	17	13	15	3	9	10	6	5	2	–	–	1
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	35	34	32	22	20	26	28	23	30	16	7	2	–	–	–
	2. ENTHETIC ,, .	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	6	8	5	5	7	2	5	3	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	26	32	64	69	51	79	56	38	25	15	1	2	1	–	–
	2. TUBERCULAR ,, .	162	131	90	69	45	27	10	5	–	–	1	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	29	42	55	70	86	102	100	90	96	47	13	4	1	–	–
	2. ,, OF ORGANS OF CIRCULATION .	63	50	66	85	87	120	105	67	49	24	2	2	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	61	68	107	155	203	180	164	124	108	62	24	10	3	–	–
	4. ,, OF DIGESTIVE ORGANS . . .	26	42	38	43	61	63	53	29	27	11	2	1	–	–	–
	5. ,, OF URINARY ORGANS . . .	13	22	16	21	12	9	10	11	8	3	1	–	1	–	–
	6. ,, OF ORGANS OF GENERATION .	9	7	8	2	5	5	8	6	–	2	–	1	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	2	3	1	2	1	1	3	1	1	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	1	–	1	1	3	2	–	1	4	2	–	–	1	–	–
IV.	1. DEV. DIS. OF CHILDREN .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	26	15	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	39	72	109	182	141	70	20	8	3	–
	4. DISEASES OF NUTRITION .	1	2	6	9	16	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	616	34	22	12	14	10	16	11	30	25	38	41	48	50
	*														
	3. HOMICIDE	3	2	1	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	45	–	–	–	–	–	–	–	–	1	1	2	4	–
	5. EXECUTION	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	22	3	–	3	–	–	–	–	–	–	–	1	–	2
	CAUSES NOT SPECIFIED	77	22	5	5	–	2	3	2	5	3	3	2	3	1
I.	ORDER 1.														
	1. Small-pox	2	–	–	1	–	–	–	–	–	–	–	–	–	1
	2. Measles	351	2	8	74	156	61	21	14	15	–	–	–	–	–
	3. Scarlatina	255	–	5	15	31	33	45	35	78	8	2	–	1	1
	4. Diphtheria	130	6	2	11	28	29	13	10	24	1	3	1	–	–
	5. Quinsy	8	–	–	3	–	–	1	1	1	–	–	1	–	–
	6. Croup	160	4	5	18	46	33	17	17	18	2	–	–	–	–
	7. Hooping-cough	724	34	46	174	247	96	54	32	41	–	–	–	–	–
	8. Typhus Fever	75	–	–	–	1	–	1	1	2	5	16	5	5	6
	8. Enteric or Typhoid Fever	221	–	–	2	12	12	12	7	33	27	28	27	20	11
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	13	–	–	1	–	1	1	–	3	2	–	–	–	1
	9. Erysipelas	49	12	2	4	–	–	–	–	1	–	1	1	1	3
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	4	–	–	–	–	–	1	–	–	–	–	–	–	–
	12. Influenza	7	1	1	1	–	–	–	1	–	1	1	–	–	–
	13. Dysentery	16	3	2	2	1	–	–	–	1	1	–	–	–	1
	14. Diarrhœa	509	101	96	116	93	18	7	4	12	5	1	–	5	–
	15. Cholera	33	5	4	8	4	1	–	–	1	–	–	1	1	–
	16. Ague	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	18	–	–	1	1	2	7	1	4	2	–	–	–	–
	18. Rheumatism	35	–	–	–	–	–	–	–	1	2	3	1	1	7
	19. Other *Miasmatic* Diseases	3	1	1	–	–	–	–	–	1	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	59	27	11	6	3	2	–	–	1	–	–	2	2	1
	2. Stricture of Urethra	12	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	3	–	–	–	–	–	–	–	1	–	–	–	–	–
	2. Want of Breast Milk	23	17	2	4	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	10	–	–	1	1	–	–	–	1	1	–	1	2	–
	4. Alcoholism *a* Del. Tremens	24	–	–	–	–	–	–	–	–	–	–	1	1	3
	4. Alcoholism *b* Intemperance	46	–	–	–	–	–	–	–	–	–	–	1	–	9
	ORDER 4.														
	1. Thrush	7	6	–	–	1	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	2	–	–	–	–	1	–	–	1	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	52	5	–	2	1	4	1	4	7	1	1	3	–	1
	3. Cancer	189	–	–	3	1	1	1	–	1	–	2	4	4	4
	4. Cancrum Oris (Noma)	4	–	–	1	–	–	1	–	1	–	–	–	–	–
	5. Mortification	17	1	1	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	232	33	13	1	11	8	9	8	14	10	7	3	2	9
	*														
	3. HOMICIDE	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	4. SUICIDE	16	–	–	–	–	–	–	–	–	–	1	2	1	1
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	18	1	1	–	1	–	–	–	–	–	–	–	–	1
	CAUSES NOT SPECIFIED	89	20	4	6	3	3	–	2	6	1	1	2	5	8
I.	ORDER 1.														
	1. Small-pox	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	2. Measles	307	2	8	52	121	67	30	9	17	–	–	1	–	–
	3. Scarlatina	243	1	2	11	34	29	36	31	73	12	4	3	4	2
	4. Diphtheria	168	2	2	10	30	38	27	24	25	2	3	1	1	–
	5. Quinsy	3	1	–	–	1	–	–	–	–	–	–	–	–	–
	6. Croup	145	1	2	14	52	26	17	20	12	1	–	–	–	–
	7. Hooping-cough	895	33	57	213	310	132	62	42	46	–	–	–	–	–
	8. Typhus Fever	71	–	–	1	–	–	1	–	5	10	11	12	2	3
	8. Enteric or Typhoid Fever	251	–	4	4	6	3	11	8	34	31	39	32	19	15
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	20	–	–	–	–	–	1	1	3	2	1	3	1	2
	9. Erysipelas	41	10	2	6	1	–	–	–	1	–	1	1	1	1
	10. Puerperal Fever (Metria)	60	–	–	–	–	–	–	–	–	–	2	19	17	10
	11. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	14	–	–	–	1	–	–	–	–	1	–	–	1	–
	13. Dysentery	17	1	2	–	1	–	–	–	–	–	–	1	–	–
	14. Diarrhœa	463	79	64	96	90	13	6	3	3	1	–	2	2	6
	15. Cholera	26	3	4	10	2	–	–	–	2	–	1	–	1	–
	16. Ague	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	7	–	1	–	2	2	–	–	2	–	–	–	–	–
	18. Rheumatism	66	–	–	–	–	–	1	–	5	3	3	8	6	4
	19. Other *Miasmatic* Diseases	4	2	–	–	1	1	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	59	24	16	6	6	–	–	–	–	–	1	1	1	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	20	14	2	3	1	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	5	–	–	1	1	–	–	–	–	–	1	1	–	1
	4. Alcoholism *a* Del. Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	46	–	–	–	–	–	–	–	–	–	–	–	–	6
	ORDER 4.														
	1. Thrush	6	4	1	–	1	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	1	–	–	–	–	–	–	1	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	103	1	1	–	3	1	–	2	8	3	1	4	1	7
	3. Cancer	406	3	–	1	–	–	–	–	–	1	1	4	9	26
	4. Cancrum Oris (Noma)	2	–	–	–	–	–	1	–	–	1	–	–	–	–
	5. Mortification	27	1	–	–	1	–	–	1	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued*).

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	56	47	42	28	37	18	9	17	6	3	2	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	8	5	8	3	5	3	1	4	–	–	–	–	–	–	–
	5. EXECUTION	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	1	2	1	1	1	4	2	1	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	4	2	4	1	4	2	2	2	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	5. Quinsy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	5	9	7	5	1	1	1	1	3	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	7	6	6	3	4	1	2	1	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	2	2	–	3	4	4	4	2	1	1	1	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
	12. Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	1	–	–	1	–	1	1	–	1	–	–	–	–	–	–
	14. Diarrhœa	1	4	2	2	6	8	7	8	6	4	2	1	–	–	–
	15. Cholera	–	2	1	–	1	–	–	3	1	–	–	–	–	–	–
	16. Ague	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	4	2	2	2	–	1	3	1	2	2	–	1	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	1	2	3	–	4	2	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	7	5	5	–	1	1	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	5	10	3	5	3	5	4	–	–	–	–	–	–	–	1
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–
	2. Dropsy	2	3	2	3	2	4	1	3	2	–	–	–	–	–	–
	3. Cancer	7	12	21	19	26	33	24	20	5	–	1	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	1	1	1	2	2	2	–	3	3	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	7	10	11	16	12	12	3	9	10	6	5	2	–	–	1
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	2	4	–	1	1	3	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	1	1	1	3	2	2	2	–	1	–	1	–	–	–	–
	CAUSES NOT SPECIFIED	6	3	6	7	3	1	–	2	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	4	6	8	4	1	1	2	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	9	10	8	5	3	5	3	2	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	2	–	–	2	1	–	1	–	–	–	–	–	–	–
	9. Erysipelas	1	1	3	–	2	–	4	–	2	2	1	1	–	–	–
	10. Puerperal Fever (Metria)	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	3	1	3	1	2	1	–	–	–	–
	13. Dysentery	1	–	1	–	1	1	4	1	–	2	1	–	–	–	–
	14. Diarrhœa	7	4	7	6	6	11	12	11	19	10	4	1	–	–	–
	15. Cholera	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
	16. Ague	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	3	3	5	5	3	4	1	5	7	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	6	8	5	4	7	2	5	3	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
	2. Dropsy	3	1	5	13	7	11	13	7	6	4	–	1	–	–	–
	3. Cancer	21	31	56	56	43	66	39	26	14	9	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	2	–	3	–	1	1	4	3	5	2	1	1	1	–	–

* See page 52, note *.

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	194	4	8	15	23	19	12	4	38	22	16	8	8	4
	2. Tabes Mesenterica	310	17	18	35	72	43	23	14	41	25	9	3	5	1
	3. Phthisis	1628	7	10	28	46	24	21	23	75	89	193	234	186	182
	4. Hydrocephalus	482	6	47	107	130	61	31	24	48	17	3	1	2	1
III.	ORDER 1.														
	1. Cephalitis	209	6	10	27	38	17	15	11	26	12	8	3	7	7
	2. Apoplexy	356	7	4	20	18	10	5	4	5	5	4	1	4	6
	3. Paralysis	327	1	2	4	–	–	2	–	3	–	3	4	4	6
	4. Insanity	14	–	–	–	–	–	–	–	–	1	1	1	1	2
	5. Chorea	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	6. Epilepsy	47	1	1	–	2	–	–	–	–	–	1	4	3	5
	7. Convulsions	310	106	40	55	70	12	8	2	9	2	–	–	1	–
	8. *Brain Disease, etc.*	248	14	8	9	15	5	2	7	16	13	12	5	12	8
	ORDER 2.														
	1. Pericarditis	24	–	–	1	–	–	1	–	1	1	3	4	2	1
	2. Aneurism	43	–	–	–	–	–	–	–	–	–	1	–	2	1
	3. *Heart Disease, etc.*	773	2	1	2	2	2	1	–	8	13	10	14	22	27
	ORDER 3.														
	1. Laryngitis	53	3	5	12	11	2	5	1	2	–	1	1	1	2
	2. Bronchitis	2020	172	140	288	338	122	64	19	40	10	10	16	14	20
	3. Pleurisy	58	1	1	3	–	2	1	–	2	2	6	2	2	5
	4. Pneumonia	755	29	45	90	112	48	18	13	31	10	18	34	20	32
	5. Asthma	36	–	1	–	–	–	–	–	–	–	–	1	2	1
	6. *Lung Disease, etc.*	233	42	11	28	23	15	6	3	6	4	7	6	5	12
	ORDER 4.														
	1. Gastritis	36	9	2	4	3	–	2	–	–	–	1	–	1	–
	2. Enteritis	174	49	27	26	16	10	4	2	3	4	6	1	1	2
	3. Peritonitis	69	5	2	3	–	1	–	1	4	6	4	7	3	8
	4. Ascites	9	–	–	–	1	–	–	1	3	–	–	–	–	–
	5. Ulceration of Intestines	35	–	–	1	1	–	–	–	–	3	1	1	3	1
	6. Hernia	24	1	1	–	–	–	–	–	–	–	2	–	1	–
	7. Ileus	52	9	1	2	1	–	–	1	1	4	3	3	3	2
	8. Intussusception	13	2	2	1	1	–	–	–	–	1	–	–	1	–
	9. Stricture of Intestines	8	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	127	25	16	8	11	1	–	3	6	–	2	1	2	1
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	26	1	1	–	–	–	–	–	–	–	1	2	2	–
	14. Jaundice	32	14	1	1	–	–	1	–	–	–	–	1	–	1
	15. *Liver Disease, etc.*	132	4	1	–	3	2	–	1	1	1	5	3	6	6
	16. *Spleen Disease, etc.*	13	1	–	–	1	–	–	–	2	1	2	–	–	–
	ORDER 5.														
	1. Nephritis	41	–	–	–	1	2	1	3	13	–	2	2	–	3
	2. Ischuria	9	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	117	–	–	–	–	–	–	1	9	4	6	3	4	11
	4. Diabetes	26	–	–	–	–	1	–	–	–	1	1	1	5	5
	5. Calculus (Stone)	10	–	–	–	1	1	–	–	–	–	–	1	–	1
	6. Cystitis	34	–	–	–	–	–	–	–	–	–	2	1	1	1
	7. *Kidney Disease, etc.*	116	–	–	–	1	1	3	–	4	1	3	5	6	7
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	4	–	–	–	–	–	–	–	–	–	–	–	1	–
	ORDER .														
	1. Synovitis (Arthritis)	7	–	–	–	–	–	–	–	4	1	–	1	1	–
	2. *Joint Disease, etc.*	60	2	–	–	3	3	3	1	10	15	8	2	1	2

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	149	9	3	17	18	11	9	4	26	14	9	7	3	4
	2. Tabes Mesenterica	276	13	17	26	68	35	27	14	38	16	8	3	2	4
	3. Phthisis	1896	5	10	25	47	42	15	23	81	133	281	259	263	194
	4. Hydrocephalus	454	13	36	87	110	58	44	19	74	7	4	–	–	–
III.	ORDER 1.														
	1. Cephalitis	161	6	14	23	25	11	17	4	21	10	4	3	3	2
	2. Apoplexy	332	4	8	14	5	7	6	1	7	3	3	3	7	8
	3. Paralysis	334	3	–	–	–	–	–	–	–	2	3	3	9	7
	4. Insanity	11	–	–	–	–	–	–	–	1	–	–	–	–	1
	5. Chorea	3	–	–	–	1	–	–	–	–	1	–	–	–	–
	6. Epilepsy	31	1	1	–	–	–	1	–	1	6	1	3	1	3
	7. Convulsions	251	95	32	35	51	11	5	4	5	–	–	3	–	1
	8. *Brain Disease, etc.*	199	5	4	10	10	5	2	3	8	7	9	5	3	6
	ORDER 2.														
	1. Pericarditis	19	–	–	–	–	–	–	–	2	2	–	3	2	1
	2. Aneurism	10	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	860	–	1	–	2	2	1	–	9	27	17	33	25	42
	ORDER 3.														
	1. Laryngitis	31	6	2	4	9	–	1	2	1	–	–	–	1	2
	2. Bronchitis	2084	131	117	215	320	127	44	25	44	13	9	11	20	29
	3. Pleurisy	36	–	1	1	1	1	1	1	3	1	2	3	2	2
	4. Pneumonia	585	23	24	70	109	43	24	19	26	11	14	18	10	21
	5. Asthma	34	–	–	–	1	–	–	–	1	–	–	1	–	2
	6. *Lung Disease, etc.*	193	26	14	14	29	13	3	1	6	4	5	1	5	4
	ORDER 4.														
	1. Gastritis	39	6	2	5	4	1	–	1	2	–	–	2	1	2
	2. Enteritis	142	27	12	26	17	5	2	4	4	2	2	3	6	1
	3. Peritonitis	101	6	2	1	3	1	1	1	5	1	11	8	8	9
	4. Ascites	23	–	–	–	1	1	–	1	1	1	1	–	2	–
	5. Ulceration of Intestines	31	1	–	–	–	–	–	1	1	–	1	5	2	1
	6. Hernia	28	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	40	5	2	1	1	–	–	1	2	2	–	–	1	1
	8. Intussusception	4	1	–	–	1	–	–	–	–	–	–	1	–	–
	9. Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	108	11	11	4	7	3	2	1	3	–	–	3	1	2
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	29	2	–	–	–	–	–	–	–	2	3	–	–	2
	14. Jaundice	44	9	–	–	–	2	–	–	1	–	1	1	1	2
	15. *Liver Disease, etc.*	138	4	–	1	3	2	–	2	1	5	2	2	6	4
	16. *Spleen Disease, etc.*	5	1	1	–	1	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	24	–	–	–	1	–	2	2	2	1	2	1	3	4
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	77	–	1	–	–	–	1	–	2	6	3	7	3	5
	4. Diabetes	15	–	–	–	–	–	–	–	2	1	–	3	1	2
	5. Calculus (Stone)	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	6. Cystitis	7	–	–	–	–	–	–	–	1	–	1	–	2	–
	7. *Kidney Disease, etc.*	80	–	1	1	–	–	–	–	–	3	4	3	2	4
	ORDER 6.														
	1. Ovarian Dropsy	27	–	–	–	–	–	–	–	–	–	1	1	3	2
	2. *Uterus Disease, etc.*	47	–	–	–	–	–	–	–	–	–	1	3	5	5
	ORDER 7.														
	1. Synovitis (Arthritis)	3	–	–	–	–	–	–	–	2	–	–	–	–	1
	2. *Joint Disease, etc.*	53	1	–	1	1	1	1	–	14	4	9	6	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	6	3	–	–	1	1	2	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	140	117	90	56	42	33	24	4	3	1	–	–	–	–	–
	4. Hydrocephalus	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	1	5	6	3	3	2	–	2	–	–	–	–	–	–	–
	2. Apoplexy	10	19	24	17	32	41	39	37	28	11	5	–	–	–	–
	3. Paralysis	11	11	21	26	33	48	49	48	39	8	3	1	–	–	–
	4. Insanity	1	–	1	–	2	–	1	3	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	6	3	4	3	5	3	2	4	–	–	–	–	–	–	–
	7. Convulsions	–	2	1	–	1	–	1	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	8	12	13	17	17	16	18	11	7	1	2	–	–	–	–
	ORDER 2.															
	1. Pericarditis	1	1	2	1	2	2	–	1	–	–	–	–	–	–	–
	2. Aneurism	12	7	7	7	5	1	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	55	54	80	80	93	110	78	58	46	13	2	–	–	–	–
	ORDER 3.															
	1. Laryngitis	1	2	1	–	2	–	1	–	–	–	–	–	–	–	–
	2. Bronchitis	37	63	72	104	106	106	110	79	55	24	11	–	–	–	–
	3. Pleurisy	3	8	4	2	4	6	1	2	1	–	–	–	–	–	–
	4. Pneumonia	43	37	40	35	29	33	15	12	10	–	–	–	1	–	–
	5. Asthma	3	3	2	6	7	2	3	3	2	–	–	–	–	–	–
	6. *Lung Disease, etc.*	9	4	7	9	7	4	12	7	3	1	2	–	–	–	–
	ORDER 4.															
	1. Gastritis	2	3	3	–	1	–	3	2	–	–	–	–	–	–	–
	2. Enteritis	2	6	3	3	1	3	1	3	1	–	–	–	–	–	–
	3. Peritonitis	3	5	4	–	2	7	1	1	1	–	1	–	–	–	–
	4. Ascites	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	1	1	6	2	2	4	5	1	2	–	–	–	–	–	–
	6. Hernia	3	1	2	3	2	4	3	1	–	–	–	–	–	–	–
	7. Ileus	1	2	2	4	3	3	6	1	–	–	–	–	–	–	–
	8. Intussusception	–	–	1	1	1	1	–	–	–	1	–	–	–	–	–
	9. Stricture of Intestines	–	4	1	1	–	–	1	–	1	–	–	–	–	–	–
	10. Fistula	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	2	4	8	9	4	8	6	5	5	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	1	1	4	3	3	1	6	–	–	–	–	–	–	–	–
	14. Jaundice	–	–	2	2	–	2	1	3	2	–	1	–	–	–	–
	15. *Liver Disease, etc.*	9	12	8	20	13	14	10	9	2	2	–	–	–	–	–
	16. *Spleen Disease, etc.*	2	–	2	–	1	–	–	1	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	2	2	–	1	1	4	1	2	–	–	–	1	–	–
	2. Ischuria	–	1	–	2	–	2	1	2	1	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	8	13	9	11	10	17	5	3	3	–	–	–	–	–	–
	4. Diabetes	3	1	4	–	2	2	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	1	–	–	–	1	2	1	1	–	–	–	–	–	–	–
	6. Cystitis	1	–	1	2	1	5	8	5	5	1	–	–	–	–	–
	7. *Kidney Disease, etc.*	11	4	11	8	6	8	14	10	12	1	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	1	2	1	1	1	2	–	1	–	1	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	2	1	5	1	2	4	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	4	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	159	126	84	67	43	23	10	5	–	–	1	–	–	–	–
	4. Hydrocephalus	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	2	4	2	–	6	1	2	–	–	–	1	–	–	–	–
	2. Apoplexy	9	14	20	25	32	39	35	30	26	17	6	2	1	–	–
	3. Paralysis	8	8	20	23	28	49	48	41	54	21	5	2	–	–	–
	4. Insanity	1	1	1	2	–	1	–	–	2	1	–	–	–	–	–
	5. Chorea	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	3	–	2	1	2	–	2	2	1	–	–	–	–	–	–
	7. Convulsions	–	–	2	3	3	–	–	–	1	–	–	–	–	–	–
	8. *Brain Disease, etc.*	6	14	8	16	15	12	13	17	12	8	1	–	–	–	–
	ORDER 2.															
	1. Pericarditis	2	2	1	–	1	2	1	–	–	–	–	–	–	–	–
	2. Aneurism	3	–	–	–	2	3	–	2	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	58	48	65	85	84	115	104	65	49	24	2	2	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–
	2. Bronchitis	32	45	73	113	164	142	134	103	89	53	21	8	2	–	–
	3. Pleurisy	1	1	2	1	3	2	2	1	3	–	1	–	–	–	–
	4. Pneumonia	25	16	23	26	16	22	17	9	10	7	1	1	–	–	–
	5. Asthma	–	1	5	8	2	4	3	4	2	–	–	–	–	–	–
	6. *Lung Disease, etc.*	3	5	4	6	18	8	8	7	4	2	1	1	1	–	–
	ORDER 4.															
	1. Gastritis	–	2	2	2	1	2	–	–	2	1	1	–	–	–	–
	2. Enteritis	2	5	2	2	9	4	1	4	1	1	–	–	–	–	–
	3 Peritonitis	8	5	6	4	3	4	1	7	5	–	–	1	–	–	–
	4. Ascites	1	2	–	–	7	–	3	1	–	1	–	–	–	–	–
	5. Ulceration of Intestines	2	2	2	4	4	1	3	1	–	–	–	–	–	–	–
	6. Hernia	1	4	6	1	4	2	4	2	4	–	–	–	–	–	–
	7. Ileus	1	1	–	2	5	4	5	1	2	3	–	–	–	–	–
	8. Intussusception	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–
	10. Fistula	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	4	7	3	7	7	11	12	3	3	3	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	1	2	3	2	5	5	2	–	–	–	–	–	–	–
	14. Jaundice	1	3	1	2	5	4	4	4	1	1	1	–	–	–	–
	15. *Liver Disease, etc.*	4	9	12	14	14	25	15	4	8	1	–	–	–	–	–
	16. *Spleen Disease, etc.*	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	1	1	1	2	–	–	–	1	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	7	13	8	8	3	3	4	3	–	–	–	–	–	–	–
	4. Diabetes	1	1	–	1	–	1	1	1	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	4	7	6	10	9	4	4	6	7	3	1	–	1	–	–
	ORDER 6.															
	1. Ovarian Dropsy	3	1	3	–	2	3	3	3	–	1	–	1	–	–	–
	2. *Uterus Disease, etc.*	6	6	5	2	3	2	5	3	–	1	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	2	3	1	2	1	1	3	1	1	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the YEAR 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	13	–	–	3	–	1	1	–	–	1	2	–	–	–
	2. Ulcer	9	1	–	–	1	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	19	1	6	4	4	1	–	–	–	1	–	1	–	1
IV.	ORDER 1.														
	1. Premature Birth	434	431	3	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	8	8	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	12	9	1	1	1	–	–	–	–	–	–	–	–	–
	4. Other Malformations	52	49	1	1	1	–	–	–	–	–	–	–	–	–
	5. Teething	216	4	19	89	91	13	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	315	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	500	325	32	47	35	12	10	3	6	2	1	1	1	1
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	276	–	2	3	2	4	1	1	16	12	21	20	27	24
	2. Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	2	–	–	–	–	–	–	–	–	1	–	–	–	–
	4. Burns and Scalds	63	1	–	2	11	5	12	2	4	3	1	2	2	2
	5. Poison	16	–	–	–	–	–	1	1	1	1	2	–	–	1
	6. Drowning	124	–	1	–	–	1	2	2	4	8	9	13	13	20
	7. Suffocation	84	32	17	6	1	–	–	1	2	–	2	1	5	2
	8. Otherwise	50	1	2	1	–	–	–	4	3	–	3	5	1	1
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	3	2	1	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	10	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	7	–	–	–	–	–	–	–	–	–	–	–	1	–
	4. Drowning	9	–	–	–	–	–	–	–	–	–	1	–	2	–
	5. Hanging	17	–	–	–	–	–	–	–	–	1	–	2	–	–
	6. Otherwise and undefined	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	ORDER 5. (*Execution.*)														
	1. Hanging	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	22	3	–	3	–	–	–	–	–	–	–	1	–	2
	Causes not specified or ill-defined	77	22	5	5	–	2	3	2	5	3	3	2	3	1

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	13	–	–	1	–	–	–	–	–	–	–	3	3	2
	2. Ulcer	14	–	1	–	–	–	–	–	–	–	–	2	–	1
	3. *Skin Disease, etc.*	8	1	2	–	2	1	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	325	319	6	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	8	6	–	1	–	–	–	–	1	–	–	–	–	–
	3. Spina Bifida	11	8	1	1	1	–	–	–	–	–	–	–	–	–
	4. Other Malformations	26	24	2	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	199	–	12	74	107	6	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	7	–	–	–	–	–	–	–	–	1	–	2	–	–
	2. Childbirth (*see* Puerperal Fever)	139	–	–	–	–	–	–	–	–	–	3	29	37	32
	ORDER 3.														
	1. Old Age	644	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	461	270	39	42	38	19	4	2	6	2	1	–	2	2
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	78	1	1	–	2	–	4	2	6	3	1	3	1	1
	2. Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	3. Cut, Stab	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	40	–	–	–	4	6	5	5	4	3	–	–	–	–
	5. Poison	7	–	–	–	–	1	–	–	–	–	1	–	–	–
	6. Drowning	19	1	1	–	2	–	–	–	–	1	2	–	–	4
	7. Suffocation	60	28	11	1	3	1	–	–	–	1	1	–	1	2
	8. Otherwise	25	3	–	–	–	–	–	1	4	2	1	–	–	2
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	3	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. Drowning	3	–	–	–	–	–	–	–	–	–	1	1	–	–
	5. Hanging	6	–	–	–	–	–	–	–	–	–	–	–	1	–
	6. Otherwise and undefined	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	18	1	1	–	1	–	–	–	–	–	–	–	–	1
	Causes not specified or ill-defined	89	20	4	6	3	3	–	2	6	1	1	2	5	8

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, during the YEAR 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	1	–	–	1	–	1	1	1	–	–	–	–	–	–	–
	2. Ulcer	1	1	–	–	1	1	–	1	1	1	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	29	44	58	93	52	25	9	5	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	4	8	12	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	34	18	23	17	25	7	5	9	2	2	1	–	–	–	–
	2. Gunshot Wounds	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	3	1	5	–	3	2	–	1	1	–	–	–	–	–	–
	5. Poison	2	4	1	–	–	1	1	–	–	–	–	–	–	–	–
	6. Drowning	8	16	6	5	4	3	1	4	3	–	1	–	–	–	–
	7. Suffocation	4	2	2	3	1	1	–	1	–	1	–	–	–	–	–
	8. Otherwise	5	5	5	2	4	4	2	2	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	1	4	2	–	1	–	–	2	–	–	–	–	–	–	–
	3. Poison	1	–	3	–	1	1	–	–	–	–	–	–	–	–	–
	4. Drowning	2	–	–	1	2	1	–	–	–	–	–	–	–	–	–
	5. Hanging	4	1	2	2	1	1	1	2	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	1	–	–	–	–		–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	1	2	1	1	1	4	2	1	–	–	–	–	–	–	–
	Causes not specified or ill-defined	4	2	4	1	4	2	2	2	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	1	1	1	–	1	4	1	–	–	1	–	–
	3. *Skin Disease, etc.*	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	25	13	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	39	72	109	182	141	70	20	8	3	–
	ORDER 4.															
	1. Atrophy and Debility	1	2	6	9	16	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	3	6	7	6	4	4	–	6	6	4	5	2	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	2	1	–	4	2	2	–	–	1	1	–	–	–	–	–
	5. Poison	2	–	–	1	1	–	–	1	–	–	–	–	–	–	–
	6. Drowning	–	2	–	2	1	1	–	–	–	1	–	–	–	–	1
	7. Suffocation	–	–	2	–	2	3	1	–	3	–	–	–	–	–	–
	8. Otherwise	–	1	2	1	2	2	2	2	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	3. Poison	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. Drowning	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	1	1	–	1	1	1	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	1	1	1	3	2	2	2	–	1	–	1	–	–	–	–
	Causes not specified or ill-defined	6	3	6	7	3	1	–	2	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes . . .	5157	610	207	474	584	252	181	125	261	114	151	153	128	121
	Specified Causes . .	5119	596	203	470	582	252	180	124	260	114	150	151	128	121
	(CLASSES.)														
I.	ZYMOTIC DISEASES	1155	71	57	169	254	124	98	74	113	25	22	18	12	5
II.	CONSTITUTIONAL ,,	876	23	24	68	90	41	28	23	63	31	69	67	66	45
III.	LOCAL ,,	2250	172	105	196	194	68	49	24	65	48	50	48	32	56
IV.	DEVELOPMENTAL ,,	629	316	16	35	38	10	–	–	4	1	–	1	1	1
V.	VIOLENT DEATHS .	209	14	1	2	6	9	5	3	15	9	9	17	17	14
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	1104	59	53	164	251	124	96	74	113	25	21	17	11	4
	2. ENTHETIC ,, .	17	3	2	4	2	–	2	–	–	–	–	–	1	–
	3. DIETIC ,, .	28	5	1	1	–	–	–	–	–	–	1	1	–	1
	4. PARASITIC ,, .	6	4	1	–	1	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	97	1	1	1	–	2	2	–	2	–	2	2	3	1
	2. TUBERCULAR ,, .	779	22	23	67	90	39	26	23	61	31	67	65	63	44
III.	1. DISEASES OF NERVOUS SYSTEM . .	555	35	19	38	38	16	13	7	24	18	12	10	7	11
	2. ,, OF ORGANS OF CIRCULATION .	315	2	1	–	–	1	–	–	9	2	8	8	6	14
	3. ,, OF RESPIRATORY ORGANS . .	961	80	74	133	135	39	30	10	17	8	20	11	9	18
	4. ,, OF DIGESTIVE ORGANS . . .	275	50	10	23	19	7	5	3	7	8	5	10	8	8
	5. ,, OF URINARY ORGANS . . .	104	2	–	–	1	4	1	4	3	4	4	8	2	5
	6. ,, OF ORGANS OF GENERATION .	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION .	25	–	1	1	1	1	–	–	3	8	1	1	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	14	2	–	1	–	–	–	–	2	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN .	214	157	2	23	28	3	–	–	–	1	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	187	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	228	159	14	12	10	7	–	–	4	–	–	1	1	1

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes . . .	5031	416	168	381	555	234	165	111	259	134	165	161	186	147
	Specified Causes . .	4996	403	164	380	554	233	164	111	259	134	165	161	186	145
	(CLASSES.)														
I.	ZYMOTIC DISEASES	1173	55	52	127	259	136	100	62	138	37	19	15	26	11
II.	CONSTITUTIONAL ,,	1051	14	29	52	66	29	20	20	61	66	104	92	81	81
III.	LOCAL ,,	1980	89	62	173	196	56	40	27	53	28	40	42	61	41
IV.	DEVELOPMENTAL ,,	721	237	18	25	27	11	2	2	2	1	2	10	17	11
V.	VIOLENT DEATHS .	71	8	3	3	6	1	2	–	5	2	–	2	1	1
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	1137	45	47	125	257	136	100	61	138	37	19	14	24	10
	2. ENTHETIC ,, .	16	7	5	1	2	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	18	2	–	1	–	–	–	–	–	–	–	1	2	1
	4. PARASITIC ,, .	2	1	–	–	–	–	–	1	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	194	1	–	2	5	–	–	2	2	2	–	1	2	6
	2. TUBERCULAR ,, .	857	13	29	50	61	29	20	18	59	64	104	91	79	75
III.	1. DISEASES OF NERVOUS SYSTEM . .	473	18	12	34	42	15	10	7	14	8	12	4	7	4
	2. ,, OF ORGANS OF CIRCULATION .	284	2	–	3	1	–	1	–	2	4	7	11	7	12
	3. ,, OF RESPIRATORY ORGANS . .	843	41	40	113	141	37	25	14	22	9	11	10	20	12
	4. ,, OF DIGESTIVE ORGANS . . .	270	28	9	20	11	3	2	4	8	–	7	9	16	7
	5. ,, OF URINARY ORGANS . . .	62	–	–	1	1	–	2	–	3	3	2	5	7	2
	6. ,, OF ORGANS OF GENERATION .	16	–	–	–	–	–	–	–	–	–	1	–	4	1
	7. ,, OF ORGANS OF LOCOMOTION . .	17	–	–	–	–	–	–	2	3	4	–	2	–	2
	8. ,, OF INTEGUMENTARY SYSTEM . .	15	–	1	2	–	1	–	–	1	–	–	1	–	1
IV.	1. DEV. DIS. OF CHILDREN .	163	125	2	11	18	6	–	1	–	–	–	–	–	–
	2. ,, OF ADULTS .	56	–	–	–	–	–	–	–	–	1	1	10	17	9
	3. ,, OF OLD PEOPLE	306	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	196	112	16	14	9	5	2	1	2	–	1	–	–	2

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	123	157	168	195	202	215	206	210	179	84	45	10	1	1	–
	Specified Causes . .	123	155	168	192	201	214	206	210	178	84	45	10	1	1	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	10	11	16	16	7	12	9	17	8	4	3	–	–	–	–
II.	CONSTITUTIONAL ,,	37	35	42	23	26	26	21	11	13	3	1	–	–	–	–
III.	LOCAL ,,	61	88	99	140	150	155	148	131	117	39	12	3	–	–	–
IV.	DEVELOPMENTAL ,,	3	2	2	4	8	9	24	40	39	37	29	7	1	1	–
V.	VIOLENT DEATHS .	12	19	9	9	10	12	4	11	1	1	–	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	7	8	9	12	7	11	8	16	8	3	3	–	–	–	–
	2. ENTHETIC ,, .	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–
	3. DIETIC ,, .	3	3	7	3	–	1	1	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	2	4	4	5	12	13	14	10	12	3	1	–	–	–	–
	2. TUBERCULAR ,, .	35	31	38	18	14	13	7	1	1	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	18	13	24	29	40	43	46	39	33	17	4	1	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	12	26	21	34	44	31	24	38	27	5	1	1	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	17	31	36	47	43	52	57	39	35	14	6	–	–	–	–
	4. ,, OF DIGESTIVE ORGANS . . .	9	11	9	21	17	15	11	6	11	1	1	–	–	–	–
	5. ,, OF URINARY ORGANS . . .	4	3	7	7	5	12	9	7	10	1	–	1		.	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	1	1	2	1	1	1	1	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	3	–	1	–	1	–	2	1	1	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–		–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	9	24	40	39	37	29	7	1	1	–
	4. DISEASES OF NUTRITION	3	2	2	4	8	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	145	155	153	178	187	202	222	238	209	151	76	26	5	2	–
	Specified Causes . .	144	151	153	176	187	202	221	234	209	151	76	26	5	2	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	11	15	8	14	9	17	17	16	12	11	4	2	–	–	–
II.	CONSTITUTIONAL ,,	56	52	45	35	41	34	22	25	13	9	3	1	–	–	–
III.	LOCAL ,,	62	72	91	117	119	132	144	135	109	55	29	7	–	–	–
IV.	DEVELOPMENTAL ,,	12	8	7	8	15	16	32	54	70	72	39	16	5	2	–
V.	VIOLENT DEATHS .	3	4	2	2	3	3	6	4	5	4	1	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	9	12	7	9	9	16	17	16	12	11	4	2	–	–	–
	2. ENTHETIC ,, .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	1	3	1	5	–	1	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	9	15	13	19	30	22	19	21	12	8	2	1	–	–	–
	2. TUBERCULAR ,, .	47	37	32	16	11	12	3	4	1	1	1	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	12	13	22	31	30	35	48	34	28	23	5	5	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	8	21	22	25	28	33	34	31	21	6	5	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	15	19	23	39	37	44	43	47	41	22	16	2	–	–	–
	4. ,, OF DIGESTIVE ORGANS . . .	15	13	18	15	14	17	13	19	16	3	3	–	–	–	–
	5. ,, OF URINARY ORGANS . . .	7	5	5	5	6	2	3	1	2	–	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	2	–	–	2	3	–	1	1	1	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	1	–	–	1	–	1	1	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	3	–	1	–	–	1	1	1	–	1	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	11	4	3	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	16	32	54	70	72	39	16	5	2	–
	4. DISEASES OF NUTRITION	1	4	4	8	15	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	200	14	1	2	6	9	5	3	15	9	8	16	6	14
	3. HOMICIDE	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	4. SUICIDE	8	–	–	–	–	–	–	–	–	–	–	1	1	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	3	2	1	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	35	12	3	4	2	–	1	1	1	–	1	2	–	–
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	138	3	–	35	49	26	9	7	6	2	1	–	–	–
	3. Scarlatina	241	3	4	11	32	36	39	39	62	9	3	1	1	–
	4. Diphtheria	59	1	1	8	11	11	10	5	9	1	–	–	–	–
	5. Quinsy	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	6. Croup	65	2	1	11	21	12	9	8	1	–	–	–	–	–
	7. Hooping-cough	227	8	10	55	84	27	19	11	13	–	–	–	–	–
	8. Typhus Fever	20	–	–	–	–	–	–	–	2	–	5	4	1	1
	8. Enteric or Typhoid Fever	77	–	–	2	3	5	7	3	11	11	9	10	6	1
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	7	–	–	–	–	–	1	1	1	1	1	1	–	–
	9. Erysipelas	19	3	1	1	–	–	1	–	–	–	–	–	–	1
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	3	–	–	–	–	–	–	–	–	–	1	–	–	–
	13. Dysentery	14	2	1	1	2	–	–	–	–	–	–	–	1	–
	14. Diarrhœa	192	35	32	30	44	7	1	–	3	–	1	–	–	–
	15. Cholera	19	2	2	7	4	–	–	–	–	–	–	–	–	1
	16. Ague	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	2	–	–	1	–	–	–	–	1	–	–	–	–	–
	18. Rheumatism	14	–	–	–	1	–	–	–	4	1	–	1	1	–
	19. Other *Miasmatic* Diseases	3	–	1	2	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	15	3	2	4	2	–	2	–	–	–	–	–	1	–
	2. Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	7	5	1	1	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	2	–	–	–	–	–	–	–	–	–	1	–	–	–
	4. Alcoholism *a* Del. Tremens	3	–	–	–	–	–	–	–	–	–	–	–	–	1
	4. Alcoholism *b* Intemperance	14	–	–	–	–	–	–	–	–	–	–	1	–	–
	ORDER 4.														
	1. Thrush	5	3	1	–	1	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	22	–	1	1	–	1	2	–	2	–	2	1	1	–
	3. Cancer	65	–	–	–	–	–	–	–	–	–	–	1	2	1
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	8	1	–	–	–	1	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATHS.	FEMALES. ALL AGES	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	62	8	3	3	6	1	2	–	5	2	–	1	–	1
	*														
	3. HOMICIDE	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	8	–	–	–	–	–	–	–	–	–	–	1	1	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	5	–	–	–	–	1	–	–	–	–	–	–	–	1
	CAUSES NOT SPECIFIED	30	13	4	1	1	–	1	–	–	–	–	–	–	1
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	106	1	3	14	40	21	7	8	11	1	1	–	–	–
	3. Scarlatina	234	1	2	12	38	37	33	16	76	14	2	–	2	–
	4. Diphtheria	71	1	–	8	12	15	14	9	9	3	–	–	–	–
	5. Quinsy	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	6. Croup	65	1	–	9	21	10	10	5	9	–	–	–	–	–
	7. Hooping-cough	269	7	17	54	95	41	25	17	13	–	–	–	–	–
	8. Typhus Fever	22	–	–	–	–	–	–	–	2	4	4	–	–	–
	8. Enteric or Typhoid Fever	84	–	–	–	4	3	8	6	12	9	11	6	8	4
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	10	–	–	1	1	–	1	–	1	2	–	–	1	–
	9. Erysipelas	16	2	–	2	–	–	1	–	–	1	–	–	–	2
	10. Puerperal Fever (Metria)	18	–	–	–	–	–	–	–	–	–	–	6	8	3
	11. Carbuncle	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	12. Influenza	6	1	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	15	2	2	1	2	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	172	29	18	18	39	8	–	–	2	2	–	1	1	–
	15. Cholera	18	–	3	5	4	–	1	–	–	–	–	–	3	–
	16. Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	17. Remittent Fever	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	18. Rheumatism	24	–	–	–	1	–	–	–	2	1	1	1	1	–
	19. Other *Miasmatic* Diseases	3	–	2	1	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	16	7	5	1	2	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	3	2	–	1	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	3	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. Alcoholism *a* Del. Tremens	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	4. Alcoholism *b* Intemperance	10	–	–	–	–	–	–	–	–	–	–	–	1	1
	ORDER 4.														
	1. Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	1	–	–	–	–	–	–	1	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	30	–	–	1	4	–	–	1	2	2	–	1	1	1
	3. Cancer	151	–	–	–	–	–	–	–	–	–	–	–	1	4
	4. Cancrum Oris (Noma)	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	5. Mortification	12	1	–	1	1	–	–	–	–	–	–	–	–	1

* See page 52, note *.

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE . . *	12	19	7	7	10	11	4	10	1	1	–	–	–	–	–
	3. HOMICIDE . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	2	2	–	1	–	1	–	–	–	–	–	–	–
	5. EXECUTION . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED . .	–	2	–	3	1	1	–	–	1	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina . . .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria . . .	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever . .	1	1	1	3	–	1	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	1	1	4	–	–	–	1	1	1	–	–	–	–	–	–
	8. Relapsing Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas . . .	2	1	–	1	1	3	1	1	1	1	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle . . .	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	13. Dysentery . . .	–	1	1	–	1	–	1	2	1	–	–	–	–	–	–
	14. Diarrhœa . . .	1	1	2	3	2	6	4	11	5	2	2	–	–	–	–
	15. Cholera	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
	16. Ague	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism . . .	1	–	1	2	1	–	–	1	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra .	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	3. Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	2	2	5	3	–	1	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc. . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	2. Dropsy	–	1	–	1	3	3	1	1	–	1	–	–	–	–	–
	3. Cancer	2	2	4	4	8	8	13	9	8	2	1	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification . .	–	1	–	–	–	1	–	–	4	–	–	–	–	–	–

*. See page 52, note *.

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	2	3	1	2	1	3	4	4	5	4	1	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	4. SUICIDE	1	1	1	–	2	–	1	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	1	4	–	–	–	–	1	3	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	3	2	1	1	2	1	1	1	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	2	4	1	1	–	2	2	–	1	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
	9. Erysipelas	–	3	–	–	–	–	1	1	1	2	–	–	–	–	–
	10. Puerperal Fever (Metria)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	1	–	–	1	2	–	1	–	–	–	–	–
	13. Dysentery	1	–	–	1	–	2	–	2	2	–	–	–	–	–	–
	14. Diarrhœa	1	2	1	3	4	6	8	9	7	8	4	1	–	–	–
	15. Cholera	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–		–	–	–	–	–
	18. Rheumatism	–	–	3	2	2	3	4	1	1	–	–	1	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	3	–	5	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	–	1	–	2	2	1	2	2	3	4	–	–	–	–	–
	3. Cancer	9	14	13	17	27	21	16	19	8	1	1	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	1	–	1	–	1	3	1	1	–	–	–

* See page 52, note *.

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	34	–	3	4	2	2	–	1	5	5	3	2	2	2
	2. Tabes Mesenterica	95	9	7	11	24	14	9	5	9	2	2	2	–	–
	3. Phthisis	479	4	4	12	22	8	4	5	24	20	60	60	60	42
	4. Hydrocephalus	171	9	9	40	42	15	13	12	23	4	2	1	1	–
III.	ORDER 1.														
	1. Cephalitis	69	4	2	8	10	4	2	4	9	9	5	2	3	2
	2. Apoplexy	147	1	1	4	3	4	–	1	4	1	1	1	1	2
	3. Paralysis	134	–	–	–	–	–	2	–	1	4	3	3	–	3
	4. Insanity	10	–	–	–	–	–	–	–	–	–	1	–	1	2
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	17	–	–	–	–	–	–	–	2	–	1	2	1	2
	7. Convulsions	110	26	14	25	23	8	7	2	2	–	–	–	–	–
	8. *Brain Disease, etc.*	68	4	2	1	2	–	2	–	6	4	1	2	1	–
	ORDER 2.														
	1. Pericarditis	12	–	–	–	–	–	–	–	2	1	1	1	–	–
	2. Aneurism	14	–	–	–	–	–	–	–	–	–	–	–	–	2
	3. *Heart Disease, etc.*	289	2	1	–	–	1	–	–	7	1	7	7	6	12
	ORDER 3.														
	1. Laryngitis	14	2	1	3	2	–	1	–	–	–	–	–	–	–
	2. Bronchitis	568	48	54	82	89	25	18	4	5	2	5	2	1	5
	3. Pleurisy	21	–	–	2	–	1	–	1	–	–	1	1	–	2
	4. Pneumonia	243	13	16	36	27	9	9	3	10	5	12	8	7	8
	5. Asthma	18	–	–	–	–	–	–	1	–	–	–	–	–	–
	6. *Lung Disease, etc.*	97	17	3	10	17	4	2	1	2	1	2	–	1	3
	ORDER 4.														
	1. Gastritis	17	4	1	1	1	–	–	–	1	1	–	–	–	1
	2. Enteritis	59	23	5	10	8	3	–	–	2	1	1	1	1	1
	3. Peritonitis	36	2	3	2	3	–	1	–	2	2	2	4	–	3
	4. Ascites	7	–	–	–	–	–	1	–	–	–	–	–	–	–
	5. Ulceration of Intestines	14	–	–	–	1	–	–	–	–	1	–	–	–	–
	6. Hernia	7	1	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	13	2	–	1	–	–	–	–	–	1	–	1	–	1
	8. Intussusception	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	10. Fistula	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	11. *Stomach Disease, etc.*	35	5	1	8	5	2	–	3	–	–	1	2	1	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	13	–	–	–	–	–	–	–	–	1	–	1	1	1
	14. Jaundice	15	10	–	1	–	–	1	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	52	2	–	–	1	2	2	–	2	1	1	–	4	1
	16. *Spleen Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	16	1	–	–	–	1	–	3	1	1	1	1	–	–
	2. Ischuria	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	33	–	–	–	1	–	1	1	1	2	2	5	1	4
	4. Diabetes	7	–	–	–	–	1	–	–	–	–	1	2	1	–
	5. Calculus (Stone)	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	12	1	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	31	–	–	–	–	2	–	–	1	1	–	–	–	1
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	4	–	–	–	1	1	–	–	2	–	–	–	–	–
	2. *Joint Disease, etc.*	21	–	1	1	–	–	–	–	1	8	1	1	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	35	1	2	5	3	–	2	1	3	6	2	2	4	1
	2. Tabes Mesenterica	77	7	4	6	8	11	4	4	15	2	6	3	2	3
	3. Phthisis	608	2	6	3	18	5	6	8	28	49	95	86	72	70
	3. Hydrocephalus	137	3	17	36	32	13	8	5	13	7	1	–	1	1
III.	ORDER 1.														
	1. Cephalitis	55	–	2	10	10	5	5	3	6	1	4	1	–	1
	2. Apoplexy	138	3	2	4	5	–	3	–	3	3	1	–	4	–
	3. Paralysis	125	–	–	–	–	–	–	–	–	1	–	1	1	1
	4. Insanity	8	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	15	–	–	2	–	–	–	–	–	–	3	1	1	–
	7. Convulsions	78	14	6	14	24	10	1	2	3	2	–	–	1	–
	8. *Brain Disease, etc.*	54	1	2	4	3	–	1	2	2	1	4	1	–	2
	ORDER 2.														
	1. Pericarditis	10	–	–	2	1	–	–	–	–	2	–	2	1	–
	2. Aneurism	4	–	–	–	–	–	–	–	–	–	–	–	1	–
	3. *Heart Disease, etc.*	270	2	–	1	–	–	1	–	2	2	7	9	5	12
	ORDER 3.														
	1. Laryngitis	11	1	–	–	3	1	1	1	–	–	–	2	1	–
	2. Bronchitis	549	24	21	83	96	22	15	8	7	3	4	2	7	4
	3. Pleurisy	16	–	–	–	1	–	1	–	–	1	2	–	1	2
	4. Pneumonia	160	5	9	22	29	7	5	4	9	3	4	5	9	5
	5. Asthma	21	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	86	11	10	8	12	7	3	1	6	2	1	1	2	1
	ORDER 4.														
	1. Gastritis	24	6	–	1	1	–	–	1	1	–	–	–	–	–
	2. Enteritis	45	8	2	9	5	1	1	2	3	–	1	–	3	–
	3. Peritonitis	33	2	2	–	1	–	–	1	1	–	2	4	5	3
	4. Ascites	3	–	–	–	–	–	–	–	1	–	–	–	–	–
	5. Ulceration of Intestines	12	–	–	1	–	–	–	–	–	–	–	–	3	2
	6. Hernia	8	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	17	1	–	1	–	–	–	–	–	–	–	–	1	–
	8. Intussusception	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	39	3	2	7	3	–	–	–	2	–	2	1	2	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	9	–	–	–	–	–	1	–	–	–	1	1	1	–
	14. Jaundice	15	4	2	–	–	1	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	58	4	1	1	1	–	–	–	–	–	1	3	1	2
	16. *Spleen Disease, etc.*	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	9	–	–	–	1	–	–	–	1	1	–	–	1	1
	2. Ischuria	2	–	–	1	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	29	–	–	–	–	–	1	–	1	–	1	2	3	1
	4. Diabetes	5	–	–	–	–	–	–	–	–	2	–	1	1	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	7. *Kidney Disease, etc.*	15	–	–	–	–	–	1	–	1	–	1	2	1	–
	ORDER 6.														
	1. Ovarian Dropsy	7	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	9	–	–	–	–	–	–	–	–	–	1	–	4	1
	ORDER 7.														
	1. Synovitis (Arthritis)	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	2. *Joint Disease, etc.*	16	–	–	–	–	–	–	1	3	4	–	2	–	2

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	34	30	38	18	13	12	7	1	1	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	1	1	–	–	2	–	1	–	–	–	–	–	–	–	–
	2. Apoplexy	8	4	8	10	18	25	13	13	14	9	1	–	–	–	–
	3. Paralysis	5	5	8	11	9	11	25	18	17	6	2	1	–	–	–
	4. Insanity	–	1	1	1	1	2	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	1	–	–	2	3	1	2	–	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	3	2	7	5	7	3	4	7	2	2	1	–	–	–	–
	ORDER 2.															
	1. Pericarditis	2	–	1	1	1	1	–	1	–	–	–	–	–	–	–
	2. Aneurism	2	1	3	1	2	1	–	2	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	8	25	17	32	41	29	24	35	27	5	1	1	–	–	–
	ORDER 3.															
	1. Laryngitis	1	–	1	1	1	–	1	–	–	–	–	–	–	–	–
	2. Bronchitis	6	14	21	19	21	33	39	29	27	13	6	–	–	–	–
	3. Pleurisy	2	2	3	1	2	2	–	1	–	–	–	–	–	–	–
	4. Pneumonia	8	12	7	12	7	11	11	5	6	1	–	–	–	–	–
	5. Asthma	–	1	1	7	2	3	1	2	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	–	2	3	7	10	3	5	2	2	–	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	2	2	1	1	1	–	–	–	–	–	–	–	–	–
	2. Enteritis	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
	3. Peritonitis	1	–	–	3	1	4	2	–	1	–	–	–	–	–	–
	4. Ascites	1	2	1	–	2	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	3	–	1	5	1	–	2	–	–	–	–	–	–	–	–
	6. Hernia	–	–	1	1	1	–	–	–	2	1	–	–	–	–	–
	7. Ileus	1	–	–	2	1	–	1	–	2	–	–	–	–	–	–
	8. Intussusception	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	10. Fistula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	1	–	–	–	2	–	1	3	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	1	–	1	2	2	1	–	2	–	–	–	–	–	–	–
	14. Jaundice	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
	15. *Liver Disease, etc.*	2	4	2	5	8	5	6	1	2	–	1	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	1	1	–	–	1	1	2	1	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–
	3. Bright's Disease (Nephria)	2	1	4	3	–	4	1	–	–	–	–	–	–	–	–
	4. Diabetes	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	1	2	2	1	4	–	–	1	–	–	–
	7. *Kidney Disease, etc.*	1	1	2	3	2	3	4	5	5	–	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	1	1	2	1	1	1	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	2	–	–	–	1	–	–	–	–		–	–	–	–
	2. Tabes Mesenterica	1	–	–	–	–	–			–	1	–	–	–		–
	3. Phthisis	46	35	32	16	11	11	3	4	1	–	1		–	–	–
	4. Hydrocephalus	–	–	–	–		–	–		–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	–	2	–	–	–	2	–	1	1	1	–		–	–	–
	2. Apoplexy	4	3	12	15	8	16	17	12	12	5	4	2	–	–	–
	3. Paralysis	2	4	4	9	17	12	21	18	14	17	1	2	–	–	–
	4. Insanity	1	1	1	1	1	1	2	–	–		–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	4	–	1	–	–	1	2	–	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	1	3	4	5	4	3	6	3	1	–	–	1	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	2. Aneurism	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	8	21	22	24	28	31	34	30	20	6	5	–	–	–	–
	ORDER 3.															
	1. Laryngitis	1	–	–	–		–	–	–	–	–	–		–	–	–
	2. Bronchitis	8	13	13	27	23	30	32	36	32	22	15	2	–	–	–
	3. Pleurisy	1	–	1	–	1	1	4	–	–	–	–	–	–	–	–
	4. Pneumonia	3	4	6	6	7	6	2	6	4	–	–	–	–	–	–
	5. Asthma	–	1	2	3	2	6	3	3	1	–	–	–	–	–	–
	6. *Lung Disease, etc.*	2	1	1	3	4	1	2	2	4	–	1	–	–	–	–
	ORDER 4.															
	1. Gastritis	3	2	2	1	1	2	1	–	–	2	–	–	–	–	–
	2. Enteritis	1	1	3	–	–	1	–	2	2	–	–	–	–	–	–
	3. Peritonitis	4	–	–	2	2	1	–	2	1	–	–	–	–	–	–
	4. Ascites	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	1	2	–	–	1	–	–	1	1	–	–	–	–	–	–
	6. Hernia	1	1	–	1	–	1	1	1	2	–	–	–	–	–	–
	7. Ileus	–	2	2	–	1	2	2	3	2	–	–	–	–	–	–
	8. Intussusception	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	10. Fistula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	1	2	–	1	3	1	4	5	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	1	1	–	1	–	1	–	1	–	–	–	–
	14. Jaundice	–	1	1	1	1	1	–	1	2	–	–	–	–	–	–
	15. *Liver Disease, etc.*	5	–	7	9	6	5	6	5	–	1	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	1	1	–	–	–	–	1	–	1	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	4	3	4	4	3	–	1	–	1	–	–	–	–	–	–
	4. Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–		–	–	–
	6. Cystitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	1	–	1	1	3	2	1	–	–	–	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	1	–		–	3	–	1	1	1	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	1	–	–	2	–	–	–	–	–	–	–	–	–	–	
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	1	–	–	1	–	1	1	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	9	–	–	1	–	–	–	–	2	–	–	–	–	–
	2. Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	4	2	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	133	133	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	4	4	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	5	5	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	15	13	1	–	–	–	–	–	–	1	–	–	–	–
	5. Teething	57	2	1	23	28	3	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	187	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	228	159	14	12	10	7	–	–	4	–	–	1	1	1
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	87	–	–	–	–	4	2	2	1	4	3	13	9	8
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	14	–	–	–	2	3	2	–	6	–	–	–	–	1
	5. Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	47	1	–	–	–	1	–	–	4	5	2	2	4	7
	7. Suffocation	22	10	1	2	1	–	1	–	–	–	2	–	–	–
	8. Otherwise	29	3	–	–	3	1	–	1	4	–	1	1	3	3
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	2. Cut, Stab	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	4. Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	3	2	1	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	35	12	3	4	2	–	1	1	1	–	1	2	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	6	–	1	–	–	–	–	–	1	–	–	1	–	1
	2. Ulcer	6	–	–	1	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	3	–	–	1	–	1	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	107	107	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	5	5	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	5	4	1	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	9	7	–	–	1	–	–	1	–	–	–	–	–	–
	5. Teething	37	2	1	11	17	6	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	3	–	–	–	–	–	–	–	–	1	1	–	–	–
	2. Childbirth (*see* Puerperal Fever)	53	–	–	–	–	–	–	–	–	–	–	10	17	9
	ORDER 3.														
	1. Old Age	306	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	196	112	16	14	9	5	2	1	2	–	1	–	–	2
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	11	–	–	–	–	–	–	–	–	1	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	17	–	–	–	5	1	2	–	1	–	–	–	–	–
	5. Poison	2	–	–	–	–	–	–	–	1	–	–	–	–	–
	6. Drowning	7	–	–	–	1	–	–	–	1	–	–	1	–	1
	7. Suffocation	14	7	3	2	–	–	–	–	1	–	–	–	–	–
	8. Otherwise	11	1	–	1	–	–	–	–	1	1	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	3	–	–	–	–	–	–	–	–	–	–	–	1	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	3	–	–	–	–	–	–	–	–	–	–	1	–	–
	5. Hanging	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. *Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	5	–	–	–	–	1	–	–	–	–	–	–	–	1
	Causes not specified or ill-defined	30	13	4	1	1	–	1	–	–	–	–	–	–	1

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	3	–	1	–	1	–	1	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	9	24	40	39	37	29	7	1	1	–
	ORDER 4.															
	1. Atrophy and Debility	3	2	2	4	8	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	6	12	4	3	4	6	2	7	1	1	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	3	3	3	3	4	2	1	2	–	–	–	–	–	–	–
	7. Suffocation	1	1	–	–	2	–	–	1	–	–	–	–	–	–	–
	8. Otherwise	2	3	–	–	–	3	1	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	1	–	–		–	–	–	–
	4. Drowning	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	–	2	–	3	1	1	–	–	1	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	1	–	–	1	1	1	–	1	–	–	–	–	–
	3. *Skin Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–		–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	10	4	3	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	16	32	54	70	72	39	16	5	2	–
	ORDER 4.															
	1. Atrophy and Debility	1	4	4	8	15	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	–	1	–	2	–	2	1	1	1	2	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	–	1	1	2	–	2	1	1	–	–	–	–
	5. Poison	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	7. Suffocation	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	1	–	–	–	–	–	1	2	2	1	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–
	Causes not specified or ill-defined	1	4	–	–	–	–	1	3	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes . . .	8512	908	350	647	727	324	203	143	390	256	335	305	274	193
	Specified Causes . .	8372	855	336	639	723	320	202	143	386	253	332	303	273	189
	(CLASSES.)														
I.	ZYMOTIC DISEASES	1512	97	69	191	285	139	110	71	163	59	45	29	28	19
II.	CONSTITUTIONAL ,,	1644	31	45	93	131	72	37	38	105	91	163	147	113	86
III.	LOCAL ,,	3738	255	178	297	245	94	46	25	98	72	92	77	83	55
IV.	DEVELOPMENTAL ,,	992	451	39	56	54	10	4	1	3	2	–	1	1	–
V.	VIOLENT DEATHS .	486	21	5	2	8	5	5	8	17	29	32	49	48	29
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	1431	77	63	188	283	138	110	71	162	58	44	28	27	13
	2. ENTHETIC ,, .	17	5	3	1	1	–	–	–	1	–	–	1	–	–
	3. DIETIC ,, .	63	15	3	2	1	–	–	–	–	1	1	–	1	6
	4. PARASITIC ,, .	1	–	–	–	–	1	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	217	5	–	1	3	2	–	2	1	4	2	4	1	2
	2. TUBERCULAR ,, .	1427	26	45	92	128	70	37	36	104	87	161	143	112	84
III.	1. DISEASES OF NERVOUS SYSTEM . .	901	47	28	50	58	20	13	10	35	26	19	19	19	18
	2. ,, OF ORGANS OF CIRCULATION .	617	3	2	–	3	–	1	–	5	10	10	14	11	12
	3. ,, OF RESPIRATORY ORGANS . .	1411	128	93	194	141	64	26	7	31	14	24	20	27	13
	4. ,, OF DIGESTIVE ORGANS . . .	534	74	52	50	32	9	5	3	15	12	17	13	10	6
	5. ,, OF URINARY ORGANS . . .	213	–	1	–	4	1	–	3	5	3	11	7	13	5
	6. ,, OF ORGANS OF GENERATION .	2	–	–	–	–	–	–	–	1	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	39	–	–	–	2	–	1	2	6	6	10	3	3	1
	8. ,, OF INTEGUMENTARY SYSTEM . .	21	3	2	3	5	–	–	–	–	1	1	1	–	–
IV	1. DEV. DIS. OF CHILDREN .	330	240	9	37	40	2	2	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	353	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	309	211	30	19	14	8	2	1	3	2	–	1	1	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	8493	731	261	497	689	306	219	142	385	229	318	315	288	232
	Specified Causes . .	8379	685	257	489	679	303	217	142	385	226	317	314	286	230
	(CLASSES.)														
I.	ZYMOTIC DISEASES	1600	86	78	151	260	142	123	85	172	53	59	46	38	29
II.	CONSTITUTIONAL ,,	1853	31	51	91	122	53	43	33	93	109	197	178	139	108
III.	LOCAL ,,	3481	184	104	190	229	90	48	19	103	60	55	71	87	79
IV.	DEVELOPMENTAL ,,	1295	369	18	54	63	13	1	1	2	1	3	14	18	12
V.	VIOLENT DEATHS .	150	15	6	3	5	5	2	4	15	3	3	5	4	2
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	1535	69	70	149	258	142	122	85	171	51	56	46	37	28
	2. ENTHETIC ,, .	16	7	5	–	1	–	–	–	–	1	–	–	–	–
	3. DIETIC ,, .	46	9	1	2	1	–	1	–	1	1	3	–	1	1
	4. PARASITIC ,, .	3	1	2	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	360	3	–	1	3	2	–	–	1	3	1	4	3	7
	2. TUBERCULAR ,, .	1493	28	51	90	119	51	43	33	92	106	196	174	136	101
III.	1. DISEASES OF NERVOUS SYSTEM . .	828	35	16	40	55	17	10	5	36	14	15	14	14	18
	2. ,, OF ORGANS OF CIRCULATION .	578	4	1	–	1	1	–	–	8	13	5	13	19	15
	3. ,, OF RESPIRATORY ORGANS . .	1303	90	63	114	139	58	33	9	33	18	15	17	24	22
	4. ,, OF DIGESTIVE ORGANS . . .	552	54	24	33	25	12	3	3	13	6	12	16	16	15
	5. ,, OF URINARY ORGANS . . .	113	–	–	–	1	–	2	2	5	1	3	6	8	3
	6. ,, OF ORGANS OF GENERATION .	27	–	–	–	1	–	–	–	–	–	–	2	3	2
	7. ,, OF ORGANS OF LOCOMOTION . .	47	–	–	1	5	1	–	–	8	8	3	1	3	3
	8. ,, OF INTEGUMENTARY SYSTEM . .	33	1	–	2	2	1	–	–	–	–	2	2	–	1
IV.	1. DEV. DIS. OF CHILDREN .	254	169	3	36	40	6	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	77	–	–	–	–	–	–	–	–	–	1	13	18	12
	3. ,, OF OLD PEOPLE	669	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	295	200	15	18	23	7	1	1	2	1	2	1	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	224	237	262	333	313	397	409	455	395	251	125	39	15	–	2
	Specified Causes . .	223	236	257	330	309	392	396	450	393	251	125	39	15	–	2
	(CLASSES.)															
I.	ZYMOTIC DISEASES	23	26	18	19	14	25	22	20	18	13	6	2	1	–	–
II.	CONSTITUTIONAL ,,	77	66	53	65	46	64	35	44	20	15	5	2	–	–	–
III.	LOCAL ,,	89	112	151	211	218	261	303	323	251	126	55	16	4	–	1
IV.	DEVELOPMENTAL ,,	3	1	2	2	9	18	17	45	95	94	55	18	10	–	1
V.	VIOLENT DEATHS .	31	31	33	33	22	24	19	18	9	3	4	1	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	17	19	13	14	11	19	19	18	18	12	6	2	1	–	–
	2. ENTHETIC ,, .	1	–	1	1	–	–	1	1	–	–	–	–	–	–	–
	3. DIETIC ,, .	5	7	4	4	3	6	2	1	–	1	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	5	11	10	18	23	36	18	32	16	14	5	2	–	–	–
	2. TUBERCULAR ,, .	72	55	43	47	23	28	17	12	4	1	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	16	26	23	37	46	65	74	104	79	44	22	2	1	–	–
	2. ,, OF ORGANS OF CIRCULATION .	25	31	26	54	50	74	90	93	63	25	11	2	2	–	–
	3. ,, OF RESPIRATORY ORGANS . .	21	38	65	66	76	80	81	70	74	38	13	6	1	–	–
	4. ,, OF DIGESTIVE ORGANS . . .	19	13	23	35	34	25	33	21	19	10	1	2	–	–	1
	5. ,, OF URINARY ORGANS . . .	8	4	12	18	8	15	24	34	16	9	8	4	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	1	–	2	–	1	1	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	1	1	1	2	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	18	17	45	95	94	55	18	10	–	1
	4. DISEASES OF NUTRITION	3	1	2	2	9	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878 —FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	265	225	234	294	333	399	433	504	494	404	207	68	16	3	2
	Specified Causes . .	259	223	233	294	328	394	428	502	488	404	207	68	16	3	2
	(CLASSES.)															
I.	ZYMOTIC DISEASES	27	19	13	21	23	29	35	30	35	30	13	3	–	–	–
II.	CONSTITUTIONAL ,,	96	78	80	76	68	46	59	41	31	19	7	2	1	–	1
III.	LOCAL ,,	106	109	129	179	223	279	281	316	273	185	70	10	1	–	1
IV.	DEVELOPMENTAL ,,	22	9	6	13	7	31	46	105	142	164	113	51	14	3	–
V.	VIOLENT DEATHS .	8	8	5	5	7	9	7	10	7	6	4	2	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	23	17	10	17	19	24	33	28	35	30	13	2	–	–	–
	2. ENTHETIC ,, .	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	3	2	3	4	4	4	2	2	–	–	–	1	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,,	17	24	34	43	51	29	50	29	28	16	7	2	1	–	1
	2. TUBERCULAR ,,	79	54	46	33	17	17	9	12	3	3	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	13	23	26	37	51	60	72	82	74	72	27	1	–	–	1
	2. ,, OF ORGANS OF CIRCULATION .	27	22	27	42	54	82	80	62	60	29	11	2	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	29	26	33	47	65	81	82	113	97	62	26	6	1	–	–
	4. ,, OE DIGESTIVE ORGANS . . .	22	23	31	41	33	35	38	43	34	16	4	–	–	–	–
	5. ,, OF URINARY ORGANS . . .	9	10	6	8	16	11	6	9	3	3	1	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	4	3	2	2	–	1	2	3	1	1	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	1	1	–	5	1	2	2	1	1	–	–	–	–
	8. ,, OFINTEGUMENTARY SYSTEM . .	2	2	3	1	4	4	–	2	2	1	–	1	–	–	–
IV.	1. DEV. DIS. OF CHILDREN .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	20	8	4	1	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	31	46	105	142	164	113	51	14	3	–
	4. DISEASES OF NUTRITION	2	1	2	12	7	–	–	.	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	452	20	5	2	8	5	5	8	17	29	32	45	46	27
	*														
	3. HOMICIDE	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	32	–	–	–	–	–	–	–	–	–	–	4	2	2
	5. EXECUTION	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	15	1	1	–	1	1	–	–	1	–	–	–	–	–
	CAUSES NOT SPECIFIED	125	52	13	8	3	3	1	–	3	3	3	2	1	4
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	165	3	–	32	58	30	14	8	15	2	1	1	–	–
	3. Scarlatina	240	1	–	11	36	31	36	26	80	12	5	1	1	–
	4. Diphtheria	99	1	3	11	18	12	14	12	23	2	–	–	–	1
	5. Quinsy	5	1	1	1	–	–	1	–	–	1	–	–	–	–
	6. Croup	111	7	3	16	25	21	19	13	6	1	–	–	–	–
	7. Hooping-cough	155	9	9	42	52	21	13	4	4	1	–	–	–	–
	8. Typhus Fever	16	–	–	–	–	–	–	–	1	3	2	3	1	–
	8. Enteric or Typhoid Fever	200	–	1	2	9	7	9	3	23	33	24	15	20	8
	8. Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	25	–	–	1	1	1	1	2	2	2	6	1	1	1
	9. Erysipelas	28	5	1	3	–	1	–	–	–	–	–	–	–	–
	10 Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	7	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	11	1	–	1	1	1	–	1	–	–	–	1	–	1
	13. Dysentery	21	–	4	2	3	1	1	–	–	–	–	–	–	–
	14. Diarrhœa	280	44	39	59	70	7	1	2	3	–	2	5	2	1
	15. Cholera	23	3	1	5	9	–	1	–	–	–	–	–	–	–
	16. Ague	2	–	–	–	1	–	–	–	–	–	–	1	–	–
	17. Remittent Fever	5	–	–	1	–	3	–	–	1	–	–	–	–	–
	18. Rheumatism	30	–	–	–	–	–	–	–	4	1	4	–	2	1
	19. Other *Miasmatic* Diseases	7	2	1	1	–	2	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	14	5	3	1	–	–	–	–	1	–	–	1	–	–
	2. Stricture of Urethra	3	–	–	–	1	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	17	13	3	1	–	–	–	–	–	–	–	–	–	
	3. Purpura and Scurvy	7	2	–	1	1	–	–	–	–	1	–	–	–	–
	4. Alcoholism *a* Del. Tremens	10	–	–	–	–	–	–	–	–	–	–	–	–	2
	4. Alcoholism *b* Intemperance	29	–	–	–	–	–	–	–	–	–	1	–	1	4
	ORDER 4.														
	1. Thrush	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	57	5	–	1	2	1	–	1	1	3	2	1	–	1
	3. Cancer	137	–	–	–	1	–	–	1	–	–	–	3	1	1
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	21	–	–	–	–	1	–	–	–	1	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	133	15	6	3	5	5	2	4	15	3	2	3	4	2
	*														
	3. HOMICIDE	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	16	–	–	–	–	–	–	–	–	–	1	2	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	9	1	–	1	1	1	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	105	45	4	7	9	2	2	–	–	3	1	1	2	2
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	155	1	2	24	62	30	12	9	13	1	1	–	–	–
	3. Scarlatina	205	–	2	6	28	31	33	29	54	13	3	3	–	2
	4. Diphtheria	110	1	2	5	19	15	21	17	26	2	1	–	–	–
	5. Quinsy	2	–	1	–	1	–	–	–	–	–	–	–	–	–
	6. Croup	90	5	–	10	25	16	15	7	11	–	1	–	–	–
	7. Hooping-cough	220	11	18	48	74	29	13	9	18	–	–	–	–	–
	8. Typhus Fever	22	–	–	–	–	–	–	–	4	3	–	2	–	4
	8. Enteric or Typhoid Fever	220	–	1	3	4	5	15	4	34	19	40	19	19	13
	8. Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	31	–	1	1	3	2	4	3	6	3	2	2	–	1
	9. Erysipelas	33	7	1	2	4	2	–	–	–	–	1	–	1	–
	10. Puerperal Fever (Metria)	48	–	–	–	–	–	–	–	–	–	3	15	14	5
	11. Carbuncle	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	15	1	–	–	–	–	–	–	–	1	–	–	–	1
	13. Dysentery	34	1	2	1	–	–	1	–	1	–	1	–	–	1
	14. Diarrhœa	251	37	37	39	32	9	5	2	3	1	–	1	2	1
	15. Cholera	21	3	2	8	4	1	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	13	–	–	2	1	2	3	4	1	–	–	–	–	–
	18. Rheumatism	57	–	–	–	–	–	–	1	–	8	3	4	1	–
	19. Other *Miasmatic* Diseases	4	2	1	–	1	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	16	7	5	–	1	–	–	–	–	1	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	12	9	1	1	1	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	8	–	–	–	–	–	1	–	1	1	3	–	–	–
	4. Alcoholism *a* Del. Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–	1
	4. Alcoholism *b* Intemperance	21	–	–	–	–	–	–	–	–	–	–	–	1	–
	ORDER 4.														
	1. Thrush	3	1	2	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	52	1	–	1	–	2	–	–	1	3	–	–	1	1
	3. Cancer	283	–	–	–	–	–	–	–	–	–	–	3	2	6
	4. Cancrum Oris (Noma)	3	2	–	–	–	–	–	–	–	–	–	1	–	–
	5. Mortification	22	–	–	–	3	–	–	–	–	–	1	–	–	–

* See page 52, note *.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	29	28	28	28	21	19	18	17	7	3	4	1	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	2	2	5	5	1	5	1	1	2	–	–	–	–	–	–
	5. EXECUTION	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	1	1	–	1	2	4	1	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	1	–	4	3	3	3	9	4	2	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	1	–	1	2	–	2	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	9	8	5	6	2	4	6	3	2	1	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	1	2	1	–	–	1	–	1	–	–	–	–	–	–	–
	9. Erysipelas	2	1	2	2	1	4	1	4	1	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	1	–	1	–	1	1	–	–	1	–	1	1	–	–	–
	12. Influenza	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–
	13. Dysentery	–	–	–	–	1	2	2	1	3	1	–	–	–	–	–
	14. Diarrhœa	–	3	1	3	4	5	4	6	5	7	5	1	1	–	–
	15. Cholera	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	3	3	–	–	–	–	3	3	5	1	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	2	5	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	3	2	4	4	3	5	–	1	–	1	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Dropsy	1	2	3	1	4	5	2	7	5	7	1	1	–	–	–
	3. Cancer	4	8	7	15	18	28	14	23	5	5	2	1	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	2	1	2	2	2	6	2	2	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued*).

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	5	5	3	2	6	7	7	10	7	6	4	2	–	–	–
	*															
	3. HOMICIDE	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	3	2	2	3	1	2	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	1	–	–	–	1	2	–	–	1	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	5	2	1	–	4	3	5	2	5	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	4. Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	2	2	2	1	–	2	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	8	4	4	5	7	5	2	3	2	2	1	1	–	–	–
	8. Relapsing Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–
	9. Erysipelas	–	1	–	2	1	2	1	3	–	4	1	–	–	–	–
	10. Puerperal Fever (Metria)	4	6	1	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
	12. Influenza	–	1	–	–	–	3	2	2	1	1	2	–	–	–	–
	13. Dysentery	2	–	1	2	1	–	2	3	6	7	2	–	–	–	–
	14. Diarrhœa	3	1	–	5	5	7	17	13	14	10	6	1	–	–	–
	15. Cholera	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	3	–	1	1	5	5	7	2	12	4	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	2	1	2	4	2	4	2	2	–	–	–	1	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	3	3	5	4	5	4	6	4	5	3	–	–	–	–	–
	3. Cancer	13	20	29	39	45	25	41	24	20	10	4	1	–	–	1
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	1	1	–	–	1	–	3	1	3	3	3	1	1	–	–

* See page 52, note *.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	109	2	3	6	16	11	5	5	12	12	12	10	4	3
	2. Tabes Mesenterica	161	7	12	21	37	20	13	7	17	9	12	3	–	1
	3. Phthisis	889	3	1	6	14	12	7	9	41	58	132	128	107	80
	4. Hydrocephalus	268	14	29	59	61	27	12	15	34	8	5	2	1	–
III.	ORDER 1.														
	1. Cephalitis	130	5	13	15	20	5	5	8	17	17	4	3	4	2
	2. Apoplexy	251	4	4	10	14	1	6	–	7	–	5	4	3	6
	3. Paralysis	220	–	–	–	–	–	–	–	1	–	1	3	2	2
	4. Insanity	3	–	–	–	–	–	–	–	–	–	–	–	1	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	29	–	–	2	3	–	–	–	–	1	3	4	2	1
	7. Convulsions	106	36	11	22	18	8	2	–	1	1	1	–	1	1
	8. *Brain Disease, etc.*	162	2	–	1	3	6	–	2	9	7	5	5	6	6
	ORDER 2.														
	1. Pericarditis	11	–	–	–	–	–	–	–	1	–	–	–	–	1
	2. Aneurism	19	–	–	–	–	–	–	–	–	–	–	–	–	1
	3. *Heart Disease, etc.*	587	3	2	–	3	–	1	–	4	10	10	14	11	10
	ORDER 3.														
	1. Laryngitis	28	3	1	4	6	3	2	–	2	–	1	2	2	–
	2. Bronchitis	835	98	75	140	87	38	14	6	10	4	8	4	8	7
	3. Pleurisy	34	–	–	–	1	1	1	–	1	2	2	3	1	–
	4. Pneumonia	331	12	12	41	36	16	8	1	13	4	8	9	8	4
	5. Asthma	48	–	–	–	–	–	–	–	–	–	–	–	1	–
	6. *Lung Disease, etc.*	135	15	5	9	11	6	1	–	5	4	5	2	7	2
	ORDER 4.														
	1. Gastritis	22	1	1	2	3	–	–	–	1	–	–	–	1	1
	2. Enteritis	140	25	28	30	17	3	2	–	3	3	5	3	3	–
	3. Peritonitis	42	8	1	3	3	1	–	–	6	3	2	3	–	–
	4. Ascites	10	–	–	–	–	1	–	1	1	1	–	–	–	–
	5. Ulceration of Intestines	27	–	–	–	1	–	–	–	–	1	1	1	1	1
	6. Hernia	13	2	2	2	–	–	–	–	–	–	–	–	1	–
	7. Ileus	31	7	2	1	–	–	–	–	2	–	2	1	–	–
	8. Intussusception	14	1	2	5	–	–	–	–	–	1	–	1	–	–
	9. Stricture of Intestines	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	4	–	–	–	–	–	–	–	–	–	3	–	–	–
	11. *Stomach Disease, etc.*	69	10	12	2	4	2	1	1	–	1	–	1	–	1
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	19	–	–	1	2	–	–	1	1	1	1	1	–	–
	14. Jaundice	44	18	4	1	1	2	–	–	–	–	–	–	1	–
	15. *Liver Disease, etc.*	95	1	–	3	1	–	2	–	–	1	3	1	3	3
	16. *Spleen Disease, etc.*	3	–	–	–	–	–	–	–	1	–	–	1	–	–
	ORDER 5.														
	1. Nephritis	20	–	–	–	2	1	–	–	1	2	1	1	–	–
	2. Ischuria	11	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	59	–	–	–	–	–	–	2	1	–	7	4	5	3
	4. Diabetes	16	–	–	–	–	–	–	–	1	–	2	1	4	–
	5. Calculus (Stone)	9	–	–	–	–	–	–	–	–	–	–	–	1	–
	6. Cystitus	20	–	–	–	–	–	–	–	–	–	–	1	–	–
	7. *Kidney Disease, etc.*	78	–	1	–	2	–	–	1	2	1	1	–	3	2
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	2	–	–	–	–	–	–	–	1	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	4	–	–	–	–	–	–	1	1	1	1	–	–	–
	2. *Joint Disease, etc.*	35	–	–	–	2	–	1	1	5	5	9	3	3	1

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	88	3	6	8	7	5	2	5	2	8	12	8	7	4
	2. Tabes Mesenterica	157	11	14	20	38	20	7	6	17	9	4	4	1	3
	3. Phthisis	1024	4	8	18	21	9	12	12	46	74	180	161	128	93
	4. Hydrocephalus	224	10	23	44	53	17	22	10	27	15	–	1	–	1
III.	ORDER 1.														
	1. Cephalitis	85	1	2	11	10	4	6	3	20	5	7	2	2	2
	2. Apoplexy	223	3	5	13	9	2	–	–	4	–	1	3	2	4
	3. Paralysis	268	–	–	–	2	1	–	–	1	–	1	2	1	4
	4. Insanity	17	–	–	–	–	–	–	–	–	1	–	1	1	–
	5. Chorea	3	–	–	–	–	–	–	–	–	2	–	–	1	–
	6. Epilepsy	26	–	–	–	2	–	–	–	2	–	1	3	1	1
	7. Convulsions	97	26	8	12	27	7	2	2	4	–	3	1	3	1
	8. *Brain Disease, etc.*	109	5	1	4	5	3	2	–	5	6	2	2	3	6
	ORDER 2.														
	1. Pericarditis	9	–	–	–	–	–	–	–	1	–	–	2	1	–
	2. Aneurism	5	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	564	4	1	–	1	1	–	–	7	13	5	11	18	15
	ORDER 3.														
	1. Laryngitis	20	3	1	1	5	1	2	2	–	–	–	–	1	1
	2. Bronchitis	859	62	44	85	93	37	16	4	17	8	4	3	11	9
	3. Pleurisy	22	1	–	1	1	1	–	–	1	–	2	3	–	–
	4. Pneumonia	242	15	9	21	27	14	12	2	10	5	6	5	10	7
	5. Asthma	27	–	–	–	–	–	–	–	–	–	–	–	–	1
	6. *Lung Disease, etc.*	133	9	9	6	13	5	3	1	5	5	3	6	2	4
	ORDER 4.														
	1. Gastritis	39	1	3	4	1	1	–	1	1	–	–	1	2	–
	2. Enteritis	126	30	10	18	17	8	1	1	5	3	3	5	1	2
	3. Peritonitis	51	5	2	1	1	1	–	–	2	1	1	7	2	1
	4. Ascites	5	–	–	–	–	–	–	–	–	–	–	1	–	–
	5. Ulceration of Intestines	36	–	1	–	–	–	–	–	2	–	1	–	3	3
	6. Hernia	12	1	–	1	–	–	–	–	–	–	–	–	–	–
	7. Ileus	31	3	1	3	–	–	–	1	2	–	–	–	1	–
	8. Intussusception	10	–	–	–	1	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	1	–
	10. Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	80	10	4	4	3	–	1	–	1	–	1	2	–	1
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	26	–	–	–	–	1	–	–	–	1	2	–	1	3
	14. Jaundice	29	3	3	1	1	–	–	–	–	–	–	–	3	1
	15. *Liver Disease, etc.*	98	1	–	1	1	–	–	–	–	1	3	–	2	4
	16. *Spleen Disease, etc.*	5	–	–	–	–	1	1	–	–	–	1	–	–	–
	ORDER 5.														
	1. Nephritis	12	–	–	–	–	–	2	1	3	–	–	–	1	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	54	–	–	–	–	–	–	1	2	–	3	5	4	2
	4. Diabetes	8	–	–	–	–	–	–	–	–	1	–	1	–	1
	5. Calculus (Stone)	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	9	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	27	–	–	–	1	–	–	–	–	–	–	–	3	–
	ORDER 6.														
	1. Ovarian Dropsy	10	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	17	–	–	–	1	–	–	–	–	–	–	2	3	2
	ORDER 7.														
	1. Synovitis (Arthritis)	9	–	–	–	–	1	–	–	1	1	1	–	–	–
	2. *Joint Disease, etc.*	38	–	–	1	5	–	–	–	7	7	2	1	3	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	2	–	–	1	1	1	–	3	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	3. Phthisis	70	55	42	46	22	27	16	9	3	1	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	1	3	1	–	2	2	1	1	–	–	–	1	–	–	–
	2. Apoplexy	4	5	6	14	15	30	20	43	23	18	9	–	–	–	–
	3. Paralysis	4	7	9	6	13	21	34	46	42	17	10	1	1	–	–
	4. Insanity	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	1	1	–	4	1	2	1	–	1	2	–	–	–	–	–
	7. Convulsions	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	6	9	7	12	15	9	17	13	12	7	3	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	1	1	1	2	–	1	1	2	–	–	–	–	–
	2. Aneurism	2	4	2	2	–	2	2	2	1	1	–	–	–	–	–
	3. *Heart Disease, etc.*	23	27	23	51	49	70	88	90	61	22	11	2	2	–	–
	ORDER 3.															
	1. Laryngitis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	2. Bronchitis	4	12	30	27	38	40	48	43	53	27	8	5	1	–	–
	3. Pleurisy	3	1	7	2	3	3	–	3	–	–	–	–	–	–	–
	4. Pneumonia	9	20	17	20	22	24	21	12	6	7	1	–	–	–	–
	5. Asthma	1	2	5	7	10	7	4	3	5	1	1	1	–	–	–
	6. *Lung Disease, etc.*	3	3	6	10	3	6	7	9	10	3	3	–	–	–	–
	ORDER 4.															
	1. Gastritis	2	–	1	–	–	3	2	3	–	–	–	1	–	–	–
	2. Enteritis	–	1	1	3	2	3	1	1	3	3	–	–	–	–	–
	3. Peritonitis	–	1	–	5	2	1	–	1	1	1	–	–	–	–	–
	4. Ascites	1	–	1	1	1	1	1	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	1	2	1	2	5	1	3	1	4	1	–	–	–	–	–
	6. Hernia	–	–	2	–	1	–	–	2	1	–	–	–	–	–	–
	7. Ileus	1	–	2	3	1	2	2	2	2	1	–	–	–	–	–
	8. Intussusception	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	4	1	1	5	7	2	6	3	2	2	1	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	1	–	2	2	3	2	–	1	–	–	–	–	–	–	–
	14. Jaundice	–	2	1	–	2	–	7	2	1	1	–	1	–	–	–
	15. *Liver Disease, etc.*	8	6	11	12	10	8	10	5	5	1	–	–	–	–	1
	16. *Spleen Disease, etc.*	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	3	–	3	1	–	1	1	1	–	1	1	–	–	–	–
	2. Ischuria	–	–	–	1	–	1	–	1	3	–	3	2	–	–	–
	3. Bright's Disease (Nephria)	3	1	5	5	4	3	4	7	3	2	–	–	–	–	–
	4. Diabetes	2	1	1	2	1	1	1	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	2	1	–	3	1	–	–	1	–	–	–	–
	6. Cystitis	–	–	–	1	–	2	4	9	3	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	–	2	3	6	3	7	11	15	7	6	3	2	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	1	–	2	–	1	1	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878 —FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	1	2	2	2	1	3	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
	3. Phthisis	78	51	44	30	16	14	9	11	3	2	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	–	4	1	2	1	–	–	2	1	1	–	–	–	–	–
	2. Apoplexy	4	6	12	14	17	19	25	23	27	25	4	–	–	–	1
	3. Paralysis	1	5	8	14	21	27	37	44	42	38	18	1	–	–	–
	4. Insanity	2	2	2	1	1	2	2	1	–	1	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	2	–	1	1	2	2	3	3	–	–	2	–	–	–	–
	7. Convulsions	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	3	6	2	7	9	10	5	9	4	7	3	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	–	2	–	–	1	2	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	1	2	1	–	–	1	–	–	–	–	–	–
	3. *Heart Disease, etc.*	27	22	27	39	52	81	79	60	59	29	11	2	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	9	13	17	27	39	60	61	85	75	52	22	5	1	–	–
	3. Pleurisy	–	–	1	–	1	2	2	2	2	1	1	–	–	–	–
	4. Pneumonia	15	8	10	10	15	9	7	10	12	2	1	–	–	–	–
	5. Asthma	–	1	2	2	3	5	2	7	3	1	–	–	–	–	–
	6. *Lung Disease, etc.*	5	4	1	7	7	5	10	9	5	6	2	1	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	3	5	–	2	1	8	4	–	1	–	–	–	–
	2. Enteritis	1	4	–	2	2	4	3	1	3	1	1	–	–	–	–
	3. Peritonitis	8	1	1	2	–	1	2	2	7	2	1	–	–	–	–
	4. Ascites	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	2	4	–	2	4	5	2	5	–	2	–	–	–	–	–
	6. Hernia	–	1	–	2	3	–	1	1	1	1	–	–	–	–	–
	7. Ileus	1	3	2	1	1	4	–	2	3	3	–	–	–	–	–
	8. Intussusception	1	–	2	1	1	1	1	1	1	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	6	3	4	10	7	3	9	5	4	2	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	1	–	1	4	1	1	4	2	4	–	–	–	–	–	–
	14. Jaundice	–	–	2	1	3	–	2	4	4	1	–	–	–	–	–
	15. *Liver Disease, etc.*	2	7	14	10	8	12	12	12	3	4	1	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	1	–	–	1	2	1	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	7	4	2	5	6	4	3	5	1	–	–	–	–	–	–
	4. Diabetes	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
	6. Cystitis	–	1	2	–	–	–	2	1	–	2	1	–	–	–	–
	7. *Kidney Disease, etc.*	–	3	1	2	6	5	1	3	1	1	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	1	1	1	1	–	1	1	2	1	1	–	–	–	–	–
	2. *Uterus Disease, etc.*	3	2	1	1	–	–	1	1	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	3	–	–	1	–	1	–	–	–	–
	2. *Joint Disease, etc.*	–	–	1	1	–	2	1	2	1	1	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	9	1	–	2	–	–	–	–	–	1	1	1	–	–
	2. Ulcer	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	10	1	2	1	5	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	208	205	3	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	12	9	1	1	–	–	1	–	–	–	–	–	–	–
	3. Spina Bifida	4	4	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	26	22	2	–	1	–	1	–	–	–	–	–	–	–
	5. Teething	80	–	3	36	39	2	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	353	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	I. Atrophy and Debility	309	211	30	19	14	8	2	1	3	2	–	1	1	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	195	3	–	–	–	–	–	1	7	8	19	17	27	13
	2. Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	3. Cut, Stab	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	30	–	–	–	4	4	2	4	1	1	1	1	–	1
	5. Poison	10	–	–	–	–	–	1	–	–	–	2	–	1	1
	6. Drowning	138	–	–	–	4	1	2	2	8	14	6	23	16	9
	7. Suffocation	39	15	5	2	–	–	–	–	–	1	2	2	1	1
	8. Otherwise	35	2	–	–	–	–	–	1	1	5	2	1	1	2
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	9	–	–	–	–	–	–	–	–	–	–	–	2	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	6	–	–	–	–	–	–	–	–	–	–	2	–	1
	5. Hanging	15	–	–	–	–	–	–	–	–	–	–	2	–	1
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	15	1	1	–	1	1	–	–	1	–	–	–	–	–
	Causes not specified or ill-defined	125	52	13	8	3	3	1	–	3	3	3	2	1	4

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	10	–	–	–	–	–	–	–	–	–	1	2	–	1
	2. Ulcer	15	–	–	–	–	–	–	–	–	–	1	–	–	–
	3. *Skin Disease, etc.*	8	1	–	2	2	1	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	141	137	2	2	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	8	8	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	7	7	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	20	17	–	2	–	1	–	–	–	–	–	–	–	–
	5. Teething	78	–	1	32	40	5	–	–	–		–	–	–	–
	ORDER 2.														
	1. Paramenia	5	–	–	–	–	–	–	–	–	–	–	1	–	–
	2. Childbirth (*see* Puerperal Fever)	72	–	–		–	–	–	–	–	–	1	12	18	12
	ORDER 3.														
	1. Old Age	669	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	295	200	15	18	23	7	1	1	2	1	2	1	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	37	–	–	–	1	–	1	–	6	–	–	–	2	1
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	4. Burns and Scalds	28	–	1	3	4	2	1	3	6	–	–	–	–	–
	5. Poison	5	–	–	–	–	–	–	–	–	–	–	–	1	–
	6. Drowning	24	–	1	–	–	2	–	–	2	3	1	2	1	–
	7. Suffocation	25	11	4	–	–	–	–	–	–	–	1	–	–	–
	8. Otherwise	13	4	–	–	–	–	–	1	1	–	–	1	–	1
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. Drowning	8	–	–	–	–	–	–	–	–	–	1	1	–	–
	5. Hanging	4	–	–	–	–	–	–		–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	9	1	–	1	1	1	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	105	45	4	7	9	2	2	–	–	3	1	1	2	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	18	17	45	95	94	55	18	10	–	1
	ORDER 4.															
	1. Atrophy and Debility	3	1	2	2	9	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	15	12	11	12	10	10	11	11	3	2	2	1	–	–	–
	2. Gunshot Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
	4. Burns and Scalds	2	1	2	1	2	1	–	1	–	–	1	–	–	–	–
	5. Poison	1	1	2	–	1	–	–	–	–	–	–	–	–	–	–
	6. Drowning	9	12	11	6	5	4	5	–	1	–	–	–	–	–	–
	7. Suffocation	1	1	–	3	–	2	–	1	2	–	–	–	–	–	–
	8. Otherwise	1	1	1	5	2	2	2	3	1	1	1	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	2	2	2	–	–	1	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	5. Hanging	–	–	2	2	1	5	–	1	1	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)		1	1	–	1	2	4	1	–	–	–	–	–	–	–
	Causes not specified or ill-defined	1	–	4	3	3	3	9	4	2	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	1	2	1	–	1	–	–	–	–	1	–	–	–	–	–
	2. Ulcer	1	–	1	1	3	3	–	2	2	–	–	1	–	–	–
	2. *Skin Disease, etc.*	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	20	6	3	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	31	46	105	142	164	113	51	14	3	–
	ORDER 4.															
	1. Atrophy and Debility	2	1	2	12	7	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	1	–	1	–	1	2	1	8	3	5	3	1	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	1	1	–	–	–	1	2	3	–	–	–	–	–	–
	5. Poison	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–
	6. Drowning	3	1	1	1	3	1	2	–	–	–	–	–	–	–	–
	7. Suffocation	1	1	–	–	1	2	2	–	–	–	1	1	–	–	–
	8. Otherwise	–	–	–	1	–	1	1	–	1	1	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	1	1	1	1	–	2	–	–	–	–	–	–	–	–	–
	5. Hanging	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	1	–	–	–	1	2	–	–	1	–	–	–	–	–	–
	Causes not specified or ill-defined	5	2	1	–	4	3	5	2	5	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1878.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	9072	878	304	480	506	230	158	110	365	241	312	306	256	231
	Specified Causes . .	8795	794	284	460	491	229	154	107	356	237	308	302	252	229
	(CLASSES.)														
I.	ZYMOTIC DISEASES	1331	72	61	130	176	102	86	58	200	69	55	44	23	21
II.	CONSTITUTIONAL ,,	1454	30	32	60	87	32	22	19	59	64	109	146	128	96
III.	LOCAL ,,	4121	244	153	215	168	72	40	25	74	74	93	68	66	73
IV.	DEVELOPMENTAL ,,	1348	427	29	51	41	10	1	1	4	1	2	2	–	–
V.	VIOLENT DEATHS .	541	21	9	4	19	13	5	4	19	29	49	42	35	39
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	1263	58	60	126	172	101	85	58	198	68	54	43	20	18
	2. ENTHETIC ,, .	18	4	1	2	2	1	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	45	9	–	2	1	–	–	–	1	–	1	1	3	3
	4. PARASITIC ,, .	5	1	–	–	1	–	1	–	1	1	–	–	–	–
II.	1. DIATHETIC ,, .	273	4	–	2	4	–	1	1	1	1	1	2	7	6
	2. TUBERCULAR ,, .	1181	26	32	58	83	32	21	18	58	63	108	144	121	90
III.	1. DISEASES OF NERVOUS SYSTEM . .	979	52	26	37	40	16	13	7	28	26	22	17	15	21
	2. ,, OF ORGANS OF CIRCULATION .	699	4	1	1	1	–	–	–	6	3	16	8	11	8
	3. ,, OF RESPIRATORY ORGANS . .	1453	108	95	135	96	42	18	13	23	20	24	17	17	21
	4. ,, OF DIGESTIVE ORGANS . . .	633	77	27	35	27	11	7	1	10	11	16	14	16	12
	5. ,, OF URINARY ORGANS . . .	277	2	1	2	2	2	1	2	2	6	5	8	5	9
	6. ,, OF ORGANS OF GENERATION .	5	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	38	–	–	–	–	1	–	2	4	8	6	3	2	2
	8. ,, OF INTEGUMENTARY SYSTEM . .	37	1	3	5	2	–	1	–	1	–	4	1	–	–
IV.	1. DEV. DIS. OF CHILDREN	290	217	6	35	25	7	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	761	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	297	210	23	16	16	3	1	1	4	1	2	2	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	9140	740	241	364	453	218	162	110	370	239	263	309	294	246
	Specified Causes . .	8855	671	225	347	434	205	160	108	363	231	262	303	290	242
	(CLASSES.)														
I.	ZYMOTIC DISEASES	1470	75	46	104	184	108	96	71	209	83	55	39	51	41
II.	CONSTITUTIONAL ,,	1654	24	28	50	68	34	16	11	66	93	129	173	141	97
III.	LOCAL ,,	3734	201	113	158	137	49	43	19	74	53	68	70	73	83
IV.	DEVELOPMENTAL ,,	1825	346	34	31	32	5	2	1	5	–	4	17	18	19
V.	VIOLENT DEATHS .	172	25	4	4	13	9	3	6	9	2	6	4	7	2
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	1420	65	42	98	183	107	96	69	207	81	55	38	50	39
	2. ENTHETIC ,, .	15	3	2	3	–	1	–	–	–	–	–	1	1	2
	3. DIETIC ,, .	28	6	2	1	1	–	–	–	1	2	–	–	–	–
	4. PARASITIC ,, .	7	1	–	2	–	–	–	2	1	–	–	–	–	–
II.	1. DIATHETIC ,, .	451	1	1	4	2	–	–	–	3	4	1	3	10	8
	2. TUBERCULAR ,, .	1203	23	27	46	66	34	16	11	63	89	128	170	131	89
III.	1. DISEASES OF NERVOUS SYSTEM .	929	47	15	30	25	14	10	8	20	19	19	17	12	19
	2. ,, OF ORGANS OF CIRCULATION .	665	4	2	2	–	–	–	1	11	6	9	10	12	25
	3. ,, OF RESPIRATORY ORGANS . .	1280	86	63	99	86	28	23	8	27	11	18	19	18	13
	4. ,, OF DIGESTIVE ORGANS . . .	624	62	33	26	21	6	6	2	9	7	12	13	19	12
	5. ,, OF URINARY ORGANS . . .	120	–	–	1	3	–	1	–	1	6	4	8	4	6
	6. ,, OF ORGANS OF GENERATION .	49	–	–	–	–	–	–	–	–	1	1	1	2	4
	7. ,, OF ORGANS OF LOCOMOTION . .	35	–	–	–	–	–	–	–	6	1	5	2	5	4
	8. ,, OF INTEGUMENTARY SYSTEM . .	32	2	–	–	2	1	3	–	–	2	–	–	1	–
IV.	1. DEV. DIS. OF CHILDREN	208	154	10	19	22	1	1	–	1	–	–	–	–	–
	2. ,, OF ADULTS	100	–	–	–	–	–	–	–	–	–	4	17	14	19
	3. ,, OF OLD PEOPLE	1240	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	277	192	24	12	10	4	1	1	4	–	–	–	4	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes	215	239	259	310	380	468	530	701	683	497	283	96	26	3	5
	Specified Causes	207	235	254	305	375	455	515	684	656	495	283	96	26	3	3
	(CLASSES.)															
I.	ZYMOTIC DISEASES	23	17	18	18	16	22	26	34	28	19	8	5	–	–	–
II.	CONSTITUTIONAL ,,	63	65	47	69	81	56	66	65	28	19	7	3	1	–	–
III.	LOCAL ,,	84	114	157	190	236	329	371	470	424	244	108	20	8	–	1
IV.	DEVELOPMENTAL ,,	1	3	2	3	8	17	32	99	162	208	157	67	17	3	–
V.	VIOLENT DEATHS	36	36	30	25	34	31	20	16	14	5	3	1	–	–	2
	(ORDERS.)															
I.	1. MIASMATIC DISEASES	19	11	15	14	13	21	22	31	27	17	7	5	–	–	–
	2. ENTHETIC ,,	1	2	–	–	–	1	–	1	1	1	1	–	–	–	–
	3. DIETIC ,,	3	4	3	4	3	–	4	2	–	1	–	–	–	–	–
	4. PARASITIC ,,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,,	3	10	11	16	32	29	38	50	25	18	7	3	1	–	–
	2. TUBERCULAR ,,	60	55	36	53	49	27	28	15	3	1	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM	25	31	34	37	39	82	93	108	112	65	29	3	1	–	–
	2. ,, OF ORGANS OF CIRCULATION	19	23	28	48	51	86	90	126	103	42	21	2	1	–	–
	3. ,, OF RESPIRATORY ORGANS	21	31	54	57	90	94	105	123	127	75	35	9	2	–	1
	4. ,, OF DIGESTIVE ORGANS	13	15	31	38	40	41	45	66	42	25	6	4	3	–	–
	5. ,, OF URINARY ORGANS	5	12	8	8	16	22	31	45	34	32	14	2	1	–	–
	6. ,, OF ORGANS OF GENERATION	–	–	–	1	–	–	1	–	2	1	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION	1	–	2	1	–	2	2	–	1	–	1	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM	–	2	–	–	–	2	4	2	3	4	2	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS	–	–	–		–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	16	32	99	162	208	157	67	17	3	–
	4. DISEASES OF NUTRITION	1	3	2	3	8	1		–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	255	230	237	296	309	483	555	703	811	646	403	148	41	14	–
	Specified Causes . .	252	225	237	290	299	463	530	681	786	645	403	148	41	14	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	24	21	24	20	16	28	29	49	48	31	12	3	3	–	–
II.	CONSTITUTIONAL ,,	86	80	80	73	60	98	77	76	52	23	17	1	1	–	–
III.	LOCAL ,,	106	104	122	179	200	301	355	404	417	265	105	28	7	–	–
IV.	DEVELOPMENTAL ,,	30	18	4	7	13	26	63	148	262	317	266	113	30	14	–
V.	VIOLENT DEATHS .	6	2	7	11	10	10	6	4	7	9	3	3	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	22	21	18	18	13	26	29	47	48	30	12	3	3	–	–
	2. ENTHETIC ,, .	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	3. DIETIC ,, .	2	–	5	2	3	2	–	1	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
II.	1. DIATHETIC ,, .	8	24	28	42	36	68	55	64	50	21	16	1	1	–	–
	2. TUBERCULAR ,, .	78	56	52	31	24	30	22	12	2	2	1	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	21	19	25	43	56	69	97	96	114	84	40	9	1	–	–
	2. ,, OF ORGANS OF CIRCULATION .	23	23	32	44	36	78	94	88	85	59	18	2	1	–	–
	3. ,, OF RESPIRATORY ORGANS . .	26	24	28	39	50	75	91	146	150	92	40	15	5	–	–
	4. ,, OF DIGESTIVE ORGANS . . .	21	23	24	40	36	62	56	58	48	23	3	2	–	–	–
	5. ,, OF URINARY ORGANS . . .	8	7	4	7	15	9	6	9	12	6	3	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	4	6	2	5	6	3	7	4	2	1	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	1	–	2	–	1	3	3	1	–	–	1	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	2	2	5	1	–	2	1	2	6	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	28	16	2	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	2	25	63	148	262	317	266	113	30	14	–
	4. DISEASES OF NUTRITION	2	2	2	7	11	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	504	21	9	4	19	13	5	4	19	29	49	40	33	34
	*														
	3. HOMICIDE	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	36	–	–	–	–	–	–	–	–	–	–	2	2	5
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	7	–	–	1	–	–	–	–		1	–	–	–	–
	CAUSES NOT SPECIFIED	270	84	20	19	15	1	4	3	9	3	4	4	4	2
I.	ORDER 1.														
	1. Small-pox	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	2. Measles	71	3	–	19	25	8	5	2	8	–	–	1	–	–
	2. Scarlatina	219	2	5	17	25	25	28	9	82	14	8	2	–	–
	4. Diphtheria	174	1	1	3	24	20	21	23	49	12	5	3	4	2
	5. Quinsy	14	1	–	–	2	1	1	2	2	–	–	–	1	–
	6. Croup	93	3	3	8	25	20	12	6	13	2	–	–	–	–
	7. Hooping-cough	129	14	15	30	40	10	7	4	8	1	–	–	–	–
	8. Typhus Fever	22	–	–	–	–	–	–	–	–	5	4	5	1	2
	8. Enteric or Typhoid Fever	178	–	2	1	1	6	3	9	22	27	29	25	11	8
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	20	–	1	–	–	3	2	–	3	1	2	2	–	–
	9. Erysipelas	22	4	3	–	–	1	–	–	–	–	–	–	1	1
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	6	1	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	15	1	2	–	–	–	–	–	–	–	–	–	–	1
	13. Dysentery	25	3	4	3	1	–	1	–	–	1	–	–	–	1
	14. Diarrhœa	180	23	23	36	28	4	4	1	1	–	–	1	1	1
	15. Cholera	23	1	–	7	1	1	–	–	1	1	–	–	–	–
	16. Ague	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	17. Remittent Fever	13	–	–	2	–	2	1	1	4	1	–	1	–	–
	18. Rheumatism	55	–	–	–	–	–	–	1	3	3	6	3	1	2
	19. Other *Miasmatic* Diseases	2	1	1	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	13	4	1	2	2	1	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	11	8	–	2	1	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	9	1	–	–	–	–	–	–	1	–	1	–	–	–
	4. Alcoholism *a* Del. Tremens	6	–	–	–	–	–	–	–	–	–	–	–	–	1
	4. Alcoholism *b* Intemperance	19	–	–	–	–	–	–	–	–	–	–	1	3	2
	ORDER 4.														
	1. Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	4	–	–	–	1	–	1	–	1	1	–	–	–	–
II.	ORDER 1.														
	1. Gout	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	48	2	–	1	3	–	–	1	1	–	1	–	2	2
	3. Cancer	194	–	–	1	1	–	–	–	–	1	–	2	5	4
	4. Cancrum Oris (Noma)	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	27	2	–	–	–	–	1	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	151	23	4	4	12	9	3	6	9	2	5	3	5	1
	*														
	3. HOMICIDE	4	2	–	–	1	–	–	–	–	–	–	1	–	–
	4. SUICIDE	17	–	–	–	–	–	–	–	–	–	1	–	2	1
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	10	–	1	–	–	–	–	–	–	–	–	1	–	1
	CAUSES NOT SPECIFIED	275	69	15	17	19	13	2	2	7	8	1	5	4	3
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	76	1	1	12	26	8	10	2	8	5	–	–	–	–
	3. Scarlatina	223	2	1	10	24	29	30	29	65	20	5	1	3	1
	4. Diphtheria	203	5	–	7	21	25	25	17	66	12	7	2	3	3
	5. Quinsy	8	1	–	–	1	1	–	–	4	1	–	–	–	–
	6. Croup	74	4	3	5	15	8	12	10	15	1	–	–	–	–
	7. Hooping-cough	161	15	12	35	57	19	8	5	9	–	–	–	–	–
	8. Typhus Fever	12	–	–	–	–	–	–	–	–	4	1	2	1	–
	8. Enteric or Typhoid Fever	225	–	–	1	7	5	7	4	25	33	32	20	21	14
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	18	1	1	–	1	1	1	1	2	3	1	–	2	1
	9. Erysipelas	34	7	–	–	2	–	–	–	–	–	1	–	2	–
	10. Puerperal Fever (Metria).	34	–	–	–	–	–	–	–	–	–	1	6	9	9
	11. Carbuncle	3	–	1	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	19	1	–	–	–	–	–	–	–	–	–	–	1	–
	13. Dysentery	32	–	–	4	4	–	–	–	1	–	–	–	1	–
	14. Diarrhœa	206	26	23	21	21	5	2	–	3	–	1	3	3	6
	15. Cholera	12	1	–	1	4	1	–	–	2	–	–	–	–	–
	16. Ague	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	17. Remittent Fever	11	–	–	1	–	4	1	1	3	–	–	–	–	–
	18. Rheumatism	66	1	–	1	–	–	–	–	4	2	6	3	4	5
	19 Other *Miasmatic* Diseases	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	15	3	2	3	–	1	–	–	–	–	–	1	1	2
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	9	6	2	1	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	4	–	–	–	–	–	–	–	1	2	–	–	–	–
	4. Alcoholism *a* Del. Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	12	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Thrush	3	1	–	1	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	4	–	–	1	–	–	–	2	1	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	66	–	–	4	2	–	–	–	1	3	1	2	3	3
	3. Cancer	351	–	–	–	–	–	–	–	2	1	–	1	7	5
	4. Cancrum Oris (Noma)	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	32	1	1	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	31	32	29	21	27	29	18	13	14	5	3	1		–	2
	*															
	3. HOMICIDE	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. SUICIDE	5	4	1	4	7	1	2	3	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	1	–	–	–	–	2	–	–	–	2	–	–	–	–	–
	CAUSES NOT SPECIFIED	7	4	5	5	5	11	15	17	27	–	–	–	–	–	2
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	4. Diphtheria	–	–	2	2	1	–	–	–	–	1	–	–	–	–	–
	5. Quinsy	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	3	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	8	4	4	4	3	4	4	–	2	–	1	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	1	–	3	–	–	–	–	2	–	–	–	–	–
	9. Erysipelas	–	1	1	–	–	1	3	1	1	2	1	1	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	1	3	–	–	1	–	–	–	–	–	–
	12. Influenza	–	1	–	–	–	1	2	3	3	1	–	–	–	–	–
	13. Dysentery	–	–	1	–	–	1	1	4	–	3	1	–	–	–	–
	14. Diarrhœa	3	–	3	3	2	4	9	10	11	5	4	3	–	–	–
	15. Cholera	2	1	–	1	–	3	–	1	2	1	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	18. Rheumatism	2	3	3	4	–	3	2	10	6	2	–	1	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–
	3. Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	1	–	1	–	2	1	–	1	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	2	2	–	4	2	–	2	1	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	1	1	3	2	–	7	3	6	6	5	1	–	–	–	–
	3. Cancer	2	8	7	14	29	19	32	39	15	8	4	3	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	2	2	3	5	4	5	2	–	1	–	–

* See page 52, note.*

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	4	1	7	9	6	9	4	3	7	9	3	3	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	2	1	–	2	4	1	2	1	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	1	–	1	2	2	1	–	–	–	–	–
	CAUSES NOT SPECIFIED	3	5	–	6	9	20	24	20	23	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	2	3	1	1	2	1	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	8. Typhus Fever	–	2	–	–	–	–	1	1	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	8	10	4	8	4	5	4	5	4	3	1	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
	9. Erysipelas	1	–	2	1	2	–	3	4	4	4	1	–	–	–	–
	10. Puerperal Fever (Metria)	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	12. Influenza	–	–	–	–	1	2	3	4	4	1	2	–	–	–	–
	13. Dysentery	–	–	–	–	1	2	4	7	5	2	1	–	–	–	–
	14. Diarrhœa	2	4	5	2	2	8	9	13	22	14	7	2	2	–	–
	15. Cholera	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
	16. Ague	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	18. Rheumatism	3	–	3	2	–	6	3	10	7	4	–	1	1	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	2	–	4	2	2	1	–	1	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	2. Dropsy	1	1	2	2	2	11	7	8	6	5	2	–	–	–	–
	3. Cancer	7	23	25	39	32	55	43	49	36	14	11	1	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	1	1	2	1	5	7	7	2	3	–	1	–	–

See page 52, note *.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	92	4	1	5	7	4	2	2	7	7	8	14	6	4
	2. Tabes Mesenterica	96	10	10	7	23	10	3	3	9	8	2	4	2	2
	3. Phthisis	812	3	2	7	16	3	2	3	20	39	96	124	112	83
	4. Hydrocephalus	181	9	19	39	37	15	14	10	22	9	2	2	1	1
III.	ORDER 1.														
	1. Cephalitis	103	6	3	6	10	6	3	2	15	11	11	2	3	5
	2. Apoplexy	269	–	4	3	6	2	1	1	4	2	1	4	2	4
	3. Paralysis	299	–	1	–	–	–	–	1	1	2	3	–	3	4
	4. Insanity	17	–	–	–	–	–	–	–	1	–	–	–	1	1
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	37	1	1	–	3	–	–	–	–	2	3	7	3	2
	7. Convulsions	115	41	14	25	15	4	8	–	2	2	–	–	1	–
	8. *Brain Disease, etc.*	139	4	3	3	6	4	1	3	5	7	4	4	2	5
	ORDER 2.														
	1. Pericarditis	16	–	–	–	–	–	–	–	3	–	2	2	1	–
	2. Aneurism	18	–	–	–	–	–	–	–	–	–	1	–	–	1
	3. *Heart Disease, etc.*	665	4	1	1	1	–	–	–	3	3	13	6	10	7
	ORDER 3.														
	1. Laryngitis	23	1	–	3	1	1	1	1	5	2	3	–	–	–
	2. Bronchitis	811	78	71	92	59	25	11	7	9	8	5	6	4	7
	3. Pleurisy	47	1	–	2	–	–	–	1	1	2	4	3	1	4
	4. Pneumonia	381	13	20	30	30	15	6	4	6	6	11	6	10	6
	6. Asthma	72	–	–	–	–	–	–	–	–	–	–	–	–	1
	6. *Lung Disease, etc.*	119	15	4	8	6	1	–	–	2	2	1	2	2	3
	ORDER 4.														
	1. Gastritis	47	8	1	3	4	–	1	–	–	1	1	–	–	1
	2. Enteritis	137	29	14	20	14	5	4	–	4	3	2	5	4	1
	3. Peritonitis	55	4	1	2	1	1	1	–	4	1	6	4	2	1
	4. Ascites	5	–	–	–	–	–	–	–	–	–	–	–	–	1
	5. Ulceration of Intestines	30	–	–	1	–	–	–	–	–	2	1	1	2	1
	6. Hernia	21	–	–	–	–	–	–	–	–	–	–	–	–	1
	7. Ileus	48	5	1	2	–	–	–	–	–	1	4	2	1	–
	8. Intussusception	12	1	1	1	–	–	–	–	–	1	1	–	–	–
	19. Stricture of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	96	10	5	4	3	2	–	–	–	1	–	1	3	3
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	31	1	1	1	1	1	–	1	1	–	–	–	–	–
	14. Jaundice	41	16	1	–	2	2	1	–	–	–	–	1	–	–
	15. *Liver Disease, etc.*	98	3	2	1	1	–	–	–	1	1	1	–	3	2
	16. *Spleen Disease, etc.*	7	–	–	–	1	–	–	–	–	–	–	–	1	1
	ORDER 5.														
	1. Nephritis	26	–	–	–	1	–	1	1	2	1	–	3	–	1
	2. Ischuria	22	–	1	–	–	–	–	–	–	1	–	–	–	–
	3. Bright's Disease (Nephria)	70	–	–	2	1	2	–	–	–	3	2	2	3	6
	4. Diabetes	15	–	–	–	–	–	–	–	–	–	2	2	–	–
	5. Calculus (Stone)	12	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	33	–	–	–	–	–	–	–	–	–	–	–	1	–
	7. *Kidney Disease, etc.*	99	2	–	–	–	–	–	1	–	1	1	1	1	2
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	5	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	6	–	–	–	–	–	–	–	2	1	1	–	1	–
	2. *Joint Disease, etc.*	32	–	–	–	–	1	–	2	2	7	5	3	1	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	63	3	1	3	7	2	–	1	8	8	4	10	6	–
	2. Tabes Mesenterica	87	6	7	10	20	8	4	2	3	8	6	5	1	1
	3. Phthisis	898	4	4	4	7	10	6	3	26	63	112	155	124	87
	4. Hydrocephalus	155	10	15	29	32	14	6	5	26	10	6	–	–	1
III.	ORDER 1.														
	1. Cephalitis	74	1	2	5	10	5	4	4	8	5	3	5	2	3
	2. Apoplexy	260	3	2	4	3	2	–	1	4	1	1	1	2	4
	3. Paralysis	321	–	–	–	–	–	–	–	1	–	2	1	1	5
	4. Insanity	23	–	–	–	–	–	–	–	–	–	–	–	2	3
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	40	1	–	1	1	–	–	–	2	3	5	2	3	1
	7. Convulsions	100	40	8	18	9	5	4	3	3	2	2	1	1	1
	8. *Brain Disease, etc.*	111	2	3	2	2	2	2	–	2	8	6	7	1	2
	ORDER 2.														
	1. Pericarditis	12	–	–	1	–	–	–	–	2	1	2	1	1	–
	2. Aneurism	8	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	645	4	2	1	–	–	–	1	9	5	7	9	11	25
	ORDER 3.														
	1. Laryngitis	10	1	–	1	–	–	2	–	2	–	–	–	–	–
	2. Bronchitis	851	68	46	72	68	16	13	3	16	6	8	7	8	5
	3. Pleurisy	31	–	1	–	–	–	1	–	–	1	2	2	1	2
	4. Pneumonia	229	12	9	17	12	11	5	4	5	3	5	6	7	4
	5. Asthma	61	–	–	–	–	–	–	–	–	–	–	3	1	–
	6. *Lung Disease, etc.*	98	5	7	9	6	1	2	1	4	1	3	1	1	2
	ORDER 4.														
	1. Gastritis	40	2	–	4	5	–	–	–	1	1	–	–	–	1
	2. Enteritis	114	24	22	14	8	2	4	1	2	1	4	1	2	–
	3. Peritonitis	73	3	–	–	2	2	1	1	3	3	5	7	–	4
	4. Ascites	15	1	–	–	–	–	–	–	–	–	–	–	1	–
	5. Ulceration of Intestines	41	1	–	–	–	–	–	–	–	–	–	1	4	2
	6. Hernia	13	3	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	40	4	2	–	1	–	–	–	1	–	–	–	2	1
	8. Intussusception	7	–	1	2	–	–	1	–	1	–	1	–	–	–
	9. Stricture of Intestines	8	1	–	–	–	–	–	–	–	–	–	–	1	–
	10. Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	103	11	5	4	4	2	–	–	–	–	1	1	1	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	32	–	1	1	1	–	–	–	1	1	–	2	–	–
	14. Jaundice	33	8	1	–	–	–	–	–	–	–	–	1	1	1
	15. *Liver Disease, etc.*	97	4	1	1	–	–	–	–	–	1	1	–	3	3
	16. *Spleen Disease, etc.*	7	–	–	–	–	–	–	–	–	–	–	–	4	–
	ORDER 5.														
	1. Nephritis	18	–	–	–	2	–	1	–	1	1	–	1	1	–
	2. Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	52	–	–	–	1	–	–	–	–	2	2	1	2	5
	4. Diabetes	9	–	–	–	–	–	–	–	–	3	1	–	1	–
	5. Calculus (Stone)	3	–	–	–	–	–	–	–	–	–	–	–	–	1
	6. Cystitis	5	–	–	1	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	32	–	–	–	–	–	–	–	–	–	1	6	–	–
	ORDER 6.														
	1. Ovarian Dropsy	27	–	–	–	–	–	–	–	–	1	–	–	1	2
	2. *Uterus Disease, etc.*	22	–	–	–	–	–	–	–	–	–	1	1	1	2
	ORDER 7.														
	1. Synovitis (Arthritis)	5	–	–	–	–	–	–	–	–	–	–	1	–	–
	2. *Joint Disease, etc.*	30	–	–	–	–	–	–	–	6	1	5	1	5	4

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued*).

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	5	2	2	5	1	2	2	–	2	–	–	–	–	–	–
	2. Tabes Mesenterica	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	55	51	34	47	47	25	26	15	1	1	–	–	–	–	–
	4. Hydrocephalus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	4	2	1	2	1	5	2	2	1	–	–	–	–	–	–
	2. Apoplexy	7	6	11	16	14	32	33	49	32	23	10	1	1	–	–
	3. Paralysis	9	12	14	12	16	28	37	41	62	35	16	2	–	–	–
	4. Insanity	2	2	–	1	–	1	2	1	3	1	1	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	2	1	1	4	–	3	2	–	2	–	–	–	–	–
	7. Convulsions	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	1	7	7	5	4	16	16	12	14	4	2	–	–	–	–
	ORDER 2.															
	1. Pericarditis	1	–	–	2	2	1	–	1	1	–	–	–	–	–	–
	2. Aneurism	2	–	1	3	3	1	2	2	2	–	–	–	–	–	–
	3. *Heart Disease, etc.*	16	23	27	43	46	84	88	123	100	42	21	2	1	–	–
	ORDER 3.															
	1. Laryngitis	–	1	1	1	–	–	1	–	1	–	–	–	–	–	–
	2. Bronchitis	7	5	18	25	40	43	47	73	80	57	25	7	2	–	–
	3. Pleurisy	–	2	1	–	5	5	4	3	4	3	1	–	–	–	–
	4. Pneumonia	8	16	22	19	31	29	36	27	16	8	4	1	–	–	1
	5. Asthma	3	4	7	9	9	8	8	10	10	2	1	–	–	–	–
	6. *Lung Disease, etc.*	3	3	5	3	5	9	9	10	16	5	4	1	–	–	–
	ORDER 4.															
	1. Gastritis	1	–	2	4	3	3	4	6	2	2	–	–	–	–	–
	2. Enteritis	–	2	3	4	4	4	4	5	2	2	1	1	–	–	–
	3. Peritonitis	–	3	3	3	2	3	5	4	3	1	–	–	–	–	–
	4. Ascites	1	–	–	–	–	–	1	1	1	–	–	–	–	–	–
	5. Ulceration of Intestines	–	2	2	4	2	–	7	2	1	2	–	–	–	–	–
	6. Hernia	–	–	–	1	3	–	–	5	4	3	2	1	1	–	–
	7. Ileus	1	1	2	5	4	4	3	5	5	1	–	–	1	–	–
	8. Intussusception	–	1	1	–	–	–	4	–	1	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	1	–	–	1	–	1	1	–	–	–	–	–
	10. Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	2	6	3	8	9	7	13	9	4	1	1	1	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	1	1	2	1	5	3	1	4	4	1	1	–	–	–	–
	14. Jaundice	–	–	–	4	–	–	2	4	4	2	1	1	–	–	–
	15. *Liver Disease, etc.*	7	3	9	8	9	14	6	17	4	6	–	–	–	–	–
	16. *Spleen Disease, etc.*	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	1	–	–	1	2	5	3	3	1	–	–	–	–
	2. Ischuria	–	–	–	–	–	1	3	8	2	4	2	–	–	–	–
	3. Bright's Disease (Nephria)	3	4	3	4	8	4	9	5	4	3	2	–	–	–	–
	4. Diabetes	2	3	1	–	1	–	2	–	1	1	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	1	2	1	1	3	2	2	–	–	–	–	–
	6. Cystitis	–	–	1	1	1	1	3	7	10	5	2	–	1	–	–
	7. *Kidney Disease, etc.*	–	5	2	2	4	14	11	17	12	14	7	2	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	1	–	–	1	–	2	1	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	1	–	2	–	–	2	2	–	1	–	1	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	2	–	–	2	–	2	1	2	1	–	–	–	–	–	–
	2. Tabes Mesenterica	1	–	–	1	1	2	1	–	–	–	–	–	–	–	–
	3. Phthisis	75	55	52	28	23	26	20	10	1	2	1	–	–	–	–
	4. Hydrocephalus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	2	2	1	–	4	2	5	–	–	1	–	–	–	–	–
	2. Apoplexy	5	3	6	16	17	28	39	29	36	32	17	3	1	–	–
	3. Paralysis	6	4	8	17	23	30	42	50	65	41	19	6	–	–	–
	4. Insanity	2	3	3	1	1	1	1	2	1	2	1	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	2	1	2	2	5	2	–	3	3	–	1	–	–	–	–
	7. Convulsions	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	2	6	5	7	6	6	10	11	9	8	2	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–
	2. Aneurism	–	1	1	1	–	2	–	2	1	–	–	–	–	–	–
	3. *Heart Disease, etc.*	23	22	31	43	36	75	92	85	84	59	18	2	1	–	–
	ORDER 3.															
	1. Laryngitis	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–
	2. Bronchitis	9	10	14	21	26	44	54	103	111	71	36	12	4	–	–
	3. Pleurisy	1	3	2	1	2	1	3	3	4	1	–	–	–	–	–
	4. Pneumonia	9	7	2	11	12	17	22	19	13	11	3	2	1	–	–
	5. Asthma	2	2	4	4	2	7	4	15	12	4	–	1	–	–	–
	6. *Lung Disease, etc.*	4	1	5	2	8	5	8	6	10	5	1	–	–	–	–
	ORDER 4.															
	1. Gastritis	3	–	–	2	2	1	3	10	3	2	–	–	–	–	–
	2. Enteritis	1	2	4	1	1	3	6	5	5	1	–	–	–	–	–
	3. Peritonitis	4	7	2	3	3	8	5	4	3	2	1	–	–	–	–
	4. Ascites	1	1	–	2	3	2	1	2	1	–	–	–	–	–	–
	5. Ulceration of Intestines	2	–	5	5	5	2	4	4	4	2	–	–	–	–	–
	6. Hernia	–	–	1	–	1	1	4	–	2	1	–	–	–	–	–
	7. Ileus	3	–	2	3	1	5	5	1	5	3	–	1	–	–	–
	8. Intussusception	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	2	–	4	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	3	1	3	6	8	14	14	10	8	6	1	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	3	2	9	2	3	4	2	–	–	–	–	–
	14. Jaundice	–	1	–	1	2	6	2	4	3	1	–	1	–	–	–
	15. *Liver Disease, etc.*	3	11	6	13	8	10	8	14	6	3	1	–	–	–	–
	16. *Spleen Disease, etc.*	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	1	3	–	1	1	1	2	–	2	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	3	1	2	4	10	2	4	4	5	2	2	–	–	–	–
	4. Diabetes	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	6. Cystitis	1	–	–	–	–	–	–	–	2	1	–	–	–	–	–
	7. *Kidney Disease, etc.*	3	2	1	1	3	4	–	5	3	2	1	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	2	3	1	3	4	1	4	3	2	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	2	3	1	2	2	2	3	1	–	1	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	1	–	2	–	–	3	1	–	–	–	1	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	16	–	2	2	–	–	1	–	1	–	3	–	–	–
	2. Ulcer	11	–	1	–	–	–	–	–	–	–	–	1	–	–
	3. *Skin Disease, etc.*	10	1	–	3	2	–	–	–	–	–	1	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	178	175	2	–	1	–	–	–	–	–	–	–	–	–
	2. Cyanosis	10	10	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	6	5	–	1	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	33	27	2	2	1	1	–	–	–	–	–	–	–	–
	5. Teething	63	–	2	32	23	6	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	761	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	297	210	23	16	16	3	1	1	4	1	2	2	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	189	–	–	–	–	1	1	1	7	11	14	14	15	18
	2. Gunshot Wounds	5	–	–	–	–	–	–	–	–	–	–	2	–	1
	3. Cut, Stab	3	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	50	1	1	1	7	7	1	1	2	2	4	3	2	3
	5. Poison	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	6. Drowning	155	–	–	–	9	5	2	2	6	14	24	17	13	9
	7. Suffocation	51	18	8	3	1	–	1	–	1	1	1	1	1	–
	8. Otherwise	49	2	–	–	1	–	–	–	3	1	6	3	1	3
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	2. Cut, Stab	7	–	–	–	–	–	–	–	–	–	–	1	–	–
	3. Poison	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. Drowning	6	–	–	–	–	–	–	–	–	–	–	–	1	1
	5. Hanging	15	–	–	–	–	–	–	–	–	–	–	–	1	2
	6. Otherwise and undefined	6	–	–	–	–	–	–	–	–	–	–	–	–	1
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	7	–	–	1	–	–	–	–	–	1	–	–	–	–
	Causes not specified or ill-defined	270	84	20	19	15	1	4	3	9	3	4	4	4	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	14	1	–	–	–	–	1	–	–	1	–	–	1	–
	2. Ulcer	10	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	8	1	–	–	2	1	2	–	–	1	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	118	118	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	10	9	1	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	8	4	1	–	–	1	1	–	1	–	–	–	–	–
	4. Other Malformations	25	23	–	2	–	–	–	–	–	–	–	–	–	–
	5. Teething	47	–	8	17	22	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	6	–	–	–	–	–	–	–	–	–	2	2	–	–
	2. Childbirth (*see* Puerperal Fever	94	–	–	–	–	–	–	–	–	–	2	15	14	19
	ORDER 3.														
	1. Old Age	1240	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	277	192	24	12	10	4	1	1	4	–	–	–	4	–
V.	ORDER 1. *Accident or Negligence.*)														
	1. Fractures and Contusions	35	1	–	2	2	1	–	1	1	–	2	1	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	44	–	–	2	7	6	2	4	5	1	3	1	–	–
	5. Poison	5	–	–	–	–	–	1	–	–	–	–	–	1	–
	6. Drowning	28	–	–	–	3	2	–	1	3	1	–	1	3	1
	7. Suffocation	25	16	4	–	–	–	–	–	–	–	–	–	1	–
	8. Otherwise	14	6	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	4	2	–	–	1	–	–	–	–	–	–	1	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	3	–	–	–	–	–	–	–	–	–	–	–	1	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	5	–	–	–	–	–	–	–	–	–	1	–	–	1
	5. Hanging	8	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained	10	–	1	–	–	–	–	–	–	–	–	1	–	1
	Causes not specified or ill-defined	275	69	15	17	19	13	2	2	7	8	1	5	4	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	1	–	–	–	2	2	1	1	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	2	1	–	4	2	–	–	–	–
	3. *Skin Disease, etc.*	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	16	32	99	162	208	157	67	17	3	–
	ORDER 4.															
	1. Atrophy and Debility	1	3	2	3	8	1	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	14	13	13	9	14	12	12	5	9	2	3	1	–	–	–
	2. Gunshot Wounds	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	2	5	–	2	–	2	–	2	1	1	–	–	–	–	–
	5. Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	11	10	8	6	5	6	2	2	1	1	–	–	–	–	2
	7. Suffocation	–	1	5	1	2	2	–	2	2	–	–	–	–	–	–
	8. Otherwise	2	3	2	3	5	6	4	2	1	1	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	2	1	–	–	2	–	1	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–
	5. Hanging	1	1	1	3	3	1	–	2	–	–	–	–	–	–	–
	6. Otherwise and undefined	1	1	–	–	1	–	1	1	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	1	–	–	–	–	2	–	–	–	2	–	–	–	–	–
	Causes not specified or ill-defined	7	4	5	5	5	11	15	17	27	–	–	–	–	–	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	2	2	3	1	–	2	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	2	–	–	–	1	2	5	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	26	16	2	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	2	25	63	148	262	317	266	113	30	14	–
	ORDER 4.															
	1. Atrophy and Debility	2	2	2	7	11	1	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	1	–	–	–	2	6	–	2	3	6	2	2	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	1	–	1	1	–	1	1	1	3	2	1	1	–	–	–
	5. Poison	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	6. Drowning	–	1	4	2	3	1	2	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	1	–	1	3	–	1	–	–	1	1	–	–	–	–	–
	ORDER 3. (*Homicide*).															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	5. Hanging	1	–	–	1	3	–	2	1	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Sudden Deaths (cause unascertained	–	–	–	–	1	–	1	2	2	1	–	–	–	–	–
	Causes not specified or ill-defined	3	5	–	6	9	20	24	20	23	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	941	102	17	20	33	15	20	4	29	14	32	36	33	16
	Specified Causes . .	810	53	15	16	27	12	20	4	25	13	32	35	31	14
	(CLASSES.)														
I.	ZYMOTIC DISEASES	98	5	4	5	11	3	11	3	10	5	4	8	2	1
II.	CONSTITUTIONAL ,,	153	1	–	2	5	4	2	–	2	5	12	15	15	8
III.	LOCAL ,,	307	21	7	7	7	5	5	–	7	3	11	8	11	3
IV.	DEVELOPMENTAL ,,	212	26	3	2	3	–	1	–	–	–	–	–	–	1
V.	VIOLENT DEATHS .	40	–	1	–	1	–	1	1	6	–	5	4	3	1
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	93	2	4	5	11	3	11	3	10	5	4	8	2	1
	2. ENTHETIC ,, .	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	2	2	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	45	–	–	–	–	–	1	–	1	–	–	–	1	1
	2. TUBERCULAR ,, .	108	1	–	2	5	4	1	–	1	5	12	15	14	7
III.	1. DISEASES OF NERVOUS SYSTEM . .	70	11	1	1	–	–	–	–	2	2	4	3	4	1
	2. ,, OF ORGANS OF CIRCULATION .	35	–	–	–	–	–	–	–	–	–	–	–	2	–
	3. ,, OF RESPIRATORY ORGANS . .	96	8	5	4	5	5	4	–	2	–	5	1	2	1
	4. ,, OF DIGESTIVE ORGANS . . .	63	1	1	1	2	–	–	–	2	1	1	3	–	1
	5. ,, OF URINARY ORGANS . . .	36	1	–	–	–	–	1	–	–	–	1	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	7	–	–	1	–	–	–	–	1	–	–	1	3	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	16	12	1	1	2	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	175	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	21	14	2	1	1	–	1	–	–	–	–	–	–	1

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . .	1022	65	15	26	34	18	15	9	26	20	31	29	25	38
	Specified Causes .	858	25	8	19	21	14	12	8	21	18	27	27	23	35
	(CLASSES.)														
I.	ZYMOTIC DISEASES	113	3	2	8	9	6	9	5	13	4	3	3	4	2
II.	CONSTITUTIONAL ,,	168	1	–	–	2	2	–	–	1	9	17	18	11	19
III.	LOCAL ,,	268	10	5	6	7	3	3	3	6	5	6	4	5	8
IV.	DEVELOPMENTAL ,,	297	10	1	5	3	2	–	–	–	–	–	2	3	5
V.	VIOLENT DEATHS .	12	1	–	–	–	1	–	–	1	–	1	–	–	1
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	110	2	2	8	9	6	9	5	13	3	3	3	4	2
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	2	–	–	–	–	–	–	–	–	1	–	–	–	–
	4. PARASITIC ,, .	1	1	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	38	–	–	–	–	–	–	–	–	1	–	–	–	2
	2. TUBERCULAR ,, .	130	1	–	–	2	2	–	–	1	8	17	18	11	17
III.	1. DISEASES OF NERVOUS SYSTEM . .	56	4	–	–	1	–	1	1	1	–	1	1	1	–
	2. ,, OF ORGANS OF CIRCULATION .	25	–	–	–	1	–	–	–	–	1	–	–	1	–
	3. ,, OF RESPIRATORY ORGANS . .	117	4	2	6	3	2	1	1	3	1	3	1	–	4
	5. ,, OF DIGESTIVE ORGANS . . .	55	2	2	–	2	1	–	1	–	3	2	2	2	2
	4. ,, OF URINARY ORGANS . . .	7	–	–	–	–	–	–	–	1	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	4	–	–	–	–	–	1	–	–	–	–	–	–	1
	7. ,, OF ORGANS OF LOCOMOTION . .	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	8. ,, OF INTEGUMENTARY SYSTEM . .	3	–	1	–	–	–	–	–	1	–	–	.	1	–
IV.	1. DEV. DIS. OF CHILDREN	13	4	1	4	3	1	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	22	–	–	–	–	–	–	–	–	–	–	2	3	5
	3. ,, OF OLD PEOPLE	253	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	9	6	–	1	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	26	19	26	34	27	45	61	68	87	78	63	27	7	–	2
	Specified Causes . .	23	18	26	31	24	36	53	53	73	78	63	26	7	–	2
	(CLASSES.)															
I.	ZYMOTIC DISEASES	–	1	2	1	2	2	3	4	6	3	2	–	–	–	–
II.	CONSTITUTIONAL ,,	9	3	11	14	4	14	10	7	2	5	2	1	–	–	–
III.	LOCAL ,,	12	9	12	14	15	15	35	29	34	20	12	4	1	–	–
IV.	DEVELOPMENTAL ,,	–	–	–	–	1	3	5	12	31	49	47	21	6	–	1
V.	VIOLENT DEATHS .	2	5	1	2	2	2	–	1	–	1	–	–	–	–	1
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	–	1	2	1	2	2	3	4	6	2	1	–	–	–	–
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	3. DIETIC ,, .	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	–	–	5	5	2	10	4	7	2	4	1	1	–	–	–
	2. TUBERCULAR ,, .	9	3	6	9	2	4	6	–	–	1	1	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	4	2	2	–	2	1	6	6	6	4	6	2	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	2	1	3	3	3	2	6	3	5	4	–	1	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	1	2	3	1	4	4	13	9	8	6	3	–	–	–	–
	4. ,, OF DIGESTIVE ORGANS . . .	2	1	4	8	5	5	6	6	7	4	1	–	1	–	–
	5. ,, OF URINARY ORGANS . . .	3	2	–	2	1	3	4	5	8	2	2	1	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	3	5	12	31	49	47	21	6	–	1
	4. DISEASES OF NUTRITION	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	38	31	31	30	20	42	70	85	103	112	72	23	12	1	1
	Specified Causes . .	37	27	26	22	16	36	57	69	90	112	72	23	12	1	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	5	5	2	3	–	5	2	5	9	3	3	–	–	–	–
II.	CONSTITUTIONAL ,,	15	11	10	9	7	6	11	7	4	6	1	1	–	–	–
III.	LOCAL ,,	9	6	13	9	9	22	34	36	29	20	8	2	–	–	–
IV.	DEVELOPMENTAL ,,	8	5	–	–	–	2	9	21	47	81	60	20	12	1	–
V.	VIOLENT DEATHS .	–	–	1	1	–	1	1	–	1	2	–	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	5	5	2	3	–	5	2	5	9	2	3	–	–	–	–
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	2	1	3	3	3	1	6	5	3	6	1	1	–	–	–
	2. TUBERCULAR ,, .	13	10	7	6	4	5	5	2	1	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	–	–	4	–	2	4	6	7	9	8	4	1	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	–	2	1	2	–	4	3	4	4	1	–	1	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	3	1	4	4	5	9	14	20	13	10	3	–	–	–	–
	4. ,, OF DIGESTIVE ORGANS . . .	5	3	4	3	2	4	9	4	1	–	1	–	–	–	–
	5. ,, OF URINARY ORGANS . . .	1	–	–	–	–	–	2	1	2	–	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–		–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	8	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	2	9	21	47	81	60	20	12	1	–
	4. DISEASES OF NUTRITION	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	38	–	1	–	1	–	1	1	6	–	5	4	3	1
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	130	49	2	4	6	3	–	–	4	1	–	1	2	2
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	2	–	1	–	–	–	–	–	–	–	–	1	–	–
	3. Scarlatina	4	–	–	–	2	–	1	–	–	–	1	–	–	–
	4. Diphtheria	10	–	1	–	–	–	–	2	3	2	1	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	29	2	–	3	7	2	8	1	5	1	–	–	–	–
	7. Hooping-cough	4	–	–	2	1	–	1	–	–	–	–	–	–	–
	8. Typhus Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	11	–	–	–	–	–	–	–	1	–	1	1	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	3	1	1
	8. Simple Continued Fever	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	4	–	–	–	–	–	1	–	1	–	1	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	14. Diarrhœa	5	–	2	–	1	1	–	–	–	–	–	–	–	–
	15. Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	14	–	–	–	–	–	–	–	–	2	–	3	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	10	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cancer	30	–	–	–	–	–	1	–	1	–	–	–	1	1
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	4	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	12	1	–	–	–	1	–	–	1	–	1	–	–	1
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	164	40	7	7	13	4	3	1	5	2	4	2	2	3
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	3. Scarlatina	6	–	–	1	–	–	–	1	1	1	–	1	–	–
	4. Diphtheria	9	–	–	–	3	–	1	1	4	–	–	–	–	–
	5. Quinsy	3	–	–	–	–	–	–	–	1	–	–	–	–	1
	6. Croup	27	1	1	4	5	4	6	3	3	–	–	–	–	–
	7. Hooping-cough	4	–	–	–	1	1	2	–	–	–	–	–	–	–
	8. Typhus Fever	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	10	–	–	–	–	–	–	–	1	–	3	1	1	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	2	–	–	–	–	–	–	–	1	–	–	–	–	–
	10. Puerperal Fever (Metria)	4	–	–	–	–	–	–	–	–	–	–	–	2	1
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	3	–	–	1	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	14. Diarrhœa	12	1	1	2	–	–	–	–	–	–	–	–	–	–
	15. Cholera	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	2	–	–	–	–	1	–	–	1	–	–	–	–	–
	18. Rheumatism	21	–	–	–	–	–	–	–	–	2	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	2	–	–	–	–	–	–	–	–	1	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	13	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cancer	23	–	–	–	–	–	–	–	–	1	–	–	–	2
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	2	3	1	2	2	2	–	1	–	1	–	–	–	–	1
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	CAUSES NOT SPECIFIED	3	1	–	3	3	9	8	15	14	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	–	–	1	–	–	1	1	–	–	1	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	12. Influenza	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	13. Dysentery	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	14. Diarrhœa	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	–	–	1	1	1	–	–	2	3	–	1	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	–	–	1	–	1	4	–	1	1	1	–	1	–	–	–
	3. Cancer	–	–	4	4	1	6	4	4	–	2	1	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Coutinued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	–	–	1	1	–	1	1	–	1	2	–	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	1	4	5	8	4	6	13	16	13	–	–	–	–	–	1
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	10. Puerperal Fever (Metria)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	13. Dysentery	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	14. Diarrhœa	–	1	–	1	–	1	–	1	4	–	–	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	1	2	2	1	–	4	–	3	3	–	3	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	–	1	1	–	1	–	2	3	1	3	–	1	–	–	–
	3. Cancer	2	–	2	3	2	1	4	2	1	2	1	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	8	1	–	–	–	–	1	–	–	–	–	2	–	–
	2. Tabes Mesenterica	2	–	–	–	–	2	–	–	–	–	–	–	–	–
	3. Phthisis	89	–	–	–	2	2	–	–	1	3	11	12	14	7
	4. Hydrocephalus	9	–	–	2	3	–	–	–	–	2	1	1	–	–
III.	ORDER 1.														
	1. Cephalitis	12	–	1	1	–	–	–	–	1	–	3	2	1	1
	2. Apoplexy	13	–	–	–	–	–	–	–	1	–	–	1	–	–
	3. Paralysis	25	–	–	–	–	–	–	–	–	1	–	–	1	–
	4. Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	4	–	–	–	–	–	–	–	–	1	–	–	–	–
	7. Convulsions	9	9	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	7	2	–	–	–	–	–	–	–	–	1	–	2	–
	ORDER 2.														
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	34	–	–	–	–	–	–	–	–	–	–	–	2	–
	ORDER 3.														
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	46	1	3	3	4	3	4	–	1	–	–	1	1	–
	3. Pleurisy	15	6	2	–	–	1	–	–	–	–	3	–	1	–
	4. Pneumonia	18	–	–	1	1	–	–	–	1	–	–	–	–	1
	5. Asthma	10	–	–	–	–	–	–	–	–	–	1	–	–	–
	6. *Lung Disease, etc.*	7	1	–	–	–	1	–	–	–	–	1	–	–	–
	ORDER 4.														
	1. Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	8	1	1	1	–	–	–	–	1	–	–	–	–	–
	3. Peritonitis	6	–	–	–	–	–	–	–	1	1	–	1	–	–
	4. Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	5	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	13	–	–	–	1	–	–	–	–	–	1	–	–	1
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	5	–	–	–	1	–	–	–	–	–	–	1	–	–
	14. Jaundice	5	–	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	13	–	–	–	–	–	–	–	–	–	–	1	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	2. Ischuria	3	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	7	–	–	–	–	–	–	–	–	–	1	–	–	–
	4. Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	8	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	11	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	2. *Joint Disease, etc.*	6	–	–	1	–	–	–	–	1	–	–	1	2	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	3	–	–	–	–	–	–	–	–	1	–	1	–	1
	2. Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	3. Phthisis	122	–	–	–	1	1	–	–	1	7	16	17	11	15
	4. Hydrocephalus	4	1	–	–	1	1	–	–	–	–	–	–	–	1
III.	ORDER 1.														
	1. Cephalitis	2	–	–	–	–	–	–	1	1	–	–	–	–	–
	2. Apoplexy	8	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Paralysis	33	–	–	–	–	–	–	–	–	–	–	1	1	–
	4. Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Convulsions	5	3	–	–	1	–	1	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	5	1	–	–	–	–	–	–	–	–	1	–	–	–
	ORDER 2.														
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	25	–	–	–	1	–	–	–	–	1	–	–	1	–
	ORDER 3.														
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	66	2	–	5	3	–	1	1	–	1	1	–	–	3
	3. Pleurisy	3	2	–	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	20	–	2	–	–	2	–	–	2	–	2	1	–	1
	5. Asthma	14	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	14	–	–	1	–	–	–	–	1	–	–	–	–	–
	ORDER 4.														
	1. Gastritis	2	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Enteritis	6	–	–	–	–	1	–	–	–	–	–	–	–	–
	3. Peritonitis	5	–	–	–	–	–	–	–	–	1	–	–	–	1
	4. Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	2	1
	6. Hernia	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	7. Ileus	8	1	2	–	1	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	10	–	–	–	–	–	–	–	–	–	1	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	3	–	–	–	–	–	–	–	–	1	–	–	–	–
	14. Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	11	1	–	–	–	–	–	1	–	1	–	1	–	–
	16. *Spleen Disease, etc.*	2	–	–	–	–	–	–	–	–	–	1	–	–	–
	ORDER 5.														
	1. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	7. *Kidney Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 6.														
	1. Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	3	–	–	–	–	–	1	–	–	–	–	–	–	1
	ORDER 7.														
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	9	3	5	8	2	2	6	–	–	1	1	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	–	–	1	–	1	–	2	3	2	–	2	–	–	–	–
	3. Paralysis	1	1	1	–	1	1	3	3	4	3	3	2	–	–	–
	4. Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	7. Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	2	1	3	3	3	2	5	3	5	4	–	1	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	–	1	2	1	1	–	5	4	6	2	3	–	–	–	–
	3. Pleurisy	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	4. Pneumonia	1	–	1	–	2	1	5	3	1	–	–	–	–	–	–
	5. Asthma	–	1	–	–	–	2	3	1	1	1	–	–	–	–	–
	6. *Lung Disease, etc.*	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	2. Enteritis	–	–	1	–	–	–	–	–	1	2	–	–	–	–	–
	3. Peritonitis	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–
	4. Ascites	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	7. Ileus	–	–	–	–	2	–	1	–	1	1	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	–	1	2	–	–	2	2	2	–	1	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
	14. Jaundice	–	–	–	1	–	2	–	–	2	–	–	–	–	–	–
	15. *Liver Disease, etc.*	1	1	2	2	–	2	2	2	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	2	1	–	–	1	–	1	–	–	–	1	–	–	–	–
	4. Diabetes	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	1	2	1	1	2	1	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	1	–	–	1	–	2	1	1	4	–	–	1	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	13	10	7	6	4	5	5	2	1	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	–	–	–	–	–	1	3	2	2	–	–	–	–	–	–
	3. Paralysis	–	–	4	–	1	2	3	3	6	7	4	1	–	–	–
	4. Insanity	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	–	2	1	2	–	4	3	4	4	1	–	1	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	–	–	2	3	3	6	9	13	6	6	1	–	–	–	–
	3. Pleurisy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	2	–	–	–	–	1	3	2	1	1	–	–	–	–	–
	5. Asthma	–	–	–	1	1	1	–	4	5	1	1	–	–	–	–
	6. *Lung Disease, etc.*	1	1	1	–	1	1	2	1	1	2	1	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	2. Enteritis	1	–	–	–	1	–	1	2	–	–	–	–	–	–	–
	3. Peritonitis	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
	4. Ascites	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	7. Ileus	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	1	–	2	–	–	1	5	–	–	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	14. Jaundice	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	15. *Liver Disease, etc.*	2	2	–	–	1	–	2	–	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	1	–	–	–	–	–	1	1	1	–	–	–	–	–	–
	4. Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	7	7	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	3	3	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	4	–	1	1	2	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	175	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	21	14	2	1	1	–	1	–	–	–	–	–	–	1
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	4	–	–	–	–	–	–	–	–	–	–	–	1	–
	2. Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	4	–	–	–	1	–	–	1	2	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	24	–	–	–	–	–	–	–	3	–	5	3	2	1
	7. Suffocation	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	4	–	–	–	–	–	1	–	1	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	130	49	2	4	6	3	–	–	4	1	–	1	2	2

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	3. *Skin Disease, etc.*	2	–	1	–	–	–	–	–	1	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	4	4	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	8	–	–	4	3	1	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	22	–	–	–	–	–	–	–	–	–	–	2	3	5
	ORDER 3.														
	1. Old Age	253	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	9	6	–	1	–	1	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	6	1	–	–	–	–	–	–	–	–	–	–	–	1
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	4	–	–	–	–	1	–	–	1	–	1	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–		–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	164	40	7	7	13	4	3	1	5	2	4	2	2	3

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	3	5	12	31	49	47	21	6	–	1
	ORDER 4.															
	1. Atrophy and Debility	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	2	3	–	1	2	1	–	–	–	–	–	–	–	–	1
	7. Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Causes not specified or ill-defined	3	1	–	3	3	9	8	15	14	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	8	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	2	9	21	47	81	60	20	12	1	–
	ORDER 4.															
	1. Atrophy and Debility	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	–	–	1	–	–	1	–	–	–	2	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	8. Otherwise	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	1	4	5	8	4	6	13	16	13	–	–	–	–	–	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1878.—MALES.

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	7185	766	316	742	927	424	213	145	361	180	238	239	225	236
	Specified Causes . .	7121	752	315	735	927	422	212	144	358	177	237	237	223	233
	(CLASSES.)														
I.	ZYMOTIC DISEASES	1355	99	91	230	328	158	80	60	114	24	21	17	17	19
II.	CONSTITUTIONAL ,,	1522	19	46	112	160	92	50	42	116	92	121	137	104	97
III.	LOCAL ,,	3251	256	149	310	363	157	71	36	109	47	74	63	72	89
IV.	DEVELOPMENTAL ,,	682	366	22	77	72	12	6	–	5	1	1	1	–	–
V.	VIOLENT DEATHS .	311	12	7	6	4	3	5	6	14	13	20	19	30	28
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	1273	78	86	225	325	156	80	60	112	24	21	16	14	13
	2. ENTHETIC ,, .	40	17	5	4	2	1	–	–	1	–	–	1	1	1
	3. DIETIC ,, .	38	2	–	1	1	–	–	–	–	–	–	–	2	5
	4. PARASITIC ,, .	4	2	–	–	–	1	–	–	1	–	–	–	–	–
II.	1. DIATHETIC ,, .	111	3	1	5	1	1	1	–	8	–	1	3	2	1
	2. TUBERCULAR ,, .	1411	16	45	107	159	91	49	42	108	92	120	134	102	96
III.	1. DISEASES OF NERVOUS SYSTEM . .	664	65	24	57	74	23	18	12	33	16	16	7	16	13
	2. ,, OF ORGANS OF CIRCULATION .	336	1	–	1	–	1	–	–	3	4	5	8	12	10
	3. ,, OF RESPIRATORY ORGANS . .	1698	121	94	223	271	117	46	17	46	13	26	33	27	40
	4. ,, OF DIGESTIVE ORGANS . . .	366	66	26	26	15	9	4	5	12	8	15	11	9	9
	5. ,, OF URINARY ORGANS . . .	142	–	–	–	2	5	2	1	10	2	7	3	5	15
	6. ,, OF ORGANS OF GENERATION .	4	–	–	–	–	–	–	–	–	–	–	–	1	–
	7. ,, OF ORGANS OF LOCOMOTION . .	23	2	–	–	–	–	1	1	5	4	3	1	2	1
	8. ,, OF INTEGUMENTARY SYSTEM . .	18	1	5	3	1	2	–	–	–	–	2	–	–	1
IV.	1. DEV. DIS. OF CHILDREN	322	206	11	50	48	7	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	112	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION .	248	160	11	27	24	5	6	–	5	1	1	1	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1878.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	6972	609	265	587	927	396	242	138	356	183	252	249	260	231
	Specified Causes . .	6912	600	262	584	926	393	242	137	352	182	252	248	258	228
	(CLASSES.)														
I.	ZYMOTIC DISEASES	1452	87	80	226	359	160	103	57	120	21	38	36	27	21
II.	CONSTITUTIONAL ,,	1620	18	39	79	136	88	60	35	129	100	153	130	146	114
III.	LOCAL ,,	2988	196	113	223	354	128	74	40	90	55	56	69	66	79
IV.	DEVELOPMENTAL ,,	752	289	26	56	74	13	1	1	4	1	2	13	18	11
V.	VIOLENT DEATHS .	100	10	4	–	3	4	4	4	9	5	3	–	1	3
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	1398	71	73	220	357	160	103	57	120	21	37	35	26	18
	2. ENTHETIC ,, .	23	9	6	5	2	–	–	–	–	–	–	–	1	–
	3. DIETIC ,, .	30	6	1	1	–	–	–	–	–	–	1	1	–	3
	4. PARASITIC ,, .	1	1	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	199	–	–	1	2	–	1	3	6	5	–	4	4	16
	2. TUBERCULAR ,, .	1421	18	39	78	134	88	59	32	123	95	153	126	142	98
III.	1. DISEASES OF NERVOUS SYSTEM . .	557	60	23	37	50	17	18	7	24	13	10	9	12	9
	2. ,, OF ORGANS OF CIRCULATION .	359	–	1	–	–	1	1	–	6	11	8	22	13	15
	3. ,, OF RESPIRATORY ORGANS . .	1572	90	73	166	276	102	50	24	34	17	19	16	20	33
	4. ,, OF DIGESTIVE ORGANS . .	357	45	15	18	26	8	4	8	14	7	9	13	11	12
	5. ,, OF URINARY ORGANS . .	77	–	1	1	1	–	1	1	1	3	4	5	5	6
	6. ,, OF ORGANS OF GENERATION .	30	–	–	–	–	–	–	–	–	–	1	1	4	4
	7. ,, OF ORGANS OF LOCOMOTION . .	28	1	–	1	1	–	–	–	11	4	5	1	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	8	–	–	–	–	–	–	–	–	–	–	2	1	–
IV.	1. DEV. DIS. OF CHILDREN	263	158	9	37	55	4	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	62	–	–	–	–	–	–	–	–	–	2	13	18	11
	3. ,, OF OLD PEOPLE	211	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	216	131	17	19	19	9	1	1	4	1	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1878.—MALES. (*Continued*).

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	241	269	288	257	282	266	219	170	118	38	18	4	2	–	1
	Specified Causes . .	238	266	284	255	279	261	217	168	118	38	18	4	2	–	1
	(CLASSES.)															
I.	ZYMOTIC DISEASES	14	22	15	9	11	11	6	2	2	3	1	–	–	–	1
II.	CONSTITUTIONAL ,,	77	70	57	33	39	25	16	10	6	–	1	–	–	–	–
III.	LOCAL ,,	116	149	183	194	204	207	172	130	74	19	6	1	–	–	–
IV.	DEVELOPMENTAL ,,	–	–	–	2	5	10	20	20	33	15	9	3	2	–	–
V.	VIOLENT DEATHS .	31	25	29	17	20	8	3	6	3	1	1	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	11	15	8	5	6	6	4	2	2	3	1	–	–	–	–
	2. ENTHETIC ,, .	–	2	4	–	1	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	3	5	3	4	4	5	2	–	–	–	–	–	–	–	1
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	5	11	14	6	14	12	7	9	5	–	1	–	–	–	–
	2. TUBERCULAR ,, .	72	59	43	27	25	13	9	1	1	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	16	27	25	34	42	38	43	36	23	3	2	1	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	32	26	47	34	41	45	28	26	9	3	–	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	47	69	77	90	96	82	69	49	32	10	3	–	–	–	–
	4. ,, OF DIGESTIVE ORGANS . .	13	18	21	22	16	29	15	12	1	3	1	–	–	–	–
	5. ,, OF URINARY ORGANS . . .	7	9	13	13	8	12	15	6	7	–	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
V.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	10	20	20	33	15	9	3	2	–	–
	4. DISEASES OF NUTRITION	–	–	–	2	5	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	224	210	229	271	299	284	239	195	175	100	34	13	3	1	–
	Specified Causes . .	220	207	223	263	297	283	237	193	175	100	33	13	3	1	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	20	15	13	9	10	14	12	11	7	4	–	2	–	–	–
II.	CONSTITUTIONAL ,,	93	67	57	55	34	37	22	15	8	3	–	1	1	–	–
III.	LOCAL ,,	88	113	144	189	241	213	178	127	95	44	10	2	1	–	–
IV.	DEVELOPMENTAL ,,	10	7	2	4	9	13	22	37	60	47	22	8	1	1	–
V.	VIOLENT DEATHS .	9	5	7	6	3	6	3	3	5	2	1	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	18	12	11	6	7	12	11	10	7	4	–	2	–	–	–
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,,	2	3	2	3	3	2	1	1	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	8	12	23	23	18	28	19	13	8	3	–	1	1	–	–
	2. TUBERCULAR ,, .	85	55	34	32	16	9	3	2	–	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	10	16	19	26	44	38	35	33	32	10	5	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	29	23	31	38	43	44	39	19	10	5	–	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	31	42	64	90	119	94	79	57	46	23	4	2	1	–	–
	4. ,, OF DIGESTIVE ORGANS . .	7	18	17	22	28	32	21	10	6	5	1	–	–	–	–
	5. ,, OF URINARY ORGANS . .	6	9	8	12	3	2	2	5	–	1	–	–		–	–
	6. ,, OF ORGANS OF GENERATION .	3	4	5	1	1	2	2	2	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	–	2	1	–	1	1	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	10	7	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE		–	–	–	–	13	22	37	60	47	22	8	1	1	–
	4. DISEASES OF NUTRITION	–	–	1	4	9	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	300	12	7	6	4	3	5	6	14	12	19	19	29	28
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	11	–	–	–	–	–	–	–	–	1	1	–	1	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	21	3	–	3	–	–	–	–	–	–	–	1	–	2
	CAUSES NOT SPECIFIED	43	11	1	4	–	2	1	1	3	3	1	1	2	1
I.	ORDER 1.														
	1. Small-pox	2	–	–	1	–	–	–	–	–	–	–	–	–	1
	2. Measles	154	1	2	26	64	32	11	10	8	–	–	–	–	–
	3. Scarlatina	96	–	1	5	14	13	16	12	26	6	1	–	1	–
	4. Diphtheria	50	1	1	2	13	15	4	4	8	–	–	1	–	–
	5. Quinsy	3	–	–	1	–	–	–	1	–	–	–	–	–	–
	6. Croup	69	3	3	10	22	9	4	4	12	2	–	–	–	–
	7. Hooping-cough	468	17	26	112	158	71	32	21	31	–	–	–	–	–
	8. Typhus Fever	16	–	–	–	–	–	–	–	–	–	6	1	1	3
	8. Enteric or Typhoid Fever	93	–	–	1	5	5	6	3	14	11	10	14	8	4
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	8	–	–	–	–	1	–	–	3	1	–	–	–	1
	9. Erysipelas	20	6	–	2	–	–	–	–	1	–	1	–	1	2
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	4	–	–	1	–	–	–	1	–	1	–	–	–	–
	13. Dysentery	8	–	2	2	1	–	–	–	1	–	–	–	–	–
	14. Diarrhœa	245	49	49	55	47	9	3	4	3	3	1	–	3	–
	15. Cholera	12	1	1	6	1	–	–	–	1	–	–	–	–	–
	16. Ague	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	8	–	–	1	–	1	4	–	2	–	–	–	–	–
	18. Rheumatism	13	–	–	–	–	–	–	–	1	–	2	–	–	2
	19. Other *Miasmatic* Diseases	2	–	1	–	–	–	–	–	1	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	35	17	5	4	2	1	–	–	1	–	–	1	1	1
	2. Stricture of Urethra	5	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	4	–	–	1	1	–	–	–	–	–	–	–	2	–
	4. Alcoholism *a* Del. Tremens	7	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	24	–	–	–	–	–	–	–	–	–	–	–	–	5
	ORDER 4.														
	1. Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	2	–	–	–	–	1	–	–	1	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	25	2	–	2	1	1	–	–	7	–	–	1	–	–
	3. Cancer	76	–	–	3	–	–	1	–	–	–	1	2	2	1
	4. Cancrum Oris (Noma)	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	5 Mortification	9	1	1	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	97	10	4	–	3	4	4	4	9	5	3	–	1	3
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	11	–	1	–	–	–	–	–	–	–	–	–	–	1
	CAUSES NOT SPECIFIED	49	9	2	3	1	3	–	1	4	1	–	1	2	2
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	127	2	4	17	51	26	13	4	9	–	–	1	–	–
	3. Scarlatina	94	–	–	5	13	6	16	11	34	4	1	1	2	1
	4. Diphtheria	75	1	1	6	14	17	13	8	12	–	2	–	1	–
	5. Quinsy	2	–	–	–	1	–	–	–	–	–	–	–	–	–
	6. Croup	60	–	1	3	22	12	8	8	5	1	–	–	–	–
	7. Hooping-cough	572	20	39	125	205	88	41	22	32	–	–	–	–	–
	8. Typhus Fever	23	–	–	–	–	–	–	–	2	1	5	2	2	2
	8. Enteric or Typhoid Fever	115	–	2	2	2	2	8	2	16	12	27	16	9	4
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever.	9	–	–	–	–	–	–	–	2	2	1	2	1	1
	9. Erysipelas	22	5	–	6	–	–	–	–	1	–	–	–	1	1
	10. Puerperal Fever (Metria)	22	–	–	–	–	–	–	–	–	–	1	9	5	2
	11. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	7	–	–	–	1	–	–	–	–	–	–	–	1	–
	13. Dysentery	7	1	2	–	1	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	219	39	22	53	45	8	4	2	1	–	–	1	1	4
	15. Cholera	9	2	2	3	1	–	–	–	–	–	–	–	–	–
	16. Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	2	–	–	–	–	–	–	–	2	–	–	–	–	–
	18. Rheumatism	28	–	–	–	–	–	–	–	4	1	–	3	3	3
	19. Other *Miasmatic* Diseases	3	1	–	–	1	1	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	23	9	6	5	2	–	–	–	–	–	–	–	1	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	8	6	1	1	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	3	–	–	–	–	–	–	–	–	–	1	1	–	1
	4. Alcoholism *a* Del. Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	18	–	–	–	–	–	–	–	–	–	–	–	–	2
	ORDER 4.														
	1. Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Dropsy	45	–	–	–	2	–	–	2	6	3	–	1	–	4
	3. Cancer	143	–	–	1	–	–	–	–	–	1	–	3	4	12
	4. Cancrum Oris (Noma)	2	–	–	–	–	–	1	–	–	1	–	–	–	–
	5. Mortification	8	–	–	–	–	–	–	1	–	–	–	–	–	–

* See page 52 note *.

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	30	23	28	16	20	7	2	5	3	1	1	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	1	2	1	1	–	1	1	1	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	1	2	–	1	1	4	2	1	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	2	1	4	1	2	1	–	1	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	–	3	2	–	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	6	2	1	1	–	1	1	–	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	1	2	–	1	2	1	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	14. Diarrhœa	1	3	–	2	4	4	2	1	–	1	1	–	–	–	–
	15. Cholera	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	16. Ague	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	1	2	1	–	–	–	1	–	1	2	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	2	2	–	1	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	1	3	2	–	1	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	2	2	1	4	3	4	2	–	–	–	–	–	–	–	1
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	2	3	1	2	1	–	1	1	–	–	–	–	–	–	–
	3. Cancer	3	7	12	3	13	11	5	8	3	–	1	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	1	1	1	–	1	1	–	2	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	7	5	7	6	3	5	3	3	5	2	1	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–		–	–	–	–
	4. SUICIDE	2	–	–	–	–	1	–	–	–		–		–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–		–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	1	1	–	3	1	–	2	–	–	–	1	–	–	–	–
	CAUSES NOT SPECIFIED	3	2	6	5	1	1	–	2	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	3	4	2	–	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	4	2	1	2	1	2	–	1	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	1	1	2	–	–	–	1	–	2	–	–	1	–	–	–
	10. Puerperal Fever (Metria)	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	3	1	1	–	–	–	–	–	–	–
	13. Dysentery	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	14. Diarrhœa	2	3	5	1	3	6	7	4	4	3	–	1	–	–	–
	15. Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	2	–	1	2	2	1	1	4	1	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	2	3	2	2	3	2	1	1	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Dropsy	–	1	1	4	4	6	4	1	4	1	–	1	–	–	–
	3. Cancer	7	11	22	19	13	21	14	12	2	1	–	–	–	–	–
	4 Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	1	–	–	–	1	–	1	–	2	1	–	–	1	–	–

* See page 52, note *.

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	87	2	3	5	12	6	7	3	19	8	9	2	5	1
	2. Tabes Mesenterica	191	5	9	24	43	29	17	8	28	17	2	2	3	1
	3. Phthisis	882	6	8	24	32	19	15	16	43	58	108	129	92	93
	4. Hydrocephalus	251	3	25	54	72	37	10	15	18	9	1	1	2	1
III.	ORDER 1.														
	1. Cephalitis	109	4	5	12	23	10	8	6	17	7	4	–	4	3
	2. Apoplexy	157	1	1	11	11	4	4	3	3	2	3	–	2	2
	3. Paralysis	119	–	–	2	–	–	–	–	1	–	–	2	1	2
	4. Insanity	4	–	–	–	–	–	–	–	–	–	–	–	1	1
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	13	–	–	–	–	–	–	–	–	–	1	2	1	1
	7. Convulsions	143	53	15	27	32	6	4	1	4	–	–	–	–	–
	8. *Brain Disease, etc.*	119	7	3	5	8	3	2	2	8	7	8	3	7	4
	ORDER 2.														
	1. Pericarditis	5	–	–	–	–	–	–	–	1	–	–	1	–	–
	2. Aneurism	19	–	–	–	–	–	–	–	–	–	1	–	1	1
	3. *Heart Disease, etc.*	312	1	–	1	–	1	–	–	2	4	4	7	11	9
	ORDER 3.														
	1. Laryngitis	19	–	1	2	9	1	1	–	–	–	1	1	–	1
	2. Bronchitis	1095	72	59	141	181	75	32	10	23	6	9	8	9	15
	3. Pleurisy	20	1	–	2	–	1	–	–	1	–	3	1	2	–
	4. Pneumonia	391	21	27	56	64	27	9	6	18	5	10	17	10	15
	5. Asthma	17	–	–	–	–	–	–	–	–	–	–	1	2	–
	6. *Lung Disease, etc.*	156	27	7	22	17	13	4	1	4	2	3	5	4	9
	ORDER 4.														
	1. Gastritis	16	2	1	4	–	–	1	–	–	–	–	–	1	–
	2. Enteritis	102	33	11	15	6	6	2	2	3	3	5	1	1	1
	3. Peritonitis	25	1	–	1	–	1	–	–	2	2	2	5	1	2
	4. Ascites	5	–	–	–	–	–	–	1	1	–	–	–	–	–
	5. Ulceration of Intestines	8	–	–	–	–	–	–	–	–	–	–	–	1	–
	6. Hernia	6	–	1	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	28	6	1	2	1	–	–	–	1	2	2	2	1	1
	8. Intussusception	6	–	1	–	1	–	–	–	–	1	–	–	1	–
	9. Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	60	14	10	4	5	–	–	2	4	–	–	1	1	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	12	1	–	–	–	–	–	–	–	–	1	1	–	–
	14. Jaundice	13	7	–	–	–	–	1	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	79	2	1	–	2	2	–	–	1	–	5	1	2	5
	16. *Spleen Disease, etc.*	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	12	–	–	–	–	2	1	1	3	–	–	–	–	1
	2. Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	50	–	–	–	–	–	–	–	4	1	3	1	1	5
	4. Diabetes	12	–	–	–	–	1	–	–	–	1	1	–	2	3
	5. Calculus (Stone)	5	–	–	–	1	1	–	–	–	–	–	–	–	1
	6. Cystitis	6	–	–	–	–	–	–	–	–	–	–	–	1	1
	7. *Kidney Disease, etc.*	54	–	–	–	1	1	1	–	3	–	3	2	1	4
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	4	–	–	–	–	–	–	–	–	–	–	–	1	–
	ORDER 7.														
	1. Synovitis (Arthritis)	3	–	–	–	–	–	–	–	1	1	–	–	1	–
	2. *Joint Disease, etc.*	20	2	–	–	–	–	1	1	4	3	3	1	1	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	73	4	3	5	9	7	7	3	17	9	4	3	1	–
	2. Tabes Mesenterica	162	6	8	14	41	23	18	9	24	8	5	1	2	3
	3. Phthisis	983	4	9	15	34	33	12	15	53	75	144	122	139	95
	4. Hydrocephalus	203	4	19	44	50	25	22	5	29	3	–	–	–	–
III.	ORDER 1.														
	1. Cephalitis	85	2	5	16	14	6	10	3	11	5	2	–	2	–
	2. Apoplexy	137	2	3	5	3	4	4	1	4	1	3	1	5	2
	3. Paralysis	114	1	–	–	–	–	–	–	–	2	2	1	4	3
	4. Insanity	2	–	–	–	–	–	–	–	1	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	8	1	–	–	–	–	–	–	–	2	–	2	–	–
	7. Convulsions	133	53	13	14	32	5	3	3	3	–	–	1	–	1
	8. *Brain Disease, etc.*	78	1	2	2	1	2	1	–	5	3	3	4	1	3
	ORDER 2.														
	1. Pericarditis	9	–	–	–	–	–	–	–	1	–	–	–	1	1
	2. Aneurism	5	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	345	–	1	–	–	1	1	–	5	11	8	22	12	14
	ORDER 3.														
	1. Laryngitis	12	4	–	1	5	–	–	–	1	–	–	–	–	1
	2. Bronchitis	1098	55	51	117	175	71	31	13	16	9	6	8	13	17
	3. Pleurisy	13	–	–	–	1	–	–	–	1	1	2	2	1	–
	4. Pneumonia	309	13	16	38	71	21	17	11	11	4	8	5	4	12
	5. Asthma	19	–	–	–	1	–	–	–	1	–	–	1	–	1
	6. *Lung Disease, etc.*	121	18	6	10	23	10	2	–	4	3	3	–	2	2
	ORDER 4.														
	1. Gastritis	26	3	2	2	2	1	–	1	2	–	–	2	1	2
	2. Enteritis	82	19	6	12	12	3	2	2	3	1	2	1	1	–
	3. Peritonitis	43	3	–	1	2	–	–	1	4	1	4	3	3	5
	4. Ascites	13	–	–	–	1	1	–	–	1	1	–	–	1	–
	5. Ulceration of Intestines	12	1	–	–	–	–	–	–	–	–	–	2	1	1
	6. Hernia	5	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	23	3	2	1	1	–	–	1	2	2	–	–	1	1
	8. Intussusception	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	47	6	5	1	5	–	2	1	1	–	–	2	1	1
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	11	2	–	–	–	–	–	–	–	–	2	–	–	–
	14. Jaundice	17	3	–	–	–	2	–	–	1	–	–	1	–	–
	15. *Liver Disease, etc.*	71	3	–	1	2	1	–	2	–	2	1	2	2	2
	16. *Spleen Disease, etc.*	2	1	–	–	1	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	12	–	–	–	1	–	–	1	1	1	2	–	1	1
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	36	–	–	–	–	–	1	–	–	1	1	5	2	3
	4. Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	6. Cystitis	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	7. *Kidney Disease, etc.*	24	–	1	1	–	–	–	–	–	1	–	–	1	2
	ORDER 6.														
	1. Ovarian Dropsy	11	–	–	–	–	–	–	–	–	–	–	1	2	2
	2. *Uterus Disease, etc.*	19	–	–	–	–	–	–	–	–	–	1	–	2	2
	ORDER 7.														
	1. Synovitis (Arthritis)	2	–	–	–	–	–	–	–	2	–	–	–	–	–
	2. *Joint Disease, etc.*	26	1	–	1	1	–	–	–	9	4	5	1	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1878.—MALES. *(Continued.)*

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	3	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	69	58	41	26	23	12	8	1	1	–	–	–	–	–	–
	4. Hydrocephalus	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	1	2	2	–	1	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	6	13	12	9	13	12	15	17	11	1	1	–	–	–	–
	3. Paralysis	3	6	6	16	15	19	18	16	9	2	–	1	–	–	–
	4. Insanity	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	3	–	–	1	2	1	–	1	–	–	–	–	–	–	–
	7. Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	3	5	5	8	10	6	9	2	3	–	1	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	5	6	1	2	1	1	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	27	20	45	32	38	44	28	26	9	3	–	–	–	–	–
	ORDER 3.															
	1. Laryngitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	22	43	46	68	74	66	57	39	28	10	2	–	–	–	–
	3. Pleurisy	–	4	2	–	1	–	–	1	1	–	–	–	–	–	–
	4. Pneumonia	15	19	23	13	13	12	5	4	2	–	–	–	–	–	–
	5. Asthma	2	–	–	4	3	1	2	2	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	7	2	6	5	5	3	5	3	1	–	1	–	–	–	–
	ORDER 4.															
	1. Gastritis	1	2	–	–	1	–	1	2	–	–	–	–	–	–	–
	2. Enteritis	–	4	1	3	1	2	1	1	–	–	–	–	–	–	–
	3. Peritonitis	1	1	2	–	–	4	–	–	–	–	–	–	–	–	–
	4. Ascites	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	1	3	–	–	1	1	–	1	–	–	–	–	–	–
	6. Hernia	2	–	–	–	–	2	1	–	–	–	–	–	–	–	–
	7. Ileus	–	2	1	2	1	2	1	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	9. Stricture of Intestines	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	2	1	4	1	1	6	1	3	–	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	1	2	3	–	3	–	–	–	–	–	–	–	–
	14. Jaundice	–	–	1	–	–	2	–	1	–	–	1	–	–	–	–
	15. *Liver Disease, etc.*	6	5	6	14	8	7	6	4	–	2	–	–	–	–	–
	16. *Spleen Disease, etc.*	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–
	2. Ischuria	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	2	6	6	8	3	7	2	–	1	–	–	–	–	–	–
	4. Diabetes	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	5	1	5	3	1	4	9	6	4	–	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	84	55	33	31	16	9	3	2	–	–	–	–	–	–	–
	4. Hydrocephalus	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	1	1	1	–	5	–	1	–	–	–	–	–	–	–	–
	2. Apoplexy	3	8	6	8	16	17	11	15	8	4	3	–	–	–	–
	3. Paralysis	3	2	6	10	11	16	14	14	19	4	2	–	–	–	–
	4. Insanity	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	7. Convulsions	–	–	1	2	2	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	2	5	5	6	10	5	8	4	3	2	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	2	1	1	–	1	1	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	2	2	–	1	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	27	22	30	38	40	41	39	18	10	5	–	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	19	29	44	70	98	81	65	48	37	18	4	2	1	–	–
	3. Pleurisy	–	–	1	1	1	1	–	–	1	–	–	–	–	–	–
	4. Pneumonia	10	10	13	15	5	6	8	3	4	4	–	–	–	–	–
	5. Asthma	–	1	3	3	1	2	1	3	1	–	–	–	–	–	–
	6. *Lung Disease, etc.*	2	2	3	1	14	4	5	3	3	1	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	2	2	1	–	–	–	1	1	1	–	–	–	–
	2. Enteritis	1	2	1	1	7	3	–	2	–	1	–	–	–	–	–
	3. Peritonitis	1	2	3	3	2	2	–	2	1	–	–	–	–	–	–
	4. Ascites	–	1	–	–	4	–	2	–	–	1	–	–	–	–	–
	5. Ulceration of Intestines	–	1	2	2	1	–	1	–	–	–	–	–	–	–	–
	6. Hernia	–	–	–	1	1	–	2	–	1	–	–	–	–	–	–
	7. Ileus	1	–	–	1	1	1	2	1	1	1	–	–	–	–	–
	8. Intussusception	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	10. Fistula	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	2	3	2	2	2	5	5	1	–	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	1	1	1	–	3	1	–	–	–	–	–	–	–	–
	14. Jaundice	–	–	–	1	3	2	1	1	1	1	–	–	–	–	–
	15. *Liver Disease, etc.*	2	7	5	7	6	15	7	3	1	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	4	6	4	5	1	1	1	1	–	–	–	–	–	–	–
	4. Diabetes	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	1	3	2	4	2	1	1	3	–	1	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	2	–	1	1	1	1	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	3	4	3	1	–	1	1	1	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–		–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	6	–	–	2	–	1	–	–	–	–	2	–	–	–
	2. Ulcer	3	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	9	–	5	1	1	1	–	–	–	–	–	–	–	1
IV.	ORDER 1.														
	1. Premature Birth	184	182	2	–	–	–	–	–	–	–	–	–	–	–
	3. Cyanosis	3	3	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	4	3	1	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	18	17	–	1	–	–	–	–	–	–	–	–	–	–
	5. Teething	113	1	8	49	48	7	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	112	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	248	160	11	27	24	5	6	–	5	1	1	1	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	146	–	1	1	2	2	–	1	10	6	7	13	17	12
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	31	–	–	2	2	1	5	2	2	3	1	1	1	1
	5. Poison	7	–	–	–	–	–	–	1	–	–	1	–	–	–
	6. Drowning	53	–	1	–	–	–	–	–	–	3	6	2	6	13
	7. Suffocation	37	12	5	3	–	–	–	–	–	–	2	–	4	1
	8. Otherwise	25	–	–	–	–	–	–	2	–	–	2	3	1	1
	ORDER 3. (*Homicide.*)														
	I. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	3	–	–	–	–	–	–	–	–	–	1	–	1	–
	5. Hanging	6	–	–	–	–	–	–	–	–	1	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	21	3	–	3	–	–	–	–	–	–	–	1	–	2
	Causes not specified or ill-defined	43	11	1	4	–	2	1	1	3	3	1	1	2	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	2. Ulcer	5	–	–	–	–	–	–	–	–	–	–	2	–	–
	3. *Skin Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	145	144	1	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	4	3	–	1	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	9	9	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	103	–	8	36	55	4	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	3	–	–	–	–	–	–	–	–	–	–	1	–	–
	2. Childbirth (*see* Puerperal Fever)	59	–	–	–	–	–	–	–	–	–	2	12	18	11
	ORDER 3.														
	1. Old Age	211	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	216	131	17	19	19	9	1	1	4	1	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	36	1	1	–	1	–	2	–	5	–	1	–	1	–
	2. Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	3. Cut, Stab	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	17	–	–	–	1	2	2	4	2	3	–	–	–	–
	5. Poison	4	–	–	–	–	1	–	–	–	–	1	–	–	–
	6. Drowning	10	1	1	–	–	–	–	–	–	1	–	–	–	1
	7. Suffocation	19	8	2	–	1	1	–	–	–	–	–	–	–	1
	8. Otherwise	9	–	–	–	–	–	–	–	2	1	–	–	–	1
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	11	–	1	–	–	–	–	–	–	–	–	–	–	1
	Causes not specified or ill-defined	49	9	2	3	1	3	–	1	4	1	–	1	2	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	2. Ulcer	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	10	20	20	33	15	9	3	2	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	–	2	5	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	17	9	15	8	16	1	1	4	1	1	1	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	1	4	–	3	1	–	–	1	–	–	–	–	–	–
	5. Poison	1	3	–	–	–	1	–	–	–	–	–	–	–	–	–
	6. Drowning	6	7	4	2	–	2	–	–	1	–	–	–	–	–	–
	7. Suffocation	3	2	1	3	–	1	–	–	–	–	–	–	–	–	–
	8. Otherwise	3	1	4	2	1	1	1	1	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	5. Hanging	1	1	–	1	–	–	1	1	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	1	2	–	1	1	4	2	1	–	–	–	–	–	–	–
	Causes not specified or ill-defined	2	1	4	1	2	1	–	1	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	10	6	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	13	22	37	60	47	22	8	1	1	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	1	4	9	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	3	2	3	3	3	1	–	3	4	1	1	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	2	–	2	–	1	–	–	–	1	–	–	–	–	–
	7. Suffocation	–	–	2	–	–	2	1	–	1	–	–	–	–	–	–
	8. Otherwise	–	–	2	–	–	1	2	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Cut, Stab	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–		–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	1	1	–	3	1	–	2	–	–	–	1	–	–	–	–
	Causes not specified or ill-defined	3	2	6	5	1	1	–	2	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1878.—MALES.

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	2442	274	114	209	289	112	66	40	94	37	60	86	83	83
	Specified Causes . .	2437	271	114	209	289	112	66	40	94	37	60	85	83	83
	(CLASSES.)														
I.	ZYMOTIC DISEASES	492	40	32	74	127	50	25	12	35	8	8	7	10	9
II.	CONSTITUTIONAL ,,	453	8	14	15	40	18	16	11	30	8	24	40	39	35
III.	LOCAL ,,	1160	95	56	99	102	38	24	15	26	17	22	29	28	34
IV.	DEVELOPMENTAL ,,	220	119	9	19	15	4	–	–	–	–	–	–	1	–
V.	VIOLENT DEATHS .	112	9	3	2	5	2	1	2	3	4	6	9	5	5
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	438	28	27	71	127	50	25	12	34	7	8	5	8	6
	2. ENTHETIC ,, .	12	2	3	–	–	–	–	–	–	–	–	–	1	–
	3. DIETIC ,, .	41	9	2	3	–	–	–	–	1	1	–	2	1	3
	4. PARASITIC ,, .	1	1	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	59	1	–	–	1	–	1	2	1	–	1	2	1	3
	2. TUBERCULAR ,, .	394	7	14	15	39	18	15	9	29	8	23	38	38	32
III.	1. DISEASES OF NERVOUS SYSTEM . .	247	16	11	24	23	3	3	3	6	4	2	4	4	6
	2. ,, OF ORGANS OF CIRCULATION .	185	–	–	1	–	–	1	–	1	2	4	5	7	10
	3. ,, OF RESPIRATORY ORGANS . .	473	53	34	66	70	30	20	9	11	2	6	8	7	11
	4. ,, OF DIGESTIVE ORGANS . . .	149	26	10	6	8	3	–	2	3	5	6	5	7	3
	5. ,, OF URINARY ORGANS . . .	79	–	–	–	–	–	–	1	3	–	2	6	3	3
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	14	–	–	–	–	2	–	–	2	3	2	–	–	1
	8. ,, OF INTEGUMENTARY SYSTEM . .	13	–	1	2	1	–	–	–	–	1	–	1	–	–
IV.	1. DEV. DIS. OF CHILDREN	110	85	3	11	10	1		–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	46	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	64	34	6	8	5	8	–	–	–	–	–	–	1	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1878.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	2468	216	95	172	246	107	56	46	90	51	61	89	88	81
	Specified Causes . .	2460	215	95	171	245	107	56	46	89	51	61	89	87	80
	(CLASSES.)														
I.	ZYMOTIC DISEASES	487	29	28	59	105	51	28	24	31	11	9	15	11	13
II.	CONSTITUTIONAL ,,	544	10	10	32	44	19	11	7	35	23	34	46	42	29
III.	LOCAL ,,	1072	60	38	59	76	34	13	14	23	16	16	24	22	30
IV.	DEVELOPMENTAL ,,	306	107	16	21	18	2	1	–	–	–	1	3	10	6
V.	VIOLENT DEATHS .	51	9	3	–	2	1	3	1	–	1	1	1	2	2
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	448	18	23	59	105	51	28	23	31	11	8	15	11	10
	2. ENTHETIC ,, .	12	6	4	–	–	–	–		–	–	1	–	–	–
	3. DIETIC ,, .	25	5	–	–	–	–	–	–	–	–	–	–	–	3
	4. PARASITIC ,, .	2	–	1	–	–	–	–	1	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	120	1	–	–	1	1	–	–	–	–	1	–	2	5
	2. TUBERCULAR ,, .	424	9	10	32	43	18	11	7	35	23	33	46	40	24
III.	1. DISEASES OF NERVOUS SYSTEM . .	242	11	10	9	17	8	6	2	3	4	3	3	3	8
	2. ,, OF ORGANS OF CIRCULATION .	191	–	–	–	1	1	–	–	2	7	5	3	2	4
	3. ,, OF RESPIRATORY ORGANS . .	432	39	20	41	57	22	6	10	14	2	3	6	3	9
	4. ,, OF DIGESTIVE ORGANS . .	122	10	7	8	–	1	–	1	–	2	1	6	8	5
	5. ,, OF URINARY ORGANS . . .	48	–	–	–	–	–	1	1	3	1	2	2	4	2
	6. ,, OF ORGANS OF GENERATION .	17	–	–	–	–	–	–	–	–	–	1	1	1	–
	7. ,, OF ORGANS OF LOCOMOTION . .	8	–	–	–	–	1	–	–	1	–	1	1	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	12	–	1	1	1	1	–	–	–	–	–	2	1	2
IV.	1. DEV. DIS. OF CHILDREN	103	71	4	13	14	1	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	22	–	–	–	–	–	–	–	–	–	1	3	9	5
	3. ,, OF OLD PEOPLE	112	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	69	36	12	8	4	1	1	–	–	–	–	–	1	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes	114	92	93	92	93	112	104	82	67	32	13	–	1	–	–
	Specified Causes . .	114	92	93	92	92	112	104	82	67	32	13	–	1	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	12	11	6	4	3	3	6	5	4	–	1	–	–	–	–
II.	CONSTITUTIONAL ,,	35	29	22	14	11	21	15	5	3	–	–	–	–	–	–
III.	LOCAL ,,	56	42	54	65	69	80	81	60	45	17	6	–	–	–	–
IV.	DEVELOPMENTAL ,,	–	–	2	4	1	4	–	7	15	13	6	–	1	–	–
V.	VIOLENT DEATHS .	11	10	9	5	8	4	2	5	–	2	–	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	5	2	3	3	2	1	4	5	4	–	1	–	–	–	–
	2. ENTHETIC ,, .	1	1	2	–	1	1	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	6	8	1	1	–	1	2	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	4	3	2	5	5	12	9	3	3	–	–	–	–	–	–
	2. TUBERCULAR ,, .	31	26	20	9	6	9	6	2	–	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	8	5	10	12	12	17	24	29	12	6	3	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	19	14	16	21	23	21	15	11	10	3	1	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	14	12	13	19	19	16	22	13	11	6	1	–	–	–	–
	4. ,, OF DIGESTIVE ORGANS . . .	6	5	8	7	7	8	14	5	4	–	1	–	–	–	–
	5. ,, OF URINARY ORGANS . . .	7	4	7	5	7	14	6	1	8	2	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	1	1	–	1	1	2	–	1	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	4	–	7	15	13	6	–	1	–	–
	4. DISEASES OF NUTRITION	–	–	2	4	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes	89	85	90	93	115	115	118	114	118	80	32	12	8	1	–
	Specified Causes . .	89	85	90	92	114	115	118	114	118	80	32	12	8	1	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	7	11	13	5	9	5	5	5	8	2	3	–	–	–	–
II.	CONSTITUTIONAL ,,	35	25	29	30	25	22	13	11	6	4	1	1	–	–	–
III.	LOCAL ,,	45	42	42	55	75	79	89	79	77	43	14	5	2	–	–
IV.	DEVELOPMENTAL ,,	2	2	2	1	2	6	11	17	26	29	11	5	6	1	
V.	VIOLENT DEATHS .	–	5	4	1	3	3	–	2	1	2	3	1	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	5	7	10	4	4	5	3	4	8	2	3	–	–	–	–
	2. ENTHETIC ,, .	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	2	4	3	1	4	–	2	1	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	8	7	15	18	12	17	10	10	6	4	1	1	–	–	–
	2. TUBERCULAR ,, .	27	18	14	12	13	5	3	1	–	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	3	8	13	14	14	16	19	23	25	17	2	1	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	19	9	11	10	18	26	29	22	13	8	1	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	10	10	11	14	25	26	26	24	26	14	9	4	1	–	–
	4. ,, OF DIGESTIVE ORGANS . .	5	8	5	11	11	9	10	4	7	2	1	–	–	–	–
	5. ,, OF URINARY ORGANS . . .	4	4	1	3	5	1	3	4	5	–	1	–	1	–	–
	6. ,, OF ORGANS OF GENERATION .	3	2	1	1	2	1	1	2	–	1	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	6	11	17	26	29	11	5	6	1	–
	4. DISEASES OF NUTRITION	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	92	8	3	2	5	2	1	2	3	4	6	9	3	5
	*														
	3. HOMICIDE	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	18	–	–	–	–	–	–	–	–	–	–	–	2	–
	5. EXECUTION	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	5	3	–	–	–	–	–	–	–	–	–	1	–	–
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	114	1	2	22	58	17	8	3	3	–	–	–	–	–
	3. Scarlatina	25	–	1	3	4	6	2	1	7	–	1	–	–	–
	4. Diphtheria	23	2	–	2	3	5	2	2	6	–	–	–	–	–
	5. Quinsy	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	6. Croup	33	–	1	1	10	10	6	2	3	–	–	–	–	–
	7. Hooping-cough	90	4	4	23	41	6	5	3	4	–	–	–	–	–
	8. Typhus Fever	9	–	–	–	–	–	–	–	–	2	1	–	1	2
	8. Enteric or Typhoid Fever	44	–	–	–	1	5	2	1	9	3	6	3	7	1
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	2	–	–	1	–	–	–	–	–	1	–	–	–	–
	9. Erysipelas	9	1	1	–	–	–	–	–	–	–	–	–	–	1
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	2	1	1	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	67	18	14	16	9	1	–	–	2	–	–	–	–	–
	15. Cholera	9	1	3	2	1	–	–	–	–	–	–	1	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	9	–	–	–	–	–	–	–	–	1	–	1	–	2
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	8	2	3	–	–	–	–	–	–	–	–	–	1	–
	2. Stricture of Urethra	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	2. Want of Breast Milk	14	9	2	3	–	–	–	–	–	–	–	–	–	–
	3 Purpura and Scurvy	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	4. Alcoholism *a* Del. Tremens	10	–	–	–	–	–	–	–	–	–	–	1	1	2
	4. Alcoholism *b* Intemperance	15	–	–	–	–	–	–	–	–	–	–	1	–	1
	ORDER 4.														
	1. Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	7	1	–	–	–	–	–	2	–	–	–	1	–	1
	3. Cancer	49	–	–	–	1	–	–	–	1	–	1	1	1	2
	4. Cancrum Oris (Noma)	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	5. Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	46	9	3	–	2	1	3	1	–	1	–	1	1	1
	*														
	3. HOMICIDE	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	4. SUICIDE	4	–	–	–	–	–	–	–	–	–	1	–	–	1
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	8	1	–	1	1	–	–	–	1	–	–	–	1	1
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	91	–	2	18	35	18	9	3	6	–	–	–	–	–
	3. Scarlatina	18	–	–	–	1	4	2	2	5	2	–	–	1	–
	4. Diphtheria	24	–	1	–	6	5	4	3	5	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	31	–	1	3	12	5	3	5	2	–	–	–	–	–
	7. Hooping-cough	110	2	6	25	40	15	9	9	4	–	–	–	–	–
	8. Typhus Fever	8	–	–	–	–	–	–	–	1	–	1	2	–	–
	8. Enteric or Typhoid Fever	47	–	–	–	1	1	1	1	7	7	3	6	3	4
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	4	–	–	–	–	–	–	–	–	–	–	1	–	1
	9. Erysipelas	4	–	1	–	–	–	–	–	–	–	1	–	–	–
	10. Puerperal Fever (Metria)	17	–	–	–	–	–	–	–	–	–	1	5	5	4
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	59	16	12	7	9	2	–	–	1	–	–	–	–	1
	15. Cholera	8	–	–	6	1	–	–	–	–	–	–	–	–	–
	16. Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	18. Rheumatism	17	–	–	–	–	–	–	–	–	2	2	1	2	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	12	6	4	–	–	–	–	–	–	–	1	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	5	5	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	20	–	–	–	–	–	–	–	–	–	–	–	–	3
	ORDER 4.														
	1. Thrush	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	1	–	–	–	–	–	–	1	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	8	–	–	–	–	1	–	–	–	–	–	–	–	2
	3. Cancer	103	1	–	–	–	–	–	–	–	–	1	–	2	3
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	8	–	–	–	1	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	8	6	6	4	5	3	2	3	–	2	–	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	3	3	3	1	3	1	–	2	–	–	–	–	–	–	–
	5. EXECUTION	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	1	1	1	1	1	–	–	1	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	–	–	–	1	–	–	2	1	1	–	1	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	–	1	2	–	1	1	–	1	1	–	–	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	2	–	–	1	–	–	1	1	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	2	7	–	1	–	1	2	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	3. Cancer	4	3	2	5	5	11	8	3	1	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–

See page 52, note *.

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	–	3	4	1	3	3	–	2	1	2	3	1	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	2	3	4	1	2	–	1	–	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	9. Erysipelas	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–
	13. Dysentery	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–
	14. Diarrhœa	–	1	1	–	–	1	–	2	3	1	2	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	16. Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	1	–	3	1	–	2	–	–	3	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a.* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b.* Intemperance	2	4	3	1	4	–	2	1	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	2. Dropsy	1	–	–	2	–	–	2	–	–	–	–	–	–	–	–
	3. Cancer	7	7	14	16	12	17	7	7	6	3	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	1	–	–	–	1	2	–	1	1	1	–	–	–

* See page 52, note *.

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	31	1	2	2	3	3	2	–	8	4	–	2	1	–
	2. Tabes Mesenterica	43	4	3	3	14	3	4	3	3	2	1	1	2	–
	3. Phthisis	247	1	1	–	1	3	2	2	9	1	20	35	35	32
	4. Hydrocephalus	73	1	8	10	21	9	7	4	9	1	2	–	–	–
III.	ORDER 1.														
	1. Cephalitis	33	–	3	6	5	1	2	1	1	1	2	3	–	1
	2. Apoplexy	64	1	1	4	2	1	–	–	1	–	–	–	1	–
	3. Paralysis	48	1	1	1	–	–	–	–	1	–	–	1	1	2
	4. Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	12	–	1	–	–	–	–	–	–	–	–	–	–	1
	7. Convulsions	42	12	3	11	15	–	1	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	47	2	2	2	1	1	–	2	3	3	–	–	2	2
	ORDER 2.														
	1. Pericarditis	8	–	–	1	–	–	–	–	–	–	1	1	2	1
	2. Aneurism	14	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	163	–	–	–	–	–	1	–	1	2	3	4	5	9
	ORDER 3.														
	1. Laryngitis	11	1	1	3	1	–	–	1	–	–	–	–	–	1
	2. Bronchitis	290	38	23	52	51	19	15	2	3	–	–	3	2	1
	3. Pleurisy	14	–	–	–	–	1	–	–	1	–	–	1	–	3
	4. Pneumonia	113	4	7	9	15	9	4	4	6	1	4	3	4	3
	5. Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	42	10	3	2	3	1	1	2	1	1	2	1	1	3
	ORDER 4.														
	1. Gastritis	6	2	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	27	9	4	4	4	2	–	–	–	–	–	–	–	–
	3. Peritonitis	13	1	2	–	–	–	–	–	–	–	1	2	2	–
	4. Ascites	3	–	–	–	1	–	–	–	1	–	–	–	–	–
	5. Ulceration of Intestines	16	–	–	1	–	–	–	–	–	2	1	1	2	1
	6. Hernia	7	1	–	–	–	–	–	–	–	–	1	–	–	–
	7. Ileus	12	1	–	–	–	–	–	1	–	2	–	–	1	–
	8. Intussusception	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	26	7	3	1	2	1	–	–	1	–	1	–	1	1
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	4	–	–	–	–	–	–	–	–	–	–	–	1	–
	14. Jaundice	4	1	1	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	18	2	–	–	–	–	–	1	–	–	–	2	–	1
	16. *Spleen Disease, etc.*	8	1	–	–	1	–	–	–	1	1	2	–	–	–
	ORDER 5.														
	1. Nephritis	8	–	–	–	–	–	–	–	1	–	1	1	–	–
	2. Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	28	–	–	–	–	–	–	1	1	–	–	–	2	3
	4. Diabetes	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	5. Calculus (Stone)	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	11	–	–	–	–	–	–	–	–	–	1	1	–	–
	7. *Kidney Disease, etc.*	25	–	–	–	–	–	–	–	1	–	–	3	1	–
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	2. *Joint Disease, etc.*	13	–	–	–	–	2	–	–	1	3	2	–	–	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	21	2	–	1	3	3	1	–	2	2	3	1	1	1
	2. Tabes Mesenterica	42	3	4	5	9	4	4	2	6	2	1	–	–	–
	3. Phthisis	263	1	1	1	3	2	–	–	11	18	29	45	39	23
	4. Hydrocephalus	98	3	5	25	28	9	6	5	16	1	–	–	–	–
III.	ORDER 1.														
	1. Cephalitis	26	–	3	2	6	3	3	1	2	1	–	–	1	–
	2. Apoplexy	57	–	2	2	–	–	–	–	–	–	–	–	–	3
	3. Paralysis	59	–	–	–	–	–	–	–	–	–	–	1	–	1
	4. Insanity	4	–	–	–	–	–	–	–	–	–	–	–	–	1
	5. Chorea	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	6. Epilepsy	10	–	–	–	–	–	1	–	–	1	–	1	1	1
	7. Convulsions	30	8	4	4	7	4	1	–	1	–	–	–	–	–
	8. *Brain Disease, etc.*	55	3	1	1	4	1	1	1	–	1	3	1	1	2
	ORDER 2.														
	1. Pericarditis	6	–	–	–	–	–	–	–	1	2	–	1	–	–
	2. Aneurism	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	181	–	–	–	1	1	–	–	1	5	5	2	2	4
	ORDER 3.														
	1. Laryngitis	4	2	–	–	–	–	–	1	–	–	–	–	–	1
	2. Bronchitis	288	28	12	29	47	13	4	4	8	–	1	–	–	2
	3. Pleurisy	13	–	1	–	–	–	–	1	1	–	–	–	–	2
	4. Pneumonia	90	5	3	9	6	8	1	4	4	2	2	6	2	3
	5. Asthma	6	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	31	4	4	3	4	1	1	–	1	–	–	–	1	1
	ORDER 4.														
	1. Gastritis	3	–	–	2	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	14	–	2	5	–	–	–	1	–	–	–	1	1	–
	3. Peritonitis	18	2	1	–	–	1	–	–	–	–	–	3	4	2
	4. Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	6	–	–	–	–	–	–	–	–	–	–	1	–	–
	6. Hernia	10	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	10	2	–	–	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	9. Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	19	2	3	1	–	–	–	–	–	–	–	–	–	1
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–	1
	14. Jaundice	11	4	–	–	–	–	–	–	–	–	1	–	–	–
	15. *Liver Disease, etc.*	22	–	–	–	–	–	–	–	–	2	–	–	3	1
	16. *Spleen Disease, etc.*	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	6	–	–	–	–	–	1	1	–	–	–	1	1	1
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	14	–	–	–	–	–	–	–	1	1	–	–	–	–
	4. Diabetes	5	–	–	–	–	–	–	–	1	–	–	1	1	1
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	2	–	–	–	–	–	–	–	1	–	–	–	1	–
	7. *Kidney Disease, etc.*	21	–	–	–	–	–	–	–	–	–	2	–	1	–
	ORDER 6.														
	1. Ovarian Dropsy	7	–	–	–	–	–	–	–	–	–	1	–	1	–
	2. *Uterus Disease, etc.*	10	–	–	–	–	–	–	–	–	–	–	1	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	8	–	–	–	–	1	–	–	1	–	1	1	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	29	25	20	9	6	9	5	2	–	–	–	–	–	–	–
	4. Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	–	–	2	3	–	1	–	1	–	–	–	–	–	–	–
	2. Apoplexy	2	–	2	4	6	6	10	13	4	5	1	–	–	–	–
	3. Paralysis	1	2	1	1	3	4	11	9	6	1	1	–	–	–	–
	4. Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	2	2	2	1	–	1	–	2	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	2	1	3	3	3	5	3	4	2	–	1	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Aneurism	5	1	4	2	2	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	14	12	12	19	21	20	15	11	10	3	1	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
	2. Bronchitis	3	5	5	9	10	10	15	9	8	6	1	–	–	–	–
	3. Pleurisy	2	1	2	1	1	1	–	–	–	–	–	–	–	–	–
	4. Pneumonia	7	5	4	7	6	4	3	2	2	–	–	–	–	–	–
	5. Asthma	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	1	1	1	1	–	1	3	2	1	–	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	2	–	–	–	2	–	–	–	–	–	–	–	–
	2. Enteritis	1	1	–	–	–	1	–	–	1	–	–	–	–	–	–
	3. Peritonitis	–	–	1	–	1	1	1	–	–	–	1	–	–	–	–
	4. Ascites	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	1	2	1	1	1	1	1	–	–	–	–	–	–
	6. Hernia	–	–	2	2	–	1	–	–	–	–	–	–	–	–	–
	7. Ileus	–	–	1	–	1	1	3	1	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	1	–	1	1	1	2	1	1	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	14. Jaundice	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	3	1	–	1	1	1	3	1	1	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	1	2	–	–	–	1	–	1	–	–	–	–	–	–
	2. Ischuria	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	3	2	2	1	5	6	1	1	–	–	–	–	–	–	–
	4. Diabetes	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	6. Cystitis	1	–	1	1	–	1	2	–	2	1	–	–	–	–	–
	7. *Kidney Disease, etc.*	3	1	2	2	2	3	1	–	5	1	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1878.—FEMALES. (*Continued*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	27	16	14	12	13	4	3	1	–	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	1	2	4	4	5	6	8	4	7	6	2	1	–	–	–
	3. Paralysis	–	–	3	4	6	7	9	10	12	6	–	–	–	–	–
	4. Insanity	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	2	–	1	–	–	2	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	8. *Brain Disease, etc.*	1	4	2	6	2	3	2	7	4	4	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Aneurism	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	16	8	11	10	18	25	29	21	13	8	1	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	2	4	7	8	20	18	20	17	21	13	7	3	–	–	–
	3. Pleurisy	–	1	–	–	1	1	1	1	2	–	1	–	–	–	–
	4. Pneumonia	8	3	3	3	3	5	3	4	2	1	–	–	–	–	–
	5. Asthma	–	–	1	2	1	2	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	–	2	–	1	–	–	2	2	1	–	1	1	1	–	–
	ORDER 4.															
	1. Gastritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–
	3. Peritonitis	2	–	–	–	1	1	–	–	1	–	–	–	–	–	–
	4. Ascites	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	1	–	–	1	–	–	2	1	–	–	–	–	–	–	–
	6. Hernia	–	1	2	–	2	1	2	1	1	–	–	–	–	–	–
	7. Ileus	–	–	–	1	1	2	2	–	1	1	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	10. Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	3	–	2	1	1	2	1	1	1	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	–	2	–	1	1	–	1	–	–	–	1	–	–	–	–
	15. *Liver Disease, etc.*	–	–	2	3	4	3	1	1	2	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	2	2	1	1	1	1	2	2	–	–	–	–	–	–	–
	4. Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	1	2	–	2	4	–	1	1	5	–	1	–	1	–	–
	ORDER 6.															
	1. Ovarian Dropsy	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	1	1	–	1	1	1	1	2	–	1	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	5	–	–	–	–	–	–	–	–	1	–	–	–	–
	2. Ulcer	4	–	–	–	1	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	4	–	1	2	–	–	–	–	–	–	–	1	–	–
IV.	ORDER 1.														
	1. Premature Birth	78	78	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	3	2	–	1	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	3	3	–	–	–	–	–	–	–	–	–	–	–	
	5. Teething	25	1	3	10	10	1	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	46	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	64	34	6	8	5	3	–	–	–	–	–	–	1	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	48	–	–	1	–	1	–	–	2	3	5	6	2	3
	2. Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	10	–	–	–	4	1	1	–	1	–	–	1	–	1
	5. Poison	5	–	–	–	–	–	–	–	–	1	1	–	–	1
	6. Drowning	5	–	–	–	–	–	–	–	–	–	–	1	1	–
	7. Suffocation	16	8	3	1	1	–	–	1	–	–	–	1	–	–
	8. Otherwise	7	–	–	–	–	–	–	1	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	8	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	3	–	–	–	–	–	–	–	–	–	–	–	1	–
	4. Drowning	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	ORDER 5. (*Execution.*)														
	1. Hanging	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	5	3	–	–	–	–	–	–	–	–	–	1	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	6	–	–	1	–	–	–	–	–	–	–	2	1	1
	2. Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–	1
	3. *Skin Disease, etc.*	4	–	1	–	1	1	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	72	68	4	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	3	2	–	1	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	27	–	–	12	14	1	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	2. Childbirth (*see* Puerperal Fever)	21	–	–	–	–	–	–	–	–	–	1	2	9	5
	ORDER 3.														
	1. Old Age	112	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	69	36	12	8	4	1	1	–	–	–	–	–	1	1
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	19	–	–	–	–	–	2	1	–	–	–	1	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	5	–	–	–	1	1	1	–	–	–	–	–	–	–
	5. Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	7. Suffocation	15	7	3	–	–	–	–	–	–	1	–	–	1	–
	8. Otherwise	5	2	–	–	–	–	–	–	–	–	–	–	–	1
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	5. Hanging	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	8	1	–	1	1	–	–	–	1	–	–	–	1	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	1	–	–	1	–	1	–	1	–	–	–	–	–	–	–
	2. Ulcer	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	4	–	7	15	13	6	–	1	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	2	4	1	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	6	2	4	4	4	–	2	2	–	1	–	–	–	–	–
	2. Gunshot Wounds	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	8. Otherwise	–	2	–	–	–	3	–	1	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	1	3	1	–	1	–	–	2	–	–	–	–	–	–	–
	3. Poison	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	4. Drowning	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	6	11	17	26	29	11	5	6	1	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	–	2	4	–	–	2	–	1	–	2	3	1	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	6. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
	8. Otherwise	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined.	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1878.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	1516	206	93	140	167	64	49	29	76	43	36	40	36	56
	Specified Causes . .	1512	206	93	140	167	64	48	28	74	43	36	40	36	56
	(CLASSES.)														
I.	ZYMOTIC DISEASES	312	23	25	60	67	25	20	14	23	7	4	5	3	6
II.	CONSTITUTIONAL ,,	261	6	6	15	17	12	6	4	25	16	20	20	18	24
III.	LOCAL ,,	683	49	49	53	74	24	15	9	21	17	11	11	9	24
IV.	DEVELOPMENTAL ,,	189	121	5	12	8	2	2	–	–	1	–	–	–	–
V.	VIOLENT DEATHS .	67	7	8	–	1	1	5	1	5	2	1	4	6	2
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	301	20	24	59	66	25	20	14	22	7	4	5	3	6
	2. ENTHETIC ,, .	5	2	1	1	1	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	6	1	–	–	–	–	–	–	1	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	29	1	–	–	–	1	1	1	–	–	1	–	1	1
	2. TUBERCULAR ,, .	232	5	6	15	17	11	5	3	25	16	19	20	17	23
III.	1. DISEASES OF NERVOUS SYSTEM . .	188	19	10	10	20	4	6	3	8	5	1	3	1	4
	2. ,, OF ORGANS OF CIRCULATION .	86	–	1	–	–	–	–	–	1	3	1	2	3	4
	3. ,, OF RESPIRATORY ORGANS . .	303	24	35	41	48	19	7	4	5	1	3	3	3	9
	4. ,, OF DIGESTIVE ORGANS . .	61	6	3	2	5	1	1	1	1	1	1	1	2	3
	5. ,, OF URINARY ORGANS . .	31	–	–	–	1	.	1	1	2	2	2	2	–	4
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	13	–	–	–	–	–	–	–	4	5	3	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	103	84	.	9	8	2	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	36	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	50	37	5	3	–	–	2	–	–	1	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1878.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	1643	151	75	125	164	73	46	33	39	40	59	67	44	76
	Specified Causes . .	1636	149	74	124	164	73	46	33	39	40	59	66	43	75
	(CLASSES.)														
I.	ZYMOTIC DISEASES	321	23	23	53	72	38	23	14	17	9	6	6	3	2
II.	CONSTITUTIONAL ,,	350	6	3	17	15	10	12	10	9	15	37	38	26	28
III.	LOCAL ,,	741	47	42	50	61	23	9	8	9	15	14	16	11	38
IV.	DEVELOPMENTAL ,,	184	65	2	3	13	–	–	1	1	–	–	5	3	4
V.	VIOLENT DEATHS .	40	8	4	1	3	2	2	–	3	1	2	1	–	3
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	307	19	20	53	69	38	23	14	17	9	6	6	3	2
	2. ENTHETIC ,, .	10	4	3	–	1	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	3	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	1	–	–	–	1	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	64	1	–	–	–	–	–	–	1	–	1	2	–	4
	2. TUBERCULAR ,, .	286	5	3	17	15	10	12	10	8	15	36	36	26	24
III.	1. DISEASES OF NERVOUS SYSTEM . .	150	15	8	12	8	3	1	–	–	5	2	–	–	7
	2. ,, OF ORGANS OF CIRCULATION .	120	–	–	–	–	–	–	–	1	5	1	4	5	13
	3. ,, OF RESPIRATORY ORGANS . .	348	24	31	34	49	19	6	7	7	1	2	5	2	10
	4. ,, OF DIGESTIVE ORGANS . .	84	7	2	4	4	1	1	1	1	1	6	2	2	5
	5. ,, OF URINARY ORGANS . .	22	–	1	–	–	–	–	–	–	3	2	1	–	2
	6. ,, OF ORGANS OF GENERATION .	7	–	–	–	–	–	–	–	–	–	–	1	2	1
	7. ,, OF ORGANS OF LOCOMOTION . .	8	–	–	–	–	–	1	–	–	–	1	3	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	2	1	–	–	–	–	–	–	–	.	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	49	33	1	3	11	–	–	–	1	–	–	–	–	–
	2. ,, OF ADULTS .	18	–	–	–	–	–	–	–	–	–	–	5	3	4
	3. ,, OF OLD PEOPLE	75	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	42	32	1	–	2	–	–	1	–	–	–	–	–	

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	50	47	54	54	56	67	59	39	36	10	6	3	–	–	–
	Specified Causes . .	50	47	54	54	56	67	59	39	36	10	6	3	–	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	2	1	5	4	1	6	6	2	1	–	1	1	–	–	–
II.	CONSTITUTIONAL ,,	14	13	11	11	8	8	6	1	–	–	–	–	–	–	–
III.	LOCAL ,,	28	31	34	37	42	46	40	26	25	3	5	–	–	–	–
IV.	DEVELOPMENTAL ,,	–	–	–	–	2	3	7	7	10	7	–	2	–	–	–
V.	VIOLENT DEATHS .	6	2	4	2	3	4	–	3	–	–	–	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	2	1	3	4	1	4	6	2	1	–	1	1	–	–	–
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	–	2	2	3	6	4	4	1	–	–	–	–	–	–	–
	2. TUBERCULAR ,, .	14	11	9	8	2	4	2	–	–	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	7	9	7	9	11	13	13	12	10	2	1	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	2	11	10	7	13	10	9	2	6	–	1	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	10	7	14	11	14	18	13	6	4	1	3	–	–	–	–
	4. ,, OF DIGESTIVE ORGANS . .	5	4	1	9	4	3	3	1	3	–	–	–	–	–	–
	5. ,, OF URINARY ORGANS . .	4	–	1	1	–	2	2	4	2	–	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. , OF ADULTS .	–	–	–		–	–	–	–	–	–	–	–	–	–	–
	3. , OF OLD PEOPLE	–	–	–	–	–	3	7	7	10	7	–	2	–	–	–
	4. DISEASES OF NUTRITION	–	–	–	–	2	–	–	–	–	–	–		–		–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	54	54	77	82	73	81	80	49	48	35	13	2	1	1	1
	Specified Causes . .	54	54	77	82	73	81	80	49	48	35	13	2	1	1	1
	(CLASSES.)															
I	ZYMOTIC DISEASES	5	4	3	3	4	2	3	3	3	–	2	–	–	–	–
II.	CONSTITUTIONAL ,,	18	22	28	22	8	11	8	4	1	2	–	–	–	–	–
III.	LOCAL ,,	28	24	45	53	56	59	57	32	22	14	5	2	1	–	–
IV.	DEVELOPMENTAL ,,	3	3	1	2	3	7	12	10	20	19	6	–	–	1	–
V.	VIOLENT DEATHS .	–	1	–	2	2	2	–	–	2	–	–	–	–	–	1
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	4	4	3	1	3	2	3	3	3	–	2	–	–	–	–
	2. ENTHETIC ,, .	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	4	4	12	12	3	6	8	3	1	2	–	–	–	–	–
	2. TUBERCULAR ,, .	14	18	16	10	5	5	–	1	–	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	8	3	9	4	11	15	18	9	6	4	2	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	6	8	10	14	7	13	16	4	8	3	1	1	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	9	5	13	25	29	23	19	12	7	6	2	–	1	–	–
	5. ,, OF DIGESTIVE ORGANS . .	4	4	10	7	6	7	3	5	1	–	–	–	–	–	–
	6. ,, OF URINARY ORGANS . .	1	3	2	2	2	–	1	1	–	1	–	–	–	–	–
	6. , OF ORGANS OF GENERATION .	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	7	12	10	20	19	6	–	–	1	–
	4. DISEASES OF NUTRITION	–	–	1	2	3	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	60	7	8	–	1	1	5	1	5	2	1	3	5	2
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	7	–	–	–	–	–	–	–	–	–	–	1	1	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	4	–	–	–	–	–	1	1	2	–	–	–	–	–
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	51	–	3	21	17	7	2	–	1	–	–	–	–	–
	3. Scarlatina	30	–	2	3	2	2	6	7	6	1	–	–	–	1
	4. Diphtheria	12	–	–	2	4	2	1	1	2	–	–	–	–	–
	5. Quinsy	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	6. Croup	15	–	–	1	6	4	1	1	2	–	–	–	–	–
	7. Hooping-cough	54	3	3	13	20	6	5	2	2	–	–	–	–	–
	8. Typhus Fever	10	–	–	–	–	–	–	1	–	–	1	2	1	1
	8. Enteric or Typhoid Fever	25	–	–	–	1	–	2	2	5	4	3	3	1	2
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	10	1	1	1	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	84	16	15	17	16	4	2	–	4	2	–	–	1	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	18. Rheumatism	5	–	–	–	–	–	–	–	–	–	–	–	–	2
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	5	2	1	1	1	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	3	–	–	–	–	–	–	–	1	–	–	–	–	–
	4. Alcoholism: *a* Del. Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism: *b* Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	7	1	–	–	–	1	1	1	–	–	1	–	–	–
	3. Cancer	21	–	–	–	–	–	–	–	–	–	–	–	1	1
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	38	8	4	1	3	2	2	–	3	1	2	1	–	3
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	6	1	1	1	–	–	–	–	–	–	–	1	1	1
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	59	–	2	9	26	15	6	–	1	–	–	–	–	–
	3. Scarlatina	39	–	1	3	7	8	5	4	7	1	1	1	–	1
	4. Diphtheria	15	1	–	2	1	6	3	1	1	–	–	–	–	–
	5. Quinsy	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	10	–	–	1	1	1	3	3	1	–	–	–	–	–
	7. Hooping-cough	62	1	4	22	19	6	5	3	2	–	–	–	–	–
	8. Typhus Fever	12	–	–	–	–	–	–	–	1	3	3	1	–	–
	8. Enteric or Typhoid Fever	18	–	1	–	–	–	–	2	3	4	2	1	–	1
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9 Erysipelas	9	3	1	–	1	–	–	–	–	–	–	1	–	–
	10. Puerperal Fever (Metria)	6	–	–	–	–	–	–	–	–	–	–	1	2	–
	11. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	13 Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	65	12	10	15	14	2	1	1	1	–	–	–	–	–
	15. Cholera	3	1	–	1	–	–	–	–	–	–	–	–	1	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	3	–	–	–	–	–	–	–	–	–	–	1	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	10	4	3	–	1	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Thrush	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	18	–	–	–	–	–	–	–	1	–	1	2	–	1
	3. Cancer	41	–	–	–	–	–	–	–	–	–	–	–	–	3
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	4	1	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	6	2	2	2	2	3	–	2	–	–	–	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	2	–	1	1	–	1	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	1	–	–	1	1	2	1	1	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	14. Diarrhœa	–	–	–	–	–	1	2	1	1	–	1	1	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II	ORDER 1.															
	1. Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	2. Dropsy	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	3. Cancer	–	2	2	3	5	4	3	–	–	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	–	1	–	2	2	–	–	–	2	–	–	–	–	–	1
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	1	1	–	–	–	–	1	1	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–
	10. Puerperal Fever (Metria)	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	14. Diarrhœa	2	–	–	1	–	2	–	2	2	–	–	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	19 Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	2. Dropsy	1	–	1	5	1	–	1	2	1	1	–	–	–	–	–
	3. Cancer	2	4	10	7	2	6	6	–	–	1	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	18	–	1	1	–	4	–	–	5	3	1	1	–	2
	2. Tabes Mesenterica	28	4	1	3	5	3	1	2	4	4	1	–	–	–
	3. Phthisis	143	–	1	–	2	1	–	–	6	9	17	19	17	21
	4. Hydrocephalus	43	1	3	11	10	3	4	1	10	–	–	–	–	–
III.	ORDER 1.														
	1. Cephalitis	25	2	1	3	5	3	3	1	3	1	–	–	–	2
	2. Apoplexy	38	3	2	2	1	–	–	–	–	–	1	–	–	1
	3. Paralysis	50	–	–	1	–	–	1	–	1	–	–	1	–	–
	4. Insanity	2	–	–	–	–	–	–	–	–	1	–	1	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	6	–	–	–	1	–	–	–	–	–	–	–	1	–
	7. Convulsions	44	14	7	4	11	1	2	1	3	–	–	–	–	–
	8. *Brain Disease, etc.*	23	–	–	–	2	–	–	1	1	3	–	1	–	1
	ORDER 2.														
	1. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	2. Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	82	–	1	–	–	–	–	–	1	3	1	1	3	4
	ORDER 3.														
	1. Laryngitis	5	1	2	–	–	–	1	–	1	–	–	–	–	–
	2. Bronchitis	206	21	26	27	37	13	5	3	2	–	–	2	1	2
	3. Pleurisy	8	–	1	–	–	–	–	–	–	–	2	–	–	1
	4. Pneumonia	76	2	6	12	10	6	1	1	1	1	1	1	2	6
	5. Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	8	–	–	2	1	–	–	–	1	–	–	–	–	–
	ORDER 4.														
	1. Gastritis	5	1	1	–	2	–	–	–	–	–	–	–	–	–
	2. Enteritis	8	2	1	–	–	1	1	–	–	–	–	–	–	1
	3. Peritonitis	8	1	–	–	–	–	–	–	–	–	–	–	–	2
	4. Ascites	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	5. Ulceration of Intestines	5	–	–	–	1	–	–	–	–	1	–	–	–	–
	6. Hernia	2	–	–	–	–	–	–	–	–	–	1	–	–	–
	7. Ileus	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	8. Intussusception	3	1	1	1	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	11	–	–	1	1	–	–	1	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	14. Jaundice	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	11	–	–	–	1	–	–	–	–	–	–	–	1	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	6	–	–	–	1	–	–	1	2	–	–	1	–	1
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	15	–	–	–	–	–	–	–	–	2	2	1	–	2
	4. Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	5	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	4	–	–	–	–	–	1	–	–	–	–	–	–	1
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	2. *Joint Disease, etc.*	12	–	–	–	–	–	–	–	3	5	3	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	9	2	–	3	1	–	–	–	1	1	–	–	–	–
	2. Tabes Mesenterica	24	2	–	3	7	2	4	–	2	2	–	–	–	–
	3. Phthisis	218	–	–	6	2	2	2	6	1	12	35	36	26	24
	4. Hydrocephalus	35	1	3	5	5	6	6	4	4	–	1	–	–	–
III.	ORDER 1.														
	1. Cephalitis	15	1	4	3	1	–	1	–	–	2	1	–	–	1
	2. Apoplexy	48	–	1	1	2	3	–	–	–	–	–	–	–	3
	3. Paralysis	42	2	–	–	–	–	–	–	–	–	–	–	–	1
	4. Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	4	–	–	–	–	–	–	–	–	1	–	–	–	1
	7. Convulsions	27	12	3	7	5	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	14	–	–	1	–	–	–	–	–	2	1	–	–	1
	ORDER 2.														
	1. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	119	–	–	–	–	–	–	–	1	5	1	4	5	13
	ORDER 3.														
	1. Laryngitis	5	–	1	2	1	–	–	–	–	–	–	–	–	–
	2. Bronchitis	248	23	28	24	31	11	3	5	4	1	–	1	–	5
	3. Pleurisy	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	4. Pneumonia	80	–	1	8	16	7	3	2	3	–	2	4	–	3
	5. Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–	1
	6. *Lung Disease, etc.*	10	1	1	–	1	1	–	–	–	–	–	–	1	1
	ORDER 4.														
	1. Gastritis	4	2	–	1	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	15	2	2	3	1	–	–	–	1	1	–	–	1	1
	3. Peritonitis	18	1	–	–	1	–	1	–	–	–	3	–	–	2
	4. Ascites	4	–	–	–	–	–	–	1	–	–	1	–	–	–
	5. Ulceration of Intestines	4	–	–	–	–	–	–	–	–	–	1	1	–	–
	6. Hernia	9	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	10	1	–	–	1	1	–	–	–	–	–	1	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	3	–	–	–	–	–	–	–	–	–	1	–	–	–
	14. Jaundice	4	1	–	–	–	–	–	–	–	–	–	–	–	1
	15. *Liver Disease, etc.*	12	–	–	–	–	–	–	–	–	–	–	–	1	1
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	11	–	1	–	–	–	–	–	–	2	1	–	–	2
	4. Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	10	–	–	–	–	–	–	–	–	1	1	1	–	–
	ORDER 6.														
	1. Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	6	–	–	–	–	–	–	–	–	–	–	1	2	1
	ORDER 7.														
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	8	–	–	–	–	–	1	–	–	–	1	3	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	14	11	9	8	2	4	2	–	–	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	2	2	–	3	2	4	4	5	4	2	–	–	–	–	–
	3. Paralysis	3	2	4	4	5	8	8	6	5	–	1	–	–	–	–
	4. Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–
	7. Convulsions	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	1	5	1	2	2	1	1	–	1	–	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	2	11	8	6	13	10	9	2	6	–	1	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	5	4	10	7	11	10	9	5	2	1	3	–	–	–	–
	3. Pleurisy	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–
	4. Pneumonia	4	2	4	2	3	6	3	1	1	–	–	–	–	–	–
	5. Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
	2. Enteritis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Peritonitis	2	1	–	–	–	1	–	–	1	–	–	–	–	–	–
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	7. Ileus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	–	1	4	1	–	1	–	1	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	–	1	–	3	1	2	–	1	1	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	2	–	1	1	–	2	–	1	1	–	–	–	–	–	–
	4. Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	2	2	1	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1878.—FEMALES. (*Continued*).

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	14	17	15	10	5	4	–	1	–	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	3	1	5	3	4	6	8	3	2	2	1	–	–	–	–
	3. Paralysis	3	2	3	1	5	8	7	4	4	1	1	–	–	–	–
	4. Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	1	–	1	–	–	1	3	2	–	1	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	6	8	10	14	7	13	15	4	8	3	1	1	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	3	5	8	19	23	14	14	12	7	4	2	–	1	–	–
	3. Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	4	–	5	4	6	8	3	–	–	1	–	–	–	–	–
	5. Asthma	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	1	–	–	–	–	1	1	–	–	1	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Enteritis	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–
	3. Peritonitis	2	1	3	1	–	–	–	3	–	–	–	–	–	–	–
	4. Ascites	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	6. Hernia	1	2	3	–	–	1	–	1	1	–	–	–	–	–	–
	7. Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	1	–	1	3	1	–	–	–	–	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	14. Jaundice	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	–	1	2	1	1	3	2	–	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–
	4. Diabetes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	–	–	1	2	1	–	1	1	–	1	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	2. *Uterus Disease, etc.*	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 2	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	65	65	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	17	17	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	19	–	–	9	8	2	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	36	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	50	37	5	3	–	–	2	–	–	1	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1 Fractures and Contusions	22	–	–	–	–	1	–	–	1	1	1	–	4	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	4. Burns and Scalds	7	–	–	–	1	–	3	–	1	–	–	–	–	–
	5. Poison	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	6. Drowning	10	–	–	–	–	–	1	1	1	–	–	1	1	2
	7. Suffocation	17	7	8	–	–	–	–	–	2	–	–	–	–	–
	8. Otherwise	2	–	–	–	–	–	–	–	–	–	–	2	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	4	–	–	–	–	–	1	1	2	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	1	1	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	26	26	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	3. Spina Bifida	4	2	1	–	1	–	–	–	–	–	–	–	–	–
	4. Other Malformations	5	5	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	13	–	–	3	10	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	17	–	–	–	–	–	–	–	–	–	–	5	3	4
	ORDER 3.														
	1. Old Age	75	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	42	32	1	–	2	–	–	1	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence*).														
	1. Fractures and Contusions	4	–	–	–	–	–	–	–	–	–	–	1	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	8	–	–	–	1	2	2	–	2	–	–	–	–	–
	5. Poison	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	3	–	–	–	–	–	–	–	–	–	–	–	–	2
	7. Suffocation	18	8	4	1	2	–	–	–	–	–	1	–	–	1
	8. Otherwise	3	–	–	–	–	–	–	–	1	1	1	–	–	–
	ORDER 3. (*Homicide*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	6	1	1	1	–	–	–	–	–	–	–	1	1	1

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	3	7	7	10	7	–	2	–	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
V	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	5	2	2	1	1	2	–	1	–	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	–	–	–	–	–		–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	7	12	10	20	19	6	–	–	1	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	1	2	3	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence*).															
	1. Fractures and Contusions	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	5. Poison	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1
	8. Otherwise	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined		–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1878.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	1066	150	48	88	96	27	43	17	45	31	34	33	28	17
	Specified Causes . .	1058	147	48	88	96	27	43	17	45	31	34	33	27	17
	(CLASSES.)														
I.	ZYMOTIC DISEASES	218	24	13	31	36	11	25	11	19	6	9	3	1	2
II.	CONSTITUTIONAL ,,	181	4	3	10	14	6	6	3	8	11	16	20	16	7
III.	LOCAL ,,	511	49	28	37	37	9	10	2	17	12	8	7	8	8
IV.	DEVELOPMENTAL ,,	114	65	4	10	6	–	1	1	–	–	–	–	–	–
V.	VIOLENT DEATHS .	34	5	–	–	3	1	1	–	1	2	1	3	2	–
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	205	19	11	30	36	11	25	11	19	6	9	3	1	1
	2. ENTHETIC ,, .	5	1	2	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	5	1	–	1	–	–	–	–	–	–	–	–	–	1
	4. PARASITIC ,, .	3	3	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	26	1	–	–	–	1	–	–	–	1	–	–	–	–
	2. TUBERCULAR ,, .	155	3	3	10	14	5	6	3	8	10	16	20	16	7
III.	1. DISEASES OF NERVOUS SYSTEM . .	114	16	9	3	6	2	1	–	5	3	3	–	1	2
	2. ,, OF ORGANS OF CIRCULATION .	73	1	–	–	–	–	–	–	1	1	2	1	1	1
	3 ,, OF RESPIRATORY ORGANS . .	226	22	15	30	25	7	9	1	7	3	1	4	3	3
	4 ,, OF DIGESTIVE ORGANS . .	55	9	4	3	4	–	–	1	–	3	1	–	1	2
	5. ,, OF URINARY ORGANS . .	36	–	–	–	–	–	–	–	4	1	1	2	2	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	2	–	–	–	1	–	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	5	1	–	1	1	–	–	–	–	1	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	64	49	2	8	5	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	27	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION .	23	16	2	2	1	–	1	1	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1878.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	1138	103	50	71	103	42	19	20	36	26	36	41	40	45
	Specified Causes . .	1133	103	50	71	103	42	19	20	36	26	36	41	40	43
	(CLASSES.)														
I.	ZYMOTIC DISEASES	235	17	11	27	41	20	13	15	16	10	6	7	7	5
II.	CONSTITUTIONAL ,,	224	4	6	5	13	4	2	2	4	8	23	15	19	20
III.	LOCAL ,,	509	34	29	27	42	15	3	2	15	7	5	16	12	12
IV.	DEVELOPMENTAL ,,	147	46	3	12	6	3	1	–	–	1	–	2	1	6
V.	VIOLENT DEATHS .	18	2	1	–	1	–	–	1	1	–	2	1	1	–
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	225	10	10	27	40	20	13	15	16	10	6	7	7	5
	2. ENTHETIC ,, .	5	3	1	–	1	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	3	3	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	56	2	–	–	1	–	–	–	–	–	–	–	1	2
	2. TUBERCULAR ,, .	168	2	6	5	12	4	2	2	4	8	23	15	18	18
III.	1. DISEASES OF NERVOUS SYSTEM . .	111	12	8	4	6	–	–	1	5	3	1	3	3	1
	2. ,, OF ORGANS OF CIRCULATION .	68	–	–	–	1	–	–	–	1	2	–	3	2	2
	3. ,, OF RESPIRATORY ORGANS . .	225	17	14	21	33	13	3	–	4	1	1	3	4	2
	4. ,, OF DIGESTIVE ORGANS . .	57	5	5	2	1	2	–	1	2	1	2	2	2	1
	5. ,, OF URINARY ORGANS . .	30	–	–	–	–	–	–	–	1	–	1	4	1	3
	6. ,, OF ORGANS OF GENERATION .	7	–	–	–	–	–	–	–	–	–	–	1	–	1
	7. ,, OF ORGANS OF LOCOMOTION . .	5	–	–	–	–	–	–	–	2	–	–	–	–	1
	8. ,, OF INTEGUMENTARY SYSTEM . .	6	–	2	–	1	–	–	–	–	–	–	–	–	1
IV.	1. DEV. DIS. OF CHILDREN	42	29	1	10	2	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	14	–	–	–	–	–	–	–	–	1	–	2	1	6
	3. ,, OF OLD PEOPLE	60	–	–	–	–	–	–	–	–	–	–	–	–	–
	DISEASES OF NUTRITION	31	17	2	2	4	3	1	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	32	33	23	33	42	47	60	58	54	17	8	1	1	–	–
	Specified Causes . .	32	33	22	33	42	47	58	57	54	17	8	1	1	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	3	3	3	2	3	4	3	1	4	1	–	–	–	–	–
II.	CONSTITUTIONAL ,,	13	8	6	4	4	5	4	7	3	3	–	–	–	–	–
III.	LOCAL ,,	13	21	12	26	29	37	43	45	36	10	6	–	1	–	–
IV.	DEVELOPMENTAL ,,	–	–	–	–	–	–	6	4	11	3	2	1	–	–	–
V.	VIOLENT DEATHS . .	3	1	1	1	6	1	2	–	–	–	–	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	3	2	3	2	2	2	3	1	4	1	–	–	–	–	–
	2. ENTHETIC ,, .	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	–	–	2	3	2	3	2	7	2	2	–	–	–	–	–
	2. TUBERCULAR ,, .	13	8	4	1	2	2	2	–	1	1	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	2	5	3	2	4	11	10	10	10	3	3	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	5	5	5	7	10	10	4	8	8	3	–	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	3	7	–	8	10	10	22	17	12	3	3	–	1	–	–
	4. ,, OF DIGESTIVE ORGANS . .	1	1	2	6	3	3	5	3	3	–	–	–	–	–	–
	5. ,, OF URINARY ORGANS . .	2	2	2	3	2	3	2	7	3	–	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	–	6	4	11	3	2	1	–	–	–
	4. DISEASES OF NUTRITION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	39	47	29	40	39	48	58	53	68	52	22	9	2	–	–
	Specified Causes . .	38	47	29	39	39	48	58	53	67	52	22	9	2	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	4	3	2	4	1	4	5	4	6	5	2	–	–	–	–
II.	CONSTITUTIONAL ,,	17	20	13	13	7	6	6	9	3	4	1	–	–	–	–
III.	LOCAL ,,	14	22	14	21	30	38	41	29	43	23	8	6	1	–	–
IV.	DEVELOPMENTAL ,,	3	2	–	1	–	–	6	9	14	18	10	2	1	–	–
V.	VIOLENT DEATHS . .	–	–	–	–	1	–	–	2	1	2	1	1	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	4	3	2	4	1	4	4	4	6	5	2	–	–	–	–
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC , .	2	6	5	8	5	5	4	8	3	4	–	–	–	–	–
	2. TUBERCULAR ,, .	15	14	8	5	2	1	2	1	–	–	1	–	–	–	–
III	1. DISEASES OF NERVOUS SYSTEM . .	2	5	4	5	7	6	9	6	13	3	1	2	1	–	–
	2. ,, OF ORGANS OF CIRCULATION .	5	5	2	7	4	12	5	10	4	2	–	1	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	6	3	4	6	12	10	17	9	18	14	7	3	–	–	
	4. ,, OF DIGESTIVE ORGANS . .	1	4	1	–	4	7	5	2	5	2	–	–	–	–	–
	5. ,, OF URINARY ORGANS . .	–	5	–	3	2	3	3	1	2	1	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	1	–	1	–	1	1	–	1	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	1	–	–	–	–	–	1	–	–	–	–	–	
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–		–	6	9	14	18	10	2	1	–	–
	4. DISEASES OF NUTRITION	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	28	5	–	–	3	1	1	–	1	2	1	2	2	–
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	6	–	–	–	–	–	–	–	–	–	–	1	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	7	3	–	–	–	–	–	–	–	–	–	–	1	–
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	3. Scarlatina	31	–	1	3	4	3	8	3	9	–	–	–	–	–
	4. Diphtheria	24	3	1	2	3	1	4	2	5	1	2	–	–	–
	5. Quinsy	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	6. Croup	13	–	–	2	3	1	2	4	1	–	–	–	–	–
	7. Hooping-cough	55	7	7	13	15	4	8	1	–	–	–	–	–	–
	8. Typhus Fever	21	–	–	–	1	–	1	–	1	1	4	–	–	–
	8. Enteric or Typhoid Fever	14	–	–	–	2	2	–	–	2	2	3	2	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	4	2	–	–	–	–	–	–	–	1	–	–	–	–
	14. Diarrhœa	26	5	2	10	5	–	–	–	–	–	–	–	–	–
	15. Cholera	4	1	–	–	2	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	4	–	–	–	–	–	1	1	1	1	–	–	–	–
	18. Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	1	1
	19. Other *Miasmatic* Diseases	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	3	1	2	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	2	1	–	1	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–	1
	4. Alcoholism *b* Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Thrush	3	3	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	4	1	–	–	–	1	–	–	–	1	–	–	–	–
	3. Cancer	17	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	16	2	1	–	1	–	–	1	1	–	2	–	–	–
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	2	–	–	–	–	–	–	–	–	–	–	1	1	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	4	–	–	–	–	–	–	–	–	–	–	–	–	2
I.	ORDER 1.														
	1. Small-pox	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	30	–	–	2	3	2	4	5	8	2	2	1	1	–
	4. Diphtheria	20	–	–	–	5	6	2	3	1	1	1	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	14	–	–	1	6	3	1	2	1	–	–	–	–	–
	7. Hooping-cough	71	7	5	18	22	9	2	4	4	–	–	–	–	–
	8. Typhus Fever	14	–	–	–	–	–	1	–	–	3	1	2	–	1
	8. Enteric or Typhoid Fever	16	–	–	2	–	–	1	1	1	3	–	–	3	3
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	4	–	–	–	–	–	1	–	1	–	–	–	–	–
	9. Erysipelas	4	1	–	–	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	5	–	–	–	–	–	–	–	–	–	–	–	2	1
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	34	2	4	4	4	–	–	–	–	1	–	1	–	–
	15. Cholera	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	7	–	–	–	–	–	1	–	–	–	1	2	1	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	5	3	1	–	1	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Thrush	3	3	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	7	1	–		1	–	–	–	–	–	–	–	1	–
	3. Cancer	46	1	–	–	–	–	–	–	–	–	–	–	–	2
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OF NEGLIGENCE	–	1	–	1	5	1	2	–	–	–	–	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	3	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	2	2	3	2	1	1	–	–	2	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	19 Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	2. Dropsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	3. Cancer	–	–	2	3	2	1	2	6	1	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	–	–	–	–	1	–	–	2	1	2	1	1	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	9. Erysipelas	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	13. Dysentery	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	14. Diarrhœa	2	–	–	2	–	1	2	2	5	2	2	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–
	3. Cancer	2	6	4	8	5	5	2	5	3	3	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–

See page 52, note *.

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	20	1	–	1	1	2	1	–	2	2	2	2	1	–
	2. Tabes Mesenterica	9	2	–	1	2	2	–	1	–	1	–	–	–	–
	3. Phthisis	95	–	–	1	4	–	2	–	2	3	14	18	15	7
	4. Hydrocephalus	31	–	3	7	7	1	3	2	4	4	–	–	–	–
III.	ORDER 1.														
	1. Cephalitis	7	–	–	–	1	–	–	–	1	1	–	–	–	1
	2. Apoplexy	25	–	–	–	1	1	–	–	–	–	–	–	1	–
	3. Paralysis	26	–	1	–	–	–	–	–	–	–	1	–	–	–
	4. Insanity	2	–	–	–	–	–	–	–	–	–	1	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	7	1	–	–	1	–	–	–	–	–	–	–	–	1
	7. Convulsions	28	13	5	2	2	1	1	–	2	2	–	–	–	–
	8. *Brain Disease, etc.*	19	2	3	1	1	–	–	–	2	–	1	–	–	–
	ORDER 2.														
	1. Pericarditis	2	–	–	–	–	–	–	–	–	–	1	–	–	–
	2. Aneurism	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	67	1	–	–	–	–	–	–	1	1	1	1	1	1
	ORDER 3.														
	1. Laryngitis	9	–	1	3	1	–	2	–	–	–	–	–	1	–
	2. Bronchitis	150	22	10	25	22	3	4	1	5	1	–	–	1	–
	3. Pleurisy	9	–	–	–	–	–	1	–	–	1	–	–	–	1
	4. Pneumonia	50	–	3	2	2	3	2	–	2	1	1	4	1	1
	5. Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–	1
	6. *Lung Disease, etc.*	5	–	1	–	–	1	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Gastritis	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	4	–	1	1	1	–	–	–	–	–	–	–	–	–
	3. Peritonitis	7	1	–	–	–	–	–	1	–	2	–	–	–	1
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	6	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	4	–	–	–	–	–	–	–	–	–	1	–	–	1
	8. Intussusception	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	19	4	3	2	3	–	–	–	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	4	2	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	6	–	–	–	–	–	–	–	–	1	–	–	1	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	3	–	–	–	–	–	–	–	3	–	–	–	–	–
	2. Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	10	–	–	–	–	–	–	–	1	–	–	1	1	–
	4. Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	5. Calculus (Stone)	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	5. Cystitis	3	–	–	–	–	–	–	–	–	–	1	–	–	–
	7. *Kidney Disease, etc.*	13	–	–	–	–	–	–	–	–	1	–	–	–	–
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–		–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	2	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	9	–	–	1	2	–	1	–	1	1	1	–	–	1
	2. Tabes Mesenterica	9	1	1	–	3	–	–	1	–	1	1	–	–	–
	3. Phthisis	124	–	–	1	1	–	–	–	1	5	19	15	18	17
	4. Hydrocephalus	26	1	5	3	6	4	1	1	2	1	2	–	–	–
III.	ORDER 1.														
	1. Cephalitis	10	–	1	–	3	–	–	–	1	1	–	2	–	1
	2. Apoplexy	22	–	–	–	–	–	–	–	–	–	–	1	–	–
	3. Paralysis	30	–	–	–	–	–	–	–	–	–	–	–	3	–
	4. Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	6. Epilepsy	4	–	1	–	–	–	–	–	1	1	–	–	–	–
	7. Convulsions	20	12	5	2	1	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	21	–	1	2	1	–	–	1	3	1	1	–	–	–
	ORDER 2.														
	1. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	1	1	–
	2. Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	65	–	–	–	1	–	–	–	1	2	–	2	1	2
	ORDER 3.														
	1. Laryngitis	7	–	1	1	2	–	1	–	–	–	–	–	–	–
	2. Bronchitis	159	12	11	14	25	11	1	–	1	–	–	–	3	1
	3. Pleurisy	4	–	–	–	–	1	–	–	–	–	–	1	–	–
	4. Pneumonia	45	4	2	6	6	1	1	–	3	1	–	1	1	1
	5. Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	8	1	–	–	–	–	–	–	–	–	1	1	–	–
	ORDER 4.														
	1. Gastritis	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	7	1	1	2	–	–	–	–	–	–	–	–	1	–
	3. Peritonitis	11	–	1	–	–	–	–	–	–	–	2	1	1	–
	4. Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	4	–	–	–	–	–	–	1	1	–	–	1	–	–
	6. Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	18	2	3	–	–	2	–	–	1	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	5	–	–	–	–	–	–	–	–	–	–	–	–	1
	15. *Liver Disease, etc*	5	1	–	–	1	–	–	–	–	1	–	–	–	–
	16. *Spleen Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	2	–	–	–	–	–	–	–	–	–	–	–	–	1
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	8	–	–	–	–	–	–	–	1	–	1	–	–	–
	4. Diabetes	3	–	–	–	–	–	–	–	–	–	–	2	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	7. *Kidney Disease, etc.*	15	–	–	–	–	–	–	–	–	–	–	2	–	2
	ORDER 6.														
	1. Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	5	–	–	–	–	–	–	–	–	–	–	1	–	1
	ORDER 7.														
	1. Synovitis (Arthritis)	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	2. *Joint Disease, etc.*	4	–	–	–	–	–	–	–	2	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	2. Tabes Mesenterica	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3. Phthisis	11	6	4	1	1	2	2	-	1	1	-	-	-	-	-
	4. Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.	ORDER 1.															
	1. Cephalitis	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	2. Apoplexy	-	1	-	-	1	7	4	-	5	2	2	-	-	-	-
	3. Paralysis	1	1	2	2	-	2	4	5	5	1	1	-	-	-	-
	4. Insanity	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	5. Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Epilepsy	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-
	7. Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8. *Brain Disease, etc.*	1	1	-	-	1	1	1	4	-	-	-	-	-	-	-
	ORDER 2.															
	1. Pericarditis	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	2. Aneurism	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	3. *Heart Disease, etc.*	4	5	4	6	9	10	4	7	8	3	-	-	-	-	-
	ORDER 3.															
	1. Laryngitis	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Bronchitis	-	2	-	4	4	4	15	11	10	3	3	-	-	-	-
	3. Pleurisy	-	2	-	-	1	1	1	1	-	-	-	-	-	-	-
	4. Pneumonia	3	2	-	3	5	5	4	4	1	-	-	-	1	-	-
	5. Asthma	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	6. *Lung Disease, etc.*	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
	ORDER 4.															
	1. Gastritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Enteritis	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	3. Peritonitis	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	4. Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Ulceration of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6. Hernia	1	-	-	1	1	1	1	1	-	-	-	-	-	-	-
	7. Ileus	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	8. Intussusception	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	9. Stricture of Intestines	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	10. Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11. *Stomach Disease, etc.*	-	-	-	2	-	1	1	1	2	-	-	-	-	-	-
	12. *Pancreas Disease, etc.*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13. Hepatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	14 Jaundice	-	-	-	1	-	-	-	-	1		-	-	-	-	-
	15. *Liver Disease, etc.*	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-
	16. *Spleen Disease, etc.*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 5.															
	1. Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. Ischuria	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	3. Bright's Disease (Nephria)	-	-	-	1	1	1	2	1	1	-	-	-	-	-	-
	4. Diabetes	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5. Calculus (Stone)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	6. Cystitis	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	7. *Kidney Disease, etc.*	1	2	2	2	1	1	-	1	2	-	-	-	-	-	-
	ORDER 6.															
	1. Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. *Uterus Disease, etc.*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ORDER 7.															
	1. Synovitis (Arthritis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2. *Joint Disease, etc.*	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	15	12	8	5	2	1	2	1	–	–	1	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	–	1	2	2	3	2	4	3	2	1	–	–	1	–	–
	3. Paralysis	–	1	2	1	2	1	4	2	9	2	1	2	–	–	–
	4. Insanity	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	1	2	–	1	2	2	–	1	2	–	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	5	5	2	7	4	11	5	10	4	2	–	1	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	2. Bronchitis	3	1	2	3	7	7	13	7	15	14	6	2	–	–	–
	3. Pleurisy	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	4. Pneumonia	3	1	1	2	2	1	2	1	3	–	1	1	–	–	–
	5. Asthma	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	–	1	–	1	2	–	–	1	–	–	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Peritonitis	1	–	–	–	–	1	1	1	2	–	–	–	–	–	–
	4. Ascites	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	1	–	–	1	4	2	–	1	1	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	1	–	–	–	–	–	–		–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–		–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	–	2	–	2	–	1	1	–	–	–	–	–	–	–	–
	4. Diabetes	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	–	2	–	1	2	1	1	1	2	1	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	3	1	–	–	1	–	–	–	–	1	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	38	38	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	7	7	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	16	1	2	8	5	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	27	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	23	16	2	2	1	–	1	1	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	5	–	–	–	–	–	–	–	1	–	1	1	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	5	–	–	–	3	1	–	–	–	–	–	–	1	–
	5. Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	8	–	–	–	–	–	1	–	–	2	–	1	1	–
	7. Suffocation	5	4	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	4	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, stab	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	5	–	–	–	–	–	–	–	–	–	–	1	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	7	3	–	–	–	–	–	–	–	–	–	–	1	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	–	1
	2. Ulcer	2	–	1	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	2	–	1	–	1	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	23	23	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	5	4	1	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	12	–	–	10	2	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	13	–	–	–	–	–	–	–	–	–	–	2	1	6
	ORDER 3.														
	1. Old Age	60	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	31	17	2	2	4	3	1	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	5	–	–	–	–	–	–	–	1	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	3	–	–	–	1	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	2	–	–	–	–	–	–	–	–	–	2	–	–	–
	7. Suffocation	4	2	1	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	2	–	–	–	–	–	–	1	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	4	–	–	–	–	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	–	6	4	11	3	2	1	–	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	6. Drowning	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	8	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	–	6	9	14	18	10	2	1	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	8. Otherwise	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–		–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–		–
	3. Poison	–	–	–	–	–	–	–	–	–	–		–	–		–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–		
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–		
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–		
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Causes not specified or ill-defined	1	–	–	1	–	–	–	–	–	–	–	–	–	–	

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1878.—MALES.

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	795	76	31	67	93	32	22	22	31	24	34	26	23	25
	Specified Causes . .	791	75	30	67	93	32	22	22	31	24	34	26	23	25
	(CLASSES.)														
I.	ZYMOTIC DISEASES	107	10	7	12	21	13	8	7	3	4	4	3	2	–
II.	CONSTITUTIONAL ,,	159	2	3	14	15	5	5	6	11	10	17	14	6	9
III.	LOCAL ,,	355	16	11	30	44	12	7	7	16	7	8	5	10	9
IV.	DEVELOPMENTAL ,,	109	47	6	10	13	1	1	2	–	–	–	–	–	1
V.	VIOLENT DEATHS . .	61	–	3	1	–	1	1	–	1	3	5	4	5	6
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	96	3	7	12	21	12	8	7	3	4	4	3	2	–
	2. ENTHETIC ,, .	6	5	–	–	–	1	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	5	2	–	–	–	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	10	–	–	–	–	1	–	–	–	–	–	–	–	–
	2. TUBERCULAR ,, .	149	2	3	14	15	4	5	6	11	10	17	14	6	9
III.	1. DISEASES OF NERVOUS SYSTEM . .	104	4	3	7	12	4	2	5	5	2	2	1	4	4
	2. ,, OF ORGANS OF CIRCULATION .	45	–	–	1	–	1	–	–	–	1	1	1	1	–
	3. ,, OF RESPIRATORY ORGANS . .	151	9	5	18	27	7	5	2	7	3	2	3	2	2
	4. ,, OF DIGESTIVE ORGANS . .	39	3	3	4	4	–	–	–	1	1	3	–	2	1
	5. ,, OF URINARY ORGANS . .	13	–	–	–	–	–	–	–	1	–	–	–	1	2
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	2	–	–	–	–	–	–	–	2	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	1	–	–	–	1	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	45	23	4	8	10	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	25	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION .	39	24	2	2	3	1	1	2	–	–	–	–	–	1

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1878.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	754	67	24	49	89	35	18	14	43	30	26	21	28	29
	Specified Causes . .	742	61	24	48	88	35	18	13	43	30	26	21	27	29
	(CLASSES.)														
I.	ZYMOTIC DISEASES	124	6	7	16	36	9	8	6	7	4	–	5	–	2
II.	CONSTITUTIONAL ,,	205	2	4	3	10	8	4	3	19	16	20	11	19	18
III.	LOCAL ,,	272	16	8	19	31	12	5	4	15	7	5	4	6	6
IV.	DEVELOPMENTAL ,,	132	37	5	10	11	6	1	–	1	1	1	1	2	3
V.	VIOLENT DEATHS . .	9	–	–	–	–	–	–	–	1	2	–	–	–	–
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	113	4	5	14	33	9	8	6	7	4	–	5	–	2
	2. ENTHETIC ,, .	5	1	1	1	2	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	6	1	1	1	1	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	37	–	–	–	–	–	–	–	1	–	–	–	1	2
	2. TUBERCULAR ,, .	168	2	4	3	10	8	4	3	18	16	20	11	18	16
III.	1. DISEASES OF NERVOUS SYSTEM . .	81	8	1	8	7	3	3	–	6	1	–	1	3	–
	2. ,, OF ORGANS OF CIRCULATION .	42	–	–	–	–	–	–	–	–	2	2	–	1	1
	3. ,, OF RESPIRATORY ORGANS . .	105	5	7	9	22	8	2	3	7	3	1	1	–	4
	4. ,, OF DIGESTIVE ORGANS . .	33	3	–	2	2	1	–	1	1	1	2	2	1	–
	5. ,, OF URINARY ORGANS . .	4	–	–	–	–	–	–	–	–	–	–	–	–	1
	6. ,, OF ORGANS OF GENERATION .	4	–	–	–	–	–	–	–	–	–	–	–	1	–
	7. ,, OF ORGANS OF LOCOMOTION . .	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	2	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	33	17	2	6	7	1	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS.	9	–	–	–	–	–	–	–	–	–	–	1	1	3
	3. ,, OF OLD PEOPLE	46	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	44	20	3	4	4	5	1	–	1	1	1	–	1	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	32	31	40	27	30	47	27	21	19	10	5	–	–	–	–
	Specified Causes . .	31	31	40	27	29	47	27	21	19	10	5	–	–	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	2	2	2	1	1	2	–	2	1	–	–	–	–	–	–
II.	CONSTITUTIONAL ,,	5	7	4	5	9	5	6	1	–	–	–	–	–	–	–
III.	LOCAL ,,	18	17	28	17	14	29	18	12	13	6	1	–	–	–	–
IV.	DEVELOPMENTAL ,,	–	–	–	2	1	7	3	3	5	4	3	–	–	–	–
V.	VIOLENT DEATHS . .	6	5	6	2	4	4	–	3	–	–	1	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	1	2	–	1	1	2	–	2	1	–	–	–	–	–	–
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	–	–	1	1	2	2	2	1	–	–	–	–	–	–	–
	2. TUBERCULAR ,, .	5	7	3	4	7	3	4	–	–	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	2	3	11	2	5	11	5	4	4	1	1	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	4	2	3	5	3	7	5	3	6	1	–	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	12	7	7	9	3	8	5	2	2	4	–	–	–	–	–
	4. ,, OF DIGESTIVE ORGANS . .	–	4	5	–	2	2	1	3	–	–	–	–	–	–	–
	5. ,, OF URINARY ORGANS . .	–	1	2	1	1	1	2	–	1	–	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	7	3	3	5	4	3	–	–	–	–
	4. DISEASES OF NUTRITION	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	26	24	23	28	21	39	38	29	33	8	8	4	–	–	–
	Specified Causes . .	25	24	22	28	21	39	38	29	33	8	8	4	–	.	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	2	2	3	2	1	–	4	1	3	–	–	–	–	–	–
II.	CONSTITUTIONAL ,,	10	12	4	5	9	15	6	2	4	1	–	–	–	–	–
III.	LOCAL ,,	9	8	14	19	9	21	21	15	12	3	2	1	–	–	–
IV.	DEVELOPMENTAL ,,	4	1	1	–	1	2	7	10	14	4	6	3	–	–	–
V.	VIOLENT DEATHS . .	–	1	–	2	1	–	–	1	–	–	–	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	1	2	3	2	1	–	3	1	3	–	–	–	–	–	–
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	2	–	2	–	5	12	5	2	4	1	–	–	–	–	–
	2. TUBERCULAR ,, .	8	12	2	5	4	3	1	–	–	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	2	4	1	8	3	3	6	5	3	2	2	1	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	1	1	6	5	2	8	7	4	2	–	–	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	2	1	4	5	1	6	5	5	3	1	–	–	–	–	–
	4. ,, OF DIGESTIVE ORGANS . .	2	1	1	1	3	3	2	1	3	–	–	–	–	–	–
	5. ,, OF URINARY ORGANS . .	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	2	7	10	14	4	6	3	–	–	–
	4. DISEASES OF NUTRITION .	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	60	–	3	1	–	1	1	–	1	3	5	4	5	6
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	4	1	1	–	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	2	–	–	–	2	–	–	–	–	–	–	–	–	–
	3. Scarlatina	2	–	–	–	–	–	1	1	–	–	–	–	–	–
	4. Diphtheria	16	–	–	3	5	3	2	1	1	–	1	–	–	–
	5. Quinsy	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	6. Croup	12	–	–	2	3	5	–	2	–	–	–	–	–	–
	7. Hooping-cough	24	–	5	4	7	2	3	3	–	–	–	–	–	–
	8. Typhus Fever	7	–	–	–	–	–	–	–	–	–	1	1	1	–
	8. Enteric or Typhoid Fever	8	–	–	–	–	–	–	–	1	4	1	1	1	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	4	2	–	1	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	12. Influenza	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	13. Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	13	–	2	2	4	1	1	–	1	–	–	–	–	–
	15. Cholera	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	18. Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	6	5	–	–	–	1	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cancer	6	–	–	–	–	1	–	–	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–	–

See page 52, note *

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	8	–	–	–	–	–	–	–	1	2	–	–	–	–
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	2	–	–	–	1	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	10	6	–	1	–	–	–	1	–	–	–	–	1	–
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	6	–	–	1	2	1	1	1	–	–	–	–	–	–
	3. Scarlatina	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	4. Diphtheria	17	–	–	1	4	2	3	3	3	1	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	12	–	–	2	6	1	1	1	1	–	–	–	–	–
	7. Hooping-cough	32	1	1	8	12	4	3	1	2	–	–	–	–	–
	8. Typhus Fever	4	–	–	–	–	–	–	–	–	1	–	–	–	–
	8. Enteric or Typhoid Fever	7	–	–	–	–	–	–	–	–	2	–	3	–	1
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	2	–	–	–	–	–	–	–	–	–	–	1	–	1
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	20	2	3	2	8	–	–	–	–	–	–	–	–	–
	15. Cholera	2	–	1	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	18. Rheumatism	6	–	–	–	–	–	–	–	1	–	–	1	–	–
	19. Other *Miasmatic* Diseases	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	5	1	1	1	2	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	3	1	1	–	1	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	9	–	–	–	–	–	–	–	1	–	–	–	–	–
	3. Cancer	25	–	–	–	–	–	–	–	–	–	–	–	1	2
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE . . .	6	5	5	2	4	4	–	3	–	–	1	–	–	–	–
	*															
	3. HOMICIDE . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE . . .	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED . . .	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever . .	–	2	–	1	–	–	–	1	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Relapsing Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas . . .	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa . . .	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism . . .	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc. . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	2. Dropsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	3. Cancer	–	–	1	1	–	1	1	1	–	–	–	–	–	–	–
	4. Cancrum Oris (Noma) .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification . . .	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	–	1	–	2	–	1	–	1	–	–	–	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	1	–	1	–	–	–	1	–	2	–	–	–	–	–	–
	15. Cholera	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	–	–	1	1	–	–	–	1	1	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	–	–	1	–	1	2	2	1	1	–	–	–	–	–	–
	3. Cancer	2	–	1	–	4	9	3	1	1	1	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–

* See page 52, note *

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	15	–	1	3	3	1	2	–	2	1	2	–	–	–
	2. Tabes Mesenterica	5	1	–	–	1	1	–	–	2	–	–	–	–	–
	3. Phthisis	106	–	–	2	5	1	1	5	7	8	15	14	6	9
	4. Hydrocephalus	23	1	2	9	6	1	2	1	–	1	–	–	–	–
III.	ORDER 1.														
	1. Cephalitis	23	–	1	3	3	2	2	3	4	1	1	–	1	–
	2. Apoplexy	21	–	–	–	–	–	–	1	1	1	–	1	–	1
	3. Paralysis	23	–	–	–	–	–	–	–	–	–	–	–	2	1
	4. Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Convulsions	17	3	2	3	7	1	–	–	–	–	–	–	1	1
	8. *Brain Disease, etc.*	17	1	–	1	2	1	–	1	–	–	1	–	–	1
	ORDER 2.														
	1. Pericarditis	2	–	–	–	–	–	–	–	–	–	1	1	–	–
	2. Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	1	–
	3. *Heart Disease, etc.*	40	–	–	1	–	1	–	–	–	1	–	–	–	–
	ORDER 3.														
	1. Laryngitis	4	1	–	2	–	–	–	–	1	–	–	–	–	–
	2. Bronchitis	79	5	5	10	17	6	3	1	4	–	–	–	1	–
	3. Pleurisy	2	–	–	–	–	–	–	–	–	1	–	–	–	–
	4. Pneumonia	51	1	–	5	9	1	1	1	2	2	1	3	1	2
	5. Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	10	2	–	1	1	–	1	–	–	–	1	–	–	–
	ORDER 4.														
	1. Gastritis	3	1	–	–	–	–	–	–	–	–	1	–	–	–
	2. Enteritis	13	1	3	4	4	–	–	–	–	–	–	–	–	–
	3. Peritonitis	5	–	–	–	–	–	–	–	1	1	1	–	–	1
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	3	–	–	–	–	–	–	–	–	–	–	–	1	–
	7. Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	4	–	–	–	–	–	–	–	–	–	1	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	3	1	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	6	–	–	–	–	–	–	–	–	–	–	–	1	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	4	–	–	–	–	–	–	–	1	–	–	–	–	1
	4. Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	7	–	–	–	–	–	–	–	–	–	–	–	1	1
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	2	–	–	–	–	–	–	–	2	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	11	1	–	1	2	–	–	1	2	–	–	1	–	1
	2. Tabes Mesenterica	14	–	3	1	1	2	–	–	4	3	–	–	–	–
	3. Phthisis	124	–	–	–	3	4	–	2	6	13	20	10	18	15
	4. Hydrocephalus	19	1	1	1	4	2	4	–	6	–	–	–	–	–
III.	ORDER 1.														
	1. Cephalitis	12	2	–	1	1	–	2	–	4	–	–	–	–	–
	2. Apoplexy	24	2	–	–	–	–	–	–	1	1	–	1	2	–
	3. Paralysis	17	–	–	–	–	–	–	–	–	–	–	–	1	–
	4. Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Convulsions	15	4	1	4	2	2	1	–	1	–	–	–	–	–
	8. *Brain Disease, etc.*	11	–	–	3	4	1	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	42	–	–	–	–	–	–	–	–	2	2	–	1	1
	ORDER 3.														
	1. Laryngitis	2	–	–	–	1	–	–	1	–	–	–	–	–	–
	2. Bronchitis	75	4	6	7	14	6	2	2	6	1	–	–	–	2
	3. Pleurisy	2	–	–	–	–	–	–	–	1	–	–	–	–	–
	4. Pneumonia	16	–	–	1	6	2	–	–	–	1	1	1	–	2
	5. Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	10	1	1	1	1	–	–	–	–	1	–	–	–	–
	ORDER 4.														
	1. Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	8	2	–	1	1	1	–	1	–	–	–	1	–	–
	3. Peritonitis	5	–	–	–	–	–	–	–	1	–	2	1	–	–
	4. Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	6. Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	2	–	–	1	1	–	–	–	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	2	–	–	–	–	–	–	–	–	1	–	–	–	–
	14. Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	6	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 6.														
	1. Ovarian Dropsy	1	–	–	–	–	–	–		–	–	–	–	–	–
	2. *Uterus Disease, etc.*	3	–	–	–	–	–	–	–	–	–	–	–	1	–
	ORDER 7.														
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	1	–	–	–	–	–	–	–	1	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	5	7	3	4	7	3	4	–	–	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	–	1	4	–	3	4	1	1	1	–	1	–	–	–	–
	3. Paralysis	1	–	5	–	1	4	2	3	3	1	–	–	–	–	–
	4. Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	1	–	2	2	1	2	1	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	3	2	3	5	2	7	5	3	6	1	–	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	2	2	4	3	1	5	5	2	–	3	–	–	–	–	–
	3. Pleurisy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	9	2	2	5	–	2	–	–	2	–	–	–	–	–	–
	5. Asthma	–	2	1	–	1	1	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	1	–	–	1	1	–	–	–	–	1	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	3. Peritonitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	7. Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	–	1	1	–	–	2	–	1	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. Diabetes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	–	–	1	1	1	–	2	–	–	–	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	8	12	1	5	4	2	1	–	–	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	2. Apoplexy	1	1	–	5	1	1	–	3	2	2	–	1	–	–	–
	3. Paralysis	1	2	1	1	1	2	5	2	1	–	–	–	–	–	–
	4. Insanity	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	1	1	6	5	2	8	7	4	2	–	–	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	2	1	1	2	1	5	5	5	2	1	–	–	–	–	–
	3. Pleurisy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	5. Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	–	–	1	3	–	1	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Enteritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	3. Peritonitis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	4. Ascites	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	7. Ileus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	14. Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	1	–	1	1	–	2	1	–	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	1	–	–	–	1	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	21	21	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	2	–	1	–	1	–	–	–	–	–	–	–	–	–
	5. Teething	20	–	3	8	9	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–		–	–
	ORDER 3.														
	1. Old Age	25	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	39	24	2	2	3	1	1	2	–	–	–	–	–	1
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	23	–	1	–	–	–	–	–	1	1	2	–	2	2
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	4	–	–	–	–	1	1	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	24	–	–	–	–	–	–	–	–	2	2	4	3	3
	7. Suffocation	5	–	1	1	–	–	–	–	–	–	–	–	–	1
	8. Otherwise	4	–	1	–	–	–	–	–	–	–	1	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	4	1	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	17	16	1	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	14	–	–	6	7	1	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	9	–	–	–	–	–	–	–	–	–	–	1	1	3
	ORDER 3.														
	1. Old Age	46	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	44	20	3	4	4	5	1	–	1	1	1	–	1	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	5	–	–	–	–	–	–	–	–	2	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	2	–	–	–	–	–	–	–	1	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	2	–	–	–	1	–	–	–	–		–	–	–	–
	Causes not specified or ill-defined	10	6	–	1	–	–	–	1	–	–	–	–	1	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	–		–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	7	3	3	5	4	3	–	–	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	3	1	2	2	2	3	–	1	–	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	3	2	–	1	1	–	2	–	–	1	–	–	–	–
	7. Suffocation	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–		–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	2	7	10	14	4	6	3	–	–	–
	ORDER 4.															
	1. Atrophy and Debility	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1878.—MALES.

Class	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes . . .	785	73	34	62	66	48	29	19	54	28	26	25	24	20
	Specified Causes . .	778	71	34	62	66	48	28	19	54	28	24	25	24	20
	(CLASSES.)														
I.	ZYMOTIC DISEASES	170	7	5	18	21	19	16	10	28	5	6	6	3	3
II.	CONSTITUTIONAL ,,	132	–	2	8	11	11	4	2	13	14	13	10	10	6
III.	LOCAL ,,	332	15	21	27	24	12	6	5	11	8	4	8	9	8
IV.	DEVELOPMENTAL ,,	118	48	5	8	10	5	–	–	–	–	–	–	–	–
V.	VIOLENT DEATHS . .	26	1	1	1	–	1	2	2	2	1	1	1	2	3
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	166	7	5	17	21	19	16	10	28	5	6	5	3	3
	2. ENTHETIC ,, .	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	3	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	14	–	–	–	–	–	–	1	–	–	–	1	–	–
	2. TUBERCULAR ,, .	118	–	2	8	11	11	4	1	13	14	13	9	10	6
III.	1. DISEASES OF NERVOUS SYSTEM . .	89	6	5	5	4	6	1	1	1	3	2	1	3	2
	2. ,, OF ORGANS OF CIRCULATION .	29	–	–	–	–	–	1	–	2	1	–	–	2	–
	3. ,, OF RESPIRATORY ORGANS . .	149	6	10	21	17	5	3	3	–	1	–	5	2	2
	4. ,, OF DIGESTIVE ORGANS . .	33	3	6	1	1	1	1	–	2	1	–	1	–	2
	5. ,, OF URINARY ORGANS . .	27	–	–	–	–	–	–	1	5	1	2	–	2	2
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	5	–	–	–	2	–	–	–	1	1	–	1	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	37	19	3	4	8	3	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	40	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	41	29	2	4	2	2	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1878.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes	806	45	27	46	61	33	22	24	67	19	36	44	34	21
	Specified Causes	801	45	27	46	60	33	22	24	67	19	35	44	34	20
	(CLASSES.)														
I.	ZYMOTIC DISEASES	156	2	9	10	23	16	12	13	24	6	7	10	5	–
II.	CONSTITUTIONAL ,,	182	1	2	4	11	7	3	5	25	5	24	24	13	12
III.	LOCAL ,,	294	7	10	22	15	9	7	4	18	8	4	7	15	5
IV.	DEVELOPMENTAL ,,	162	34	6	10	10	1	–	–	–	–	–	3	1	2
V.	VIOLENT DEATHS	7	1	–	–	1	–	–	2	–	–	–	–	–	1
	(ORDERS.)														
I.	1. MIASMATIC DISEASES	153	1	8	10	23	16	12	13	24	6	7	10	5	–
	2. ENTHETIC ,,	2	–	1	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,,	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,,	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,,	25	–	–	–	–	–	–	–	–	–	–	1	–	1
	2. TUBERCULAR ,,	157	1	2	4	11	7	3	5	25	5	24	23	13	11
III.	1. DISEASES OF NERVOUS SYSTEM	67	3	3	6	1	–	2	1	2	2	1	2	2	1
	2. ,, OF ORGANS OF CIRCULATION	31	–	–	–	–	–	–	–	1	–	–	2	2	2
	3. ,, OF RESPIRATORY ORGANS	130	2	6	13	11	8	4	3	12	4	2	1	5	1
	4. ,, OF DIGESTIVE ORGANS	47	2	1	3	3	1	–	–	1	1	1	–	4	1
	5. ,, OF URINARY ORGANS	11	–	–	–	–	–	1	–	1	1	–	1	1	–
	6 ,, OF ORGANS OF GENERATION	5	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM	2	–	–	–	–	–	–	–	–	–	–	1	1	–
IV.	1. DEV. DIS. OF CHILDREN	37	16	4	7	10	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS	9	–	–	–	–	–	–	–	–	–	–	3	1	1
	3. ,, OF OLD PEOPLE	87	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	29	18	2	3	–	1	–	–	–	–	–	–	–	1

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	22	22	31	27	27	34	37	32	28	11	4	1	1	–	–
	Specified Causes . .	21	22	31	27	27	33	37	32	28	11	4	1	1	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	3	2	4	3	3	1	1	1	3	2	–	–	–	–	–
II.	CONSTITUTIONAL ,,	5	4	7	4	–	3	3	2	–	–	–	–	–	–	–
III.	LOCAL ,,	12	16	20	18	21	28	27	16	13	2	1	–	–	–	–
IV.	DEVELOPMENTAL ,,	–	–	–	–	2	1	6	10	11	7	3	1	1	–	–
V.	VIOLENT DEATHS .	1	–	–	2	1	–	–	3	1	–	–	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	1	2	4	3	3	1	1	1	3	2	–	–	–	–	–
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	–	–	3	2	–	3	2	2	–	–	–	–	–	–	–
	2. TUBERCULAR ,, .	5	4	4	2	–	–	1	–	–	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	2	–	5	3	9	10	7	5	7	1	–	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	1	–	3	3	2	3	5	3	3	–	–	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	7	9	7	11	10	10	9	6	3	1	1	–	–	–	–
	4. ,, OF DIGESTIVE ORGANS . .	–	3	4	1	–	1	4	1	–	–	–	–	–	–	–
	5. ,, OF URINARY ORGANS . .	2	4	1	–	–	4	2	1	–	–	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM	–	–	–	–	–	–	–		–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	1	6	10	11	7	3	1	1	–	–
	4. DISEASES OF NUTRITION	–		–	–	2	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes	17	21	30	31	26	47	42	39	44	20	9	1	–	–	–
	Specified Causes . .	17	20	30	31	25	47	42	39	44	20	9	1	–	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	–	3	–	3	3	2	3	–	2	3	–	–	–	–	–
II.	CONSTITUTIONAL ,,	7	5	10	7	6	5	3	1	2	–	–	–	–	–	–
III.	LOCAL ,,	7	9	19	19	15	30	25	19	11	6	2	1	–	–	–
IV.	DEVELOPMENTAL ,,	3	2	1	1	1	10	11	19	29	11	7	–	–	–	–
V.	VIOLENT DEATHS .	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	–	3	–	2	3	2	3	–	2	3	–	–	–	–	–
	2. ENTHETIC ,, .	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	–	1	3	6	3	4	3	1	2	–	–	–	–	–	–
	2. TUBERCULAR ,, .	7	4	7	1	3	1	–	–	–	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	2	2	5	4	–	9	5	6	4	3	1	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	–	1	2	5	3	6	3	1	2	1	–	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	–	2	7	10	9	9	11	5	2	2	1	–	–	–	–
	4. ,, OF DIGESTIVE ORGANS . .	3	4	2	–	3	4	4	6	2	–	–	1	–	–	–
	5. ,, OF URINARY ORGANS . .	1	–	3	–	–	1	–	–	1	–	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	1	–	–	–	–	1	2	1	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	10	11	19	29	11	7	–	–	–	–
	4. DISEASES OF NUTRITION	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	24	–	1	1	–	1	2	2	2	1	1	1	2	3
	*														
	3. HOMICIDE	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	7	2	–	–	–	–	1	–	–	–	2	–	–	–
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	3	–	–	1	2	–	–	–	–	–	–	–	–	–
	3. Scarlatina	57	–	–	1	7	5	11	9	23	1	–	–	–	–
	4. Diphtheria	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	5. Quinsy	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	6. Croup	8	–	–	1	1	3	3	–	–	–	–	–	–	–
	7. Hooping-cough	23	1	–	7	4	7	1	1	2	–	–	–	–	–
	8. Typhus Fever	10	–	–	–	–	–	–	–	1	2	3	1	–	–
	8. Enteric or Typhoid Fever	17	–	–	1	–	–	–	–	–	1	3	4	1	3
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	3	1	–	–	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	33	5	5	6	7	2	–	–	–	–	–	–	1	–
	15. Cholera	5	–	–	–	–	1	–	–	–	–	–	–	1	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	3	–	–	–	–	–	1	–	1	1	–	–	–	–
	18. Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. Alcoholism *a* Del. Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	5	–	–	–	–	–	–	1	–	–	–	1	–	–
	3. Cancer	8	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE . . .	6	1	–	–	1	–	–	2	–	–	–	–	–	1
	*														
	3. HOMICIDE . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED . . .	4	–	–	–	1	–	–	–	–	–	1	–	–	1
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	3. Scarlatina . . .	51	–	1	1	9	8	8	7	14	3	–	–	–	–
	4. Diphtheria . . .	7	–	–	–	–	–	1	4	1	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	7	–	–	1	3	2	–	1	–	–	–	–	–	–
	7. Hooping-cough . .	18	–	1	3	6	4	2	–	2	–	–	–	–	–
	8. Typhus Fever . .	8	–	–	–	–	–	–	–	–	2	1	5	–	–
	8. Enteric or Typhoid Fever	23	–	1	–	–	–	1	1	4	1	6	3	2	–
	8. Relapsing Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	4	–	–	–	–	–	–	–	–	–	–	2	2	–
	11. Carbuncle . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery . . .	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa . . .	27	1	5	5	5	1	–	–	–	–	–	–	1	–
	15. Cholera	2	–	–	–	–	–	–	–	2	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever . .	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	18. Rheumatism . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	2	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk .	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	–	–	–	–		–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc. . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	7	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cancer	17	–	–	–	–	–	–	–	–	–	–	1	–	1
	4. Cancrum Oris (Noma) .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	1	–	–	1	1	–	–	3	1	–	–	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	–	–	–	–	–	1	1	1	3	1	–	–	–	–	–
	15. Cholera	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17 Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
	3. Cancer	–	–	1	2	–	2	2	1	–	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	14. Diarrhœa	–	–	–	–	2	1	2	–	2	2	–	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	–	–	1	2	–	3	1	–	–	–	–	–	–	–	–
	3. Cancer	–	1	2	4	3	1	2	1	1	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	12	–	–	–	2	1	–	1	1	4	1	1	1	–
	2. Tabes Mesenterica	11	–	–	–	2	4	–	–	2	1	2	–	–	–
	3. Phthisis	63	–	–	–	1	–	1	–	5	7	10	8	9	6
	4. Hydrocephalus	32	–	2	8	6	6	3	–	5	2	–	–	–	–
III.	ORDER 1.														
	1. Cephalitis	2	–	–	–	–	–	–	–	–	1	–	–	1	–
	2. Apoplexy	30	2	–	3	2	4	1	–	–	2	–	–	–	1
	3. Paralysis	23	–	–	–	–	–	–	–	–	–	1	–	–	–
	4. Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	6. Epilepsy	4	–	–	–	–	–	–	–	–	–	–	–	–	1
	7. Convulsions	14	3	5	2	1	2	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	14	1	–	–	1	–	–	1	1	–	1	1	1	–
	ORDER 2.														
	1. Pericarditis	3	–	–	–	–	–	1	–	–	1	–	–	–	–
	2. Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	26	–	–	–	–	–	–	–	2	–	–	–	2	–
	ORDER 3.														
	1. Laryngitis	2	–	–	1	–	1	–	–	–	–	–	–	–	–
	2. Bronchitis	102	5	9	17	12	3	3	2	–	1	–	2	–	1
	3. Pleurisy	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	34	–	1	3	5	1	–	1	–	–	–	3	2	1
	5. Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	4	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Gastritis	2	–	–	–	–	–	1	–	–	–	–	–	–	–
	2. Enteritis	13	3	5	1	1	1	–	–	–	–	–	–	–	–
	3. Peritonitis	3	–	–	–	–	–	–	–	1	1	–	–	–	1
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	2	–	–	–	–	–	–	–	1	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	6	–	1	–	–	–	–	–	–	–	–	1	–	–
	14. Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	15. *Liver Disease, etc.*	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	8	–	–	–	–	–	–	1	4	–	1	–	–	1
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	7	–	–	–	–	–	–	–	1	1	1	–	–	–
	4. Diabetes	4	–	–	–	–	–	–	–	–	–	–	–	1	1
	5. Calculus (Stone)	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	5	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	2	–	–	–	–	–	–	–	1	–	–	1	–	–
	2. *Joint Disease, etc.*	3	–	–	–	2	–	–	–	–	1	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	15	–	–	–	–	–	–	–	3	1	–	2	1	1
	2. Tabes Mesenterica	8	–	–	–	1	2	1	1	1	–	–	1	–	1
	3. Phthisis	96	–	–	–	2	–	1	–	8	4	24	20	12	9
	4. Hydrocephalus	38	1	2	4	8	5	1	4	13	–	–	–	–	–
III.	ORDER 1.														
	1. Cephalitis	2	1	–	–	–	–	–	–	–	–	–	1	–	–
	2. Apoplexy	20	–	1	5	–	–	2	–	2	1	–	–	–	–
	3. Paralysis	29	–	–	–	–	–	–	–	–	–	–	1	1	1
	4. Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	2	–	–	–	–	–	–	–	–	1	1	–	–	–
	7. Convulsions	8	2	2	1	1	–	–	1	–	–	–	–	–	–
	8. *Brain Disease, etc.*	6	–	–	–	–	–	–	–	–	–	–	–	1	–
	ORDER 2.														
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	31	–	–	–	–	–	–	–	1	–	–	2	2	2
	ORDER 3.														
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	104	2	5	11	11	7	2	1	7	2	1	1	4	1
	3. Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	19	–	1	2	–	1	2	1	4	2	1	–	1	–
	5. Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	5	–	–	–	–	–	–	1	1	–	–	–	–	–
	ORDER 4.														
	1. Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	14	2	1	2	3	1	–	–	–	–	–	–	2	–
	3. Peritonitis	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Ascites	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	5. Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	1	–	–	–	–	–	–	–	–		–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	1	–	–	1	–	–	–	–	–	–	–	–	–	
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	8	–	–	–	–	–	–	–	–	1	–	–	–	1
	14. Jaundice	4	–	–	–	–	–	–	–	–	–	–	–	1	–
	15. *Liver Disease, etc.*	8	–	–	–	–	–	–	–	1	–	1	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	2	–	–	–	–	–	1	–	–	–	–	–	1	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. Diabetes	2	–	–	–	–	–	–	–	1	1	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 6.														
	1. Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	1	–	–	–	–	–	–	–	1	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	5	4	4	2	–	–	1	–	–	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	–	–	2	–	4	4	3	–	2	–	–	–	–	–	–
	3. Paralysis	2	–	2	1	3	5	2	3	4	–	–	–	–	–	–
	4. Insanity	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	–	–	1	1	–	1	1	1	1	1	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	1	–	3	2	2	3	5	3	3	–	–	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	3	5	4	10	4	6	7	4	2	1	1	–	–	–	–
	3. Pleurisy	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	4. Pneumonia	4	3	2	1	2	3	–	1	1	–	–	–	–	–	–
	5. Asthma	–	1	1	–	2	–	1	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	3. Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–
	14. Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diabetes	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	3	2	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	1	–	2	1	2	1	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	6	4	5	–	1	–	–	–	–	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	1	–	1	1	–	1	1	1	2	1	–	–	–	–	–
	3. Paralysis	–	–	3	2	–	8	4	4	2	2	1	–	–	–	–
	4. Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Convulsions	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	1	2	–	1	–	–	–	1	–	–	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	–	1	2	5	3	6	3	1	2	1	–	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	–	1	7	8	8	6	11	4	2	1	1	–	–	–	–
	3. Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	–	1	–	1	–	1	–	–	–	1	–	–	–	–	–
	5. Asthma	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	2. Enteritis	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–
	3. Peritonitis	1	1	–	–	–	–	–	1	–	–	–	1	–	–	–
	4. Ascites	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	6. Hernia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	–	1	1	2	2	–	–	–	–	–	–	–
	14. Jaundice	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	–	1	1	–	–	2	1	–	1	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	18	17	1	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–		–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	18	1	2	4	8	3	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	40	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	41	29	2	4	2	2	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	12	–	–	1	–	–	1	–	–	1	1	–	1	3
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	6	–	–	–	–	1	–	1	1	–	–	1	1	–
	7. Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	4	–	1	–	–	–	–	1	1	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	7	2	–	–	–	–	1	–	–	–	2	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	2	–	–	–	–	–	–	–	–	–	–	1	1	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	15	15	–	–		–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	21	–	4	7	10	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	9	–	–	–	–	–	–	–	–	–	–	3	1	1
	ORDER 3.														
	1. Old Age	87	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	29	18	2	3	–	1	–	–	–	–	–	–	–	1
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	2	–	–	–	1	–	1	–	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	2	–	–	–	–	–	1	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	7. Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	4	–	–	–	1	–	–	–	–	–	1	–	–	1

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–		–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	1	6	10	11	7	3	1	1	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	8. Otherwise	1	–	–	–	–	–	–	–	–	–	–	–	–		–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	10	11	19	29	11	7	–	–	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sudden Deaths (cause unascertained)		–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Causes not specified or ill-defined		–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1878.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	617	81	31	63	64	25	12	7	26	14	21	15	16	28
	Specified Causes . .	613	80	30	62	64	25	12	7	26	14	21	15	16	28
	(CLASSES.)														
I.	ZYMOTIC DISEASES	102	14	7	13	19	10	4	6	11	3	3	–	2	4
II.	CONSTITUTIONAL ,,	128	1	7	16	14	6	2	1	6	3	11	6	9	10
III.	LOCAL ,,	275	21	11	30	26	7	5	–	6	7	4	6	4	9
IV.	DEVELOPMENTAL ,,	66	43	4	1	4	1	–	–	–	–	–	–	–	–
V.	VIOLENT DEATHS .	42	1	1	2	1	1	1	–	3	1	3	3	1	5
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	96	12	7	13	18	10	4	6	11	3	3	–	2	2
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	5	2	–	–	–	–	–	–	–	–	–	–	–	2
	4. PARASITIC ,, .	1	–	–	–	1	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	12	–	–	1	–	1	–	–	–	–	–	–	–	–
	2. TUBERCULAR ,, .	116	1	7	15	14	5	2	1	6	3	11	6	9	10
III.	1. DISEASES OF NERVOUS SYSTEM . .	69	6	3	7	4	2	1	–	–	–	1	1	2	3
	2. ,, OF ORGANS OF CIRCULATION .	50	–	–	–	2	–	–	–	–	1	–	–	–	3
	3. ,, OF RESPIRATORY ORGANS . .	104	9	6	18	18	4	2	–	4	3	2	4	–	1
	4. ,, OF DIGESTIVE ORGANS . .	32	6	2	4	1	–	1	–	1	1	1	1	–	1
	5. ,, OF URINARY ORGANS . .	13	–	–	–	–	–	–	–	1	–	–	–	2	1
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	5	–	–	–	–	1	1	–	–	2	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	2	–	–	1	1	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	34	28	1	1	4	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	12	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	20	15	3	–	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1878.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	598	62	24	59	67	30	7	8	17	12	12	21	21	18
	Specified Causes . .	591	61	23	59	67	30	7	8	16	12	12	21	21	17
	(CLASSES.)														
I.	ZYMOTIC DISEASES	111	9	6	24	21	11	2	5	6	1	2	5	3	3
II.	CONSTITUTIONAL ,,	134	4	3	14	16	9	3	1	5	7	5	6	8	6
III.	LOCAL ,,	248	10	12	18	19	10	2	2	4	3	5	6	6	6
IV.	DEVELOPMENTAL ,,	85	36	1	3	11	–	–	–	1	–	–	2	4	2
V.	VIOLENT DEATHS .	13	2	1	–	–	–	–	–	–	1	–	2	–	–
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	109	8	6	24	21	11	2	5	6	1	2	5	3	2
	2. ENTHETIC ,, .	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	25	1	1	–	–	–	–	–	–	–	–	1	–	–
	2. TUBERCULAR ,, .	109	3	2	14	16	9	3	1	5	7	5	5	8	6
III.	1. DISEASES OF NERVOUS SYSTEM . .	69	3	6	4	2	1	–	1	1	–	2	1	–	2
	2. ,, OF ORGANS OF CIRCULATION .	38	–	–	–	–	–	–	–	–	2	–	2	2	4
	3. ,, OF RESPIRATORY ORGANS . .	102	6	6	13	15	8	2	1	2	–	–	2	3	–
	4. ,, OF DIGESTIVE ORGANS . .	28	1	–	1	2	1	–	–	1	–	–	–	–	–
	5. ,, OF URINARY ORGANS . .	6	–	–	–	–	–	–	–	–	1	1	1	1	–
	6. ,, OF ORGANS OF GENERATION .	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	3	–	–	–	–	–	–	–	–	–	2	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	1	–	–	–	–	–	–	–	–		–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	31	24	–	–	7	–	–	–	–	–	–	.	.	–
	2. ,, OF ADULTS .	10	–	–	–	–	–	–	–	–	–	–	2	4	2
	3. ,, OF OLD PEOPLE	23	–	–	–	–	–	–	–	–	–	–	.	–	–
	4. DISEASES OF NUTRITION	21	12	1	3	4	–	–	–	1	–	–			.

CAUSES of DEATH in LEITH, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	18	28	27	16	20	29	24	24	19	7	1	–	1	–	–
	Specified Causes . .	18	27	27	16	20	29	24	24	19	7	1	–	1	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	–	3	1	–	–	–	–	2	–	–	–	–	–	–	–
II.	CONSTITUTIONAL ,,	5	6	6	4	3	6	3	1	1	1	–	–	–	–	–
III.	LOCAL ,,	9	9	19	11	17	21	17	19	12	4	1	–	–	–	–
IV.	DEVELOPMENTAL ,,	–	–	1	–	–	2	2	1	4	2	–	–	1	–	–
V.	VIOLENT DEATHS .	4	9	–	1	–	–	2	1	2	–	–	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	–	2	1	–	–	–	–	2	–	–	–	–	–	–	–
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	–	–	1	1	1	3	2	1	–	1	–	–	–	–	–
	2. TUBERCULAR ,, .	5	6	5	3	2	3	1	–	1	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . . .	–	1	7	2	8	3	4	7	6	1	–	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	4	3	3	6	3	9	8	4	2	2	–	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	3	2	5	3	2	6	1	6	4	–	1	–	–	–	–
	4. ,, OF DIGESTIVE ORGANS . .	1	3	3	–	2	2	1	1	–	–	–	–	–	–	–
	5. ,, OF URINARY ORGANS . .	1	–	1	–	2	1	3	1	–	–	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	2	2	1	4	2	–	–	1	–	–
	4. DISEASES OF NUTRITION	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	18	21	18	22	30	34	24	24	27	15	4	3	–	–	–
	Specified Causes . .	17	21	18	22	29	33	24	24	27	15	4	3	–	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	1	3	2	2	1	1	1	1	–	1	–	–	–	–	–
II.	CONSTITUTIONAL ,,	6	10	8	3	7	8	5	–	–	–	–	–	–	–	–
III.	LOCAL ,,	8	7	8	14	21	21	17	18	21	8	1	1	–	–	–
IV.	DEVELOPMENTAL ,,	2	–	–	–	–	1	1	4	6	6	3	2	–	–	–
V.	VIOLENT DEATHS .	–	1	–	3	–	2	–	1	–	–	–	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	1	3	2	2	1	1	1	1	–	1	–	–	–	–	–
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	1	2	3	1	5	6	4	–	–	–	–	–	–	–	–
	2. TUBERCULAR ,, .	5	8	5	2	2	2	1	–	–	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	–	2	4	6	7	7	4	4	6	6	–	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	3	–	2	2	4	5	3	2	7	–	–	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	2	3	1	3	5	8	3	11	5	1	1	1	–	–	–
	4. ,, OF DIGESTIVE ORGANS . . .	3	2	1	2	5	1	4	1	3	–	–	–	–	–	–
	5. ,, OF URINARY ORGANS . .	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
	3. ,, OF OLD PEOPLE	–	–	–	–	–	1	1	4	6	6	3	2		–	–
	4. DISEASES OF NUTRITION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	41	1	–	2	1	1	1	–	3	1	3	3	1	5
	*														
	3. HOMICIDE	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	4	1	1	1	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	20	–	–	4	8	5	–	–	3	–	–	–	–	–
	3. Scarlatina	5	–	–	–	–	1	–	1	3	–	–	–	–	–
	4. Diphtheria	3	–	–	–	–	2	–	–	1	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	7	1	–	–	1	1	–	4	–	–	–	–	–	–
	7. Hooping-cough	7	2	1	2	1	–	–	–	1	–	–	–	–	–
	8. Typhus Fever	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	8. Enteric or Typhoid Fever	16	–	–	–	3	–	2	1	2	2	2	–	1	1
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	9. Erysipelas	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	14. Diarrhœa	29	7	6	7	4	1	1	–	1	–	–	–	–	–
	15. Cholera	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	18. Rheumatism	2	–	–	–	–	–	–	–	–	1	1	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	–	2
	ORDER 4.														
	1. Thrush	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	2	–	–	–	–	1	–	–	–	–	–	–	–	–
	3. Cancer	8	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	5. Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in LEITH, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	10	2	1	–	–	–	–	–	–	1	–	1	–	–
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	3	–	–	–	–	–	–	–	–	–	–	1	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	6	1	1	–	–	–	–	–	1	–	–	–	–	1
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	17	–	–	5	6	5	–	1	–	–	–	–	–	–
	3. Scarlatina	6	1	–	–	–	–	–	2	3	–	–	–	–	–
	4. Diphtheria	6	–	–	1	–	2	1	–	1	–	–	1	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	9	1	–	3	2	2	1	–	–	–	–	–	–	–
	7. Hooping-cough	18	1	–	8	5	2	–	2	–	–	–	–	–	–
	8. Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	18	–	–	–	2	–	–	–	2	1	1	3	2	1
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	3	–	–	–	–	–	–	–	–	–	–	1	1	1
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	26	4	6	7	5	–	–	–	–	–	–	–	–	–
	15. Cholera	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	18. Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	ORDER 4.														
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	7	–	1	–	–	–	–	–	–	–	–	1	–	–
	3. Cancer	18	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in LEITH, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	4	9	–	1	–	–	2	1	2	–	–	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–		–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–		–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13 Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14 Diarrhœa	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	3. Cancer	–	–	1	1	1	2	2	1	–	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in LEITH, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	–	–	–	2	–	2	–	1	–	–	–	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
SUDDEN DEATHS, CAUSE UNASCERTAINED		–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
CAUSES NOT SPECIFIED		1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	1	1	2	1	–	–	1	–	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	–	–	–	1	1	–	–	1	–	1	–	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	1	–	1	–	1	–	2	–	–	–	–	–	–	–	–
	3. Cancer	–	2	2	1	4	6	2	–	–	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in LEITH, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	8	–	–	3	2	1	–	–	1	–	1	–	–	–
	2. Tabes Mesenterica	17	1	3	4	3	1	–	–	1	–	3	–	–	–
	3. Phthisis	65	–	–	1	1	–	–	–	3	3	7	6	9	10
	4. Hydrocephalus	26	–	4	7	8	3	2	1	1	–	–	–	–	–
III.	ORDER 1.														
	1. Cephalitis	8	–	–	2	1	1	–	–	–	–	1	–	–	–
	2. Apoplexy	13	–	–	–	1	–	–	–	–	–	–	–	–	1
	3. Paralysis	24	–	–	–	–	–	1	–	–	–	–	–	–	1
	4. Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–	1
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	7. Convulsions	18	6	3	5	2	1	–	–	–	–	–	–	1	–
	8. *Brain Disease, etc.*	3	–	–	–	–	–	–	–	–	–	–	–	1	–
	ORDER 2.														
	1. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	47	–	–	–	2	–	–	–	–	1	–	–	–	3
	ORDER 3.														
	1. Laryngitis	2	–	–	1	–	–	1	–	–	–	–	–	–	–
	2. Bronchitis	75	7	6	13	15	3	–	–	2	2	1	1	–	–
	3. Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	23	1	–	3	3	1	1	–	2	–	1	3	–	1
	5. Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	3	1	–	1	–	–	–	–	–	1	–	–	–	–
	ORDER 4.														
	1. Gastritis	2	1	–	–	1	–	–	–	–	–	–	–	–	–
	2. Enteritis	7	1	2	1	–	–	1	–	–	1	1	–	–	–
	3. Peritonitis	6	1	–	2	–	–	–	–	–	–	–	–	–	1
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	4	2	–	–	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	3	1	–	1	–	–	–	–	–	–	–	1	–	–
	15. *Liver Disease, etc.*	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	2	–	–	–	–	–	–	–	1	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	2	–	–	–	–	–	–	–	1	–	–	–	–	–
	4. Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	7	–	–	–	–	–	–	–	–	–	–	–	1	1
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	5	–	–	–	–	1	1	–	–	2	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	10	–	–	6	1	1	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	12	1	1	1	5	1	–	1	1	–	–	1	–	–
	3. Phthisis	56	–	–	2	2	1	–	–	1	5	4	4	8	6
	4. Hydrocephalus	31	2	1	5	8	6	3	–	3	2	1	–	–	–
III.	ORDER 1.														
	1. Cephalitis	5	–	1	1	–	1	–	–	1	–	–	–	–	–
	2. Apoplexy	17	–	1	–	–	–	–	–	–	–	–	–	–	–
	3. Paralysis	26	–	–	–	–	–	–	–	–	–	1	–	–	1
	4. Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	7. Convulsions	14	3	4	2	2	–	–	–	–	–	–	1	–	–
	8. *Brain Disease, etc.*	4	–	–	1	–	–	–	1	–	–	1	–	–	–
	ORDER 2.														
	1. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	2. Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	37	–	–	–	–	–	–	–	–	2	–	1	2	4
	ORDER 3.														
	1. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	2. Bronchitis	76	5	4	8	11	6	1	–	2	–	–	1	–	–
	3. Pleurisy	2	–	–	1	–	–	1	–	–	–	–	–	–	–
	4. Pneumonia	18	–	1	4	4	2	–	1	–	–	–	1	1	–
	5. Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	5	1	1	–	–	–	–	–	–	–	–	–	1	–
	ORDER 4.														
	1. Gastritis	2	–	–	–	2	–	–	–	–	–	–	–	–	–
	2. Enteritis	2	1	–	1	–	–	–	–	–	–	–	–	–	–
	3. Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	8	–	–	–	–	–	–	–	1	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	11	–	–	–	–	1	–	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	2	–	–	–	–	–	–	–	–	–	–	1	1	–
	4. Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	3	–	–	–	–	–	–	–	–	1	1	–	–	–
	ORDER 6.														
	1. Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	3	–	–	–	–	–	–	–	–	–	2	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	5	5	5	3	2	3	1	–	1	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–
	2. Apoplexy	–	1	4	–	3	1	–	1	1	–	–	–	–	–	–
	3. Paralysis	–	–	–	2	4	2	3	5	5	1	–	–	–	–	–
	4. Insanity	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	3	3	3	5	3	8	8	4	2	2	–	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	2	1	3	1	2	4	1	6	4	–	1	–	–	–	–
	3. Pleurisy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. Pneumonia	1	1	2	2	–	1	–	–	–	–	–	–	–	–	–
	5. Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Peritonitis	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	4. Diabetes	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	1	–	1	–	1	–	2	–	–	–	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	4	8	4	2	2	2	1	–	–	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Apoplexy	–	1	2	1	3	4	1	1	2	1	–	–	–	–	–
	3. Paralysis	–	–	2	3	3	2	3	3	4	4	–	–	–	–	–
	4. Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	3	–	2	2	4	5	3	2	7	–	–	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	2	2	1	2	4	7	3	9	5	1	1	1	–	–	–
	3. Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	–	1	–	1	–	1	–	1	–	–	–	–	–	–	–
	5. Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	1	1	–	–	2	1	1	1	1	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	1	–	1	2	2	–	2	–	2	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diabetes	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	2	–	–	1	1	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	25	25	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. Other Malformations	3	3	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	5	–	1	1	3	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	12	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	20	15	3	–	–	1	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	12	–	–	–	–	–	–	–	–	–	3	–	–	3
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	5	1	–	–	1	1	1	–	–	–	–	–	–	–
	5. Poison	2	–	–	–	–	–	–	–	1	–	–	–	–	–
	6. Drowning	17	–	–	–	–	–	–	–	2	1	–	3	–	2
	7. Suffocation	2	–	–	1	–	–	–	–	–	–	–	–	1	–
	8. Otherwise	3	–	–	1	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	4	1	1	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	19	19	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	4	4	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	7	–	–	–	7	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	9	–	–	–	–	–	–	–	–	–	–	2	4	2
	ORDER 3.														
	1. Old Age	23	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	21	12	1	3	4	–	–	–	1	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	3	–	–	–	–	–	–	–	–	1	–	1	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	3	2	1	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	5. Hanging	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	6	1	1	–	–	–	–	–	1	–	–	–	–	1

CAUSES of DEATH in LEITH, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	2	2	1	4	2	–	–	1	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	2	3	–	–	–	–	1	–	–	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	5. Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	1	4	–	1	–	–	1	–	2	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	auses not specified or ill-defined	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–		–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething		–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	1	1	4	6	6	3	2	–	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1878.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	301	28	15	12	16	5	8	3	14	2	9	10	10	13
	Specified Causes . .	298	27	13	12	16	5	8	3	14	2	9	10	10	13
	(CLASSES.)														
I.	ZYMOTIC DISEASES	45	2	5	4	6	3	2	3	7	–	–	1	1	1
II.	CONSTITUTIONAL ,,	44	–	3	1	2	2	1	–	2	–	2	6	3	5
III.	LOCAL ,,	158	7	4	6	8	–	5	–	3	2	5	3	5	6
IV.	DEVELOPMENTAL ,,	39	17	1	1	–	–	–	–	1	–	–	–	–	–
V.	VIOLENT DEATHS . .	12	1	–	–	–	–	–	–	1	–	2	–	1	1
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	40	2	5	4	6	3	2	3	7	–	–	–	1	–
	2. ENTHETIC ,, .	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	3. DIETIC ,, .	3	–	–	–	–	–	–	–	–	–	–	–	–	1
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	5	–	–	–	–	–	–	–	–	–	–	1	–	–
	2. TUBERCULAR ,, .	39	–	3	1	2	2	1	–	2	–	2	5	3	5
III.	1. DISEASES OF NERVOUS SYSTEM . .	37	3	–	2	–	–	–	–	1	–	2	1	2	–
	2. ,, OF ORGANS OF CIRCULATION .	36	–	–	–	–	–	–	–	1	1	1	1	–	1
	3. ,, OF RESPIRATORY ORGANS . .	51	3	4	4	8	–	2	–	1	–	2	–	–	4
	4. ,, OF DIGESTIVE ORGANS . .	18	1	–	–	–	–	–	–	–	–	–	–	2	–
	5. ,, OF URINARY ORGANS . .	12	–	–	–	–	–	1	–	–	–	–	–	1	1
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	3	–	–	–	–	–	1	–	–	1	–	1	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	1	–	–	–	–	–	1	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	7	7	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	17	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	15	10	1	1	–	–	–	–	1	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1878.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	339	25	5	26	17	15	5	5	12	6	12	12	6	18
	Specified Causes . .	336	23	5	26	17	15	5	5	12	6	12	12	6	18
	(CLASSES.)														
I.	ZYMOTIC DISEASES	58	4	3	12	4	6	3	5	7	1	–	1	–	4
II.	CONSTITUTIONAL ,,	57	–	–	2	2	2	1	–	1	1	8	7	5	8
III.	LOCAL ,,	158	5	1	9	7	6	1	–	4	4	4	2	1	5
IV.	DEVELOPMENTAL ,,	52	13	1	3	3	–	–	–	–	–	–	2	–	–
V.	VIOLENT DEATHS . .	11	1	–	–	1	1	–	–	–	–	–	–	–	1
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	53	4	3	10	4	6	3	5	7	1	–	–	–	4
	2. ENTHETIC ,, .	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	3. DIETIC ,, .	4	–	–	2	–	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	15	–	–	–	–	–	–	–	–	–	–	–	2	3
	2. TUBERCULAR ,, .	42	–	–	2	2	2	1	–	1	1	8	7	3	5
III.	1. DISEASES OF NERVOUS SYSTEM . .	45	2	–	2	1	2	1	–	2	1	1	1	–	–
	2. ,, OF ORGANS OF CIRCULATION .	40	–	–	–	–	–	–	–	–	–	1	–	–	2
	3. ,, OF RESPIRATORY ORGANS . .	49	3	1	7	6	4	–	–	1	1	2	–	1	1
	4. ,, OF DIGESTIVE ORGANS . .	10	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. ,, OF URINARY ORGANS . .	7	–	–	–	–	–	–	–	1	2	–	–	–	1
	6. ,, OF ORGANS OF GENERATION .	3	–	–	–	–	–	–	–	–	–	–	–	–	1
	7. ,, OF ORGANS OF LOCOMOTION . .	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	2	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	11	9	–	–	2	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	2	–	–	–	.	–	–	–	–	–	–	2	–	–
	3. ,, OF OLD PEOPLE	30	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	9	4	1	3	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes	6	13	19	21	14	20	14	20	16	6	3	3	1	–	–
	Specified Causes	6	13	19	21	14	20	14	20	16	6	3	3	1	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	–	1	2	–	2	–	1	2	–	1	–	1	–	–	–
II.	CONSTITUTIONAL ,,	2	1	4	5	1	1	2	1	–	–	–	–	–	–	–
III.	LOCAL ,,	2	10	11	15	10	17	10	11	12	4	1	–	1	–	–
IV.	DEVELOPMENTAL ,,	–	–	1	–	1	2	–	6	4	1	2	2	–	–	–
V.	VIOLENT DEATHS	2	1	1	1	–	–	1	–	–	–	–	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES	–	1	1	–	1	–	1	1	–	1	–	1	–	–	–
	2. ENTHETIC ,,	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,,	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	4. PARASITIC ,,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,,	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–
	2. TUBERCULAR ,,	2	1	4	3	1	–	1	1	–	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM	–	2	2	2	2	7	4	2	2	3	–	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION	1	1	2	5	5	8	4	2	2	1	–	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS	–	4	3	5	1	1	1	4	3	–	1	–	–	–	–
	4. ,, OF DIGESTIVE ORGANS	1	2	4	3	1	1	–	1	3	–	–	–	–	–	–
	5. ,, OF URINARY ORGANS	–	1	–	–	1	–	1	2	2	–	–	–	1	–	–
	6. ,, OF ORGANS OF GENERATION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION	–	–	–	–	–	–	–	–	–		–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	2	–	6	4	1	2	2	–	–	–
	4. DISEASES OF NUTRITION	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	9	12	12	15	14	25	20	15	28	19	5	–	1	–	–
	Specified Causes . .	9	12	12	15	14	24	20	15	28	19	5	–	1	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	2	1	1	1	–	–	–	1	1	1	–	–	–	–	–
II.	CONSTITUTIONAL ,,	2	2	5	3	–	2	3	1	1	1	–	–	–	–	–
III.	LOCAL ,,	5	9	6	9	11	21	15	10	12	10	–	–	1	–	–
IV.	DEVELOPMENTAL ,,	–	–	–	–	–	–	2	3	13	7	5	–	–	–	–
V.	VIOLENT DEATHS . .	–	–	–	2	3	1	–	–	1	–	–	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	2	–	1	1	–	–	–	–	1	1	–	–	–	–	–
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	1	–	1	1	–	1	3	1	1	1	–	–	–	–	–
	2. TUBERCULAR ,, .	1	2	4	2	–	1	–	–	–	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	2	2	–	3	–	8	4	4	7	2	–	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	–	3	2	4	6	6	3	5	3	5	–	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	1	2	3	2	3	4	4	1	1	1	–	–	–	–	–
	4. ,, OF DIGESTIVE ORGANS . .	1	1	1	–	1	–	4	–	–	2	–	–	–	–	–
	5. ,, OF URINARY ORGANS . .	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	–	2	3	13	7	5	–	–	–	–
	4. DISEASES OF NUTRITION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	11	1	–	–	–	–	–	–	1	–	2	–	1	1
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	3	1	2	–	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	6	–	1	–	4	–	–	1	–	–	–	–	–	–
	3. Scarlatina	9	–	–	–	–	3	1	1	4	–	–	–	–	–
	4. Diphtheria	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	3	–	1	1	–	–	1	–	–	–	–	–	–	–
	7. Hooping-cough	3	–	–	–	1	–	–	1	1	–	–	–	–	–
	8. Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	4	–	–	–	–	–	–	–	–	–	–	–	1	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	12	1	3	3	1	–	–	–	1	–	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	2. Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–	1
	ORDER 4.														
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cancer	4	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in PERTH, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	11	1	–	–	1	1	–	–	–	–	–	–	–	1
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
SUDDEN DEATHS, CAUSE UNASCERTAINED		1	–	–	–	–	–	–	–	–	–	–	–	–	–
CAUSES NOT SPECIFIED		2	2	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	6	–	–	2	1	2	1	–	–	–	–	–	–	–
	3. Scarlatina	4	–	–	–	1	–	1	–	2	–	–	–	–	–
	4. Diphtheria	4	–	–	–	–	–	–	2	1	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	2	–	–	–	–	–	–	–	2	–	–	–	–	–
	7. Hooping-cough	12	1	1	4	1	4	–	1	–	–	–	–	–	–
	8. Typhus Fever	2	–	–	1	–	–	–	–	1	–	–	–	–	–
	8. Enteric or Typhoid Fever	7	–	–	–	1	–	–	1	1	1	–	–	–	1
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	9. Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	13	3	2	3	–	–	1	–	–	–	–	–	–	1
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	2	–	–	2	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cancer	13	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	2	3
	5. Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in PERTH, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	1	1	1	1	–	–	1	–	–	–	–	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
SUDDEN DEATHS, CAUSE UNASCERTAINED		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CAUSES NOT SPECIFIED		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–		–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	3. Cancer	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in PERTH, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	–	–	–	2	3	1	–	–	1	–	–	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	3. Cancer	1	–	1	1	–	1	3	–	1	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in PERTH, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	3	–	1	–	–	1	–	–	–	–	–	–	–	1
	2. Tabes Mesenterica	6	–	2	–	2	–	1	–	1	–	–	–	–	–
	3. Phthisis	27	–	–	–	–	–	–	–	–	–	2	5	3	4
	4. Hydrocephalus	3	–	–	1	–	1	–	–	1	–	–	–	–	–
III.	ORDER 1.														
	1. Cephalitis	2	–	–	1	–	–	–	–	–	–	–	–	1	–
	2. Apoplexy	8	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Paralysis	14	–	–	–	–	–	–	–	–	–	1	–	–	–
	4. Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	7. Convulsions	4	2	–	1	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	6	1	–	–	–	–	–	–	1	–	1	–	1	–
	ORDER 2.														
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	36	–	–	–	–	–	–	–	1	1	1	1	–	1
	ORDER 3.														
	1. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	23	2	2	3	3	–	2	–	1	–	–	–	–	1
	3. Pleurisy	2	–	–	1	–	–	–	–	–	–	1	–	–	–
	4. Pneumonia	17	–	1	–	4	–	–	–	–	–	–	–	–	3
	5. Asthma	3	–	1	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	5	1	–	–	1	–	–	–	–	–	1	–	–	–
	ORDER 4.														
	1. Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	5	–	–	–	–	–	–	–	–	–	–	–	1	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–	1
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	4	–	–	–	–	–	1	–	–	–	–	–	1	–
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	3	–	–	–	–	–	1	–	–	1	–	1	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	2. Tabes Mesenterica	5	–	–	2	1	1	–	–	–	–	1	–	–	–
	3. Phthisis	32	–	–	–	–	–	–	–	–	1	6	7	3	5
	4. Hydrocephalus	4	–	–	–	1	1	1	–	1	–	–	–	–	–
III.	ORDER 1.														
	1. Cephalitis	6	–	–	–	–	1	1	–	2	1	1	–	–	–
	2. Apoplexy	7	–	–	1	–	–	–	–	–	–	–	–	–	–
	3. Paralysis	17	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Convulsions	4	1	–	1	1	–	–	–	–	–	–	1	–	–
	8. *Brain Disease, etc.*	10	1	–	–	–	1	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	40	–	–	–	–	–	–	–	–	–	1	–	–	2
	ORDER 3.														
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	36	2	–	5	6	2	–	–	–	–	1	–	–	1
	3. Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	8	1	–	2	–	1	–	–	1	1	–	–	1	–
	5. Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	3	–	1	–	–	1	–	–	–	–	1	–	–	–
	ORDER 4.														
	1. Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	2	–	–	–	–	–	–	–	1	–	–	–	–	1
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	3	–	–	–	–	–	–	–	–	2	–	–	–	–
	4. Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 6.														
	1. Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	2	–	–	–	–	–	–	–	–	–	–	–	–	1
	ORDER 7.														
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	2	–	–	–	–	–	–	–	–	–	–	1	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	2	1	4	3	1	–	1	1	–	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	–	1	–	1	–	3	2	–	–	1	–	–	–	–	–
	3. Paralysis	–	–	1	–	2	4	1	1	2	2	–	–	–	–	–
	4. Insanity	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	1	1	2	5	5	8	4	2	2	1	–	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	–	1	–	2	–	1	1	3	1	–	–	–	–	–	–
	3. Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	–	3	3	2	–	–	–	–	1	–	–	–	–	–	–
	5. Asthma	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	6. *Lung Disease, etc.*	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Peritonitis	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–		–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	10. Fistula	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	15. *Liver Disease, etc.*	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diabetes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	1	2	4	2	–	1	–	–	–	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	–	–	–	1	–	2	2	–	1	–	–	–	–	–	–
	3. Paralysis	1	1	–	1	–	5	2	2	3	2	–	–	–	–	–
	4. Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	–	1	–	1	–	1	–	2	3	–	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	–	3	2	4	6	6	3	5	3	5	–	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	1	2	3	1	3	4	3	1	–	1	–	–	–	–	–
	3. Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	5. Asthma	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	6. *Lung Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Peritonitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	14. Jaundice	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–
	16. *Spleen Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	5	5	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	17	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	15	10	1	1	–	–	–	–	1	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	8	–	–	–	–	–	–	–	1	–	1	–	1	1
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	7. Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sudden Deaths (cause unascertained)		–	–	–	–	–	–	–	–	–	–	–	–	–	–
Causes not specified or ill-defined		3	1	2	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	8	8	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	2	–	–	–	2	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	2	–	–	–	–	–	–	–	–	–	–	2	–	–
	ORDER 3.														
	1. Old Age	30	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	9	4	1	3	1	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	4	–	–	–	–	–	–	–	–	–	–	–	–	1
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	2	–	–	–	–	1	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	2	–	–	–	1	–	–	–	–	–	–	–	–	–
	7. Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sudden Deaths (cause unascertained)		1	–	–	–	–	–	–	–	–	–	–	–	–	–
Causes not specified or ill-defind		2	2	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1878.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	2	–	6	4	1	2	2	–	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1878.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	–	2	3	13	7	5	–	–	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE showing the Distribution of DEATHS according to MONTHS, or the influence of SEASON on the MORTALITY.

		DEATHS in 1878.												
		Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
	MEAN TEMPERATURE in 1878	38°·0	41°·5	40°·3	45°·5	50°·3	55°·5	59°·5	58°·5	54°·3	48°·9	38°·0	30°·7	46°·8
	SCOTLAND	7187	6465	6668	7204	6325	5985	6125	5874	5345	5406	6186	8005	76775
1	PRINCIPAL TOWN DISTRICTS	2758	2473	2598	2840	2399	2349	2383	2090	1965	2009	2412	3134	29410
2	LARGE TOWN DISTRICTS	967	841	764	921	797	766	842	814	724	776	865	1122	10199
3	SMALL TOWN DISTRICTS	1572	1397	1440	1559	1447	1350	1376	1326	1219	1199	1361	1767	17013
4	MAINLAND-RURAL DISTRICTS	1708	1588	1680	1694	1524	1375	1369	1498	1316	1281	1391	1779	18203
5	INSULAR-RURAL DISTRICTS	182	166	186	190	158	145	155	146	121	141	157	203	1950
	DIVISIONS.													
1	NORTHERN	182	169	188	182	162	130	140	131	133	132	138	178	1865
2	NORTH-WESTERN	239	233	257	281	225	195	191	184	160	177	208	256	2606
3	NORTH-EASTERN	600	560	665	658	633	555	530	530	491	513	555	744	7034
4	EAST-MIDLAND	1143	967	927	1042	942	901	915	890	828	748	875	1199	11377
5	WEST-MIDLAND	538	503	492	523	408	446	438	442	435	403	409	536	5573
6	SOUTH-WESTERN	3024	2671	2782	3050	2692	2612	2734	2524	2289	2400	2846	3676	33300
7	SOUTH-EASTERN	1055	985	1030	1098	912	824	838	848	754	766	877	1024	11011
8	SOUTHERN	406	377	327	370	351	322	339	325	255	267	278	392	4009
	COUNTIES.													
	I. NORTHERN.													
1	Shetland	41	31	41	40	41	36	38	27	22	27	39	48	431
2	Orkney	51	41	53	39	41	40	40	32	32	35	31	54	489
3	Caithness	52	64	64	67	50	39	45	44	45	40	46	40	596
4	Sutherland	38	33	30	36	30	15	17	28	34	30	22	36	349
	II. NORTH-WESTERN.													
5	Ross and Cromarty	113	105	132	130	116	83	90	84	71	82	90	139	1235
6	Inverness	126	128	125	151	109	112	101	100	89	95	118	117	1371
	III. NORTH-EASTERN.													
7	Nairn	17	15	16	15	12	16	18	12	8	12	17	15	173
8	Elgin (or Moray)	73	55	79	62	68	67	68	45	51	64	67	69	768
9	Banff	71	79	93	83	86	62	49	56	55	69	76	108	887
10	Aberdeen	377	357	422	444	425	373	341	360	335	327	358	509	4628
11	Kincardine	62	54	55	54	42	37	54	57	42	41	37	43	578
	IV. EAST-MIDLAND.													
12	Forfar	530	439	425	490	434	436	412	377	405	337	417	611	5313
13	Perth	254	202	192	210	201	180	178	220	187	175	179	258	2436
14	Fife	299	272	250	277	253	227	261	229	189	194	237	272	2960
15	Kinross	17	15	16	15	10	20	19	20	12	9	10	12	175
16	Clackmannan	43	39	44	50	44	38	45	44	35	33	32	46	493
	V. WEST-MIDLAND.													
17	Stirling	217	209	191	225	177	157	167	187	166	142	153	200	2191
18	Dumbarton	156	125	153	120	106	134	114	98	130	108	116	137	1497
19	Argyll	134	128	128	143	99	122	121	116	107	130	123	163	1514
20	Bute	31	41	20	35	26	33	36	41	32	23	17	36	371
	VI. SOUTH-WESTERN.													
21	Renfrew	483	442	435	478	432	359	424	397	370	360	420	540	5140
22	Ayr	414	384	362	372	340	337	356	345	302	322	364	478	4376
23	Lanark	2127	1845	1985	2200	1920	1916	1954	1782	1617	1718	2062	2658	23784
	VII. SOUTH-EASTERN.													
24	Linlithgow	85	75	65	74	55	63	58	72	64	79	76	87	853
25	Edinburgh	789	752	783	863	692	615	612	611	542	553	636	737	8185
26	Haddington	63	57	56	51	73	50	55	58	45	56	57	83	704
27	Berwick	56	50	64	52	46	53	43	55	48	38	41	49	595
28	Peebles	18	17	16	18	11	14	21	8	14	13	20	21	191
29	Selkirk	44	34	46	40	35	29	49	44	41	27	47	47	483
	VIII. SOUTHERN.													
30	Roxburgh	92	63	66	82	87	76	100	82	70	70	61	89	938
31	Dumfries	168	158	120	149	136	135	127	116	89	103	95	151	1547
32	Kirkcudbright	67	89	71	67	61	59	57	77	47	49	56	91	791
33	Wigtown	79	67	70	72	67	52	55	50	49	45	66	61	733

The numbers given above are taken from the Registrar-General's Quarterly Reports, which, being made up from the Returns furnished by the Registrars, do not correspond with those given in the foregoing tables.

CONSTITUTION OF THE DISTRICTS DISTINGUISHED IN THE PRECEDING TABLES BY AN ASTERISK (*).

No.	Districts.	Component Parts (Parishes).
14	Deerness	Part of St Andrews.
15	Eday and Pharay	Part of Stronsay and Eday.
22	North Ronaldshay	Part of Cross and Burness.
26	Sanday	Lady, and part of Cross and Burness.
59*b*	Carnoch	Parts of Contin, Fodderty, and Urray.
71*b*	Kinlochluichart	Parts of Contin, Fodderty, and Urray.
86*b*	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews-Lhanbryde.
147	Banff	Banff, and part of Gamrie.
152	Enzie	Parts of Bellie and Rathven.
155*b*	Glenrinnes	Parts of Aberlour and Mortlach.
167	Seafield	Parts of Cullen and Rathven.
217	Logie-Coldstone & Cromar	Logie-Coldstone, and part of Glenmuick, etc.
222*b*	Millbrex	Parts of Fyvie and Monquhitter.
227*a*	New Machar	New Machar, and part of Udny.
227*b*	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237*b*	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon	Strathdon, and part of Tarland.
249*b*	Ythan Wells	Parts of Auchterless and Forgue.
272	Arbroath	Arbroath, and part of St Vigeans
282	Dundee	Dundee, and part of Liff, Benvie ,and Invergowrie.
312	Montrose	Montrose, and part of Dun.
324	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
328*b*	Ardoch	Parts of Blackford, Dunblane, and Muthill.
331	Balquhidder	Balquhidder, and part of Comrie.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld and Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld and Dowally
355*a*	Fortingall	Parts of Fortingall and Weem.
355*b*	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait.
375	Logiealmond	Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and Redgorton.
379	Meigle	Meigle, and part of Coupar-Angus.
386*a*	Muthill	Muthill, and part of Ardoch.
386*b*	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy and [Kinloch, and Rattray.
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore.
393*b*	Stanley	Parts of Auchtergaven, Kinclaven, and Redgorton.
394*b*	Strathfillan	Part of Killin.
394*c*	Tenandry	Parts of Blair-Athol, Dull, and Moulin.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
424	Dunfermline	Parts of Dunfermline and Inverkeithing.
432	Inverkeithing	Parts of Inverkeithing and Dunfermline.
442	Kirkcaldy and Abbotshall	Kirkcaldy, Abbotshall, and part of Kinghorn.
481*b*	Grangemouth	Parts of Bothkennar, Falkirk, and Polmont.
490	Stirling	Stirling, and small part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, etc.	Part of Kilmallie.
509	Cumlodden and Minard	Parts of Glassary and Inveraray.
512	Glenorchy	Glenorchy, and part of Inishail.
515	Kilbrandon and Kilchattan	Kilbrandon and Kilchattan, and part of Jura.
517	Kilchrenan	(1) Parts of Kilchrenan, etc., and Inishail.
526	Lochgilphead	Parts of Glassary and South Knapdale.
529	Muckairn	Muckairn, and part of Inishail.
535	Tarbert	Parts of Kilcalmonell and Kilberry, of Saddell and Skipness, and of South [Knapdale.
536	Bowmore (or Kilarrow)	Part of Kilarrow and Kilmeny.
542	Kilfinichen and Kilvickeon	Parts of Kilfinichen and Kilvickeon, and of Torosay.
543	Kilmeny	Part of Kilarrow and Kilmeny.
545	Kinlochspelvie	Part of Torosay.
547	Portnahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian and Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian and Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmory.
557	North Bute	North Bute, and part of Rothesay.
559	Abbey	(1) Parts of Abbey and Renfrew (2 and 3) Rest of Abbey.
573	Paisley	High, Middle, and Low Church Parishes.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, etc.	Parts of Newton-upon-Ayr, and St Quivox.
626*b*	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingston and South Leith.
685	Edinburgh	City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingston, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton and East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith.
698*b*	Stobhill	Parts of Borthwick, Cockpen, Newbattle, and Temple.
774*a*	Caddonfoot	Parts of Galashiels, Selkirk, Yarrow, Innerleithen, and Stow.
776*b*	Ladhope	Part of Melrose.
787*b*	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
794	Kirktown	Kirktown, and part of Cavers.
813*b*	Brydekirk	Parts of Annan, Cummertrees, and Hoddam.
853*b*	Wanlockhead	Part of Sanquhar.
857*b*	Bargrennan	Parts of Minnigaff (Kirkcudbright) and of Penninghame (Wigtown)
862	Corsockbridge	Parts of Balmaclellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie	Part of Urr.
899	Stranraer	Stranraer, and parts of Inch and Leswalt.

LIST of REGISTRATION DISTRICTS which include BURGHS, or TOWNS of 2000 Inhabitants and upwards, *or parts thereof*, bearing a different name from the Districts in which they are situated.

No.	Registration Districts.	Burghs.	Towns.
80	Rosemarkie	* Fortrose.	
130	Drainie		*Lossiemouth
164	Rathven		*Buckie.
167	Seafield	Cullen.	
211	Kinnellar	Kintore.	
213	Kintore	Inverurie.	
251[1]	Banchory-Devenick	Aberdeen.	
253	Benholm	Inverbervie.	
255	Dunnottar		Stonehaven.
258[1]	Fetteresso		Do.
262	Kinneff, etc.	Inverbervie.	
274	Barry		Carnoustie.
280	Craig	Montrose.	
282[4]	St Andrews (Dundee)		Broughty-Ferry.
310	Monifieth		Do.
316	Panbride		Carnoustie.
371	Lecropt		Bridge of Allan.
374	Logie	Stirling,	Do.
385	Muckhart		Dollar.
386 *a*	Muthill		Crieff.
389	Rattray		Blairgowrie.
400	Abdie		Suburban of Newburgh.
405	Auchterderran		Lochgelly.
408	Ballingry		Do.
427	Elie		Suburban of Earlsferry.
436	Kilconquhar	* Earlsferry,	Do.
438	Kilrenny	Anstruther-Easter.	
456	Scoonie		*Leven.
459	Wemyss		Buckhaven.
466	Clackmannan		Alloa.
475	Campsie		*Lennoxtown.
478	Dunipace		Denny.
488	St Ninians		Bannockburn.
493	Bonhill		*Alexandria
494	Cardross		*Renton.
500	New or East Kilpatrick		*Milngavie.
503	Row		*Helensburgh.
523	Kilmore and Kilbride	* Oban.	
559[1]	Abbey	Paisley.	
559[2]	Do. (Landward),		Barrhead.
650	Cathcart		Busby. Crosshill (Suburban of Glasgow).
562	Eastwood		*Pollockshaws and Thornliebank.
564	Greenock, East	Port-Glasgow.	
571	Mearns		Busby.
576[1]	Old Ardrossan		Saltcoats.
577	Auchinleck		Cumnock.
593	Galston		Newmilns.
597	Kilmarnock		Hurlford.
603	Loudoun		Galston and Newmilns
611	Riccarton	Kilmarnock,	Hurlford.
613	Sorn		*Catrine.
615	Stevenston		Saltcoats.
621	Avondale		*Strathaven.
622[2]	Shettleston		Tollcross.
625[1]	Bothwell		*Bellshill.
625[2]	Holytown		Calderbank.
628	Cambusnethan		*Newmains and Wishaw.
639	Dalziel		Motherwell.
643	East Kilbride		Busby.
646[1]	Govan Church		Suburban of Glasgow.
646[2]	Partick		Hillhead, Whiteinch, and Suburban of Glasgow.
647	Hamilton		Larkhall and Motherwell.
651[2]	New Monkland (Landward)		Suburban of Airdrie.
652	Old Monkland		
	(1) Western District		Bailliestone, and Tollcross.
	(2) Middle District		Coatbridge and Roschall.
	(3) Eastern District		Do. do. and Calderbank.
654	Rutherglen		Cambuslang.
664	Carriden		Bo'ness.
673[2]	Fauldhouse		*Crofthead.
689	Inveresk	* Musselburgh.	
691	Lasswade		Penicuik.
727	Ayton		Eyemouth.
776 *b*	Ladhope	Galashiels.	
810	Wilton	Hawick.	
813 *b*	Brydekirk	Annan.	
863	Crossmichael		Castle-Douglas.
868	Kells	*New Galloway.	
869	Kelton		Castle-Douglas.
876	Minnigaff		Newton-Stewart.
880	Terregles	Dumfries.	
882	Troqueer	Do.	
895	Penninghame		Newton-Stewart.

* The asterisk indicates that the *entire* Burgh or Town is embraced in the Registration District.

INDEX TO THE DISTRICTS.

The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages, these being numbered consecutively from 1 *to* 901.*

Abbey, . 559
Abbey St Bathans, . 726
Abbotshall, 399
Abdie, . 400
Abercorn, . 661
Aberdalgie, 323
Aberdeen, . 168
Aberdour (Aberdeen), . 169
Aberdour (Fife), 401
Aberfeldy, . 324
Aberfoyle, . 325
Aberlady, . 702
Aberlemno, 269
Aberlour, . 145
Abernethy . 326
Abernethy and Kincardine, 90
Abernyte, . 327
Aboyne, . 170
Aharacle, . 505
Airdrie, . 651
Airlie, . 270
Airth, . 469
Alford, . 171
Alloa, . 465
Alness, . 57
Alva (Stirling), 470
Alvah (Banff), 146
Alves, . 125
Alvie, . . 90
Alyth, . 328
Ancrum, . 780
Anderston, . 644
Annan, . 812
Anstruther-E., 402
Anstruther-W., 403
Anwoth, . 855
Appin, . 525
Applecross, 58
Applegarth, 813
Arbirlot, . 271
Arbroath, . 272
Arbuthnott, 250
Ardchattan, 504
Ardclach, . 120
Ardersier, . 91
Ardnamurchan, 505
Ardoch, . 328
Ardrossan, . 576
Arisaig, . 505
Armadale, . 662
Arngask, . 404
Arrochar, . 492
Ashkirk, . 781
Assynt, . 44
Athelstaneford, 703
Auchindoir, 172
Auchinleck, 577
Auchterarder, 329
Auchterderran, 405
Auchtergaven, 330
Auchterhouse, 273
Auchterless, 173
Auchtermuchty, 406
Auchtertool, 407
Auldearn, . 121
Avoch, . 59
Avondale, . 621
Ayr, . . 578
Ayton, . 727
Baldernock, 471
Balfron, . 472
Ballachulish & Corran of Ardgour, 506
Ballantrae, 579
Ballingry, . 408
Balmaclellan, 856
Balmaghie, 857
Balmerino, . 409
Balquhidder, 331
Banchory-Devenick, . 251
Banchory-Ternan, . 252
Banff, . 147
Bannockburn, 488
Bargrennan, 857
Barony, . 622
Barr, . . 580
Barra (Inverness), . 108
Barrhead, . 572
Barrhill, . 582
Barry (Forfar), 274
Barvas, . 86
Bathgate, . 662
Beath (Fife), 410
Bedrule, . 782
Beith (Ayr), 581
Belhelvie, . 174
Bellie, . 126
Benbecula, . 118
Bendochy, . 332
Benholm, . 253
Bernera, . 111
Bervie, . 254
Biggar, . 623
Birnie, . 127
Birsay, . 13
Birse, . . 175
Blackford, . 333
Blackfriars, 644
Blair-Athol, 334
Blairgowrie, 335
Blantyre, . 624
Blythswood, 644
Boddam, . 232
Boharm, . 128
Boisdale, . 118
Boleskine, . 92
Bolton, . 704
Bonar, . 46
Bonhill, . 493
Borgue, . 858
Bo'ness, . 663
Borthwick, . 674
Bothkennar, 473
Bothwell, . 625
Botriphny, . 148
Bourtie, . 176
Bowden, . 783
Bower, . 34
Bowmore, . 536
Boyndie, . 149
Bracadale, . 109
Brechin, . 275
Bressay, . 1
Bridgeton, . 644
Brodick, . 553
Broughton, 758
Brydekirk, . 813
Buchanan, . 474
Buckhaven, 459
Buittle, . 859
Bunkle and Preston, . 728
Burntisland, 411
Burra & Quarff, 1
Cabrach, . 177
Cadder, . 626
Caddonfoot, 774
Cairney, . 178
Calderhead, 626
Callender, . 336
Calton, . 644
Cambuslang, 627
Cambusnethan, 628
Cameron, . 412
Camlachie, . 644
Campbeltown, 507
Campsie, . 475
Canisbay, . 35
Canonbie, . 814
Canongate, . 685
Caputh, . 337
Cardross, . 494
Careston, . 277
Cargill, . 338
Carlaverock, 815
Carloway, . 86
Carluke, . 629
Carmichael, 630
Carmunnock, 631
Carmylie, . 276
Carnbee, . 413
Carnoch (Ross), 595
Carnock (Fife), 414
Carnwath, . 632
Carriden, . 664
Carrington, 675
Carsphairn, 860
Carstairs, . 633
Castleton, . 784
Cathcart, . 560
Cavers, . 785
Cawdor, . 122
Ceres, . 415
Channelkirk, 729
Chapel-of-Garioch, . 179
Chirnside, . 730
Clackmannan, 466
Clatt, . . 180
Cleish, . 460
Closeburn, . 816
Clunie (Perth), 339
Cluny (Aberd'n), 181
Clyne, . 45
Cockburnspath, 731
Cockpen, . 676
Coigach, . 75
Coldingham, 732
Coldstream, 733
Colinton, . 677
Coll, . . 551
Collace, . 340
Collessie, . 416
Colmonell, . 582
Colonsay, . 539
Colvend, . 861
Comrie, . 341
Contin, . 60
Cookney, . 258
Corsock-Bridge, 862
Corstorphine, 678
Cortachy & Clova 278
Coull, . 182
Coupar-Angus, 279
Covington and Thankerton, 634
Coylton, . 583
Craig, . 280
Craigie, . 584
Craignish, . 508
Crail, . . 417
Crailing, . 786
Cramond, . 679
Cranshaws, 734
Cranston, . 680
Crathie and Braemar, 183
Crawford, . 635
Crawfordjohn, 636
Creich (Fife), 418
Crichton, . 681
Criech (Sutherland), . 46
Crieff, . 342
Crimond, . 184
Cromarty, . 61
Cromdale and Advie, . 128
Crossmichael, 863
Croy & Dalcross, 94
Cruden, . 185
Cullen, . 150
Culross, . 343
Culsamond, 186
Culter, . 637
Cults, . 419
Cumbernauld, 495
Cumbraes, . 552
Cumlodden and Minard, . 509
Cummertrees, 817
Cupar, . 420
Currie, . 682
Dailly, . 585
Dairsie, . 421
Dalavich, . 517
Dalbeattie, . 864
Dalgetty, . 422
Dalkeith, . 683
Dallas, . 129
Dalmellington, 586
Dalmeny, . 665
Dalry (Ayr), 587
Dalry (Kirkcudbright), . 865
Dalrymple, 588
Dalserf, . 638
Dalton, . 818
Dalziel, . 639
Daviot, . 187
Daviot & Dunlichity, . 95
Deerness, . 14
Delting, . 6
Dennistoun, 644
Denny, . 471
Deskford, . 152
Dingwall, . 62
Dirleton, . 705
Dollar, . 467
Dolphington, 640
Dores, . 90
Dornoch (Sutherland), . 47
Dornock (Dumfries), . 819
Douglas, . 641
Dowally, . 344
Drainie, . 130
Dreghorn, . 589
Dron, . . 345
Drumblade, 188
Drumelzier, 759
Drumoak, . 189
Dryfesdale, 820
Drymen, . 477
Duddingston, 684
Duffus, . 131
Duirinish, . 110
Dull, . . 346
Dumbarton, 496
Dumfries, . 821
Dun, . . 281
Dunbar, . 706
Dunbarney, 347
Dunblane, . 348
Dunbog, . 423
Dundee, . 282
Dundonald, 590
Dunfermline, 424
Dunino, . 425
Dunipace, . 478
Dunkeld, . 349
Dunlop, . 591
Dunnet, . 36
Dunnichen, 283
Dunning, . 350
Dunnottar, . 255
Dunoon & Kilmun, . 510
Dunrossness, 3
Dunscore, . 822
Dunse, . 735
Dunsyre, . 642
Durness, . 48
Duror, . 525
Durris, . 256
Durrisdeer, 823
Duthil, . 96
Dyce, . . 190
Dyke, . 133
Dysart, . 426
Eaglesham, 561
Earlsferry, . 436
Earlston, . 736
Eassie & Nevay, 284
East Kilbride, 643
Eastwood, . 562
Eccles, . 737
Ecclesmachen, 666
Echt, . . 191
Eckford, . 787
Eday & Pharay, 15
Edderton, . 63
Eddlestone, 760
Eddrachillis, 49
Edgerston, . 787
Edinburgh, 685
Edinkillie, . 134
Ednam, . 788
Edrom, . 738

* The actual number of Districts is 1033—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 14 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place *compound* names in the order in which they are pronounced.

Edzell, 285
Elgin, 135
Elie, 427
Ellon, 192
Enzie, 152
Errol, 351
Erskine, 563
Eskdalemuir, 824
Ettrick, 774
Evie & Rendall, 16
Ewes, 825
Eyemouth, 739

Fair Isle, 3
Fala & Soutra, 686
Falkirk, 479
Falkland, 428
Farnell, 286
Farr, 50
Fauldhouse, 673
Fearn (Forfar), 287
Fearn (Ross), 64
Fenwick, 592
Ferry-Port-on-Craig, 429
Fetlar, 4
Fettercairn, 257
Fetteresso, 258
Findo-Gask, 352
Fintray (Aberdeen), 193
Fintry (Stirling), 480
Firth & Stennes, 17
Flisk, 430
Flotta, 32
Fodderty, 65
Fogo, 740
Fordoun, 259
Fordyce, 153
Forfar, 288
Forgan, 431
Forgandenny, 353
Forglen, 154
Forgue, 194
Forres, 137
Fort-Augustus (or Abertarff), 92
Forteviot, 354
Fortingall, 355
Fortrose, 80
Foss, 355
Fossaway and Tulliebole, 461
Foula, 12
Foulden, 741
Foveran, 195
Fowlis-Easter, 356
Fowlis-Wester, 357
Fraserburgh, 196
Fyvie, 197

Gairloch, 66
Galashiels, 775
Galston, 593
Gamrie, 155
Gargunnock, 481
Gartly, 198
Garvald, 707
Garvock, 260
Gigha, 537
Girthon, 866
Girvan, 594
Gladsmuir, 708
Glamis, 289
Glasgow, 644
Glass, 199
Glassary, 511
Glasserton, 885
Glassford, 645
Glenbervie, 261
Glenbucket, 200
Glencairn, 826
Glencoe and Ballachulish, 525
Glencorse, 687
Glendevon, 358
Glenelg, 97
Glengarry, 99
Glenholm, 761
Glenisla, 290
Glenlivat, 157
Glenmoriston, 107
Glenmuick, Tullich, &c., 201
Glenorchy, 512
Glenrinnes, 155
Glenshee, 370
Glenshiel, 67
Golspie, 51
Gorbals, 644
Gordon, 742
Gourock, 567
Govan Church, 646
Graitney (or Gretna), 827
Grange, 156
Grangemouth, 481
Greenlaw, 743
Greenock, 564
Guthrie 291

Haddington, 709
Haggs, 476
Halfmorton, 828
Halkirk, 37
Hamilton, 647
Harray, 18
Harris, 111
Hawick, 789
Heriot, 688
Hobkirk, 790
Hoddom, 829
Holm & Paplay, 19
Holytown, 625
Holywood, 830
Houston and Killellan, 565
Howmore, 118
Hownam, 791
Hoy & Græmsay, 20
Humbie, 710
Hume, 744
Huntly, 202
Hutchesontown, 644
Hutton (Berwick), 745
Hutton (Dumf.) 831
Inch (Wigtown), 886
Inchinnan, 566
Inchture, 359
Inverkip, 567
Innerleithen, 762
Innerwick (Had.) 711
Innerwick in Glenlyon, 355*a*
Insch (Aberd'n), 203
Inverallan, 128
Inverallochy, 235
Inveraray, 513
Inverarity, 292
Inveravon, 157
Inverchaolain, 514
Inveresk, 689
Inverkeillor, 293
Inverkeithing, 432
Inverkeithny, 158
Inverness, 98
Inverurie, 204
Iona, 538
Irongray, 867
Irvine, 595
Jedburgh, 792
Johnstone (Dumfries), 832
Johnstone (Renfrew), 559
Jura, 539

Keig, 205
Keir, 833
Keith, 159
Keith-hall, 206
Kells, 868
Kelso, 793
Kelton, 869
Kelvin, 644
Kemback, 433
Kemnay, 207
Kenmore, 360
Kennoway, 434
Kettins, 294
Kettle, 435
Kilbarchan, 568
Kilberry, 516
Kilbirnie, 596
Kilbrandon and Kilchattan, 515
Kilbride, 553
Kilbucho, &c., 763
Kilcalmonell, 516
Kilchoman, 540
Kilchrenan, 517
Kilconquhar, 436
Kildalton & Oa, 541
Kildonan, 52
Kildrummy, 208
Kilfinan, 518
Kilfinichen and Kilvickeon, 542
Killean and Kilchenzie, 519
Killearn, 482
Kilearnan, 68
Killin, 361
Kilmadock, 362
Kilmalcolm, 569
Kilmallie, 520
Kilmany (Fife), 437
Kilmarnock, 597
Kilmaronock, 497
Kilmartin, 521
Kilmaurs, 598
Kilmelford, 524
Kilmeny (Argyll), 543
Kilmodan, 522
Kilmonivaig, 99
Kilmorack, 100
Kilmore & Kilbride, 523
Kilmorich, 527
Kilmory, 554
Kilmuir, 112
Kilmuir-Easter, 69
Kilmun, 510
Kilninian and Kilmore, 544
Kilninver, 524
Kilrenny, 338
Kilspindie, 363
Kilsyth, 483
Kiltarlity, 101
Kiltearn, 70
Kilwinning, 599
Kincardine (Perth), 364
Kincardine (Ross), 71
Kincardine O'Neil, 209
Kinclaven, 365
Kinfauns, 366
Kingarth, 554
King-Edward, 210
Kinghorn, 439
Kinglassie, 440
Kingoldrum, 295
Kingsbarns, 441
Kingussie, &c., 102
Kinloch, 372
Kinlochbervie, 49
Kinlochluichart, 71
Kinloch-Rannoch, 467
Kinlochspelvie, 545
Kinloss, 138
Kinnaird, 368
Kinneff and Catterline, 262
Kinnell, 296
Kinnellar, 211
Kinnethmont, 212
Kinnettles, 297
Kinning Park, 644
Kinnoull, 369
Kinross, 462
Kintail, 72
Kintore, 213
Kippen, 484
Kirkbean, 870
Kirkcaldy and Abbotshall, 442
Kirkcolm, 887
Kirkconnel, 834
Kirkcowan, 888
Kirkcudbright, 871
Kirkden, 298
Kirkgunzeon, 872
Kirkhill, 103
Kirkhope, 776
Kirkinner, 889
Kirkintilloch, 498
Kirkliston, 667
Kirkmabreck, 873
Kirkmahoe, 835
Kirkmaiden, 890
Kirkmichael (Ayr), 600
Kirkmichael (Banff), 160
Kirkmichael (Dumfries), 836
Kirkmichael (Perth, 370
Kirknewton and East-Calder, 690
Kirkoswald, 601
Kirkpatrick-Durham, 874
Kirkpatrick-Fleming, 837
Kirkpatrick-Juxta, 838
Kirkton (Assynt), 44
Kirkton (Farr), 50
Kirktown (Roxburgh), 794
Kirkurd, 764
Kirkwall & St Ola 21
Kirriemuir, 299
Knockando, 139
Knockbain, 73
Knoydart, 97

Ladhope, 776
Ladykirk, 746
Laggan, 104
Lairg, 53
Lanark, 648
Langholm, 839
Langton, 747
Larbert, 485
Largo, 443
Largs, 602
Larkhall, 638
Lasswade, 691
Latheron, 38
Lauder, 748
Laurencekirk, 263
Leadhills, 635
Lecropt, 371
Legerwood, 749
Leith, 692
Leochel-Cushnie, 214
Lerwick, 5
Leslie (Aberd'n), 215
Leslie (Fife), 444
Lesmahagow, 649
Leswalt, 891
Lethendy, 372
Lethnot and Navar, 300
Leuchars, 445
Libberton (Lanark), 650
Liberton (Edin.) 693
Liff, Benvie, & Invergowrie, 301
Lilliesleaf, 795
Linlithgow, 668
Linton, 796
Lintrathen, 302
Lismore, 525
Little Dunkeld, 373
Livingstone, 669
Lochaber, 99
Lochalsh, 74
Lochbroom, 75
Lochcarron, 76
Lochee, 282
Lochgilphead, 526
Lochgoilhead, 527
Lochlee, 303
Lochmaben, 840
Lochranza, 567
Lochrutton, 855
Lochs, 87
Lochwinnoch, 570
Logie (Fife), 446
Logie (Perth), 374
Logiealmond, 375
Logie-Buchan, 216
Logie-Coldstone & Cromar, 217
Logie-Easter, 77
Logie-Pert, 304
Logierait, 376
Longforgan, 377
Longformacus, 750
Longside, 218
Lonmay, 219
Loth, 54
Loudoun, 603
Lumphanan, 220
Lunan, 305
Lundie, 306
Lunnasting, 7
Luss, 499
Lyne, 765

Madderty, 378
Mains, 307
Makerstoun, 797
Manor, 766
Markinch, 447
Marnock, 161
Maryculter, 264
Maryhill, 622

Marykirk, . 265
Marytown, . 308
Mauchline, . 604
Maxton, . 798
Maybole, . 605
Mearns, . 571
Megget, . 765
Meigle, . 379
Melrose, . 799
Menmuir, . 309
Merton, . 751
Methlic, . 221
Methven, . 380
Mid-Calder, 694
Middlebie, . 841
Midmar, . 222
Mid & S. Yell, 6
Millbrex, . 222
Milton, . 644
Minnigaff, . 876
Minto, . 800
Mochrum, . 892
Moffat, . 842
Moneydie, . 381
Monifieth, . 310
Monikie, . 311
Monimail, . 448
Monkton and Prestwick, 606
Monquhitter, 223
Montrose, 312
Monymusk, 224
Monzie (Perth), 382
Monzievaird and Strowan, . 383
Moonzie (Fife), 449
Mordington, 752
Morebattle, . 801
Morham, . 712
Mortlach, . 162
Morton, . 843
Morvern, . 528
Moulin, . 384
Mousewald, 844
Moy and Dalarossie, . 105
Muckairn, . 529
Muckart, . 385
Muiravonside, 486
Muirkirk, . 607
Murroes, . 313
Musselburgh, 689
Muthill, . 386

Nairn, . 123
Neilston, . 572
Nenthorn, . 753
Nesting, . 7
New Abbey, 877
New Ardrossan, 576
Newbattle, . 695
Newburgh, 450
Newburn, . 451
New Byth, . 210
New Cumnock, 608
New Deer, 225
New Galloway, 868
Newhills, . 226
Newington, 685
New Kilpatrick, 500
Newlands, . 767
New Luce, . 893
New Machar, 227
New Monkland, 651
New Pitsligo, 227
New Spynie, 136
Newton, . 696
Newtyle, . 314
Nigg (Kincard.), 266
Nigg (Ross), 78
North Berwick, 713
North Bute, 557
North Harris, 111
North Knapdale, 530
North Leith, 692
Northmavine, 8
North Morar, 97
North Ronaldshay, . 22
North Uist, 113
North Yell, 4

Oa, . . 546
Oathlaw, . 315
Oban, . 523
Ochiltree, . 609
Old Ardrossan, 576
Old Cumnock, 610
Old Deer . 228
Oldhamstocks, 714
Old, or West, Kilpatrick 501
Old Luce, . 894
Old Machar, 168
Old Meldrum, 229
Old Monkland, 652
Olrig, . 39
Ordiquhill, 163
Ormiston . 715
Orphir . 23
Orwell, . 463
Oxnam, . 802
Oyne, . 230

Paisley, . 573
Panbride, . 316
Papa-Stour, 12
Papa-Westray, 33
Partick, . 646
Parton, . 878
Peebles, . 768
Pencaitland, 716
Penicuik, . 697
Penninghame, 895
Penpont, . 845
Persie, . 386
Perth, . 387
Peterculter, 231
Peterhead, 232
Pettinain, . 653
Petty, . 106
Pitsligo, . 233
Pittenweem, 452
Polmont, . 487
Polwarth, . 754
Port-Glasgow, 574
Port of Monteith, 388
Portlethen, 251
Portmoak, 464
Portnahaven, 547
Portobello, 684
Portpatrick, 896
Portree, . 114
Portsoy, . 153
Premnay, . 234
Prestonkirk, 717
Prestonpans, 718

Queensferry, 670

Raasay, . 114
Rafford, . 140
Rathen, . 235
Ratho, . 698
Rathven, . 164
Rattray, . 389
Rayne, . 236
Reay, . 40
Redgorton, 390
Renfrew, . 575
Rerrick, . 879
Rescobie, . 317
Resolis, . 79
Rhynd, . 391
Rhynie, . 237
Riccarton, . 611
Roberton, . 777
Rogart, . 55
Rosehall, . 46
Rosemarkie, 80
Roseneath, 502
Rosskeen, . 81
Rothes, . 141
Rothesay, . 558
Rothiemay, 165
Rothiemurchus, 96
Rousay and Egilsay, 24
Row, . . 503
Roxburgh, 803
Rutherglen, 654
Ruthven, . 318
Ruthwell, . 846

Saddell, . 531
St Andrew (Dundee), 282
St Andrew (Edinburgh), 685
St Andrews (Orkney), 25
St Andrews-Lhanbryde, 142
St Andrews and St Leonards (Fife), . 453
St Boswells, 804
St Clement, 282
St Cyrus, . 267
St Fergus, 166
St George, 685
St Giles, . 685
St Kilda, . 111
St Madoes, 392
St Mary, . 282
St Martins, 393
St Monance (or Abercrombie), 454
St Mungo, . 847
St Nicholas, 168
St Ninians, 488
St Peter, . 282
St Quivox, &c., 612
St Rollox, 644
St Vigeans, 319
Salen (Argyll), 548
Saline (Fife), 455
Salton, . 719
Sanday, . 26
Sandness, . 12
Sandsting and Aithsting, 9
Sandwick, . 27
Sandwick & Cuningsburgh, 3
Sanquhar, . 848
Savoch, . 237
Scone, . 394
Scoonie, . 456
Scourie, . 49
Seafield, . 167
Selkirk, . 778
Shapinshay, 28
Shettleston, 622
Shieldaig, . 58
Shotts, . 655
Skene, . 238
Skipness, . 531
Skirling, . 769
Slains, . 239
Slamannan, . 489
Sleat, . 115
Smailholm, 805
Small Isles, 116
Snizort, . 117
Sorbie, . 897
Sorn, . 613
Southdean, 806
Southend, 532
South Harris, 111
South Knapdale, 533
South Leith, 692
South Ronaldshay & Burray 29
South Uist, 118
Speymouth, 143
Spott, . 720
Sprouston, . 807
Stair, . 614
Stanley, 393
Stenscholl, 112
Stenton, . 721
Stevenston, . 615
Stewarton, . 616
Stirling, . 490
Stitchell, . 808
Stobhill, . 698
Stobo, . 770
Stoer, . 44
Stonehouse, 656
Stoneykirk, 898
Stornoway, 88
Stow, . 699
Stracathro, 320
Strachan, . 268
Strachur, . 534
Straiton, . 617
Stralachlan, 534
Stranraer, . 899
Strath, . 119
Strathblane, 491
Strathdon, 240
Strathfillan, 394
Strathmartin, 307
Strathmiglo, 457
Strathoykel, 71
Strathy, . 50
Strichen, . 241
Stromness, . 30
Stronsay, . 31
Sunart, . 505
Swinton, . 755
Symington (Ayr) 618
Symington (Lanark), 657

Tain, . 82
Tannadice, 321
Tarbat, . 83
Tarbert, 535
Tarbolton, 619
Tarland, . 242
Tarves, . 243
Tealing, . 322
Temple, . 700
Tenandry, . 394
Terregles, . 880
Teviothead, 809
Thurso, . 41
Tibbermore, 395
Tillicoultry, 468
Tingwall, . 10
Tinwald, . 849
Tobermory, 549
Tomintoul, 160
Tongland, . 881
Tongue, . 56
Torosay, . 550
Torphichen, 671
Torryburn, 458
Torthorwald, 850
Tough, . 244
Towie, . 245
Tradeston, 644
Tranent, . 722
Traquair, . 771
Trinity-Gask, 396
Troon, . 590
Troqueer . 882
Tulliallan, . 397
Tullynessle and Forbes, . 246
Tundergarth, 851
Turriff, . 247
Tweedsmuir, 772
Twynholm, 883
Tynron, . 852
Tyree, . 551
Tyrie . 248

Udny, . 249
Uig, . . 89
Unst, . . 11
Uphall, . 672
Urquhart (Elgin), . 144
Urquhart (Inverness), . 107
Urquhart and Logie-Wester, 84
Urr, . . 884
Urray, . 85

Walls (Shetland), 12
Walls (Orkney), 32
Walston, . 658
Wamphray, 853
Wandell and Lamington, 659
Wanlockhead, 853
Watten, 42
Weem, . 398
Wemyss, . 459
West Calder, 701
Westerkirk, 854
West Kilbride, 620
West Linton, 773
Westray, . 33
Westruther, 756
Whalsay and Skerries, 7
Whitburn, 673
Whitekirk and Tynninghame, 723
Whiteness and Weisdale, 10
Whithorn, 900
Whitsome, 757
Whittinghame, 724
Wick, 43
Wigtown, . 901
Wilton, . 810
Wiston and Roberton, . 660

Yarrow, . 779
Yester (or Gifford), . 725
Yetholm . 811
Ythan Wells 249

EDINBURGH: PRINTED BY NEILL AND COMPANY,

FOR HER MAJESTY'S STATIONERY OFFICE.

63